

Reference

- Abd-Elgalil N.I. (2007):*** Monitoring quality of nursing care in neonatal care units at hospitals affiliated to Ministry of Health, Dakahlia Governorate. M.D Thesis. Egypt.
- Abou-Zaid, S.A. (2002):***Quality of nursing care for high risk neonates receiving total parenteral nutrition. Master Thesis, faculty of nursing, Ain shams university.
- Alexander, J.M., Mcintire, D.D., & Leveno, K.J.,(2001):*** Prolonged pregnancy induction of labor and cesarean births. Journal of obstetric and gynecology,pp.11-15.
- Alfaro L.R. (2004):*** Critical thinking and clinical judgement, 3rd ed., W.B, Saunders, Philadelphia, pp. 249-250.
- Allen, P. J., Vessey, J.A.(2004):*** primary care of the child with chronic condition. 4th ed., St. louis, Mosby.
- Alshammari, H. T . & Jaffer, A., . (2003):*** Nasogastric tube syndrome: the unilateral Variant.
- Alvarado, J., Farr,B.M.,&MC Cormick, R.D., (2000):*** The science of hand hygiene. Self study monograph for physician, nurses &other health care professionals, Cincinnati, sci-health communication and university of Wisconsin Medical school, p.7.
- American journal of clinical nutrition. (2007):*** gastrointestinal development and meeting the nutritional needs of premature infant.
- Anderson M.S and Hay W.W.(2000):*** Neonatology intrauterine growth restriction and the small for gestational age

infant, 5th ed., Lippincott, Williams & Wilkins Company, Philadelphia, pp.411-414.

Anderson MR, O'connor M., Mayerp, O'mahony D, Wood Ward J, & Kane K.,. (2004): The nasal loop provides an alternative to percutaneous endoscopic gastrostomy in high risk dysphagic stroke patient. *Clinical nutrition*, 23(4):501-506.

Anderson, D. M.& Loughhead, J. I.,(2002): Feeding the ill or preterm infant. pp.7-14.

Anis MK, Abid S, Jafri W, .(2006) :Acceptability and outcomes of the Percutaneous Endoscopic Gastrostomy (PEG) tube placement—patients' and care givers' perspectives. *BMC Gastroenterol*. Nov 24;6:37. [abstract]

Ashington Audit Group. (2004): Evaluating a nurse led model for providing neonatal care, *journal of Advanced Nurses*, 47(1):39-84.

Ashowrth M. (2001): Neurology of fetal and neonatal pain, In wall, P and Md zad R. Text book of pain, Edinberg, Philadelphia: Churchill Livingeston Company, pp:132-139.

Attorney Gordon S., Johnson, Tr., (2006): Intensive care unit equipment. Available at [http: Hbilaw.com](http://Hbilaw.com).

Azopardi D. , Robertson N.J. and Cown F.M. (2000): Poilt study of treatment with whole body. Hypothermia for neonatal encephalopathy, *pediatrics*, 106 (4):582-589.

Beherman R., F., Kliegman R., M., & Jensen H., B., (2004): Nelson Textbook of pediatrics, 17th ed., WB Saunders Comlincy , Philadelphia.

Berseth CL., (1996): Gastrointestinal motility in the neonate.

Best. C. (2005): Caring for a patient with a Nasogastric Tube. Vol. 20. no 3. pp59-65.

Bethesda, M.R.N, (2001): The quality assurance project's information outlet. Center for human service, 9(1), pp. 814-816.

BlackBurn S. (2003): Maternal-fetal-neonatal physiology: A clinical prespective, 2nd ed., W.B, Saunders Company, Philadelphia, pp.152- 154.

Bobak, M. (2002): Low birth weight and prematurity . Enviromental health prespective, 108 (2):173-176.

Bolt, R.J., Van weissenbruch, M.M., Lafeber, M.N., & Delemarre- vande Waal, H.A.,(2001): Glucocorticoids and lung development in the fetus and preterm infants.pp.76-91.

Botwiniski, C.(2005): Advanced neonatal physiology. The national conference of neonatal nursing, LASV egas, 2-6 April.

Bour-Bonnais, F. and Wilson-Bornell,J.(2002): A comparative study of invasive therapy unit hospice nurses' knowledge on pain management. Journal of Advanced Nursing,17,pp:363-372.

Boxwell, G., (2000): Neonatal intensive care nursing. London, New York.

British Society for Disability and Oral health. (2000): Guidelines for development of local standards of oral health care for dependant dysphagic , critically and terminally ill patients.

Burnet Avenue, Cincinnati, Ohio,. (2008): Cincinnati Children's Hospital Medical Center, Gastrostomy-Jejunostomy Tube Care

Burnham P., .(2000): A guide to nasogastric tube insertion, nursing times. Plus., vo.96, no. 8, pp.6-7.

Burnham, P. (2000). A Guide to Nasogastric Tube Insertion; *Nursing Times Plus*; Vol.96; No.8; pages 6 –7.

Canadian Council on Health Accreditation. (2003): A guide to the development and use of performance indicators. Available at . wwwcchsa.ca.

Cartwright A.F. (2000): Passing a fine bore nasogastric tube and verifying position, Adult Policy, Basildon and Thurrock NHS trust clinical Guideline.

Colagiovanni L. (2000): Preventing and clearing blocked feeding tubes nutrition supplement. *Nursing Times*, vol.96,no.17.

Collins, N. (2001): What's in that feeding formula any. Way? *Nursing* .

Columbus. (2003): Institute for pediatric education. Helping child nasogastric tube insertion and feeding.

Cooper, A., Flasser, D.M. and Fletcher, G. (2003): Mues textbook for midwives, 4th ed., London, Toronto Churehill Livingstone Company, pp:503-611

CREST. (2004): Clinical Resources Efficiency Support Team, Models for managing enteral tube feeding. A guideline for the management of enteral feeding in adult, American.

Cunningham, F. G., Leveno, K.J., Bloom, S.L., Hauth, J.C., Gilstrap, .C., Wenstrom, K.D, (2005): Willims Obstetrics, New: Mcgraw - hill, 22nd ed.

Damus, K. (2005): Prematurity. March of Dimes. Available at : www.marchofdimes.com/prematurity/5408-5576.asp

Delegge, MH.,. (2001): Enteral access. The foundation of feeding; endoscopic nasoenteric tube placement techniques of gastro intestinal Endoscope, pp.22-29.

Dennis MS. Lewis SG., & Warlow C.,. (2005): Effect of timing and method of enteral tube feeding for dysphagic strock patients. Pp.744-772.

Department of Health and Human Services.(2000): A guide to nursing care at NICU, Available at www.yahoo.com.

Dharmarajan, TS., Unnikrishan,D., (2004): The techniques complication and outcome of nasogastric tube feeding. Post graduate medicine.

Diapak, D. and Guha, M. (2007): Essentials of pediatric nursing, 8th ed., W.B. Saunders, London, pp:385-398.

Dodd, v.L.,(2005): Implications of kangaroo care for growth and development in preterm infants.

Donna.Won, Marilyn J, Hockenberry,(2003):Nursing Care of Infants and Children. chapter the High risk Neoborn and family PP:(334), 7ed.

Ducan,Hd., and Silk, DB.,(2001): Problems of treatment- enteral nutrition In Nightingale J, intestinal failure. London: Green with medical media, pp. 477-496.

Duke University Health System.(2008): Surgical Jejunostomy Tube Duke Health.Org.

Duncan, HD., and Pearce, CB., .(2002): Enteral feeding, nasogastric, nasojejunal, percutaneous endoscopic gastrostomy, or jejunostomy. Its indications and limitations. Post graduate medical journal, pp.198-204.

Dwolatzky T. Berezovskis, & Friedmann R.,. (2001): Aprospective comparison of the use of nasogastric and percutaneous endoscopic gastrostomy tube for long term enteral feeding in old people.

Dwyer KM, Watts DD, Thurber JS, .(2002): Percutaneous endoscopic gastrostomy: the preferred method of elective feeding tube placement in trauma patients. J Trauma. Jan;52(1):26-32. [abstract]

El-Eraky, F.M.(2002): Infection control practice by nurses working at Ain shams children Hospital. Master Thesis, faculty of nursing, Ain shams Univiersity, Cairo, pp:15-32.

Elkin, M.K., Perry, A.G. &Potters, P.A., (2000): Nursing intervention & clinical skills, 2nd ed.,Mosby Co., Philadelphia, pp:47-50.

El-Mohands, A., Campdell, O. and Issa, A.H. (2001): The Egypt national Perinatal/Neonatal Mortality study 2000,J.Perinatal, May 24(5):284- 289.

El-Sayed, D.A. (2007): Pain management practices used by nurses working at neonatal care units, Master Thesis, Ain shams university, Egypt.

Fathy, F.M. (2004): Intervention nursing program for care of high risk neonates, Doctorate Thesis, faculty of nursing, mansura university.

Finucane TE, Christmas C. (2000): More caution about tube feeding. PP.167-178.

Fitzgerald, D., Mesianom , G., Brosseau, L., & DAVIS, (2000):pulmonary outcome in extremely low birth weight. Pediatrics, pp. 1209-1214.

Gerald, B. and Sandra, L.(2006): Hand book of Neonatal Intensive Care, 5th ed., Mosby Company, London, pp:139-149.

Gilbert,E.S.,& Harmon, J.S, (2003): Manual of high risk Pregnancy and delivery. ST. Louis Mosby, 3rd ed.

Gillick, MR., (2000): Rethinking the role of the tube in patients with advanced dementia.pp.206-210.

Gregory, K.,(2005): Update –on nutrition for preterm and full term. infants, pp:98-10.

Grossman,S., and Valiga, T., (2000):The new leadership Challenge, F.A. Davis Company, USA,P210.

Gumie, M. (2001): Pediatric nursing: Protocols for nurses, Egyptian nursing faculties, Egypt, pp:1-85.

Harper, T.,& Lam, G.,(2005): Fetal Growth Restriction. eMedicine, Available at:www.emedicine.com/med/topic3247.htm.

Hassan, R.A. (2006): The effect of an educational program about massage and positive touch on nursing care of preterm and low birth weight Master Thesis, faculty of nursing, Ain shams university, pp:101.

Health Care System. (2004): Quality of care. Available at http://www.hc-sc.gc.ca/ahc-asc/public_consult/index.

Hilley Yaffe Medical Center.(2007): Nasogastric tube VS Orogastric feeding tube in preterm infant: which is the best.

Hocken Berry M.J. (2005): Wong's essentials of pediatric nursing, 7th ed., Mosby Inc, Philadelphia, U.S.A, PP.220-223.

Horber J, and Blsek K. (2001): Collaborative quality improvement for neonatal intensive care, Philadelphia pediatrics, 107(1): pp.1-14.

Huband, S. and Mores, D.Y. (2002): Practices in children's nursing, Chuchill Livingstone, London, Philadelphia, pp:13-22.

Huband, S. and Trigg,E. (2002): Practices in children's nursing: guide lines for hospital and community, Edinburg: Chuchill Livingstone.

Huffman S. (2004): Methods for confirming feeding tube placement: Application of research in practice.

Jadcheriq, S. R.(2002): Gastro esophageal reflux in neonate. Clin perintol.

James Collier. (2007): Nutrition & Dietetics discussion forum for dietitians, Health & exercises professionals, Caterers and related students. Enteral feeding. An over view, p.1.

Janice R. Ellis & Patricia M. Bent Z. (2007): Basic nursing skills. 7th ed.,

Joanzerzan.(2000): Technical Aspects of enteral feeding . Assuring Nutritional Care of Preterm Infant.

Johnson,C., (2001): Infected wound management, critical care nursing Quarterly, pp:50-53.

- Jones, M.W., Morgan, E., & Shelton, J.e. (2002):** Dysphagia and oral feeding problems in premature infant. Neonatal Network, Journal of Neonatal nursing, 21 (2), 51-57.
- Kang N.M., Song.Y., and Im E.o. (2005):** Korean University Nurses' knowledge and attitude toward breast feeding : a Questionnaire Survey, Journal of nursing studies 42(8):PP.863-870.
- Kenner, G., & Lott, J.W., (2004):** Neonatal nursing hand book. St. Louis, saunders.
- Klaus M.H. and Fanarrof A.A (2001):** care of high risk neonate, 5th ed., Mosby Inc, Saunders, Philadelphia, U.S.A. pp.195-201.
- Kliegman R.(2006):** Experimental validation of neonatal feeding practices, pediatrics, 103(2):492-495.
- Kline N. e, Hokenberry M.J. and Wilson D.(2003):** Wong's nursing care of infant and children, 7th ed., ST louis, Mosby inc, PP.231-324.
- Krupp, K., (2000):** The effect of automatic flushing on nasogastric tube clogging rates, Jurnal of the American college of nutrition.
- Littleton, L. Y., and Engebreston, J. C.(2005):** maternity nursing care.1st
- LTHNHST. (2004):** Leeds Teaching Hospitals NHS, Enteral tube feeding policy leeds teaching hospitals NHS trust.
- Mahdy, N.E. (2002):** Nurses' role in managing patient undergoing intervenous infusion therapy. Master Thesis, Medical Surgical Nursing, Ain shams University, pp:65-60.
- Main Quality Forum.(2007):** Your guide to high quality health care
- Mainz J. (2003):** Defining classifying indicators for quality improvement international journal for quality in health care, 15 (6):523-524.

- Mallett, J & Dougherty, L (2000):** Marsden Manual 5TH Ed Blackwell Science, United Kingdom.
- Mant J.(2001):** Process versus outcome indicators in the assessment of quality health care. Int, journal health care.
- Marliyn, J., and David W. (2007):** Essentials of pediatric nursing, 8th ed., W.B. Saunders Company, London, pp:385-398.
- Martin J., A., (2002):** Final Data for 2001, National vital statistics reports, 51(2)
- Mattson, S., & Smith,J.E.,(2004):** Care Curriculum for Maternal-Newborn nursing 3rd ed.
- MCAtear L.A .(1999):** Current perspectives on Neonatal nutrition in adult JAPEN.
- Mcclave, SA., . (2001):** Nutritional in the ICU, part 2: Enteral feeding complications. Journal of critically illness. Pp. 248-254.
- Mears, M. (2001):** Changing nasogastric tubes in sick and preterm infants: A help or a hindrance? Journal of Neonatal Nursing, 7(6): 202-06
- Medical Devices Adency. DB., (MDADB). (2000):** Single use medical devices: Implication and consequences of reuse.
- Merenstein, G.B., Gardner SL.(2002):**handbook of neonatal intensive care. 3rd ed. , louis year book, pp.516- 522.
- Metcalf, S. (2007):** cross-hospital audit: Nasogastric tubes, Royal Peath Hospital.
- Metheny N., Meert KL., (2004):** Monitoring feeding tube placement. Nutritional in clinical practice.

Metheny NA, Simth L. Weharle MA.. Wiersema L. Clarkj,PH.(1998):
oral and feeding tube .Journal of pediatric nursing.

Metheny, NA. & Titler, M. (2001): Assessing placement of feeding tubes.
American journal of nursing, 101(5).

Milward, G.,. (2004): Syringe size and pressures . Management technical
support services.

Ministry of Health and Population (2001): Neonatal care protocols for
physician, Arb Republic of Egypt, Cairo-Egypt, May, pp:204-
218.

Moohammed, S.M.(2007): Quality of nurse's performance in neonatal
intensive care units, Master Thesis, faculty if nursing, benha
university.

National Patient Saftey Agency (NPSA) , (2007): Nasogastric tube,
Department of family services.

National Patient Safty Agency (NPSA).(2005): Reducing the harm
caused by misplaced nasogastric feeding tubes. Patient safty alert,
London.

National Quality Measure. (2007): Clearing house. Available at
<http://www.hhs.gov/>

Naylor M. (2007): Quality in neonatal care. Available at www.nann.org.

Neu, J., (2002): Aggressive nutritional Support and nutritional
adjuncts for premature and critical ill neonates.

Newborn Care. (2005): Newborn care manual skill, Perinatal Education
Programme.

NHS Quality Improvement. (2004): Leeds teaching hospitals NHS trust.
Enteral tube feeding policy leeds teaching hospitals.

North American Nursing Diagnosis Association(NANDA). (2003-2004):

Nursing journal, 29 (5):221-235.

Nursing Standard. (2005): Caring for patient with nasogastric tube, John Dempsey Hospital, Department of Nursing, the university of Connecticut Health center.

Olds, S.B., London, M.L., Ladewing, P.W., and Davidson, M.R., (2004): Maternal – Newborn nursing and women's health care 7th ed.,.

O'Neil, R., Krishnanthan, R., (2004): Intraplural nasogastric tube insertion. *Australas Radiology*, pp.139-141.

Orshan, Susan A., (2008):Maternity, newborn, and women's health nursing Comprehensive care Across the life span, lippincott, Williams & Wilkins.

Ostlie, D.J., (2003): necrotizing enter colitis in full term infants, *journal of pediatric surgery*.

Padula, C., Kenny, A., Planchan, C., (2004): Enteral feeding: what the evidence says. *American journal of nursing*.

Patient / Family Education. (2005): Nasogastric tube feeding, Children's Hospitals and clinics of Minnesota.

Pediatric Cardio – Thoracic Joint.(2006): Practice committee, Nasogastric tube feeding.

peggi G., Marcia S. (2007): Tube feeding : Practical guidelines and nursing protocol's, Simplified training. Com/ home care.

Pillitteri, A.,(2007): maternal and child health nursing, 5th ed., lippincott. William and wilking.

Pillitteri, A.(2003): Maternal and child health nursing, 4th ed., Lippincott Williams and Wilkins Company, London, pp:629-642.

Pittet, D., Mourauga, P., & Perneger, T.V.,(1999): Compliance with hand washing in a teaching hospital. Infection control program, Annals of internal medicine, pp:126-130.

Premji, Shahirose S, . (2008): Enteral Feeding for High-risk Neonates: A Digest for Nurses Into Putative Risk and Benefits to Ensure Safe and Comfortable Care Journal of Perinatal & Neonatal Nursing. 19(1):59-71.

Quality Matters Tube Feeding.(2003): Tube feeding will only be used when it benefits the resident.

Raymond V. L..(2008):Information by Condition or Disease, Pawprints and Purrs, Inc. Dog Health Care

Richards, R .(2007): Tube feeding babies and kids with gastro esophageal reflux disease. Infant Reflux Disease . com.

Robinson M. and Robertson A. (2003): Practical pediatrics, 4th ed., Churchill Livingstone Company, New York, pp. 3-10, 317-340.

Rodriguez, R. J.(2003): management of respiratory distress syndrome: an update. Respiratory care, pp/279-286.

Rollant P. D., Hamlin J.J. and Piotrowski K.A. (2001): Maternal –child nursing, 2nd ed., Lippincott, Philadelphia, pp. 215-222.

Ronda D., Griffiths, RN.(2006): Insertion and Management of nasogastric tube for adult.

Rubin HR, Pronvost P, & Diette GB.(2001): The advantage and disadvantage of process- based measures of health care quality. Int, journal health care, 13(6): 469-74.

Sadek, B.N. (2005): Care of neonates with respiratory distress on mechanical ventilators, Master Thesis, faculty of nursing, Ain shams university, pp:140-143.

Sale D.N.(2000): Quality assurance. A path way to excellence 3rd ed., Ardvard Edittorial, Mendham, Suffolk Malaysia, p.38.

Shewer, M. (2005): Programs: Newborn intensive care, Phoenix Childre's hospital, pp:1-2.

Smeltzer, S.C., & Bare, B.G., (2004): Brunner & Suddarth,S Text book of medical-surgical nursing, 10th ed., Awolters Kluwer CO., Philadelphia, pp:2124-2139.

Steet, Jennifer, L., Montgomery, Dianne, Alder, Stephenc, Lambert, Dlank,,(2007): Implementing feeding guidelines for NICU patient's <2000g Results in less variability in nutrition outcome. Journal of paranteral and enteral nutrition , JAPEN.

Stroud M, Duncan H., Nightingale J., (2003): Guideline for enteral feeding in adult hospital patients. Supply 7.

Stroud M, Duncan Hand Nighingaies.(2003): Guide lines for enteral feeding in adult hospital patients. Journal, Dec:52.

Taha, S.H. (2006): Assessment of problems associated with nasogastric tube feeding among stroke patients. Master Thesis, El-minia university.

Tedschi, L., Altimier, L., and Warner, B., (2004): Improving the accuracy of indwelling gastric feeding tube placement in the neonatal population. Neonatal care, Journal of perinatology& Neonatology.

The British Association of parenteral and Enteral Nutrition (BAPEN) (2004) : Drug administration via enteral feeding tubes. Available at www.bapen.Org.uk/drugs- enteral.

Thilo, E.H. (2005): Neonatal jaundice. In P.J. Thureen, J. Deacon, J.a. Hernandez, and D.M.Hall, Assessment and care of the well newborn 2nd ed., pp.245-254. St. Louis:Elsvier Saunders.

Thom E Lobe, MD.(2007):Necrotizing Enterocolitis The Nemours foundation.

Thoms, G., . (1999): Enteral nutrition in clinical practice creation medical journal, vol.(40), No(4) pp:12-23.

Walley and Wong. (2000): Pediatric variations of nursing interventions . clinical manual of nursing procedures, tube feeding in children, pp.680-682.

Weber, J.R., .(2005): Nurses hand book of health assessment, 5th ed., Lippincott Williams &Wilkins, Available at lww.com, U.S.A, p.12.

Williams TA, Leslie GD. (2004): Intensive critical care nursing, A review of the nursing care of enteral feeding tubes in critically ill adult.

Wong D., L., Hockenberry M., j., Wilson D., and Winkelstein M., L., (2007): Wong's Essentials of pediatric Nursing, 7th ed., Mosby Company, Philadelphia, pp:222-306.

Wong, D.,(2003): Essential of pediatric nursing, 5thed., chapter 22. St. Louis: Mosby.