

References

- [1] Reed, B.F., Arunnachalam, S., Thomas, B., Removal of lead and cadmium from aqueous waste streams using Granular activated carbon (GAC) columns. Environ Prog., 13(1994):60-65.
- [2] Shin-ichi, N., Determination of pore size and pore size distribution : 3. Filtration membranes. Journal of Membrane Science, 96 (1994) 131-165
- [3] Sanghi, R., Bhattacharya, B., Dixit, A., Singh, V., Ipomoea asyrisperma seed gum: An effective natural coagulant for the decolorization of textile dye solutions. Journal of Environmental Management, 81(2006) 36-41
- [4] Stephenson, R.J., Duff, Sh. J. B. , Coagulation and precipitation of a mechanical pulping effluent—I. Removal of carbon, colour and turbidity. WaterResearch, (1996)781-792
- [5] Ravikumar K., Deebika B., Balu K., Decolourization of aqueous dye solutions by a novel adsorbent: Application of statistical designs and surface plots for the optimization and regression analysis. J Hazard Mater, 122 (2005) 75-83.
- [6] Allen S. J., Gan, Q., Matthews, R., Johnson, P.A., Kinetic modeling of the adsorption of basic dyes by kudzu. J Colloid Interface Sci, 286(2005)101-109.
- [7] Mittal, A., Krishnan, L., Gupta, V.K., Removal and recovery of malachite green from wastewater using an agricultural waste material. Sep Purif Technol, 43(2005) 125-133.

- [8] Rashed, M.N., Lead removal from contaminated water using mineral adsorbents. *The Environmentalist*, 21(2001)187–195.
- [9] Zouboulis, A.I., Matis, K.A., Lanara, B.G., Neskovic, C.L., Removal of cadmium from dilute solutions by hydroxyapatite: II. Floatation studies. *Sep Sci Technol*, 32 (1997)1755–1767.
- [10] Srivastava, S.K., Gupta, V.K., Mohan, D., Removal of lead and chromium by activated slag—a blastfurnace waste. *J Environ Eng.*, 123 (1997) 461–468.
- [11] Ayyappan, R., Carmalin Sophia, A., Swaminathan, K., Sandhya, S., Removal of Pb (II) from aqueous solution using carbon derived from agricultural wastes. *Proc Biochem*, 40(2005)1293–299.
- [12] Bes-Piá, A., Iborra-Clar, M.I. , Iborra-Clar, A., Mendoza-Roca, J.A. , Cuartas-Uribe, B., Alcaina-Miranda, M.I. , Nanofiltration of textile industry wastewater using a physicochemical process as a pre-treatment. *Desalination*, 178(2005)343-349
- [13] Chikuma, M., Nakayama, M., Kunimasa, J., Suzuki, Y., Kurisaka, Y., Tanaka, H., A chelate-forming resin prepared from a sulfonated dithizone and an anion-exchange resin and its application to collection of heavy metal ions. *Reactive Polymers, Ion Exchangers, Sorbents*, 3(1985)163-171.
- [14] Aderhold, D., Williams, C. J., Edyvean, R. G. J., The removal of heavy-metal ions by seaweeds and their derivatives. *Bioresource Technology*, 58(1996) 1-6

- [15] Al-Malack, M. H., Abuzaid, N. S. , El-Mubarak, A. H., Coagulation of polymeric wastewater discharged by a chemical factory. *Water Research*, 33(1999) 521-529
- [16] Kameda,T., Saito,Sh., Yoshiaki Umetsu,Y., Mg-Al layered double hydroxide intercalated with ethylene-diaminetetraacetate anion: Synthesis and application to the uptake of heavy metal ions from an aqueous solution. *Separation and Purification Technology*, 47(2005) 20-26
- [17] Suzuki,Y., Nagayama,T., Sekine,M., Akio Mizuno,A., amaguchi,K., Precipitation incidence of the lanthanoid(III) hydroxides. *Journal of the Less Common Metals*, 126(1986) 351-356
- [18] Altaş, L., Büyükgüngör,H., Sulfide removal in petroleum refinery wastewater by chemical precipitation. *Journal of Hazardous Materials*, 153(2008) 462-469.
- [19] David N. S. Hon, *Chemical Modification of Lignocellulosic Materials*. New Yourk, Marcel Dekker Inc, Chap. 4, (1995) p. 97-128.
- [20] Vigo,T.L., Daigle,D.J., Preparation of fibrous cellulose formate by the action of thionyl chloride in N,N-dimethylformamide. *Carbohydrate Research*, 21(1972) 369-377.
- [21] Hashem,A., Akasha, R.A. , Hussein, D.M., and Ghith, A. ,Synthesis, characterization and application of cellulose maleate based on sawdust for Pb (II) removal from aqueous solution. *Energy Education Science and Technology*, 18(2007) 67-83.

- [22] Robert E. Wing, Corn fiber citrate: preparation and ion-exchange properties. *Industrial Crops and Products*, 5 (1996) 301-305.
- [23] Hashem, A., Ackacha, M. A. , Saad, E. E., and Okasha, R.A., Utilization of Alhagi cellulose malate for removal of Pb (II) Ions from aqueous solutions. *Energy Education Science and Technology*, 20 (2007) 31-43.
- [24] Hashem,A., Abdel-Lateff ,A., Farag,S., and Hussein, D.,Treatment of Alhagi residues with tartaric acid for the removal of Zn(II) Ions from aqueous solution. *Adsorption Science& Technology* , 26 (2008) 661-678.
- [25] Granja, P. L., Bernard De Jéso, Bareille,R., Rouais,F., Baquey,Ch., Barbosa,M.A., Cellulose phosphates as biomaterials. In vitro biocompatibility studies. *Reactive and Functional Polymers*, 66(2006) 728-739
- [26] Fevzi, Y., Hasan, T. and Nurhan, A., Flow properties of cellulose and carboxymethyl cellulose from orange peel. *Journal of Food Engineering*, 81 (2007)187-199.
- [27] Pushpamalar, V., Langford, S. J, Ahmad, M. and Lim., Y.Y., Optimization of reaction conditions for preparing carboxymethyl cellulose from sago waste. *Carbohydrate Polymers*, 64(2006) 312-318.
- [28] Biswal, D. R., and Singh, R. P., Characterisation of carboxymethyl cellulose and polyacrylamide graft copolymer. *Carbohydrate Polymers*, 57(2004) 379-387.

- [29] Torul, H. and Arslan, N., Carboxymethyl cellulose from sugar beet pulp cellulose as a hydrophilic polymer in coating of mandarin. *Journal of Food Engineering*, 62 (2004)271-279.
- [30] Barba, C., Reguant, J., Farriol, X. and Montané, D., Carboxymethyl cellulose from waste lignocellulosic pulps produced by a fast soda/AQ process. *Journal of Wood Chemistry and Technology*, 20(2000) 185-204.
- [31] Jing, W. and Somasundaran, P., Adsorption and conformation of carboxymethyl cellulose at solid–liquid interfaces using spectroscopic, AFM and allied techniques. *Journal of Colloid and Interface Science*, 291(2005)75-8. (2004)109-113.
- [32] Susumu, I., Takao, N., Kunio, T. and Shoji, S., Preparation of O-(carboxymethyl) cellulose (CMC) of high degree of substitution. *Carbohydrate Research*, 145 (1985)160-162.
- [33] Sun,Sh., Wang, Li , Wang,A., Adsorption properties of crosslinked carboxymethyl-chitosan resin with Pb(II) as template ions. *Journal of hazardous Materials*, 136(2006)930-937.
- [34] Wenbin, S., Dejun, S., Yunping, W., Shangyin, L. and Shuiyan, Z. Oil-in-water emulsions stabilized by hydrophobically modified hydroxyethyl cellulose: Adsorption and thickening effect. *Journal of Colloid and Interface Science* 311 (2007) 228-236.
- [35] Marsano, E., Bianchi, E., Gagliardi,S. and Ghioni, F., Hydroxypropyl–cellulose derivatives: phase behaviour of hydroxypropylcellulose methacrylate. *Polymer*, 41(2000) 533-538.

- [36] Duarte, C., Gordillo, M.D., Margarida, C., Luísa, S. and Catarina, M.M. D., Preparation of ethyl cellulose/methyl cellulose blends by supercritical antisolvent precipitation. *International Journal of Pharmaceutics*, 311 (2006) 50-54.
- [37] Nada, A. M. A. and Hassan, M. L., Thermal behavior of cellulose and some cellulose derivatives. *Polymer Degradation and Stability*, 67(2000) 111-115.
- [38] Sefain, M. Z, Naoum, M. M., Fadl, M. H., EL-Wakil, N. A., Thermal behaviour of cyanoethylated cellulose. *Thermochimica Acta*, 231, (1994) 257-265.
- [39] Brestkin, Y. V., Volkova, L. A., Kutsenko, L. I., Mel'tser, Y. A., Shepelevskii, A. A. and Frenkel, S. Y., Liquid crystalline state of concentrated solutions of cyanoethyl cellulose in dimethylformamide. *Polymer Science U.S.S.R.*, 28(1986)35-42.
- [40] Edward, I., Stupińska, H. and Starostka, P., Properties of cellulose derivatives produced from radiation— modified cellulose pulps. *Radiation Physics and Chemistry*, 76 (2007)1189-1194.
- [41] Ren, J. L., Peng, F., Sun, R. C., Preparation and characterization of hemicellulosic derivatives containing carbamoyl ethyl and carboxyethyl groups. *Carbohydrate Research*, 343(2008) 2776-2782.
- [42] Hebeish, A., Guthrie, J. T., 1981, *The Chemistry and Technology of Cellulosic Copolymers*, New York, Heidelberg Springer Verlag, Chap. 7, p. 351.

- [43] Samal, R. K., Bhuyan, B. L., Chemical modification of ligno-cellulosic fibers I: Functionality changes and graft copolymerization of acrylonitrile onto pineapple leaf fibers: their characterization and behavior, *J. appl. polym. sci.*, 52 (1994) 1675-1685.
- [44] Cruz, Ana M. M., Thomas H., Synthesis and characterization of graft copolymers from natural fibers. *International Journal of Polymeric Materials*, 51 (2002) 661-674.
- [45] Okieimen, F. E., Graft copolymerization of vinyl monomers on cellulosic materials. *Die Angewandte Makromolekulare Chemie*, 260(1998) 5-10.
- [46] Fanta, G. F., Burr, R. C., Doane, W. M., Graft polymerization of acrylonitrile onto wheat straw. *J. Appl. Polym. Sci.*, 33(1987) 899-906.
- [47] Farag, S., Al-Afaleq, E. I., Preparation and characterization of saponified delignified cellulose polyacrylonitrile grafted copolymer. *Carbohydrate Polymers*, 48(2002) 1-5.
- [48] Mishra , M. K. , Graft copolymerization of vinyl monomers onto cellulose and cellulosic materials. *Polymer Reviews*, 22(1982) 471 - 513
- [49] Berlin, A. A., Kislenco, V. N., Kinetics and mechanism of radical graft polymerization of monomers onto polysaccharides. *Prog. Polym. Sci.*, 17 (1992) 765-825.
- [50] Zohuriaan-Mehr, M. J., Pourjavadi, A., Sadeghi, M., Modified CMC: Part1-Optimized synthesis of carboxymethyl cellulose-g-polyacrylonitrile. *Iranian Polymer Journal*, 14(2005) 131-138.

- [51] Coote, M. L., Davis, T. P., The mechanism of the propagation step in free-radical copolymerization. *Prog. Polym. Sci.*, 24(1999) 1217-1251.
- [52] Nelson, M. L., O'Connor, R. T., Relation of certain infrared bands to cellulose crystallinity and crystal lattice type, Part I. Spectra of lattice types I, II, III and of amorphous cellulose. *J. Appl. Polym. Sci.*, 8(1964) 1311-1324.
- [53] Ghanshyam, S. C., Baljit, S., Suresh, K., Synthesis and characterization of N-vinyl pyrrolidone and cellulose based functional graft copolymers for use as metal ions and iodine sorbents. *J. Appl. Polym. Sci.*, 98(2005) 373-382.
- [54] Ghanshyam, S. C., Rajeev, S. and Harinder, L., Synthesis and characterization of graft copolymers of hydroxypropyl cellulose with acrylamide and some comonomers. *J. Appl. Polym. Sci.*, 91(2004) 545-555.
- [55] Lili, W., Yongshen, X., Preparation and characterization of graft copolymerization of ethyl acrylate onto hydroxypropyl methyl-cellulose in aqueous medium. *Cellulose*, 13(2006) 191-200.
- [56] Mrisova, D., Maryska, S., Study of radiation-induced graft polymerization of vinyl monomers to cellulose by infrared spectroscopy: II. Cellulose-polystyrene copolymers. *J. Appl. Polym. Sci.*, 12(1968) 2007-2011.
- [57] Margutti, S., Vicini, S., Proietti, N., Capitoni, D., Conio, G., Pedemonte, E. and Serge, A. L., Physical-chemical characterization of acrylic polymers grafted on cellulose. *Polymer*, 34(2002): 6183-6194.
- [58] Ghanshyam, S. C., Lalit, G. and Rajeev, S., Synthesis, characterization and metal ion sorption studies of graft copolymers of cellulose with glycidyl methacrylate and some comonomers. *Cellulose*, 12(2005) 97-110.

- [59] Halil, I. U., Can, I., Oya S., Graft copolymerization of N-Vinylimidazole on poly(Ethylene Terephthalate) fibers in a swelling Solvent using azobisisobutyronitrile as initiator. *Turk. J. Chem.*, 27(2003) 403-415.
- [60] Okieimen, F. E., Preparation, characterization and properties of cellulose-polyacrylamide graft copolymers. *J. Appl. Polym. Sci.*, 89(2003) 913-923.
- [61] Shukla, A., Zhang, Y.H., Dubey, P., Margrave, J.L., Shukla, S. S., The role of sawdust in the removal of unwanted materials from water. *J. Hazardous Mater.*, B95 (2002)137–152.
- [62] Baouab, M. H. V., Gauthier, R., Gauthier, H., Rammah, M. E.B., Cationized sawdust as ion exchanger for anionic residual dyes. *J. Appl. Polym. Sci.*, 82 (2001)31–37.
- [63] Ajmal, M., Rao, R.A.K., Ahmad, R., Ahmad, J., Adsorption studies on *Citrus reticulata* (fruit peel of orange) removal and recovery of Ni (II) from electroplating wastewater. *J. Hazard. Mater.*, B79 (2000) 117–131.
- [64] Babel, S., Kurniawan, T.A., Low-cost adsorbents for heavy metals uptake from contaminated water: a review. *J. Hazard. Mater.*, B97 (2003) 219–243.
- [65] Bansode, R.R., Losso, J.N., Marshall, W.E., Rao, R.M., Potier, R.J. Adsorption of metal ions by pecan shell-based granular activated carbon. *Bioresour.Technol.*, 89 (2003) 115–119.
- [66] Demirbas, E., Kobya, M., Oncel, S., Sencan, S., Removal of Ni (II) from aqueous solution by adsorption onto hazelnut shell activated carbon: equilibrium studies. *Biores, Technol.*, 84 (2002)291–293.

[67] Kobya, M., Removal of Cr (VI) from aqueous solutions by adsorption onto hazelnut shell activated carbon: kinetic and equilibrium studies. *Biores. Technol.*, 91 (2004) 317–321.

[68] Bishnoi, N.R., Bajaj, M., Sharma, N., Gupta, A., Adsorption of Cr (VI) on activated rice husk carbon and activated alumina, *Biores. Technol.*, 91 (2003) 305–307.

[69] Abdel-Halim, E.S., Abou-Okeil, A. and Hashem, A., Adsorption of Cr (VI) oxyanions onto modified wood pulp. *Polymer-Plastics Technology and Engineering*, 45 (2006)71-76.

[70] Ajmal, M., Rao, R.A.K., Anwar, S., Ahmad, J., Ahmad, R., Adsorption studies on rice husk: removal and recovery of Cd (II) from Wastewater. *Biores. Technol.*, 86 (2003)147–149.

[71] Kadirvelu, K., Thamaraiselvi, K., Namasivayam, C., Removal of heavy metals from industrial wastewaters by adsorption onto activated carbon prepared from an agricultural solid waste. *Biores. Technol.*, 76 (2001) 63 –65.

[72] Hasar, H., Adsorption of nickel (II) from aqueous solution onto activated carbon prepared from almond husk. *J. Hazard. Mater.*, B97 (2003) 49-57.

[73] Dakiky, M., Khamis, M., Manassra, A., Mer'eb, M., Selective adsorption of Cr (VI) in industrial wastewater using low-cost abundantly available adsorbents. *Adv. Environ. Res.*, 6 (2002) 533–540.

[74] Tang, P.L., Lee, C.K., Low, K.S., Zainal, Z, Sorption of Cr (VI) and Cu (II) in aqueous solution by ethylenediamine modified rice hull. *Environ.*

Technol., 24 (2003)1243–1251.

[75] Abia, A.A., Horsfall, M., Didi, O., The use of chemically modified and unmodified cassava waste for the removal of Cd, Cu, and Zn ions from aqueous solution. *Biores. Technol.*, 90 (2003) 345–348.

[76] Marshall, W.E., Wartelle, L.H., Boler, D.E., Johns, M.M., Toles, C.A., Enhanced metal adsorption by soybean hulls modified with citric acid. *Biores. Technol.*, 69 (1999) 263–368.

[77] Periasamy, K., Namasivayam, C., Removal of nickel (II) from aqueous solution and nickel plating industry wastewater using an agricultural waste: peanut hulls. *Waste Manag.*, 15 (1995) 63–68.

[78] Hashem, A., Abdel-Halim, E.S., El-Tahlawy, Kh.F. and Hebeish, A., Enhancement of adsorption of Co (II) and Ni (II) ions onto peanut hulls through esterification using citric acid. *Adsorption Science and Technology*, 23 (2005) 367-380.

[79] Hashem, A., ELhammali, M.M., Hussin, H. A., Senousi, M. A., Utilization of sawdust-based materials as adsorbent for wastewater treatment. *Polymer-plastics technology and engineering*, 45(2006) 821-827(7).

[80] Hashem, A., Abou-Okeil, A., El-Shafie, A. and El-Sakhawy, M., Grafting of high α -cellulose pulp extracted from sunflower stalks for removal of Hg (II) from aqueous solution. *Polymer-Plastics Technology and Engineering*, 45 (2006) 135-141.

- [81] Yu, B., Y. Zhang, Shukla, A., Shukla, S.S., and Dorris, K. L., The removal of heavy metal from aqueous solutions by sawdust adsorption -removal of copper. *Journal of Hazardous Materials*. 80 (2000) 33-42.
- [82] Hashem, A., Amidoximated sunflower stalks as a new adsorbent for removal of Cu (II) from aqueous solution. *Polymer-Plastics Technology and Engineering*, 45 (2006)35-42.
- [83] Yu, L. J., Shukla, S. S., Dorris, K. L., Shukla ,A., and Margrave, J. L., Adsorption of chromium from aqueous solutions by maple sawdust. *Journal of Hazardous Materials*. 100 (2003) 53 – 63.
- [84] Garg, V.K., Amita, M., Kumar, R., Gupta, R., Basic dye (methylene blue) removal from simulated wastewater by adsorption using Indian rosewood sawdust: a timber industry waste. *Dyes and Pigments*, 63 (2004) 243-250.
- [85] Shukla, A., Zhang, Y. H., Dubey, P., Margrave, J. L., Shukla, S. S., The role of sawdust in the removal of unwanted materials from water. *J. Hazardous Mater.* , B95 (2002)137–152.
- [86] Baouab, M. H. V, Gauthier, R., Gauthier, H., Rammah, M. E.B., Cationized sawdust as ion exchanger for anionic residual dyes. *J. Appl. Polym. Sci.*, 82 (2001)31–37.
- [87] Garg, V.K., Gupta, R., Yadav, A.B., Kumar, R., Dye removal from aqueous solution by adsorption on treated sawdust. *Bioresour. Technol.*, 89(2003)121–124.

- [88] Ho, Y.S., McKay, G., Kinetic models for the sorption of dye from aqueous solution by wood. *ICHEME B.*, 76 (1998)183-191.
- [89] Khattri, S.D., Singh, M.K., Colour removal from synthetic dye wastewater using a bioadsorbent. *Water Air Soil Pollut.*, 120 (2000)283-294.
- [90] Batzias, F.A., Sirdas, D.K., Dye adsorption by calcium chloride treated beech sawdust in batch and fixed-bed systems. *J. Hazardous Mater. B114* (2004)167–174.
- [91] Ibrahim, N.A., Hashem, A. and Abo-Shosha, M.H., Amination of wood sawdust for removing anionic dyes from aqueous solutions. *Polymer-Plastics Technology and Engineering*, 36(1997)963-971.
- [92] Hashem, A., Aly, A.A. and Aly, A.S., Preparation and utilization of cationized sawdust. *Polymer-Plastics, Technology and Engineering*, 45 (2006) 395-401.
- [93] Palma, G., Freer, J., Baeza, J., Removal of metal ions by modified *Pinus radiata* bark and tannins from water solutions. *Water Res.*, 37 (2003) 4974-4980.
- [94] Morais, L.C., Freitas, O.M., Gonçalves, E.P., VasconcelosL, T., Gonzalez Beça, C. G., Reactive dyes removal from wastewaters by adsorption on eucalyptus bark: variables that define the process. *Water Res.*, 33 (1999) 979–988.
- [95] Ho, Y.S., Chiang, T.H., Hsueh, Y.M., Removal of basic dye from aqueous solutions using tree fern as a biosorbent. *Process Biochem*, 40 (2005)119–124.

- [96] Hashem, A., Aly, A.A., Aly, A.S. and Hebeish, A., Quaternization of cotton stalks and palm tree particles for removal of acid dye from aqueous solutions. *Polymer-Plastics Technology and Engineering*, 45 (2006)389–394.
- [97] Hashem, A., Preparation of a new adsorbent based on wood pulp for the removal of direct blue 2 from aqueous solutions. *Polymer-Plastics Technology and Engineering*, 45 (2006) 779-783.
- [98] Indra, D.M., Vimal, C.S., Nitin, K.A., Removal of orange-G and methyl violet dyes by adsorption onto bagasse fly ash: Kinetic study and equilibrium isotherm analyses. *Dyes and Pigments*, 69 (2006)210- 223.
- [99] Banat, F., Al-Asheh S., Al-Makhadmeh, L., Evaluation of the use of raw and activated date pits as potential adsorbents for dye containing waters. *Process Biochem*, 39 (2003) 193-202.
- [100] Robinson, T., Chandran, B., Nigam, P., Removal of dyes from an artificial textile dye effluent by two agricultural waste residues, corncob and barley husk. *Environ. Int.*, 28 (2002) 29-33.
- [101] Robinson, T., Chandran, B., Nigam, P., Studies on desorption of individual textile dyes and a synthetic dye effluent from dye adsorbed agricultural residues using solvents. *Bioresour. Technol.*, 84 (2002)299–301.
- [102] Low, K. S., Lee, C.K., Tan, B.F., Quaternised wood as sorbent for reactive dyes. *Appl. Biochem. Biotechnol.*, 87 (2000)233–245.

- [103] Rajeshwarisivaraj, N. C., Kadirvelu, K., Orange peel as an adsorbent in the removal of acid violet 17 (acid dye) from aqueous solutions. *Waste Manag.*, 21 (2001)105–110.
- [104] Ali,F., Saikia,C.N., S. R. Sen,S. R., Grafting of acrylonitrile onto high α -cellulose extracted from Hibiscus sabdariffa .*Industrial Crops and Products*, 6(1997) 121-129.
- [105] Vogel's TextBook of Quantitative Inorganic Analysis, 4th Edition, 1978, Greet Britain by Richard Clay (The Chaucer Press).
- [106] Khalil, M., Hashem, A., Hebeish, A.,Carboxymethylation of maize starch. *Starch*, 42(1990) 60-63.
- [107] Khalil, M. I., Hashem, A., Hebeish, A., Preparation and characterization of starch acetate. *Starch*, 47 (1995) 394- 398.
- [108] Cotion, F. A. and Wilkinson, 1972, *Advanced Inorganic Chemistry*, 3 rd. Ed. Interscience, New York, P. 594-615.
- [109] Hashem, A., Amidoximated sunflower stalks (ASFS) as a new adsorbent for removal of Cu (II) from aqueous solution. *Polymer-Plastics Technol Eng.*, 45(2006) 35–42.
- [110] Langmuir, I., The constitution and fundamental properties of solids and liquids. *J, Am, Chem. Soc.*, 38(1916) 2221–2295.
- [111] Hall, K.R., Eagleton, L.C., Acrivos, A., Vermevlem, T., Pore and solid diffusion kinetics in fixed bed adsorption under constant pattern conditions. *Ind. Eng. Chem. Fundam.*, 5(1966) 212–223.

[112] Freundlich, H., Uber die adsorption in losungen. *J. Phys. Chem.*, 57 (1906) 385–470.

[113] Haghseresht, F.; Lu, G., Adsorption characteristics of phenolic compounds onto coal-reject-derived adsorbents. *Energy Fuels*, 12(1998) 1100-1107.

[114] Trivedi, H.C., Patel, V.M., Patel, R.D., Adsorption of cellulose triacetate on calcium silicate. *Eur. Polym. J.*, 9(1973) 525–533.

[115] Ho, Y.S., McKay, G., Comparative sorption kinetic studies of dyes and aromatic compounds onto fly ash. *J. Environ Sci Health A*, 34(1999) 1179–1204.

[116] Weber, W. J., and Morris, C. J., *Advances in water pollution research. Proc. 1st. Int. Conf. on Water Pollution Res., Vol. 2, p. 231, Pergamon Press, Oxford, 1962.*

[117] Poots, V., McKay, G., Healy, J. J., The removal of acid dye from effluent using natural adsorbents: peat. *Water Research*, 10(1976) 1061–1066.

[118] Gupta, V.K., Equilibrium uptake, sorption dynamics, process development and column operations for the removal of copper and nickel from aqueous solution and waste water using activated slag, a low cost adsorbent. *Ind. Eng. Chem. Res.*, 37(1998) 192–202.

[119] Sharma, Y.C., Weng, C. H., Removal of chromium (VI) from water and wastewater by using riverbed sand: Kinetic and equilibrium studies. *J. of Hazardous Materials*, 142(2007) 449–454.

[120] Yavuz, M., Gode, F., Pehlivan, E., Ozmert, S., Sharma, Y.C., An economic removal of Cu^{2+} and Cr^{3+} on the new adsorbents: Pumice and polyacrylonitrile/pumice composite. *Chem. Eng. J.*, 137(2008) 453–461.