

REFERENCES

- Abdel-Akher, M., Youssef, A.M. and Abou Hussein, A.R. (1962).  
"Glycerol determination in edible oils".  
Papers presented to the Arabian Chemical Conference, Cairo.  
December, 19, 1962.
- Abdullaeva, A.A. (1959).  
Germicidal properties of volatile fractions and juices of  
garlic.  
Doklady Akad. Naur. Uzbek. S.S.R. No. 1, 43 - 45.  
Chem. Abst. 54 : 7067 (1960).
- A.O.A.C. (1975).  
Official Methods of Analysis of the Association of Official  
Agricultural Chemists. 12<sup>th</sup> ed. Washington, D.C.
- Arena, C. (1980).  
Essence of Essential oils.  
Industrie delle Bernande 10 (3) 209-215.  
c.f. Food Sci. Tech. Abst. 13, 3H 489, (1981).
- Arthur, S. and Seebeck, E. (1951).  
Chemical investigation on Alliin, the specific principle  
of garlic.  
Adv. in Enzymology Vol 11, 377-400.
- Atallah, R.K. (1980).  
Chemical studies on garlic oil.  
Ph.D. Thesis Fac. of Agric. Ain Shams Univ. Egypt.
- Augusti, K.T. and Benaim, M.E. (1975).  
Effect of essential oil of onion (allyl propyl disulphide)  
on blood glucose, free fatty acid and insulin levels of normal  
subjects.  
Clinica chimica Acta 60, (1), 121-123.

- Bandyopadhyaya, C., Srirangarjan, A.N. and Sreenivasan, A. (1970).  
Flavour components of onion "Allium Cepa L. Thin Layer  
chromatographic investigation of onion oil.  
J. Chromatogr., 47 (3), 400-407.
- Bauman, R.P. (1963).  
Absorption spectroscopy.  
John Wiley and Sons, In., New York, London.
- Belo, P.S. (1974).  
Enzymatic development of volatile components in onion.  
Dissertation Abstr. International, B., 33 (9) 4327.  
c.f. Food Sci. Tech. Abst. Vol. 6, 10 J 1468, (1974).
- Bellamy, L.J. (1962).  
The Infra-red Molecules,  
John Wiley and Sons, Inc. New York, London.
- Bernhard, R.A. (1966).  
Separation and characterization of flavour components from  
vegetables.  
Published in Advances in chemistry, 56, 131-152.
- Bernhard, R.A. (1968).  
Comparative distribution of volatile aliphatic disulphides  
derived from fresh and dehydrated onion.  
J. Food Sci., 33 (3), 298-304.
- Bernhard, R.A. (1969).  
Sulphur components of Allium species as flavouring matter  
Qual Plant Mater. Veg. 18, 72-84.  
c.f. Advances in Food Research, 22, 127 (1976).
- Bhati, A. (1968).  
Spectral aid to organic chemical analysis.  
Perfum. Essent. Rec. 59 (10), 711-24.

- Bladrate, P., Gianfranco, M., Cagnaf., Domenico, B. and Giannone Luigi (1970).  
Garlic oil.  
Ind. Conserve, 45 (2), 125-130.  
Chem. Abst. 74, 11919 K (1971).
- Boelens, H., de Valois, P.J., Wobben, H.J. and Gen, A.V.D. (1971).  
Volatile flavour components from onion.  
J. Agr. Food Chem., 19(5), 984-991.
- Bordia, A., Bansal, H.C., Khabiyaa, B.L., Arora, S.K. and Singh, S.V. (1974).  
Effect of essential oil from onion on alimentary lipaemia.  
Indian Heart Journal 16, 1, 29-31.  
c.f. Indian Sci. Abs. 10, 6233 (1974).
- Bordia, A., Bansal, H.C., Arora, S.K. and Singh, S.V. (1975A).  
Effect of the essential oils of garlic and onion on alimentary hyperlipemia.  
Atherosclerosis, 21, 1, 15-19.
- Brodnitz, M.H. (1969).  
Unsaturated disulphides as seasoning mixtures simulating cooked onion taste and odour.  
Ger. Offen., 1, 918, 0.56.  
Chem. Abst. 72, 30436 (1970) .
- Brodnitz, M.H. (1971).  
Flavour components of garlic extract  
J. Agr. Food Chem. 19(2), 273-275.
- Brodnitz, M.H. and Pollock, C.L. (1970).  
Gas chromatographic analysis of distilled onion oil  
Food Tech. 24, 78-80.

Brodnitz, M.H., Pollock, C.L. and Vallon, P.P. (1969).

Flavour components of onion oil.

J. Agr. Food Chem., 17,(4), 760-763.

Carson, J.F. (1967).

Onion flavour.

Symp. Foods, 4<sup>th</sup> Oreg. State Univ. 1965, 390-405.

Carson, J.F. and Wong, F.F. (1957).

Gas chromatography of the volatile components of onion.

Am. Chem. Soc., Div. Petrod. Chem. reprints 2, (4) D115.

Carson, J.F. and Wong, F.F. (1959).

Separation of aliphatic disulphides and trisulphides by gas-  
Liquid partition chromatography.

J. Org. Chem., 24, 175-179.

Carson, J.F. and Wong, F.F. (1961 A).

Isolation of (+)-s-methyl-L-cysteine sulphoxide and their  
N-(2,4 dinitrophenyl) derivatives.

Ibid. 26, 4997-5000.

Carson, J.F. and Wong, F.F. (1961 B).

The volatile flavour components of onion.

J. Agr. Food Chem., 9, 140-143.

Chester, J. (1951).

Extraction of garlic oil.

U.S. 2, 554, 88 May 22.

Chem. Abst. 45, 7312 a (1951).

Chiris, E.A. (1937).

Essential oil of onion plants.  
Parfums France 15, 228.  
Chem. Abst. 32, 727 (1938).

Chopra, I.C. (1958).

Pharmacological properties of onion.  
Chopras Indigenous Drug of India U.V. Duhr and sons Private  
LTD., calcutta, 662.

Chua, G.K., La Croix, L.J., Levy, R. and Unrau, A.M. (1968).

Relationships between the flavour of canned onions and  
their chemical components as separated by gas  
chromatography.  
Proc. Amer. Soc. Hort. Sci. 93, 818-822.

Coley Smith, J.K. (1969).

Production by species of *Allium* of alkyl sulphides and  
their effect on germination of sclerotia of Sclerotium  
Cepivorum.  
Ann. Appl. Biol. 64 (2), 289-301.

Cowan, J.W. (1967).

Antithyroid activity of onion volatiles.  
Aust. J. Biol. Sci. 20(3), 683-685.

Dhingar, H.R. and Sharma, V.B. (1978).

Detection of mineral oil in oils and fats. An improved T.L.C.  
Procedure.  
J. oil Tech. Assoc. India 10(2), 35.  
Chem. Abst. 92, 92247 v (1979) .

Diez, A.L., Grassi, R.L. and Facchinetti, M.C. (1973).

Determination of copper, zinc, manganese and iron in  
garlic plants by atomic absorption spectrophotometry.

Agrochimia 18, 128.

Chem. Abst. 81, 165717 (1974).

Dubois, P., Brule G., Rigand, J. and Dekimpe, J. (1972).  
Degradation products of onion (*Allium cepa*) essential oil.  
Ind. Aliment. Agr. 89 (2), 127-129.

Dudley, M. (1964).  
Analysis of sulphur compounds with electron capture  
hydrogen flame dual channel gas chromatography.  
Anal. Chem. 35 (3), 1560-1565.

El-Abbady, A.M., El-Gindy, A.D. and Doss, S.H. (1972).  
Studies on the Egyptian onion by-products. I. Composition  
after oil extraction.  
Egyptian J. of Animal production 12(1), 57-66 .

El-Gammal, M. M. (1959).  
Some factors affecting the chemical composition of onion  
(*Allium Cepa* L.)  
M.Sc. Thesis Fac. of Agric., Cairo Univ. Egypt.

El-Masry, M.H. (1978).  
Study of adulteration detection in geranium and peppermint  
oils.  
M.Sc. Thesis Fac. of Agric. Alexandria Univ. Egypt.

El-Masry, M.H. (1985).  
Technological and chemical studies on some essential oils.  
Ph.D. Thesis Fac. of Agric. Mounofia Univ. Egypt.

Feneralli, E. (1923).  
Garlic oil (*Allium sativum* L.)  
Riv. it al. ess. profum 5, 28-29.  
Chem. Abst. 13, 441 (1924).

Finar, I.L. (1973).

"Organic Chemistry"

The English Language book Soc. and Longman group Lim.  
6th edition.

Fleury, S.O. and Fotome, J. (1976).

Various reagents for glycerol oxidation.

Ann. Fermentation 7, 170.

c.f. Winton, A.L., The analysis of foods. Publ. Inter.  
publisher (1976).

Flores, A. (1951).

Chemical and nutritional study of *Allium sativum* (garlic)  
and *Allium cepa* (onion).

Anales Fas. Farm. bioquim, Univ. naol. mayor, san Marcos  
(Lima, Peru) 2, 229-233.

Chem. Abst. 48, 3589. (1954).

Geabah, N.E.A. (1976).

Studies on the chemical constituents of marjorum oil.

Ph.D. Thesis Fac. of Agric., Ain Shams Univ., Egypt.

George, K.C. and Jacob (1973).

In vivo studies on the effect of garlic oil in mice.

Toxicology 1, 337-344.

George, K.C. and Jacob, J. (1974).

Mode of action of garlic. Effect on oxidative phosphorela-  
tion in hepatic mitochondria of mice.

Biochem. Pharmaol 23 (5), 931-936.

Goergy, R.K. (1978).

A pharmacognostical study of certain *Allium* species growing  
in Egypt.

M.Sc. Thesis Fac. of Pharmacy, Cairo Univ. Egypt.

- Gore, R.C. (1972).  
"Infrared spectral Interpretation",  
J. Huley Associates Inc., Printed in the U.S.A.
- Gortner, R.A. and Gortner, W.A.(1950).  
"Outlines of Biochemistry",  
John Wiley and Sons, Inc., New York.
- Grigor, N.N., Sokalova, T.A. and Yagodinskaya, S.G. (1961).  
Characteristics of mineral content of vegetable foods  
of the Turkmenian S.S.R. Izvest.  
Akad. Nauk Turke. S.S.R., Ser. Biol. 1, 49-53.  
Chem. Abst. 55, 23867 (1961).
- Guenther, E. (1952).  
The Essential oils Vol. 4,  
D. Van Nostrand Company Inc. New York, Toronto, London.
- Guenther, E. (1960).  
The Essential oils vol. 1  
D. Van Nostrand Company Inc. New York, Toronto, London.
- Guenther, E. (1972).  
The Essential oils vol. 4  
D. Van Nostrand company Inc. New York, Toronto, London.
- Gusev, S.P. (1963).  
The chemical composition of different varieties of garlic.  
Tr. Mosk. Inst. Nar. Khoz. (24), 30-34.  
Chem. Abst. 62, 1012 g (1965).
- Haensel (1903)  
Apoth Ztg. 18, 268.  
c.f. Guenther, E., Vol. 4 (1952).

- Hanz, H. (1978).  
Garlic, antibiotic strong than pencillin.  
J. Al. Ahram, 16, Sep. Cairo, Egypt.
- Henery, R.J., Kirkwood, C.F., Berkmen, S., House Wright, R.D.,  
Henery, J. and Hirsch, R. (1948).  
Simple method for ethyl alcohol determination.  
Analytical chemistry 32, 865, (1960).
- Hewedy, F.M. (1977).  
Biochemical studies of common Egyptian onion and  
hideogarlic.  
M.Sc. Thesis, Fac. of Agric., Cairo Univ., Egypt.
- Hideo, T. (1952).  
The invitro synthesis of thiamine from garlic oil by  
Escherichia coil.  
Vitamins (Japan) 5, 585-589.  
Chem. Abst. 48, 237 (1954).
- Hilditch, T.P. (1955).  
"The chemical constitution of natural fats"  
Chapman and Hall, England.
- Hodgman, C.D. (1953).  
"Hand book of chemistry and physics"  
Jhon Wiley and Sons, 4<sup>th</sup>, 137.
- Ibrahim, S.S. (1971).  
"Determination of ethanol and methanol in some essential  
oils".  
Ph.D. Thesis, Fac. of Agric., Ain Shams Univ. Egypt.

Jacobs, M.B. (1951).

The chemistry and technology of food and food products.  
Interscience Bull. Inc., New York.

Jacobs, M.B. (1957).

Composition of onion oil.  
Am. Perfumer Aromat., 70 (5), 53-60.

James, D.P. (1952).

Nicotinic acid, pantothenic acid, and biotin in fruits,  
vegetables and nuts.  
Brit. J. Nutrition 6, 341-356.

Kameoka, H., Demizu, Y., Iwase, Y. and Kamimura, Y. (1981).  
Constituents of neutral fraction of steam volatile oil from  
*Allium fistulosum* L.

J. of Agric. Chem. Society of Japan 55 (4), 315-318.

Kaminski, B. and Dythowska, O. (1973).

Qualitative determination of ethanol.  
Drug Res. Inst. Warsaw, Acta, Proton, Pharm.  
c.f. Ann Abst. 8, 961 (1974).

Khaletshii, A.M. (1957).

Volatile substances from garlic.  
Zhur obschci Khim 27(17), 7-30.  
Chem. Abst. 52, 1317 d (1958).

Kominato, K. (1959).

Extraction of essential oil from onions.  
Japan 2625 Apr., 18.  
Chem. Abst. 53, 19319 (1959).

- La Croix, L.J., Chus, C.K., Levy, R. and Untan, A.M. (1967).  
The application of electron-capture gas chromatography  
in the determination of flavour components of onions.  
Proc. Amer. Soc. Hort. Sci., 91, 410-418.
- Lifshitz, A., Stepa, Y. and Baske, H.B. (1969).  
Characterization of Israel Lemon oil and detection of  
its adulteration.  
J. Food Sci., 34, 254-257.
- Marvel, Y. and Denoon, S. (1938) .  
Method for hydroxyl group determination.  
J. Am Chem, Soc. 60, 1045.
- Mazza, G., Lemaguer, M. and Hadziyev, D. (1980).  
Headspace sampling procedures for onion (*Allium cepa*  
L.) aroma assessment.  
Can. Inst. Food Sci. Technol. J. 13 (2), 87-96.
- Mc Nair H.M. and Bonelli, E.J. (1969).  
Basic gas chromatography.  
5th ed. 2700 Mitchell Drive Walnut Creek. California 94598.
- Nakanishi, K. (1964).  
Infra-red absorption spectroscopy "Practical".  
Holden Day, Inc. Sanfrancisco and Nankoda Co. Ltd,  
Tokyo, 2nd Ed. (1964).
- Niegisch, W.D. and Stahl, W.H. (1956).  
The onion: Gaseous estimation products.  
Food Res. 21, 657-665.
- Nobuo, H. (1956).  
Treatment of garlic, onion and similar materials.  
Japan 3736 (56) May 22.  
Chem. Abst. 51, 11614 (1957).

Nofal, M.A. (1974).

Studies on the constitution of Egyptian onion volatile oils.  
Ph.D. Thesis, Fac. of Agric. Cairo Univ., Egypt.

Nour El-Din, H., Osman, A.E., Higazy, S. and Mahmud, H. (1979).

Studies on the factors affecting the physico-chemical properties of geranium oil. I-Mixing with fixed, mineral oils and aromatic chemicals.  
Egyptian J. Food Sci., 5(1/2) 67-77.

Oaks, O.M., Hartmann, H. and Dimik, K.P. (1964).

Analysis of sulphur compounds with electron capture hydrogen flame dual channel gas chromatography.  
Anal. Chem., 36(8) 1560-1565.

Oda, H.E. (1982).

Studies on production, storage and detection of adulteration of some essential oils.  
Ph.D. Thesis, Fac. of Agric., Cairo Univ. Egypt.

Osman, A.E., Hafez, H.N. and Higazi, S. (1974).

Studies on the factors affecting the physico-chemical properties of geranium oil.  
Soc. Food Sci. Techn. 27.30, April.

Pecsok, R.L. and Shields, I. (1968).

Modern methods of chemical analysis.  
John Wiley and Sons Inc. New York, London, Sidney.

Pfeil, E. and Goldback, H. (1955).

Ethanol determination.  
J. Ann. Chem. 17, 802-803.  
Chem. Abst. 52, 12965 (1958).

Powell, F.J.N. and Ellam, B. (1952).

Oil of peppermint.

Clin. Chim. Acta, 10(5), 472-474.

Chem. Abst. 62, 3049 d (1965).

Prusa, V., Prugar, J., Jiranek, J. and Omastr, J. (1959).

Evaluation of czechoslovak onion varieties on the basis of chemical analysis.

Sbornik ceskoslov. Aked. Zemedel, Ved. Resttinna Vyroba 5, 513.

Chem. Abst. 53, 17360 (1959).

Rao, C.N.R. (1963).

Chemical application of Infrared spectroscopy.

Academic Press, New York.

Rao, C.N.R. (1967).

Ultraviolet and visible spectroscopy, chemical

application 2nd Ed., London, Butterworths and Co. Ltd.

Richard, A. (1964).

Isolation and identification of allyl monosulphide and allyl alcohol from Allium.

Arch. Biochem. Biophys. 7(1), 137-140.

Saghir, A.R. (1965).

Composition of volatiles in Allium as related to habitat, stage of growth and plant part.

Plant Physiol 40(4), 681-685.

Saghir, A.R. (1967).

Antithyroid activity of volatile components of garlic.

Symp. Hum., Nutur, Health Near East. Prac. 3rd 154-161.

Chem. Abst. 73, 54116 t (1970).

- Saghir, A.R., Mann, L.K., Bernhard, R.A. and Jaconson, J.V. (1964)  
Determination of aliphatic mono and disulphides in *Allium*  
by gas chromatography and their distribution in the common  
food species.  
Proc. Am. Soc. Hort. Sci., 84, 386-398.
- Schultz, O.E. (1965).  
Analysis of the constituents of garlic. Thin Layer  
chromatograph of garlic oil.  
Pharmazie 20(6), 379-381).
- Schultz, O.E., and Mohrmann, H.L. (1965).  
Analysis of constituents of garlic, gas chromatography  
of garlic oil.  
Pharmazie 20(6), 441-447.  
Chem. Abst. 63, 8116 f (1965).
- Schwimmer, S. and Weston, W.J. (1961).  
Enzymatic development of pyruvic acid in onions as a  
measure of pungency.  
J. Agr. Food Chem. 91, 301-304.
- Schwimmer, S. and Guadagni, D.G. (1962).  
Relation between olfactory threshold concentration and  
pyruvic acid content of onion juice.  
J. Food Sci. 27, 94-97.
- Schwimmer, S., Venstrom, D.W. and Guadagni, D.G. (1964).  
Relation between pyruvate content and odor strength of  
reconstituted onion powder.  
Food Technol. 18, 1231-1234.
- Schwimmer, S. and Austin, S.J. (1971 a .  
o- Glutamyl transpeptidase of sprouted onion.  
J. Food Sci. 36, 807-811.

Sen Gupta, S. (1946).

Stability of vitamin A in sesame oil.  
J. Ind. Chem. Soc., 23, 233-234.  
Chem. Abst. 41, 229 (1947).

Senn, G. (1960).

Iodometric determination of monohydroxylic alcohols  
Fruchtsaft, In. 5, 165-173.  
Chem. Abst. 55, 1961 e (1961).

Shifrina, R.B. (1957).

The chemical composition of the onion in Moldavia  
Zemledelic Izhivotnonodstvo Moldavia 5, 72-73.  
Chem. Abst. 55, 27692 (1967).

Silverstein, R.M. and Bassler, G.C. (1967).

Spectrometric identification of organic compounds.  
2nd. Ed. 64-109. John Wiley and Sons Inc. New York,  
Londo, Sidney.

Snell and Snell (1953).

Colorimetric methods of analysis, 3ed Ed., 3, 39-50.  
c.f. Winton, A.L., The analysis of foods 308 (1960).

Sonbol, E.R.G. (1964).

Studies on geranium oil, analytical procedures for  
characterization of adulterated geranium oil.  
Ph.D. Thesis, Fac. of Agric., Ain-Shams Univ. Egypt.

Stoll, A. and Seebeck, E. (1947).

Alliin the pure mother substance of garlic oil.  
Experrenta 3, 114-115.  
Chem. Abst. 41, 4793 (1947).

Stoll, A. and Seebeck, E. (1951).

Chemical investigations on Alliin, the specific principle of garlic.

Adv. Enzymol., 11, 377-400.

Svetika, P. and Kuzmiene, G. (1960).

Biological and physical properties and chemical content of Lithuanian domestic onions.

Lituvas Zemes Ukio Akad. Moksliniani. Darbi 1, 2, 101.  
Chem. Abst. 57, 8975 (1962).

Troyan, A.V. and Andrushchenko, I.S. (1969).

Monocarbonyl compounds of the essential oil of onion.

Vyssh. Ucheb. Zaved., Pishch. Technol. 2, 23-24.

Chem. Abst. 71, 33333 (1969).

Virtanen, A. I. and Spare, C.G. (1961).

Isolation of the precursor of the lachrimatory factor in onion (*Allium cepa*).

Suom. Kemistileht, 34, 72.

Williams, L.A. and Zak, B. (1958).

Photometric determination of ethanol.

Wayne state Univ, Clin. Chim, Acta, 3, 169-172.

Chem. Abst. 52, 1295 i (1958).

Whitaker, J.R. (1976).

Development of flavour, odour and Pyngency in onion and garlic.

Advances in Food Research, 22, 73-133.

Zentasu, S. (1952).

Influence of administration of garlic oil on erytheroytes vitamins (Japan) 5, 184-190.

Chem. Abst. 48, 237, (1954).