

REFERENCES

- Abdel-Haleem, A.K. (1985).**
Morphological, physiological and crop response of cotton plant to drought.
Ph. D. Thesis, Fac. Agric. Ain Shams Univ.
- Abou-El-Khashab, A.M.; El-Sammak, A.F.; El-Aidy, A.A.; Salama, M.I. and Rieger, P. (1997).**
Paclobutrazol reduces some negative effect of salt stress in peach.
Journal of the American Society for Horticulture Science, 122, 1, 43 - 46.
- Ahmed, Hamdya, T.M. (1990).**
Effect of moisture and salt stress on growth, yield and chemical composition of *Helianthus annuus* cv. miac.
M. Sc. Thesis, Fac. Sci., Cairo Univ., Cairo, Egypt.
- Ahmed, F.A.; Sharaf, A.; Mahrous, T.S. and El-Saadany, S.S. (1988).**
Effect of kinetin (plant growth regulator) on lipid composition of soybean and safflower.
Grasas as Y. Acetias, 39 : (4-5), 213 - 218.
(c.f. Leading Agric. Database CAB (1987-1989))
- Ahmed, S.K. (1988).**
Physiological studies of geranium .
Ph. D. Thesis, Fac. Agric. Zagazig Univ.
- Almeda, J.A.S. and Pereir, F.D.A. (1997).**
Effect of GA₃ and paclobutrazol on vegetative development of sunflowers.
Revista Brasileira de Fisiologia vegetal.
(c.f. Field Crop Abst. 50: (10), 7704, 1997).
- A.O.A.C. (1975).**
Official method of analysis, 12nd Association Official Analytical Chemists, Washington, D.C. U.S.A.
- Ashour, N.I. (1964).**
Effect of intensity and spectrum of light on photosynthetic apparatus of plants.
Ph. D. Thesis, Acad. Sci. U.S.S.R. Moscow.

- Ashour, N.I. and Thaloath, A.T. (1971a).**
Effect of saline irrigation on photosynthetic apparatus and yield of sugar beat plants.
U.A.R. J. Bot. 14 (2) : 221 - 231.
- Ashour, N.I. and Thaloath, A.T. (1971b).**
Effect of putroscine on growth and photosynthetic pigments of broad bean plant grown under chloride salinization conditions.
Biochem. Physiol. Pflanzen. Bd., 162, 5, 203-208.
- Ashour, N.I.; Abd El-Halim, M.A.; Raafat, A. and Nour, T.A. (1977).**
Increasing salt tolerance of wheat at early stages of growth under chloride and sulphate type of salinity.
Acta. Agron. Acad. Hungari, 26 : 126 - 134.
- Ashraf, M. and Rasul, E. (1988).**
Salt tolerance of mung bean (*Vigna radiata*, L. Wilezak) at two growth stages.
Plant and soil 110 (1) : 63 - 67.
- Aspinall, D. (1986).**
Metabolic effects of water and salinity stress in relation to expansion of leaf surface.
Aust. J. Plant Physiol., 13: 59 - 73.
- Bakanidze, M.S.H. and Surguladze, V.A. (1976).**
The content of water fractions and the concentration of cell sap in leaves of different mandarin cultivars in relation to ecological conditions.
Suptropickesiekyl, Turym, 516.
(c.f. Horticulture Abst. 48: (2) , 162, 1978).
- Banet, G.; Winger, S.; Budani, H.; Ben-Dor, B.; Friedman, Y. and Kapulnik, Y. (1996).**
Toxic and osmotic effects of salinity on growth and nodulation of *Medicago sativa*.
Symbiosis-Rehovat, 21 : (3), 209 - 222.
- Bates, L.S.; Waldrem, R.P. and Tear, L.D. (1973).**
Rapid determination of proline for water stress studies.
Plant and Soil, 39 : 205 - 207.

Bayer, J.B. (1965).

Effect of osmotic water stress on metabolic rates of cotton plants with open stomata.

Plant Physiol. Lancaster, 40 : 229 - 234.

Bernstein, H. (1970).

Salt tolerance of plants.

Agric. Inform. Bull. 283.

(c.f. Principles of plant nutrition Mengel, K. and Kirkby, E.A., 3rd, Ed. Publisher. International Potash Inst. Worblsufen, Bern. Switzerland 233 - 234, 1982).

Buchenaver, H.; Kutzner, B. and Koths, T. (1984).

Effect of various triazole fungicides on the growth of cereal seedlings and tomato plants as well as on 'GA content and lipid metabolism in barley seedlings.

Pflanzenschutz 91 (5) : 506 - 524.

(c.f. Biol. Abst. 79: (11), 99001, 1985).

Burgos, P.A.; Roldan, M.; Agui, I., and Donaire, J.P. (1993).

Effect of sodium chloride on growth ion content, and hydrogen ion extrusion activity of sunflower and jojoba roots.

Journal of Plant nutrition, 16: (6), 1047 - 1058.

Carica, A.L.; Galindo, L. and Saldatini, G.F. (1992).

Biochemical effects of water and salt stress induced by sodium chloride and polyethylene glycol in sunflower seedlings.

Agricultural Mediterranean Spain, 122 : 322 - 327.

Cheng, S.F. (1984a).

Salinity, fertility and water on the production and nutrients uptake of sunflower (*Helianthus annuus L.*). I. Effect on seed yield, oil concentration, oil yield and dry matter yield.

Soil and Fertilizer in Taiwan, 7-26.

(c.f. Field Crop Abst. 38: (8), 4564, 1985).

Cheng, S.F. (1984b).

Effect of salinity, fertility and water on sunflower yield and nutrient uptake.

Dissertation Abstracts, International, B (Sciences and Engineering, 44: (12), 3600-3601.

(c.f. Field Crop Abst. 39:(4), 3058, 1986).

- Chevan, P.D. and Karadge, B.A. (1986).**
Growth, mineral nutrition, organic constituents and rate of photosynthesis in *Sesbanis grandiflora L.* grown under saline conditions.
Plant and Soil, 93: (3) , 395 - 404.
- Curry, E.A. (1989).**
Root exudates from hydroponically grown sunflowers treated with triazole growth retardants.
Proceeding of the plant growth regulator society of America Annual Meeting (16), 19-22.
(c.f. Field Crop Abst. 44 : (8), 5844, 1991).
- Delgado, I.C. and Sanchez, Raya, A.J. (1996).**
Effect of NaCl on some physiological parameters in sunflower (*Heliatnhus annuus L.*) seedlings.
Agrochemica, 40 : 5-6, 284-292.
- Delgado, I.C. and Sanchez-Raya, A.J. (1997).**
Effect of phosphorus on growth and nutrition transport in sunflower plant under saline conditions.
Phyton (Buenos Aires, 61 (1/2), 117-125.
(c.f. Field Crop Abst. 51: (3), 1935, 1998).
- Devitt, D.A. (1984).**
Plant response to Na⁺, K⁺ and K⁺/N⁺ ratio under saline conditions.
Dissertation Abstracts International B₄₄ (8) : 2299 - 2300.
(c.f. Field Crop Abst. 38: (9), 4360, 1985).
- Devlin, M. and Witham, H. (1983).**
Plant physiology, 4th Publishers, Willard, Grant Press, Boston.
- Dhindwal, A.S.; Zahirshchuk, N.G.; and Rozanov, B.G. (1992).**
Germination, growth and physiological parameters of barley seedlings as influenced by saline water.
Crop Research Hisar, 59 - 64.
- Dhingra, H.R. and Varghese, T.M. (1985).**
Effect of salt stress on viability, germination and endogenous levels of some metabolites and ions in maize (*Zea mays L.*)
Pollen. Ann. Bot. 55: (1), 415 - 420.

- Dubois, M.; Gilles, K.A.; Hamilton, J.; Rebers, R. and Smith, F. (1956).**
 Colourimetric method for determination of sugar and related substances.
 Anal. Chem. 28 : 350.
- El-Desouky, S.A. (1992).**
 Response of tomato plants (*Lycopersicon esculentus* Mill) to some growth regulators.
 Egypt. J. Appl. Sci. 7: (12) , 181 - 199.
- El-Desouky, S.A. and Abd El-Dayem, H.M.M. (1992a).**
 Response of sesame plants (*Sesamum indicum* L.) to the foliar application of paclobutrazol (PP₃₃₃) and etlral (CEPA).
 Egypt. J. Appl. Sci., 7: (12), 102-119.
- El-Desouky, S.A. and Abd El-Dayem, H.M.M. (1992b).**
 Response of rape seed plants (*Brassica rapus* L.) to the foliar spray with some growth regulators. I. Growth, seed yield and seed contents.
 Egypt. J. Appl. Sci., 7: (12), 469-479
- El-Desouky, S.A. and Abd El-Dayem, H.M.M. (1992c).**
 Response of rape seed plants (*Brassica rapus* L.) to foliar spray with some growth regulators. II. Carbohydrates and NPK contents during the vegetative stage.
 Egypt. J. Appl. Sci. 7: (12), 673 - 691.
- El-Gaaly, Fayka, M.M. (1989).**
 Studies on growth and metabolism of certain plants.
 Ph. D. Thesis, Fac. Sci., Al-Azhar Univ. Girl Branch.
- Ellouze, M.; Gharsalli, M.; Cherif, A.; Wintermans, J.F.G.M.; and Kuiper, P.J.C. (1982).**
 Effect of sodium chloride on the biosynthesis of unsaturated fatty acids of sunflower plants (*Helianthus annuus* L.).
 Biochemistry and metabolism of plant lipids. June, 7, 10, 419 - 422.
- El-Nakhlawy, F.S. and El-Fawal, M.A. (1989).**
 Tolerance of five oil crops to salinity and temperature stresses during germination.
 Acta. Agron. Hung, 38: (1-2), 59 - 66.

- El-Shahaby, O.A. (1994).**
The effect of water stress-induced by polyethelene glycol on tomato and photosynthesis in lupinus termis plants.
Egypt. J. Physiol. Sci., 18: (2), 381 - 392.
- El-Sherbini, E.M. (1995).**
Physiological studies on the effect of saline irrigation water and some growth regulators on Tagetes erecta plants.
Ph. D. Thesis, Fac. Agric. Zagazig Univ.
- El-Zeiny, H.A. (1990a).**
Effect of different combinations of saline water irrigation and nitrogen levels on growth, photosynthetic pigments content, amino acids and yield of lupine plants (*Lupinus termis L.*).
Egypt. J. Agron. 15: (1-2), 171 - 187.
- El-Zeiny, H.A. (1990b).**
Effect of spraying some micronutrients on soybean plants grown under saline conditions.
Bull. of Egypt. Soc. Physiol. Sci., 10: (3), 141 - 162.
- El-Zeiny, H.A. and Kortam, M.A. (1990).**
Effect of CCC on faba bean (*Vicia faba L.*) plants grown under different salinity levels.
African J. Agric. Sci. 17 : 117 - 131.
- Eppendorfgeratinbou, Nethelr and Hinz GmbH (1970).**
Interaction manual, eppendr of Flame Photometer. B700-E
Measuring method, Description of the Apparatus and
Instruction for use.
- Farah, M.A.; Soliman, M.F.; Bakhati, H.K. and Antror, I.M. (1981).**
The response of two sunflower varieties to nitrogen and phosphorus fertilization under saline conditions.
Agric. Research Review 59: (4), 143 - 155.
- Fletcher, R.A. and Arnods, V. (1986).**
Stimulation of cytokinins and chlorophyll synthesis in cucumber cotyledons by triademefon.
Physiol. Planta, 66 : 197.

- Fletcher, R.A. and Hofstra, G. (1990).**
Improvement of uniconazole induced protection in wheat seedlings.
J. of Plant growth regulation 9: (4), 207.
- Flowers, T.J.; Torke, P.F. and Yeo, A.R. (1977).**
The mechanism of salt tolerance in halophytes.
Ann. Rev. Plant. Physiol. 28 : 89 - 121.
- Francois, L.E. (1996).**
Salinity effect on four sunflower hybrids.
Agronomy Journal 88: (2), 215 - 219.
- Gabballah, Maybelle, S.I. (1990).**
Contribution to water economy of sunflower plant under different environmental conditions.
Ph. D. Thesis, Fac. Sci. Cairo Univ.
- Gendy, A. and Marquard, R. (1989).**
Studies on the effect of nitrogen fertilization and growth regulators on seed yield and some quality criteria of oilseed-rape (*Brassica napus L.*).
Fett-Wissenschaft-Technologie, 91: (9), 353-357.
(c.f. Leading Agric. Database CAB (1990-1991).
- Gharsalli, M.; Cherif, A.; and Mazliak, P. (1982a).**
Effect of sodium chloride on the incorporation of (1-14C) acetate into lipids of sunflower (*Helianthus annuus L.*) plants.
Physiologie, Vegetable, 20 : (1), 41-51.
- Gharsalli, M.; Djemal-Dacudl, F. and Cherif, A. (1982b).**
The effect of NaCl on the lipid composition of sunflower oil.
Proceedings 10th International sunflower conference, [Kochman, J.K., Co-ordinator] Tunis (5), 71-72.
- Ghazi, S.M. (1976).**
Physiological studies of cycocel and alar in relation to salt tolerance of *Vicia faba L.* plants.
Ph. D. Thesis, Fac. Sci. Ain Shams Univ.

- Girdhar, I.K. (1988).**
Effect of soil and water salinity on growth, leaf expansion and yield of sunflower.
In proceeding of the internal symposium on sotonetz soils.
(c.f. Field Crop Abst. 43: (2), 1419, 1990).
- Girdhar, I.K. (1989).**
Response of sunflower (*Helianthus annuus L.*) to saline water irrigation and changing root zone salinity.
Indian J. Agric. 59: (8), 500-503.
- Gusev, N.A. (1960).**
Some methods for studying plant water relations.
Akad. of Sciences Nauke, USSR, Leningrad.
- Handa, S.; Handa, A.K.; Hasegawa, P.M. and Baessan, R.A. (1986).**
Proline accumulation and the adaptation of cultural plant cells to water stress.
Plant Physiol. 80 : 938 - 945.
- Harvey, B.M.R.; Lu, b.C. and Fletcher, R.A. (1974).**
Benzyladenine accelerates chloroplast differentiation and stimulates photosynthetic enzyme activity in cucumber cotyledons.
Canad. J. Bot. 52 : 2591.
- Hathout, T.A. (1995).**
Diverse effects of uniconazole and nicolinamide on germination, growth, endogenous Hormones and some enzymic activities of peas.
Egypt. J. Physiol. Sci. 19 : (1-2), 77-95.
- Hebbara, M.; Viswanath, D.P.; Nagao Agoid, A. and Basovaray, B. (1992).**
Interrelationship between soil salinity and crop yields in variable soils.
Journal of the Indian Society of Soil Science, 40, 4 : 888 - 889.
(c.f. Field Crop Abst. 46 :(11), 7115, 1993).
- Hecht-Buchholoz, Ch.; Mix, G.G. and Marehner, H. (1974).**
Effect of NaCl on mineral content of five structure of cells in plants with different salt tolerance.
In, Plant Analysis and Fertilizer Problems. (J. Wchramanns. ed), 147 - 156.

- Hegazi, A.M. (1974).**
Effect of salinity on nucleic acids and amino acids metabolism in relation to economic constituents of *Ricinus communis* and *Hyascyamus muticus* plants.
Ph. D. Thesis, Fac. Agric. Ain Shams Univ.
- Heikal, M.M.; Ahmed, A.M. and Shaddad, A.A. (1980a).**
Change in dry weight and mineral composition of some oil producing plant over a range of salinity stress.
Boil. Plant (BRAGE) 22: (1), 25 - 33.
- Heikal, M.M.; Ahmed, A.M.; and Shaddad, A.A. (1980b).**
Dry matter and mineral composition of some oil producing plant as influenced by some salinization treatments.
Phyton. Horn, 20: (1-2), 159 - 174.
- Helal, H.M. and Mengel, K. (1979).**
Nitrogen metabolism by NaCl salinity and potassium.
Plant and Soil 51, 457 - 462.
- Herrera, OJ. Benedetto, A.H.-Di, and Di-Benedelto, H.H. (1992).**
New growth retardant (Uniconazole) for cut chrysanthemums.
Revista-de-la-Faculted-de-Agronomia Universidad-de Buanos-aires, Argentina, 13 : (2-3), 137-143.
- Hofman, G.L. and Phen, C.J. (1971).**
Effect of constant salinity level on water use efficiency of bean and cotton.
Trans. Am. Soc. Agr. Eng. 14: 1103-1106.
- Husain, S. and Ismaill, S. (1994).**
Effect of salt water stress on growth and biomass production in *Helianthus annuus L.*
Pakistan Journal of Botany, 26: (1), 127-138.
(c.f. Field Crop Abst. 48:(11), 8406, 1995).
- Hussein, M.M. and El-Zeiny, H.A. (1990).**
Response of (*Lupinus temris L.*) plants to phosphorus fertilization under salinity conditions.
Egypt. J. Agron. 15: (1-2), 149 - 215.

- Hussein, M.M.; Nour, T.A.; and El-Noemani, A.I. (1992).**
Growth and mineral status of *Vicia faba* plants as affected by salinity affected.
African Journal of Agricultural Science 17:(1-2), 57-72.
- Imam, R.M. (1995).**
Growth parameters and hormonal constituents of *Vicia faba* seedling grown from uniconazole soaked seeds.
Egypt. J. Physiol. Sci., 19:(1-2), 203-216.
- Imam, R.M.; Abdel-Halim, S. and Adams, (1995a).**
Response of pea (*Pisum sativum L.*) to different treatments with uniconazole.
Egypt. J. Physiol. Sci., 19: (1-2), 279 - 292.
- Imam R.M. and Bekheta, M.A. (1995).**
Growth parameters, photosynthetic pigments and mineral ions content of bean (*Vicia faba* cv. Giza 402) plants raised from pre-sowing uniconazole soaked seeds.
Egypt. J. Physiol. Sci., 19: (1-2), 217 - 228.
- Imam, R.M.; Kandil, S.A.; Abo El-Khair, M.S.A. and Abd El-Halim, S. (1995b).**
Growth parameters, metabolic changes and productivity of wheat plants as affected by uniconazole treatments under water stress conditions.
Egypt. J. Appl. Sci., 10: (4), 12 - 27.
- Irwing, D.W.; Shannon, M.C.; Breda, V.A.; and Mackey, B.P. (1988).**
Salinity effects on yield and oil quality of high-linoleate and high-oleate cultivars of safflower (*Carthamus tinctorius L.*).
Journal of Agricultural and Food Chemistry, 36 : 1, 37 - 42.
- Ismail, F.H.M. (1995).**
Effect of gamma radiation and paclobutrazol (P.G.R.) on *Vicia faba* from the botanical point of view.
M. Sc. Thesis, Fac. Agric. Moshtohd, Zagazig Univ.
- Ismail, S.E.; Abd El-Gawad, H. and El-Sissy, L. (1995).**
Salt tolerance of some wheat cultivars at various growth stages.
Al-Azhar J. Agric. Res. 17 : 73 - 92.

- Jackson, M.I. (1958).**
Soil chemical analysis.
Prentice Hall, Inc. Englewood, Cliffs, N.J.
- Jayakumar, M.; Eyni, M.; Elangovan, R. and Rajarathinam, K. (1992).**
Metabolic changes in response to biogas slurry application to sunflower irrigated with saline water.
Current Agriculture, 16 (1-2), 85 - 88.
(c.f. Field Crop Abst. 47: (4), 2468, 1994).
- Jeyachandran, R. and George, U.K. (1987).**
Exclusion of solutes and ions in germinating sunflower seed under salt stress.
Journal of Plant nutrition 10: (9-16), 1631-1633.
- Jones, M.M.; Osmond, C.B. and Turner, N.C. (1980).**
Accumulation of salts in leaves of sorghum and sunflower in response to water deficit.
Aust. J. Plant Physiol. 7: (2), 193 - 205.
- Jukic-V.; Jurkovic, Z.; Sudar, R.; Krizmanic, M. and Bilandzic, M. (1996).**
Composition and correlation among the fatty acids in sunflower seed oil of various inbred lines.
Sjemenarstvo, 13 : (5-6), 317 - 323.
- Kandil, S.A. (1994).**
Increase salt tolerance of wheat plants through application of mepiquat chloride.
Egypt. J. Appl. Sci., 9: (12), 376 - 391.
- Kandil, S.A.; Abo El-Kheir, M.S.A. and Abd El-Haleem, A.K. (1994).**
Growth and productivity of two faba bean (*Vicia faba L.*) cultivars grown under different salinity types.
J. Agric. Sci. Mansoura Univ. 19: (11), 3585 - 3596.
- Katerji, N.; Hoorn, Jw-Van; Hamdy-A; Karam, F.; Mustrorilli, M.; and Van-Hoorn-Jw. (1994).**
Effect of salinity on emergence and on water stress and early seedling growth of sunflower and maize.
INRA. Station de Bioclimatologie, France.
Agricultural water management, 26 : (1-2), 81-91.

- Khadr, A.A.; Nowagy, N. and Hussein, M.M. (1980).**
Differential tolerance of wheat, barley, broad bean and pea seedlings to various levels of salinity.
Bull. Nat. Res. Cent., Egypt. (5) : 283 - 289.
- Khalil, N.I. (1991).**
Salinity tolerance of some sunflower genotypes.
Bull. Fac. of Agric. Univ. of Cairo, 42: (2), 299-310.
- Khavari, Au; Nejad, R.A. and Najafi, F. (1990).**
Growth parameters in sunflower plants as affected by calcium ion and sodium ion interactions under sodium chloride salinity.
Phytosynthetica-Praghe 24: (1), 155 - 162.
- Kholbekov, Yu (1991).**
Effect of salinity on oil accumulation and quality.
"Biolog", Acad. of Sciences, Tashkent, Uzbekistan.
Khlopok, Russian, (3), 51-53.
- Kulkarni, S.S.; Chetti, M.B. and Uppar, D.S. (1995).**
Influence of growth retardants on biochemical parameters in sunflower.
Journal of Maharashtra Agricultural Universities 20 (3), 352 - 354.
(c.f. Field Crop Abst. 50: (8), 5944, 1997).
- Kumar, D. and Tarfdar, J.C. (1989).**
Genetic variation of salt tolerance in seedlings emergence early growth characters and phosphate activity sunflower growing on arid soils.
J. Arid. Environ. 16: (3), 263 - 270.
- Lapina, L.P. and Bismukhametova, S.A. (1972).**
Effect of iso-osmotic concentration of NaCl and Na₂SO₄ on the rate of photosynthesis and photochemical activity of chloroplast.
Fiziologia Rast. 16: (4), 636 - 642.
(c.f. Field Crop Abst. 23: (1), 216, 1973).

- Lee, H.S. and Kwach, B.H. (1995).**
Effect of Uniconazole and GA₃ on growth and flowering of *Hibiscus syriacus L.* showing different growing habits.
Journal of Korean Society for Horticultural Science, 36: (1), 121 - 131.
- Lee-KangSoo; Choi-sun Young; Choi-Cholwon; Lee-KS and Choi, Cw. (1995).**
Effect of NaCl concentration on germination and seedling growth of *Italian ryegrass (Lolium multiflorum L.)*
Korean-Journal of Crop Science, 40 : (3), 344 - 350.
- Livne, A. and Livne, N. (1967).**
Tissue respiration and mitochondria oxidative phosphorylation of NaCl-treated pea seedlings.
Plant Physiol. 42: 407 - 414.
- Marquard, R. and Alter, B. (1987).**
Studies of the effect of growth regulators and fertilizers on yield and quality in spring rape cultivars.
7th International Rapeseed Congress-Poznan, Poland, 11 - 14 May.
- Meiri, A. and Kamburoff, J. (1971).**
Response of bean plants to sodium chloride and sodium sulphate salinization.
Ann. Bot. 34 : 837 - 841.
- Meiri, A. and Shalhevet, J. (1973).**
Crop growth under saline conditions.
Ecological studies, 5: 277 - 290.
- Mekki, B.B.; Abo El-Khair, M.S.A. and Habba, E.E. (1993).**
Response of two sunflower cultivars to salt stress.
Egypt. J. Appl. Sci., 8: (12), 142 - 154.
- Menhennet, R. (1981).**
Interaction of the growth retardants daminozide and piproctanyl bromide and gibberellins A.L., A-3, A-4 and A-13 in stem extension and inflorescence development in *Chrysanthemum morifolium* cultivar bright golden.
Ann. Bot. (London), 47: 359.

- Mizrahi, Y.; Balumenfeid, A.; Bittver, S. and Richmond, A.E. (1971).**
Abscisic acid and cytokinin contents of leaves in relation to salinity and relative humidity.
Plant Physiol. 48 : 752 - 755.
- Moussa, A.; Abou-Lila, B. and Hussein, M.M. (1985).**
Biochemical changes in lupine plants under the influence of salinity types.
Bulletin of Egypt. Soc. Physiol. Sci., 5: (2), 181 - 194.
- Mumtaz, S.; Naqvi, S.S.M.; Shereen, A.; and Khan, M.A. (1995).**
Proline accumulation in wheat seedlings subjected to various stress.
Acta Physiologiae-Plantarum, 17 : (1), 17-20.
- Munns, R. and Termoat, A. (1986).**
Whole plant response to salinity.
Aust. J. Plant Physiol. 13 : 143 - 160.
- Munzer, M. (1989).**
Studies of the effects of hybrid and nitrogen fertilizer on sunflower production under saline conditions.
Dissertation Abst. Inter., B. (Sci. and Eng.), 49 (1) : 28 (1989).
- Mustajab, K.; Farrukh, H. and Ihsan, I. (1994).**
The effects of saline conditions on the emergence and establishment of various cultivars of sunflower.
Sarhad-Journal of Agricultura, 10 : 1-19.
- Nam-Yakyeang, Joung Young, Park-Cheon Ho; Hwack-Beyoung Hwo, Nam-YK; Young-Hy, Park-CH; and Kwack, B.H. (1997).**
Different extent of salt stress in *Epipremnum aureum* as influenced by uniconazole and GA₃.
Journal of the Korean Society for Horticultural Science, 38 : (5), 556 - 560.
- Nelson, J.P.; Millam, A.J. and Fister, H.D. (1970).**
Gas chromatographic determination of tocopherols and sterols in soya sludges and residues an improved method.
J. Am. Oil Chem. Soc. 47 : 259 - 261.

- Nour, T.A.; Hussein, M.M. and Lotfi, A.A. (1982).**
Effect of boric acid and vapor guard on growth and nutrient uptake of sunflower plant grown under different salinity levels. Egypt. J. Agron. 7: (1), 25 - 34.
- Oertil, J.J. (1966).**
Effect of external salt concentration on water relations in plants. Soil Sci., 102 : 258 - 263.
- Osipova, O.P. and Ashour, N.I. (1964).**
Photostability and the function of the photosynthetic apparatus I. Effect of light intensity. Sov. Plant Physiol. 11 : 369 - 374.
- Osman, F. and Talha, M. (1975).**
The effect of irrigation regime on yield and composition of sunflower seed oil. Egypt. J. Soil Sci., 15: (2), 211-218.
- Ouerghi, Z.; Zid, E. and Ayodi, A. (1991).**
Sensitivity of NaCl and exclusion of Na⁺ in sunflower. Agriculture Mediterranean 121: (2), 110-114.
(c.f. Field Crop Abst. 45: (2), 5725, 1992.
- Pandy, R. and Gamapath Way, P.S. (1985).**
The proline enigma : NaCl tolerant and NaCl sensitive callus lines of *Cicer arietinum*. Plant Sci. 40 : 13 - 17.
- Parasher, A. and Varma, S.K. (1992).**
Effect of different levels of soil salinity on germination, growth and yield of wheat (*Triticum aestivum L.*). Indian J. Agric. Res. 26: (2), 100-106.
- Patil, T.M.; Mirojkar, P.B.; Hedge, B.A. and Joshi, G. (1983).**
Influence of salinity on morphology, rate of CO₂ assimilation, photosynthesis products and enzyme activities in sorghum hybrid CSH-S. Indian J. of Plant Physiol. 26: (2), 153 - 162.
- Piper, C.S. (1950).**
Soil and plant analysis. Inter. Sci. Puplishers, New York, 213 - 217.

- Prakash, A.H.; Vairanabhaiah, S.V.; Reddy, P.C.; and Purushothoma, M.G. (1996).**
Differences in growth water relations and solute accumulation in the selected cultures of sunflower (*Helianthus annuus L.*) under sodium chloride stress.
Helia (1996), 19: (25), 149 - 156.
(c.f. Field Crop Abst. 50: (11), 8540, 1997).
- Rao, G.G. (1982).**
Studies on some aspects of photosynthesis in pigeon pea and generally under NaCl salinity.
Journal Nuclear Agric. and Biol. Vol. 14 (3) 99-101.
(c.f. Field Crop Abst. 39: (8), 6119, 1989).
- Rathert, (1983).**
Effect of high salinity stress on mineral and carbohydrate metabolism of two cotton varieties.
Plant and Soil 73: (2), 247 - 256.
- Ray, N. and Khaddar (1989).**
Influence of salinity, sodicity and their combination on wheat (*Triticum aestivum*).
Advances in plant Sci., 2: (2), 216 - 223.
- Reid, D.M. and Wample, R.L. (1985).**
Water relations and plant hormones.
In *Encyclopedia of Plant Physiology*, New Series, Vol. II.
Editor: A. Pisson Gattengen and M.H.Zimmermann, harvard Springer-Verlage Berlin. Heidelberg New York, Tokyo.
- Richards, S. (1954).**
Diagnosis and improvement of saline and alkaline soil.
Agric. Handbook, U.S.A. (60).
- Ridge, I.; Murphy, M. Bell and Parker, P. (1993).**
Plant Physiology. biology from and function.
Edit. Irene Ridge Hodder, Stoughton, LTD. The open Univ. U.K.

- Rivera, A.M. and Heras (1973).**
Effect of different salinity levels on chlorophyll content, chemical composition and growth tetraploid rye. (Scale cereale).
Anales de la Estacion. Experimental de (1/2) 100-108.
(c.f. Field Crop Abst. 28: (6), 2849, 1979).
- Saad, A.O.M.; Thaloath, A.T. and Selim, M.M. (1997).**
Response of some Egyptian wheat cultivars grown in salt affected soil to potassium application.
Egypt. J. Appl. Sci. 12: (12), 433 - 442.
- Saha, K. and Gupta, K. (1993).**
Effect of LAB 150978-a plant growth retardant on sunflower and mung bean seedlings under salinity stress.
Indian Journal of Plant Physiology, 36 : (3), 151-154.
- Salam, H.M. and Ismaeil, S.M. (1992).**
Interaction of salinity and temperature on germination, seedling growth and some chemical constituents of two sunflower cultivars.
Annals of Agricultural Science, Cairo, 37: (2), 411-424.
- Salim, M. (1989).**
Effect of salinity and relative humidity on growth and ionic relation of plants.
New-Phytol. 113: (1), 13 - 20.
- Sameni, A.M. and Bassiri, A. (1982).**
Interactive effects of N, salinity duration on the growth and chemical composition of broad beans.
Iran. Agric. Res. 1: (1), 49-60.
(c.f. Faba bean Abst. 3: (4), 36, 1983).
- Sanchez, Ray, A.I. and Delgado, I.C. (1996).**
Mineral nutrient transport by sunflower seedlings grown under saline conditions (NaCl).
Journal of Plant nutrition, 19 : (10-11), 1463-1475.
- Sapozhnikov, S.A. and Chernomorsky, K.C. (1960).**
On the extractability of chlorophyll from leaves by a mixture of polar and non polar solvents.
Sov. Plant Physiol. 70: 664.

- Sary, G.A.; Salem, M.S., El-Zeiny, H.A., Kortam, M.A. and Badr, Nadia, M. (1995a).**
Effect of irrigation with salinized on vegetative growth of some sunflower (*Helianthus annuus L.*) varieties.
Egypt. J. Appl. Sci. 10: (1), 179 - 198.
- Sary, G.A.; Salem, M.S., El-Zeiny, H.A., Kortam, M.A. and Badr, Nadia, M. (1995b).**
Leaf characters and seed constituents of some sunflower (*Helianthus annuus, L.*) varieties as influenced by salinity.
Annals of Agric. Sci. Moshtohor, 33 (1), 39-58.
- Sary, G.A.; Salem, M.S., El-Zeiny, H.A., Kortam, M.A. and Badr, Nadia, M. (1995c).**
Yield and mineral content of seeds of some sunflower (*Helianthus annuus L.*) varieties irrigated with salinized water.
J. Agric. Res. Tanta Univ. 21: (1), 73-90.
- Setia, R.C.; Gurmeet, Bhathal; Neelam-Setia; Bhathal, G. and Setia, N. (1995).**
Influence of paclobutrazol on growth and yield of Brassica carinata, A. Br.
Plant Growth Regulation, 16 : (2), 121 - 127.
- Shakhov, A.A. (1956).**
Salt tolerance of plants.
Izd. Akad. of Sciences Nauk, USSR, Moscow, 204.
- Shen-FaFu; Yin-Chengyi; Gao. Fengzhen; Yu-YuanJie; Shen-FF; Yin-CY; Gao-FZ and Yu, YJ (1996).**
The promotion of salt tolerance of cotton seedlings from seed soaked in MET solution.
China Cottons, 23 : (5) 9-10.
- Sivtzer, M.V.; Ponomareva, S.V. and Kuznetzova, I.A. (1973).**
Effect of salinization and herbicide on the activity of chlorophyllase in tomato leaves.
Fiziol. Rast. 20: 62 - 65.
- Snedecor, G.M. and Cochran, W.S. (1972).**
Statistical methods.
7th ed. Iowa State Univ. Pres, U.S.A.

- Starman, T.W. and Kelly, J.W. (1990).**
Influence of gibberillin A, and ancymidol on sunflower leaf activity.
Canadian Journal of Botany 68: (1), 159 - 162.
- Starman, T.W.; Kelly, J.W.; and Pemberton, H.B. (1990).**
The influence of ancymidol on morphology, anatomy and chlorophyll levels in developing and mature *Helianthus annuus* leaves.
Plant growth regulation 9: (3), 193-200.
- Strogonov, B.P. (1962).**
Physiological basis of salt tolerance of plant under different types of soil salinization.
Izd. Akad. Nauk, USSR, Inst. Plant Physiol. Moscow. 364.
Eng. Translation by Israel program for Sc., Translation (1964).
- Strogonov, B.P.; Kabanov, V.V. and Pokova, M.M. (1970).**
Feature of protein and nucleic acid metabolism during formative changes in plant under salinization conditions.
Sov. Plant Physiol. 17 : 394 - 397.
- Thalooth, A.T.; El-Zeiny, H.A. and Saad, A.O.M. (1990).**
Application of potassium fertilizers for increasing salt tolerance of broad bean (*Vicia faba L.*).
Bull. of Egypt. Soc. Physiol. Sci., 10 (3), 181-198.
- Todd, G.W. (1972).**
Water deficits and enzyme activity.
In water deficits and plant growth.
T.T. Kozlovski, (ed), 3 : 117 Academic press, New York.
- Torres, B.C. and Bingham, F.T. (1973).**
Salt tolerance of Mexican wheat. I. Effect of Na and NaCl on mineral nutrition, growth and grain production of four wheats.
Sov. Sci. Soc. Am. Proc. 37: 711-715.
- Tripathi, R.D.; Srivostava, G.P.; Misra, M.S. and Pandey, S.C. (1971).**
Protein content in some varieties of legumes.
The Allah Abad Farmer, 16 : 291 - 294.

- Tseniv, E.; Kabanov, V.V. and Strogonov, B.P. (1983).**
Effect of NaCl on the content and synthesis of different fractions of nucleic acid in pea shoot species.
Fiziologiya Rasteniie, USSR, 30: (3), 537-547.
- Turner, N.C.; Begg, J.E. and Tonnett, M.L. (1978).**
Osmotic adjustment of sorghum and sunflower crops in response to water deficits and its influence on the water potential of which stomata close.
Aust. J. Plant Physiol. 5 : 597 - 608.
- Uppar, D.S.; Nalini, A.S.; Chetli, M.B.; Hiremath, S.M. and Kumatar, M.Y. (1995).**
Use of growth regulators in sunflower.
Journal of Maharashtra Agricultural Univerities, 20 (2) : 322-323.
(c.f. Field Crop Abst. 50: (8), 5943, 1997).
- Uprety, D.C. and Sarin, M.M. (1976).**
Physiological studies on salt tolerance in *Pisum sativum L.*
IV. Tonic composition and nitrogen metabolism.
(c.f. Field Crop Abst. 30: 109-114 (1977)).
- Usha-Parmar, Namrata-Gupta; Parmil-Singh, Parmer, U.; Gupta, N. and Singh, P. (1994).**
The effect of some growth regulators on oil quality and yield characteristics of sunflower (*Helianthus annuus L.*).
Indian Journal of Ecology, 21 : (1), 19-22.
- Von Wettstein, D. (1957).**
Chlorophyll latalfaktor and der submikroskopische formwechsel der plastiden.
Exptl. Cell Res., 12: 427 - 433.
- Wanas, A.L. (1992).**
Botanical studies on some members of Fabaceae family.
M. Sc. Thesis, Fac. Agric. Moshtohor, Zagazic Univ.
- Wang-Xi; Yu-MeiYu; Tao-LongXing; Wang; X; Yu-MY and Tao, L.X. (1994a).**
The physiological effects in Uniconazole on rice seedlings.
Chinese Journal of Rice Science 8:(), 15-20.

- Wang-Xi.; Yu, MeiYu; Tao-LongXing; Wang, X.; Yu-MY and Tao, L.X. (1994b).**
The effect of uniconazole chemical control method on rice yield.
Chinese, Journal for Rice Science, 8 : (3), 181-184.
- Weidner, S. (1984).**
Role of gibberellins and cytokinins in regulation of germination during development and ripening of tritcale caryopses.
Acta Societatis, Botanicorum Poloniae, 53: (2) , 257 - 270.
- Weimberg, R. (1987).**
Solute adjustments in leaves of two species of wheat and two different stages of growth in response to salinity.
Physiol. Plant, 70 : 381 - 388.
- Yurekli, F. Topcuoglu, S.F. and Bozcuk, S. (1996).**
Effect of salt stress on proline accumulation in sunflower leaves in relation to salt concentration and duration of stress.
Turkish Journal of Biology, 2, 163-169.
(c.f. Field Crop Abst. 49: (11), 8348, 1996).
- Yang, P.C.; Ho, F.W. and Well, C.C. (1990).**
Studies on the effects of plant growth regulators on sprouting, growth and yield of raton cane.
Plant Growth Regulation Abst. 7 : 19 - 37.
- Zhou, W. and Xi, H.F. (1997).**
Effect of mixtalol and paclobutrazol on photosynthesis and yield of rape (*Brasica napus*).
J. Plant Growth Regulation, 12: 157-161.