REFERENCES

Abrams, P.; Blaivas, J.G.; Stanton, S.L. et al. (1988):

The standardization of terminology of lower urinary tract function. Scandinavian Journal of Urolgy and Nephrology, 114 (Suppl):5

Abrams, P.; Blaivas, J.G.; Stanton, S.I. et al. (1990):

The standardization of terminology of lower urinary tract function. Br. J. Obstet. Gynecol., 97: 1.

Ajay, K.S. (2000):

Choice of sling material for the treatment of intrinsic sphincter dysfunction in women. AUA update series, Lesson 13, Vol. XIX.

Alcalay, M.; Monga, A. and Stanton, S. (1995):

Burch colposuspension: a 10-20 year follow up.
Br. J. Obstet. Gynecol., Vol. 102: 740.

Aldridge, A.H. (1942):

Transplantation of fascia for relieve of SUI. Am. J. Obstet. Gynecol. 1942; 44: 398. Quoted from Urol. Clin. N. Am.2002, 29: 597.

Allen, R.E.; Hosker, G.L.; Smith, A.R. and Warrel, D.W. (1990):

Pelvic floor damage and child birth: a neurophysiological study. Br. J. Obst. Gyn., 79: 770.

Anderson, J.T.; Heisterberg, S.; Hebjorn, S. et al. (1985):

Suprapubic versus transurethral bladder drainage after colposuspension/vaginal repair. Acta. Obstet. Gynecol. Scand., 64: 139.

Ann Gormley (2002):

Biofeedback and behavioral therapy for the management of female urinary incontinence. Urol. Clin. North. Am., 29: 551.

Appell, R.A. (1999):

Management of female SUI.
Urol. Secrets, 43: 151.

Ash Monga and Abdullsultan (2003):

The mechanism of continence. In Robert W. Shaw, W. Patrick Soutter, Stuart L. Stanton: Gynecology 3rd edition, PP. 743.

Asnat Groutz, Jerry, G.; Blaivas, Michael, et al. (2001):

Pubovaginal sling surgery for simple stress urinary incontinence: Analysis by an outcome score. J. Urol., 165:1597.

Austin, P.F.; Westney, O.L.; Leng, W.W. et al. (2001):

Advantages of rectus fascial slings for urinary incontinence in children with neuropathic bladder. J. Urol., 165: 2369.

Azam, U.; Frazer, M.I.; Kozman, E.L. et al. (2001):

The TVT procedure in women with previous failed stress incontinence surgery. J. Urology, 166: 554.

Baden, W.F. and Walker, T.A. (1992):

Surgical repair of vaginal defects.
Philadelphia. J. B. Lippincot.

Baldwin, D.D. and Hadley, H.R. (1997):

Epithelium inclusion cyst formation after free vaginal wall sling procedure for stress urinary incontinence. J. Urol., 57: 952.

Beck, R.P.; McCormick, S. and Nordstrom, L. (1988):

The fascia lata sling procedure for treating recurrent genuine stress incontinence of urine. Obstet. Gynecol., 72: 699.

Bendereu, T. (1994):

A modified percutaneous outpatient bladder neck suspension system. J. Urol., 152: 2316.

Bent, A.E.; Ostergard, D.R. and Zwick-Zaffuto, M. (1993):

Tissue reaction to expanded polytetrafluroethylene suburethral sling for urinary incontinence: clinical and histological study. Am. J. Obstet. Gynecol., 169: 1198.

Bergman, A.; Matthews, L.; Ballard, C.A. and Roy, S. (1987):

Suprapubic versus transurethral bladder drainage after surgery for stress urinary incontinence. Obstet. Gynecol., 69: 546.

Blaivas, J.G. (1994):

Pubovaginal slings. In: Kursh ED, McGuire EJ. Female Urology Philadelphia, J.B. Lippicott, PP. 235.

Blaivas, J.G. and Olsson, C.A. (1988):

Stress incontinence: classification and surgical approach. J. Urol., 139: 727

Blaivas, J.G.; Zayd, A.A. and Labibk, B. (1981):

The bulbocavernosus reflex in urology: A prospective study of 299 patients. J. Urol., 126: 197.

Boone, T.B. and Kum, Y.H. (1999):

Uroflowmetry in Nitti VW (ed): Practical urodynamics Philadelphia, Saunders, PP. 28.

Boustead, G.B. (2002):

The tension-free vaginal tape for treating female stress urinary incontinence. BJU International, 89: 687.

Boustead, G.B. and Singh, S. (2000):

Outcome of TVT sling procedure in a single UK institution. BJU Int., 86 (Suppl. 3): 77.

Breda, G.; Tamai, A.; Xausa, D. et al. (1993):

Pelvioscopic colposuspension. J. Endourol., 7: S247.

Brett vassallo and Mickey Karram (2003):

Urodynamic stress incontinence. In: Robert W. Shaw, W. Patrick Soutter, Stuart L. Stanton: Gynecology 3rd edition, PP 679.

Bruno Deval; Louis Jeffry; Fadheela Al Najjar, et al. (2002):

Determination of patient satisfaction after A tension-free vaginal tape procedure for urinary incontinence. J. Urol., 167: 2093.

Bump, R.C.; Hurt, W.G.; Fentyl, J.A. et al. (1991):

Assessment of pelvic muscle exercise performance after brief verbal instruction. Am. J. Obstet. Gynecol., 165 :322.

Bump, R.C.; Mattiasson, A.; Bo, K. et al. (1996):

The standardization of terminology of female pelvic organ prolapse and pelvic floor dysfunction. Am. J. Obstet. Gynecol., 175: 10.

Burgio, K.L. (1994):

Behavioral therapy: practical approach to urinary incontinence. Contemp. Urol., 6: 24.

Burgio, K.L.; Matthews, K.A. and Engel, B.T. (1991):

Prevalence incidence and correlates of urinary incontinence in healthy, middle-aged women. J. Urol., 146: 1255.

Carbone, J.M.; Kavaler, G. and Hu, J.C. (2001):

Pubovaginal sling using cadaveric fascia and bone anchors: disappointing early results. J. Urol., 165: 1605.

Carl, G. Klutke and Cary Lynn Siegel (1995):

Function a female pelvic anatomy.
Urol. Clin. North. Am., 22: 487

Cespedes, R.D. and McGuire, E.J. (1999):

Leak point pressures. In Nitti V.W (ed): Practical Urodynamics Philadelphia, Saunders, P. 94.

Chaikin, D.C.; Groutz, A. and Blaivas, J.G. (2000):

Predicting the need for anti-incontinence surgery in continent women undergoing repair of severe genitourinary prolapse. J. Urol., 163: 531

Chancellor, M.B.; Blaivas, J.G.; Kaplan, S.A. et al. (1991):

Bladder outlet obstruction versus impaired detrusor contractility: The role of uroflow. J. Urol., 145: 810.

Christopher, K. Payne (2002):

Urinary incontinence: Non surgical management. In Walsh PC, Retik AB, Vaughan ED, Wein AJ: Campbell's Urology 8th ed. Philadelphia, Saunders,PP. 1069.

Cindy, A.; Cross, Cespedes, R.D.; Sharan, F. et al (1998):

Transvaginal urethrolysis for urethral obstruction after anti-incontinence surgery. J. Urol., 159: 1199.

Coates, K.W.; Harris, R.L.; Cundi, G.W. and Bump, R.C. (1997):

Uroflowmetry in women with urinary incontinence and pelvic organ prolapse. Br. J. Urol., 80: 217.

Corcos, J. and Fournier, C. (1999):

Periurethral collagen injection for the treatment of female stress urinary incontinence: 4 years follow up results.
Urol., 54: 815.

Crivellaro, S.; Smith, J.J.; Kocjancic, E. et al. (2004):

Transvaginal sling using a cellular human dermal allograft: safety and efficacy in 253 patients. J. Urol., 172: 1374.

Cross, C.A.; Cespedes, R.D. and McGuire, G.J. (1998):

Our experience with pubovaginal slings in patients with stress urinary incontinence. J. Urol., 159: 1195.

Cummings, J.M.; Boulller, J.A.; Parra, R.O et al . (1997):

Leak point pressures in women with urinary stress incontinence: Correlation with patient history. J. Urol., 157: 818-820.

Cummings, J.M.; Boullier, J.A. and Parra, R.O. (1998):

Surgical correction of SUI in morbidity obese women.
J. Urol., 160: 754.

David, A. and Rivas, Michael, B. Chancellor (1996):

Uroflowmetry. In Jerry Blavias and Michael Chancellor: Atlas of urodynamics 4th ed. Williams and Wilkins, PP. 48.

David, G; Ronen, G.; David P.; et al. (2005):

Tension-free vaginal tape in the elderly: Is it a save procedure?
Urology 65:479.

Dawn, M.; Bodell and Gary, E. Leach (2002):

Needle suspension procedures for female incontinence. Urol. Clin. N. Am., 29: 575.

David, E.; Jarrod, R. and Jerry, G. Blaivas (1998):

Pubovaginal fascial sling for all types of stress urinary incontinence: long-term analysis. J. Urol., 160: 1312.

DeLancy, J.O.L. (1990):

Anatomy and physiology of urinary incontinence. Clin. Obstet. Gynecol., 33 (2): 298.

Delancy, J.O.L. (1994):

Structural support of the urethra as it relates to stress urinary incontinence. The Hammok Hypothesis. Am. J. Obstet. Gynecol., 170: 1713.

DeLancy, J.O.L. (1998):

Anatomy of the female bladder and urethra. In Oestergard D.R. Bent, A.E.: Urogneccology and urodynamics, 4th ed., Baltimore, Williams and Wilkins, P. 3.

Delancy, J.O. and Hurd, W.W. (1998):

Size of the urogenital iatus in the levator ani muscles in normal women and women with pelvic organ prolapse. Obstet. Gynecol., 91: 364-368

Delorme, E. (2001):

Transobturator urethral suspension: mini-invasive procedure in treatment of stress urinary incontinence. Prog. Urol., 11:1306.

Diokno, A.C.; Dimaculangan, R.R.; Lim, E.U. et al (1999):

Office based criteria for predicting type II stress urinary incontinence without further evaluation studies. J. Urol., 161: 1263.

Diokno, A.C.; Hollander, J.B. and Alderson, T.P. (1987):

Artificial urinary sphincter for recurrent female urinary incontinence: Indications and results. J. Urol., 138: 778.

Dmochowski, R. (1996):

Cystometry. Urol. Clin. North., 23: 243.

Dmochowski, R.R. and Appell, R.A. (2000):

Injectable agents in the treatment of stress urinary incontinence in women: where are we now? Urol., 56: 32.

Dorsey, J.H. and Cundiff, G. (1994):

Laparoscopic procedures for incontinence and prolapse. Curr. Opin. Obstet. Gynecol., 6: 223.

DuBeau, C.E. and Resnick, N.M. (1991):

Evaluation of the cause and severity of geriatric incontinence. A critical approach. Urol. Clin. North. Am., 18: 243.

Edward, J.; McGuire, Duane, R. Cespedes and Helene, E. O'connell (1996):

Leak point pressures.Urol. Clin. North. Am., 23 (12): 253.

Edward, J.; McGuire and Helene, E. O'Connell (1996):

Leak point pressures in stress incontinence. In Jerry Blaivas and Michael Chancellor: Atlas of urodynamic: William and Wilkins, PP. 208.

Edward, J.; McGuire and Quentin, J. Clements (2002):

Pubovaginal slings. In Walsh PC, Retik AB, Vaughan ED, Wein AJ: Campbell's Urology 8th ed. Philadelphia, Saunders PP 1151.

El Gamal, K.A. (2001):

Simplifying the tension-free vaginal tape (TVT) procedure for management of stress urinary incontinence. Benha Medical Journal, Vol. 18, No. 1: 135.

Emily, S..; Lukacz, Karl, M. Lubor and Charles, W. Nager (2003):

The effect of tension-free vaginal tape on voiding function: a prospective evaluation. International urogynecology Journal including pelvic flour dysfunction. Internet (10.1007/s00192-003-1098-4).Published online 25 November 2003.

English, S.F.; Amundsen, C.L. and McGuire, E.J. (1999):

Bladder neck competency at rest in women with incontinence. J. Urol., 161: 578.

Faerber, G.J (1996):

Endoscopic collagen injection therapy in elderly women with type I stress urinary incontinence. J. Urol., 155: 512.

Faerber, G.J. and Vashi, A.R. (1998):

Variations in valsalva leak point pressure with increasing vesical volume. J. Urol., 159: 1909.

Fielding, J.R.; Dumani, H.; Schreyer, A.G. et al. (2000):

MR-based three-dimensional modeling of the normal female pelvic floor in women: Quantification of muscle mass. AJR. Am. J. Roentgenol .; 174:657.

Fitzpatrick, C.C.; Elkins, T.E. and DeLancy, J.O. (1996):

The surgical anatomy of bladder neck suspension. Obstet. Gynecol., 87 (1): 44.

Frangenheim, P.Z. (1914):

Operativen Behaundlung der Inkontinenz der Mannlichen Harnohre. Verh Dtsh Ges Chir. 1914, 43: 149. Quoted from: Urol. Clin. N. Am.2002, 29: 597.

Galloway, N.T.M.; Davies, N. and Stephenson, T.P. (1987):

The complications of colposuspension.
Br. J. Urol., 60: 122.

George, D. Webster and Michael, L. Guralnik (2002):

The Neurourologic evaluation. In Walsh PC, Retik AB, Vaughan ED, Wein AJ: Campbell's Urology 8th ed. Philadelphia, Saunders P. 900.

Gilia, I.; Radej, M.; Koverc, C. et al. (1984):

Conservative treatment of female stress urinary incontinence with imipramine. J. Urol., 132: 909.

Gilpin, S.A.; Gosling, J.A.; Smith, A.R.B. et al. (1989):

The pathogenesis of genitourinary prolapse and stress urinary incontinence. A histopathological and histochemical study.
Br. J. Obstet. Gynecol., 16: 15-23

Ginodefreitas and Philippe Zimmern (2003):

The role of urodynamics in women with stress urinary incontinence. EUA Update series 1: 135.

Goldman, H.B.; Rackley, R.R.; Appell, R.A. (1999):

The efficacy of urethrolysis without re-suspension for iatrogenic urethral obstruction. J. Urol., 161: 196.

Gosling, J.A. (1986):

The structure of the female lower urinary tract and pelvic floor.
Urol. Clin. North. Am., 12: 207.

Gosling, J.A. and Dixon, J.S. (1979):

Light and electron microscopic observation of the human external sphincter. J. Anat. 129: 216. Quoted from Linda cardozo, Embryology and anatomy. In Urogynecology,1997:27.

Govier, F.E.; Gibbon, R.P. and Correa, R.J. (1997):

Pubovaginal slings using fascia lata for the treatment of intrinsic sphincter deficiency. J. Urol., 157: 117.

Gray, E.; Lemack and Philippe, E. Zimmern (2000):

Identifying patients who require urodynamic testing before surgery for stress incontinence based on questionnaire information and surgical history. Urol., 55, 506.

Green, T.H. (2002):

Development of a plan for the diagnosis and treatment of SUI. Am. J. Obstet. Gynecol., 1962; 83: 632. Quoted from: Urol. Clin. N. Am., 29: 597.

Griffiths, D.; Hofnerk, Van mastright, R. et al. (1997):

Standardization of terminology of lower urinary tract: pressure-flow studies of voiding urethral resistance, and urethral obstruction. Neurourol. Urodyn., 16: 1.

Haab, F.; Zimmern, P.E. and Leach, G.E. (1996):

Female stress urinary incontinence due to intrinsic sphincter deficiency: Recognition and management. J. Urol., 156: 3.

Handa, V.L. and Stone, A. (1999):

Erosion of a fascial sling into the urethra. Urol., 54: 923.

Hann-Chorng, K.U.O. (1999):

Videourodynamic results after pubovaginal sling procedure for stress urinary incontinence. Urol., 54: 802.

Harewood, L.M.; Crosthwaite, A.; Webb, D.R. et al. (1993a):

An early series extraperitoneal balloon laparoscopic needle suspension for SUI. J. Endourol., 7: S102.

Hautman, R.E.; Paiss, T. and Depetriconi, R. (1996):

The ileal neobladder in women: 9 years of experience with 18 patients. J. Urol., 155: 76.

Hilton, P. and Stanton, S.L. (1983):

Urethral pressure measurement by microtransducer: the results in symptom-free women and those with genuine stress incontinence. Br. J. Obstet. Gynecol., 90:919.

Iselin, C.E. and Webster, G.D. (1998):

Office management of female urinary incontinence. Urol. Clin. North. Am., 25: 625.

Jacek, Mostwin, Andrew Yang, Roger Sanders et al. (1995):

Radiography, sonography, and Magnetic resonance imaging for stress incontinence. Urol. Clin. North. Am., 22: 539.

Jae, S.P.; Ja, H.K.; Soo, W.K. et al. (2004):

Tension free vaginal tape procedure for the treatment of mixed urinary incontinence: significant of maximal urethral closure pressure. J. Urol., 172: 1001.

James, D. Brooks (1998):

Anatomy of the lower urinary tract and male genitalia. In Walsh P.C., Retik A.B. Vaughan E.D, Wein A.J.: Campbell's Urology 7th ed. Philadelphia, Saunders,PP 89.

Jan Groen and Bosch, J.L.M.R. (2004):

Bladder contraction strength parameters poorly predict the necessity of long term catheterization after a pubovaginal rectus fascial sling procedure. J. Urol., 172: 1006.

Jarvis, G.J. (1994):

Surgery for genuine stress incontinence.
Br. J. Obstet. Gynecol., 101: 371.

Jerry Blaivas and Michael Chancellor (1996):

Cystometry in Jerry Blaivas and Michael Chancellor: Atlas of urodynamics. William and Wilkin, PP 31.

Jerry, G.; Blaivas, J.G. and Asnatgrout, Z. (2002):

Urinary incontinence: Pathophysiology, evaluation and management overview. In Walsh PC, Retik AB, Vaughan ED, Wein AJ: Campbell's Urology 8th ed. Philadelphia, Saunders, PP 1027.

Jhon, R. and Robert, D. (2005):

Female urinary incontinence.
WWW. Atlanta center for laparoscopic urogynecology.com

John, T.; Stoffel, John, F.; Bresette and John, J. Smith (2002):

Retropubic surgery for stress urinary incontinence.
Urol. Clin. N. Am., 29: 585.

Jorgensen, J.B. and Jensen, K.M. (1996):

Uroflowmetry. Urol. Clin. North. Am., 23: 237.

Karram, M.M.; Angel, O.; Koonings, P.; et al (1992):

The modified Peryera procedure; a clinical and urodynamic review.
Br. J. Obstet. Gynecol., 99: 655.

Karram, M.M. and Bhatia, N.N.(1990):

Patch procedure: Modified transvaginal fascia lata sling for recurrent or severe stress urinary incontinence.
Obstet. Gynecol., 75: 461.

Kerman, W.N.; Vicoli, C.M.; Brass, L.M. et al. (2000):

Phenylpropanalamine and the risk of haemorrhagic stroke. N. Engl. J. Med., 343: 1826.

Kerrebroeck, P.V. (2004):

Duloxetine: an innovative approach for treating stress urinary incontinence. BJU International, 94, Supplement 1:31

Kershen, R.T. and Atala, A. (1999):

New advances in injectable therapies for the treatment of incontinence and vesicoureteral reflux. Urol. Clin. North. Am., 26: 81.

Klinger, H.; Tinzl, C. and Marberger, J. (2003):

Severe complications following tension-free vaginal tape procedure. Euro. Urol. Suppl., 2 (1): 197.

Kim, H.L.; Gerber, G.S.; Patel, R.V; et al. (2001):

Practice patterns in th treatement of female urinary incontinence: Apostal and internet survey. Urology, 57:75.

Klutke, C.G. and Carlin, B.J. (2000):

Altered voiding after the tension free vaginal tape procedure: an increased resistance the mechanism of therapy? Obstet. Gynecol., 1 (4): 95.

Klutke, C.G. and Siegel C. L. (1995):

Function female pelvic anatom y. Urol. Clin. North. Am.,22:487.

Klutke, J.J. and Bergman, A. (1998):

Fluid to investigation of the incontinent patient. Urogynecology and urodynamics 4th ed. Baltimore, Williams and Wilkins, PP. 91.

Kobashi, K.C.; Dmochowski, R. and Mee, S.L. (1999):

Erosion of polyster pubovaginal sling.
J. Urol., 162: 2070.

Kum, H.L.; Gerber, G.S. Patel, R.V. et al. (2001):

Practice pattern of female urinary incontinence: a postal and internet survey. Urol., 57: 45.

Kuo, H.C. (2001):

Comparison of videourodynamic results after the pubovaginal sling procedure using rectus fascia and polypyelene mesh for stress urinary incontinence. J. Urol., 165: 163

Leach, G.E. and Appell, R.A (1996):

Percutaneous bladder neck suspension.
Urol. Clin. N. Am., 23: 511.

Leach, G.E.; Dmochowski, R.R.; Appell, R.A. et al. (1997):

Female stress urinary incontinence clinical guide-lines panel summary report on surgical management of female stress urinary incontinence. The American Urological Association.
J. Urol. 158: 875.

Lemack, G.E. and Zimmern, P.E. (2000):

Sexual function after vaginal surgery for stress urinary incontinence. J. Urol., 58: 223.

Lind, L.R.; Rosenzweig, B.A. and Bhatia, N.N. (1998):

Urologically oriented neurological examination. Urogynecology and urodynamic 4th ed. Baltimore, Williams and Wilkin, PP. 99.

Louis, J.; Bruno, D.; Anca, B.; David, S. and Emile, D. (2001):

Objective and subjective cure rates after tension free vaginal tape for treatment of urinary incontinence. Urol., 58: 702.

Louis, P.L.; Zak, III. and David Staskin (2002):

Genuine stress incontinence: Theories of etiology and surgical correction. Urol. Clin. North. Am., 29: 527.

Lucia Dolan and Paul Hilton (2003):

Surgical management of stress incontinence: which technique when? EUA Update Series1:154.

Mainprize, T.C. and Drutz, H.P. (1988):

The Marshall-Marchetti-Krantz procedure: a clinical review. Obstet. Gynecol. Sur., 43: 724.

McGuire, E.J. (1977a):

Combined radiographic and manometric assessment of urethral sphincter function. J.Urol., 118: 632.

McGuire, E.J. and Appell, R.A. (1994):

Transurethral collagen injection for urinary incontinence. J. Urol., 43: 413.

McGuire, E.J.; Fitzpatrick, C.C.; Wang, J. et al. (1993):

Clinical assessment of urethral sphincter function. J. Urol., 150: 1452.

McGuire, E.J. and Lytton, B. (1978):

Pubovaginal sling procedure for stress urinary incontinence. J. Urol., 119: 82. Quoted from Urol. Clin. N. Am.2002, 29: 597.

McGuire, E.J. and Savastano, J.A. (1985):

Stress incontinence and detrusor instability urge incontinence. Neurourol. Urody., 4: 313-316.

Meschia, M.; Pifarotti, F.; Bernasconi, F. et al. (2001):

Tension-free vaginal tape: Analysis of outcome and complications in 404 stress incontinent women. Int. Urogynecol. J. (Suppl. 2): 524.

Michael, B. Chancellor and Maoki Yashimura (2002):

Physiology and pharmacology of the bladder and urethra. In Walsh P.C, Retik, A.B. Vaghan E.D. Wein A.J.: Campbell's Urology 8th ed. Philadelphia, Saunders,PP 831.

Michel, M.C. and Peters, S.L.M. (2004):

Role of serotonine and nor-adrenatine in SUI.
BJU International, 94 Supplement 1: 23

Miklos, J.R.; Sze, E.H. and Karram, M.M. (1995):

A critical appraisal of the methods of measuring leak point pressures in women with stress incontinence.
Obstet. Gynecol., 85: 349.

Millin, T. and Read, C.D. (1942):

Stress urinary incontinence in the female postgrade Med. 1948; 24: 51. Coated from: Urol. Clin. N. Am.2002, 29: 597.

Mommsen, S.; Foldspang, A. and Elvingl Lam, G. (1993):

Association between urinary incontinence in women and a previous history of surgery. Br. J. Urol., 72: 30.

Monga, A.K. and Stanton, S.L. (1997):

Urodynamic prediction, outcome and analysis of mechanism for cure of stress incontinence by periurethral collagen.
Br. J. Obstet. Gynecol., 104: 158.

Montz, F.J. and Stanton, S.L. (1986):

Q-tip test in female urinary incontinence.
Obstet. Gynecol., 67: 259.

Morgan, J.E.; Heritz, D.M.; Stewart, F.E. et al. (1995):

The polypropyelene pubovaginal sling for the treatment of recurrent stress urinary incontinence.
J. Urol., 154: 1013.

Morgan, T.O.; Westney, O.L. and McGuire, EJ. (2000):

Pubovaginal sling: 4 year outcome analysis and quality of life assessment. J. Urol., 163: 1845

Mostwin, J.F. (1991):

Current concept of female pelvic anatomy and physiology.
Urol. Clin. North. Am., 18: 175.

Mostwin, J.L.; Yang, A.; Sanders, R. et al. (1995):

Radiography, sonography, and magnetic resonance imaging for stress incontinence: contributions, Uses and Limitations.
Urol. Clin. North. Am., 22: 539.

Nathaline, M.; Roger, R. Royal Park and Victor, W.Vitt (2002):

Pubovaginal sling and pelvic prolapse repair in women with occult stress urinary incontinence: effect on post-operative emptying and voiding symptoms. Urol., 59: 856.

Niknejad, K.; Plzak, L.S.; Staskin, D.R. and Loughlin, K.R. (2002):

Autologous and synthetic urethral slings for female SUI.
Urol. Clin. N. Am., 29: 597.

Nilsson, C.G.; Falcor, C. and Rezapour, M. (2004):

Seven years follow-up of the tension-free vaginal tape procedure for the treatement of urinary incontinence.
Obstet and gynecology,104:1259

Nilsson, C.G.; Kuuva, N.; Falconer, M. And Ulmesten, U. (2001):

Long-term results of the tension free vaginal tape procedure for surgical treatment of female stress urinary incontinence. In Urogynecology J. (Suppl. 2): 55.

Nitti, V.W. (1998):

Cystometry and abdominal pressure monitoring.
In Practical Urodynamic, Philadelphia. W.B. Saunders, PP. 38.

Nitti, V.W. and Combs, A.J. (1996):

Correlation of valsalva leak point pressure with subjective degree of stress urinary incontinence in women. J. Urol., 155: 281.

Nitti, V.W. and Combs, A.J. (1998):

Urodynamics: when, why and how. In Nitti V.W (ed.): Practical urodynamics. Philadephia, W.B. Saunders, PP. 15.

Norton, P.A. (1993):

Pelvic floor disorders: The role of fascia and ligaments.
Clin. Obstet. Gynecol., 36: 926.

O'Connell, H.E.; McGuire, E.J. and Aboseif, S. (1996):

Transurethral collagen therapy in women.
J. Urol., 154: 1463.

Papapetros, P.E. and Ulmsten, U.I. (1990):

An integral theory of female urinary incontinence.
Act. Obstet. Gynecol. Scand., 69, Suppl. 153: 7.

Payne, C.K. (1996a):

Conservative therapy for female urinary incontinence. AUA update series Vol. XV, Lesson 34, Houston, AUA Office education.

Pelsang, R.E. and Bonney, W.W. (1996):

Voiding cystourethrography in female stress incontinence. Am. J. Radiol., 166: 561.

Peter, T.K.; Chan Carmen Fournier and Jacques Cocos (2000):

Short term complications of pubovaginal sling procedure for genuine stress urinary incontinence in women. Urol., 55: 207.

Petros, P.E. and Ulmesten, U.I. (1990):

Combined intravaginal sling and tuck operation. An ambulatory procedure for cure of stress and urge incontinence. Acta Obstet. Gynecol. Scand Suppl., 153: 53.

Petros, P.E.P. and Von Konsky, B. (1999):

Anchoring the mid urethra restores bladder neck anatomy and continence. Lancet, 345: 997.

Pierre, C.; Nicolas, M.; Bertrand, R. et al. (2001):

The use of artificial urinary sphincter in women with type III incontinence and A Negative Marshal test. J. Urol., 165: 1172.

Plzak, L. and Staskin, D. (2002):

Genuine stress incontinence theories of etiology and surgical correction. Urol. Clin. North. Am., 29 (3): 527

Radley, S.C. (2004):

Differential diagnosis of stress urinary incontinence**.** BJU International, 94 (Suppl 1):4.

Raz, S. (1992):

Complications of vaginal surgery. In: Atlas of transvaginal surgery Saunders Company,PP 37.

Raz, S.; Siegel, A.L. and Short, J.L. (1989):

Vaginal wall sling.
J. Urol., 141: 43.

Raz, S.; Stothers, L. and Chopra, A. (1998):

Vaginal reconstructive surgery for incontinence and prolapse, in Walsh P.C., Retic, A.B., Vaughan, E.D, Wein, A.J. (eds): Campbell's Urology, 7th ed. Philadelphia Saunders, PP. 1059.

Raz, S.; Sussman, E.M. and Erickson, D.B. (1992):

The Raz bladder neck suspension results in 206 patients.
J. Urol., 148: 845.

Richardson, A.C.; Edmonds, P.B. and Williams, N.L. (1981):

Treatment of stress urinary incontinence due to paravaginal fascial defect. Obstet. Gynecol., 57: 357.

Richard, T.; Kershen, Roger, R.; Domochowski and Rodney, A. Appell (2002):

Beyond collagen: injectable therapies for the treatment of female stress urinary incontinence in the new millennium. Urol. Clin. N. Am., 29: 559.

Richardson, A.C.; Lyon, J.B. and Williams, N.L. (1976):

A new look at pelvic relaxation.
Am. J. Obstet. Gyencol., 126: 568. Quoted from: Urol. Clin. N. Am.2002, 29:585.

Robbins, S.L.; Cartran, R.S. and Kumar, V. (1984):

Inflammation and repair. In pathological basis of disease. 3rd ed. Philadelphia, W.B. Saunders Company, PP. 64.

Roberston, J.R. (1974):

Ambulatory gynecologic urology.
Obstet. Gyencol. 1974; 17: 261. Quoted from: Urol. Clin. N. Am.2002, 29: 597.

Romanes, G.J. (1986):

The pelvis and perineum in G.J Romanes. Manual of practical anatomy 15th edition. Oxford University Press, 2: 187.

Royce, P.C. and Reisner, G.S. (1993):

Laparoscopic extraperitoneal bladder neck suspension.
J. Endourol., 7: 5226.

Romanzi; L.R.; Heritz, D.M. and Blaivas, J. G. (1995):

Preliminary assessment of the incontinent women.
Urol. Clin. North. Am., 22: 513.

Rosenzweig, B.A.; Bhatia, N.M. and Nelson, A.L. (1991):

Dynamic urethral pressure profile transmission ration: What do the numbers mean? Obstet. Gynecol., 77: 580.

Salmons, S. (1995):

Muscle. In Williams P.L., Bannister L.H. Berry. M.M. et al. (ed): Gray's Anatomy, 38th ed. New York, Churchill Livingstone, PP. 737.

Sander, P.; Moller, L.M.; Rdnick, P.U. and Lose, G. (2002):

Does the tension free vaginal tape procedure affect the voiding phase? Pressure flow study before and 1 year after surgery.
BJU Int., 89: 694.

Sander, P.; Moller, L.M.A.; Ruduicki, P.M. and Lose, G. (2002):

Does the tension free vaginal tape procedure affect the voiding phase? Pressure-flow study before and 1 year after surgery. BJU International 89: 694.