

References

A

1. **Ahualli J. (2005):** The Target Sign: Bowel Wall. *Radiology*; 234(2): 549-550.
2. **Allerton R. (1996):** Acute mesenteric ischemia associated with 5-FU, cisplatin and vincristine chemotherapy. *Clin Oncol*; 8:116-117.
3. **Alobaidi M (2007):** Mesenteric Ischemia. www.emedicine.com/radio/topic446.htm, accessed at 30/9/2007
4. **Alobaidi M. (2003):** Mesenteric ischemia. *E Medicine*; 2:123-130.
5. **Aschoff AJ, Stuber G, Becker BW & Hoffmann MHK (2009):** Evaluation of acute mesenteric ischemia: accuracy of biphasic mesenteric multi-detector CT angiography, *Abdom Imaging* 34:345–357.

B

6. **Bailey RW, Riles TS, Rosen RJ. (1991):** Celiomesenteric anomaly and aneurysm: clinical and etiologic features. *J Vasc Surg*; 14:29–34
7. **Bakal CW, Sprayregen S, Wolf EL. (1992):** Radiology in intestinal ischemia. Angiographic diagnosis and management. *Surg Clin North Am*; 72:125–141.
8. **Balthazar EJ, Yen BC, Gordon RB. (1999):** Ischemic colitis: CT evaluation of 54 cases. *Radiology*; 211:381-388.
9. **Bartram CI, Taylor S. (2008):** The Large Bowel. *Adam: Grainger & Allison's Diagnostic Radiology*, 5th Ed; 33:1479-1553.
10. **Bergan JJ, Yao JST. (1989):** Chronic intestinal ischemia. In: Rutherford RB, ed. *Vascular Surgery*. 3rd ed. Philadelphia, Pa: WB Saunders Co;825- 842.

11. **Boley SJ, Brandt LJ, Sammartano RJ. (1997):** History of mesenteric ischemia. The evolution of a diagnosis and management. *Surg Clin North Am*; 77:275–288
12. **Boley SJ, Feinstein FR, Sammartano R, Brandt LJ, Sprayregen S. (1981):** New concepts in the management of emboli of the superior mesenteric artery. *Surg Gynecol Obstet*; 153:561-569
13. **Boone JM. (1994):** Computed tomography: technology update on multiple detector array scanners and PACS considerations. In: Andriole KP, eds. *Practical digital imaging and PACS*. AAPM Monograph 25. Madison, Wis: Medical Physics Publishing; 37-63.
14. **Bradbury AW, Brittenden J, McBride K, Ruckley CV. (1995):** Mesenteric ischaemia: a multidisciplinary approach. *Br J Surg*;82:1446-1459
15. **Bradbury MS, Kavanagh PV, Bechtold RE. (2002):** Mesenteric venous thrombosis: diagnosis and noninvasive imaging. *Radiographics*; 22(3):527-41.
16. **Brandt LJ, Boley SJ. (2000):** AGA technical review on intestinal ischemia. *Gastroenterology*. 118: 954-68.
17. **Brunnett CJ, Heuscher DJ, Mattson RA. (1994):** CT design considerations and specifications. In: Gould RG, eds. *Specification, acceptance testing and quality control of diagnostic x-ray imaging equipment*. AAPM Monograph 20. New York, NY: American Institute of Physics; 833-861.



18. **Cademartiri F, Rolf HF, Raaijmakers RH, Kuiper JW. (2004):** Multi-detector row CT angiography in patients with abdominal angina. *Radiographics*; 24(4):969-984.

19. Calhoun PS, Kuszyk BS, Heath DG. (1999): Three-dimensional volume rendering of spiral CT data: theory and method. *RadioGraphics* 1999; 19:745-764.
20. Chintapalli KN, Chopra S, Ghiatas AA. (1999): Diverticulitis versus colon cancer: differentiation with helical CT findings. *Radiology*; 210:429–435.
21. Chou CK, Mak CW, Hou CC. (1997): CT of the mesenteric vascular anatomy. *Abdom Imaging*; 22:477-482.
22. Chow LC, Chan FP, Li KC. (2002): A comprehensive approach to MR imaging of mesenteric ischemia. *Abdom Imaging*; 27:507–516
23. Cleveland TJ, Nawaz S, Gaines PA. (2002): Mesenteric arterial ischaemia: Diagnosis and therapeutic options. *Vasc Med*; 7:311–321
24. Cody DD (2002): AAPM/RSNA physics tutorial for residents: Topics in CT. Image processing in CT. *Radiographics*; 22:1255–1268.
25. Cognet F, Ben Salem D, Dransart M. (2002): Chronic mesenteric ischemia: imaging and percutaneous treatment *Radiographics*; 22(4):863-79.
26. Colombat M, Carton S, Bakhache B. (1999) Ischemic colitis and neuroleptics. *Rev Med Interne*; 20:373-374.

D

27. Dawson P, Lees WR. (2001): Multi-slice technology in computed tomography. *Clin Radiol*; 56:302–309.
28. Deibler AR, Kuzo RS, Voohringer M. (2004): Imaging of Congenital Coronary Anomalies with Multislice Computed Tomography. *Myo Clin Pro*; 79: 1017-1023
29. Dowd J, Bailey D, Moussa K. (1999): Ischemic colitis associated with pseudoephedrine: four cases. *Am J Gastroenterol*; 94:2430-2434.

- 30. Duddalwar.V.A. (2004):** Multislice CT angiography: a practical guide to CT angiography in vascular imaging and intervention. *British Journal of Radiology* ; 77, S27-S38

E

- 31. El-Khoury G, Lee Bennett D, Ondr G. (2004):** Multidetector-Row Computed Tomography. *Journal of the American Academy of Orthopedic Surgeons*;12:1-5.
- 32. Eugene O, Gross BH, Williams DM. (1998):** Independent origin of the hepatic and splenic arteries from the abdominal aorta: CT demonstration. *J Comput Assist Tomogr*; 22:669–70.

F

- 33. Fleischmann D. (2003):** Multiple detector-row CT angiography of the renal and mesenteric vessels. *Eur J Radiol*; 45 Suppl 1: S 79-87.
- 34. Flobert C, Cellier C, Berger A. (2000):** Right colonic involvement is associated with severe forms of ischemic colitis and occurs frequently in patients with chronic renal failure requiring hemodialysis. *Am J Gastroenterol*; 95:195-198.
- 35. Fox SH. (1995):** CT tube technology. In: Fowlkes JB, eds. *Medical CT and ultrasound: current technology and applications*. Madison, Wis: Advanced Medical Publishing; 349-377.
- 36. Frauenfelder T, Wildermuth S, Marincek B. (2004):** Nontraumatic emergent abdominal vascular conditions: advantages of multi-detector row CT and three-dimensional imaging. *Radiographics*; 24(2):481-96.
- 37. Frush D. (2003):** MDCT Risk and Reward. *Imaging Economics*; 56:302-304.

-
- 38. Fujimoto T, Fukuda T, Uetani M. (2001):** Unenhanced CT findings of vascular compromise in association with intussusception in adults. *AJR Am J Roentgenol*; 176:1167-1171.

G

- 39. Gallavan RH, Jr, Parks DA, Jacobson ED. (1989):** Pathophysiology of the gastrointestinal circulation. In: Schulz S, Woods J, eds. *Handbook of physiology: the gastrointestinal system*. Bethesda, Md: American Physiological Society; 1713-1732.
- 40. Geboes K, Geboes KP, Maleux G. (2001):** Vascular anatomy of the gastrointestinal tract. *Baillieres Best Pract Res Clin Gastroenterol*; 15:1-14.
- 41. Gerber BL, Coche E, Pasquet A. (2005):** Coronary Artery Stenosis: Direct Comparison of four-section Multi-Detector Row CT and 3DNavigator MR Imaging for Detection—Initial Results. *Radiology*; 234: 98-108.
- 42. Giovagnorio F, Picarelli A, Di Giovambattista F, Mastracchio A. (1998):** Evaluation with Doppler sonography of mesenteric blood flow in celiac disease. *AJR Am J Roentgenol* ;171:629–632 .
- 43. Glockner JF. (2001):** Three-dimensional gadolinium-enhanced MR angiography: applications for abdominal imaging. *Radiographics*; 21(2):357-70.
- 44. Gourtsoyiannis N, Papanikolaou N & Daskalogiannaki M. (2008):** The Duodenum and Small Intestine. Adam: Grainger & Allison's *Diagnostic Radiology*, 5th ed; 32:1409-1478.
- 45. Greenwald DA, Brandt LJ, Reinus JF (2001):** Ischemic bowel disease in the elderly. *Gastroenterol Clin North Am*; 30:445–473.

H

46. **Ha HK, Lee SH, Rha SE. (2000):** Radiologic features of vasculitis involving the gastrointestinal tract. *RadioGraphics*; 20:779-794.
47. **Halpern EJ, Rutter CM, Gardiner GA. (1998):** Comparison of Doppler US and CT angiography for evaluation of renal artery stenosis. *Acad Radiol*; 5:524-532.
48. **Hamberg LM, Rhea JT, Hunter GJ. (2003):** Radiation dose characteristics in multi-detector row CT. *Radiology*; 226:762-772.
49. **Hassan HA, Raufman JP. (1999):** Mesenteric venous thrombosis. *South Med J*; 92:558-562.
50. **Hassoun Z, Lacrosse M, De Ronde T. (2001):** Intestinal involvement in Buerger's disease. *J Clin Gastroenterol*; 32:85-89.
51. **Hirota C, Iida M, Aoyagi K. (1995):** Posttraumatic intestinal stenosis: clinical and radiographic features in four patients. *Radiology*; 194:813-815.
52. **Hong SS, Kim AY, Byun JH, Won HJ (2006):** MDCT of Small-Bowel Disease: Value of 3D Imaging , *AJR* 2006; 187:1212-1221
53. **Hopper KD, Iyriboz AT, Wise SW (2000):** Mucosal detail at virtual reality: surface versus volume rendering. *Radiology*; 214:517-522.
54. **Horton KM and Fishman EK (2002):** Volume rendered 3D CT of mesenteric vasculature: normal anatomy, anatomic variants and pathological conditions. *Radiographics*; 22:161-72.
55. **Horton KM, Abrams RA, Fishman EK. (2000):** Spiral CT of colon cancer: imaging features and role in management. *RadioGraphics*; 20:419-430.
56. **Horton KM, Corl FM, Fishman EK. (2000):** CT evaluation of the colon: inflammatory disease. *RadioGraphics*; 20:399- 418.

- 57. Horton KM, Eng J, Fishman EK (2000):** Normal enhancement of the small bowel: evaluation with spiral CT. *J Comput Assist Tomogr*; 24:67–71.
- 58. Horton KM and Fishman EK (2003):** The current status of multidetector row CT and three-dimensional imaging of the small bowel. *Radiol Clin North Am*;41:199–212
- 59. Hounsfield GN. (1995):** Computerized transverse axial scanning (tomography): part I. Description of system 1973. *Br J Radiol* ;68:H166–72.
- 60. Hu H, He HD, Foley WD. (2000):** Four multidetector-row helical CT: Image quality and volume coverage speed. *Radiology*; 215:55–62.
- 61. Hu H. (1999):** Multi-slice helical CT: scan and reconstruction. *Med Phys* 1999; 26:5-18
- 62. Huda W, Scalzetti EM, Levin G. (2000):** Technique factors and image quality as functions of patient weight at abdominal CT. *Radiology*; 217:430-435.

I

- 63. ImPACT technology update (1999):** multi-slice CT scanners London, England: ImPACT.
- 64. Indrajit I, Shreeram M, D'souza J. (2004):** Multislice CT: A Quantum Leap in Whole Body Imaging. *Ind J Radiol Imag*; 14(2):209-216
- 65. Iwao T, Toyonaga A, Shigemori H. (1996):** Echo-Doppler measurements of portal vein and superior mesenteric artery blood flow in humans: Inter- and intra-observer short-term reproducibility. *J Gastroenterol Hepatol*; 11:40–46.

J

66. **Jaeger HJ, Mathias KD, Gissler HM. (1999):** Rectum and sigmoid colon necrosis due to cholesterol embolization after implantation of an aortic stent-graft. *J Vasc Interv Radiol*; 10:751-755.
67. **Jakobs TF, Becker CR, Ohnesorge B. (2002):** Multislice helical CT of the heart with retrospective ECG gating: reduction of radiation exposure by ECG-controlled tube current modulation. *Eur Radiol*; 12(5): 1081-6.
68. **Järvinen O, Laurikka J, Sisto T, Salenius JP, Tarkka MR. (1995):** Atherosclerosis of the visceral arteries. *Vasa*; 24:9-14.
69. **Jaureguizar J.I, Perez IV& Rafart DC. (2007):** Imaging and Intervention in Gastrointestinal Hemorrhage and Ischemia. *Emergency Radiology*; 5.3 , 453-470
70. **Jeremiah C and Borley N. (2005):** Abdomen and pelvis. In Gray's anatomy. Churchill Livingstone; PP: 1167-1198.
71. **Jonsdottir B & Danielezen R. (2005):** Comparison between coronary angiography with multislice computed tomography and by cardiac catheterisation for assessing atherosclerotic lesions and stenosis. *Laeknabladid*; 92(1):27-32.

K

72. **Kalender WA, Polacin A. (1991):** Physical performance characteristics of spiral CT scanning. *Med Phys*; 18:910-915.
73. **Kalender WA. (1994):** Principles and applications of spiral CT. *Nucl Med Biol.*; 21(5): 693-9.
74. **Kalender WA. (2000):** Detector systems. In: Kalender WA, ed. *Computed tomography*. New York: Wiley & Sons: 47-55

75. **Kaleya RN, Sammartano R J, and Boley S J. (1992):** Aggressive approach to acute mesenteric ischemia. *Surg. Clin. North Am.*, 72:161
76. **Kaushik S, Federle MP, Schur PH. (2001):** Abdominal thrombotic and ischemic manifestations of the antiphospholipid antibody syndrome: CT findings in 42 patients. *Radiology*. 218(3):768-71.
77. **Kernagis LY, Levine MS, Jacobs JE. (2003):** Pneumatosis intestinalis in patients with ischemia: Correlation of CT findings with viability of the bowel. *AJR Am J Roentgenol*; 180:733–736.
78. **Kihara TK, Blebea J, Anderson KA. (1999):** Risk factors and outcomes following revascularization for chronic mesenteric ischemia. *Ann Vasc Surg*; 13: 37–44
79. **Kim AY and Ha HK. (2003):** Evaluation of suspected mesenteric ischemia: Efficacy of radiologic studies. *Radiol Clin North Am*; 41:327–342.
80. **Kirkpatrick ID, Kroeker MA, Greenberg HM. (2003):** Biphasic CT with mesenteric CT angiography in the evaluation of acute mesenteric ischemia: initial experience. *Radiology*; 229(1):91-8.
81. **Klein HM, Lensing R, Klosterhalfen B. (1995):** Diagnostic imaging of mesenteric infarction. *Radiology*; 197:79-82.
82. **Klingenbeck-Regn K, Schaller S, Flohr T. (1999):** Subsecond multi-slice computed tomography: basics and applications. *Eur J Radiol*; 31:110-124.
83. **Kloeters C, Dushe S, Dohmen PM, (2008):** Evaluation of left and right ventricular diastolic function by electron-beam computed tomography in patients with passive epicardial constraint. *J Comput Assist Tomogr*;32:78–85.
84. **Kornblith PL, Boley SJ, Whitehouse BS. (1992):** Anatomy of the splanchnic circulation. *Surg Clin North Am*; 72:1-30.

- 85. Kumar S, Sarr M, Kamath P. (2001):** Mesenteric venous thrombosis. The New England Journal of Medicine; 345:1683-1688.

L

- 86. Laghi A, Iannaccone R & Ferrari R. (2005):** Multislice CT Angiography of the Splanchnic Vessels. Multidetector-Row CT Angiography; 12: 167-176.
- 87. Laghi A, Lannaccone R, Ferrari R, Passariello R. (2002):** Multislice CT of the mesenteric vasculature. CT Update; 2:1-2.
- 88. Lawrence JA, Kim D, Kent KC et al (1995):** Lower extremity spiral CT angiography versus catheter angiography. Radiology 194:903–908
- 89. Lim R, Dowling R, Thomson K. (2004):** Angioplasty and stenting of the superior mesenteric artery in acute mesenteric ischaemia. Australas Radiol.; 48(3):426-429.
- 90. Lin PH, Chaikof EL. (2000):** Embryology, anatomy and surgical exposure of the great abdominal vessels. Surg Clin North Am; 80:417-433.
- 91. Lock G. (2001):** Acute intestinal ischaemia. Best Pract Res Clin Gastroenterol;15:83-98

M

- 92. Macari M & Balthazar EJ. (2001):** CT of Bowel Wall Thickening: Significance and Pitfalls of Interpretation. Am. J. Roentgenol; 176(5): 1105 - 1116.
- 93. Macari M, Chandarana H, Balthazar E. (2003):** Intestinal ischemia versus intramural hemorrhage: CT evaluation. AJR Am J Roentgenol; 180(1):177-84.

94. **Mahesh M, Scatarige JC, Cooper J. (2001):** Dose and pitch relationship for a particular multislice CT scanner. *AJR Am J Roentgenol*; 177:1273-1275.
95. **Mahesh M. (2002):** Search for isotropic resolution in CT from conventional through multiple-row detector. *Radiographics*; 22: 949–962.
96. **Mahnken AH, Wildberger JE, Das M. (2008):** Vascular: Aortic Runoff, Abdominal CTA, Dual Source CT Imaging; 13: 150-155.
97. **Mansour MA. (1999):** Management of acute mesenteric ischemia. *Arch Surg*; 134:328-330.
98. **Matsumoto K, Tanaka K, Oshsumi K. (1999):** Celiomesenteric anomaly with concurrent aneurysm. *J Vasc Surg*; 29:711–4.
99. **McKinsey JF and Gewertz BL. (1997):** Acute mesenteric ischemia. *Surg Clin North Am*; 77:307–318.
100. **McMillan WD, McCarthy WJ, Bresticker MR. (1995):** Mesenteric artery bypass: objective patency determination. *J Vasc Surg*; 21: 729–741.
101. **Moawad J and Gewertz BL. (1997):** Chronic mesenteric ischemia: clinical presentation and diagnosis. *Surg Clin North Am*; 77:357-370.
102. **Monkhouse S. (2001):** Small intestine. In: Monkhouse S, ed. *Clinical anatomy*. Churchill Livingstone; 109-124.

N

103. **Nishijima.D.K (2006):** Mesenteric Ischemia. www.emedicine.com/EMERG/topic311.htm, accessed at 6/10/2007

O

104. **Oldenburg W, Lau L, Rodenberg T, Edmonds H, Burger C. (2004):** Acute mesenteric ischemia. *Arch intern med*/vol. 164

P

105. **Patak MA, Morteale K J, Ros PR. (2005):** Multidetector Row Ct Of The Small Bowel. *Radiol Clin N Am* ; 43 : 1063 – 1077
106. **Prokop M, Shin HO, Schanz A, Schaefer-Prokop CM. (1997):** Use of maximum intensity projections in CT angiography: a basic review. *RadioGraphics*; 17:433-451.
107. **Prokop M. (2003):** General principles of MDCT. *Eur J Radiol*; 45 Supple I:S4-10.
108. **Prokop M. (2003):** principles of of CT, spiral CT, Multislice CT. In **Prokop M, Galanski M, van der Molen AJ. (eds):** Spiral and Multislice Computed Tomography of the body. New york, George Thieme Verlage; PP; 1-45.

R

109. **Raza JA, Miller M, Dieter RS & Clavijo LC. (2006):** Diagnosis and Non-Surgical Management of Mesenteric Ischemia. *Vascular Disease Management* - ISSN: 1553-8036 - Volume 3 - Issue 2 : 223 - 228
110. **Reilly PM and Bulkley GB. (1993):** Vasoactive mediators and splanchnic perfusion. *Crit Care Med*; 21:55-68.
111. **Rha SE, Ha HK, Lee SH. (2000):** CT and MR imaging findings of bowel ischemia from various primary causes. *Radiographics*; 20(1):29-42.
112. **Rhee RY, Gloviczki P, Mendonca CT. (1994):** Mesenteric venous thrombosis: still a lethal disease in the 1990s. *J Vasc Surg*; 20:688-697
113. **Rhee RY and Gloviczki P. (1997):** Mesenteric venous thrombosis. *Surg Clin North Am*; 77:327-338
114. **Richard S. Snell. (2004):** Small intestine. In: Richard S, ed. *Clinical Anatomy*. Philadelphia: Lippincott Williams & Wilkins: 260-264

- 115. Rogalla P, Kloeters C, Hein PA. (2009):** CT Technology Overview: 64 –Slice and Beyond. *Radiol Clin N Am*; 47: 1–11
- 116. Roobottom CA, Dubbins PA. (1993):** Significant disease of the celiac and superior mesenteric arteries in asymptomatic patients: predictive value of Doppler sonography. *AJR Am J Roentgenol*; 161: 985–988 .
- 117. Rosenblum JD, Boyle CM, Schwartz LB. (1997):** The mesenteric circulation: anatomy and physiology. *Surg Clin North Am*; 77:289-306.
- 118. Rubin GD. (2000):** Data explosion: the challenge of multidetector-row CT, *Eur J Radiol*; 36(2): 74-80
- 119. Ruotolo RA and Evans SRT. (1999):** Mesenteric ischemia in the elderly. *Gastroenterology*; 15:527-557.
- 120. Rydberg J, Buckwalter KA, Caldemeyer KS. (2000):** Multisection CT: scanning techniques and clinical applications. *RadioGraphics*; 20:1787-1806.

S

- 121. Sadek AG, Mohamed FB, Outwater EK, (1996):** Respiratory and postprandial changes in portal flow rate: assessment by phase contrast MR imaging. *J Mag Reson Imaging* 1996;1:90–3.
- 122. Salzano A, De Rosa A, Carbone M. (1999):** Computerized tomography features of intestinal infarction: 56 surgically treated patients of which 5 with reversible mesenteric ischemia. *Radiol Med (Torino)*; 97:246-250.
- 123. Sanjay Saini. (2004):** Multi–Detector Row CT: Principles and Practice for Abdominal Applications. *Radiology*; 233:323-327.
- 124. Schoepf UJ, Becker CR, Ohnesorge BM. (2004):** CT of Coronary Artery Disease. *Radiology*; 232: 18-37.

125. **Sebastia C, Quiroga S, Espin E, Boye R. (2000):** Portomesenteric vein gas: pathologic mechanisms, CT findings, and prognosis. *RadioGraphics*; 20:1213-1226.
126. **Shatary T, Fujita M, Nozawa K. (2003):** Vascular anatomy for right colon lymphadenectomy. *Surg Radiol Anat* 25:86–88
127. **Sheehan SR. (2000):** Acute mesenteric ischemia: recent advances in diagnosis and endovascular therapy. *Emery Radiol. ; 7: 231- 6*
128. **Silverman PM, Kalender WA, Hazle JD. (2001):** Common terminology for single and multislice helical CT. *AJR Am J Roentgenol*; 176:1135-1136.
129. **Silverman PM. (1998):** Introduction to the principles and clinical practice of helical (spiral) CT protocols. In: **Silverman PM**, ed. *Helical (spiral) computed tomography: a practical approach to clinical protocols*. Philadelphia: Lippincott Williams & Wilkins; 1-10
130. **Simon AM, Birnbaum BA, Jacobs JE. (2000):** Isolated infarction of the cecum: CT findings in two patients. *Radiology*; 214:513-516.
131. **Stoney RJ and Cunningham CG. (1993):** Acute mesenteric ischemia. *Surgery*; 114:489-490.

T

132. **Taourel PG, Deneuille M, Pradel JA. (1996):** Acute mesenteric ischemia: diagnosis with contrast-enhanced CT. *Radiology*; 199:632 – 636.
133. **Turetschek K, Schober E, Wunderbaldinger P(2002):** Findings at helical CT enteroclysis in symptomatic patients with Crohn disease: correlation with endoscopic and surgical findings. *J Comput Assist Tomogr*;26:488– 92.

- 134. Türkbey B, Akpınar E, Çil B & Karçaaltıncaba M. (2009):** Utility of multidetector CT in an emergency setting in acute mesenteric ischemia. *Diagn Interv Radiol*; 15:256–261

V

- 135. Vicente DC and Kazmers A. (1999):** Acute mesenteric ischemia. *Curr Opin Cardiol* 1999; 14:453-458.

W

- 136. Wasser MN, Geelkerken RH, Kouwenhoven M. (1996):** Systolically gated 3D phase contrast MRA of mesenteric arteries in suspected mesenteric ischemia. *J Comput Assist Tomogr*; 20:262-268.
- 137. Wiesner W, Khurana B, Ji H. (2003):** CT of Acute Bowel Ischemia *Radiology*; 226:635-650.
- 138. Winter TC, Ager JD, Nghiem HV. (1996):** Upper gastrointestinal tract and abdomen: water as an orally administered contrast agent for helical CT. *Radiology*; 210:365-370.
- 139. Wittenberg J, Harisinghani M. G, Jhaveri K. (2002):** Algorithmic Approach to CT Diagnosis of the Abnormal Bowel Wall. *RadioGraphics*; 22(5): 1093 - 1107.

Z

- 140. Zalcman M, Sy M, Donckier V. (2000):** Helical CT signs in the diagnosis of intestinal ischemia in small bowel obstruction. *AJR Am J Roentgenol*; 175:1601-1607.

- 141. Zelenok GB, Greenfield LJ, Mulholland MW, Oldham KT (1997):**
Visceral occlusive disease. Surgery: scientific principles and practice. 2nd
ed. Philadelphia, Pa: Lippincott-Raven; 1764-1784.
- 142. Zeman RK, Baron RL, Jeffrey RB. (1998):** Helical body CT:
evolution of scanning protocols. AJR Am J Roentgenol; 170:1427-1438.