

References

- Ahmad I, Drake - Lee A.** Nasal ciliary studies in children with chronic respiratory tract symptoms. *Rhinology*, 2003; 41 (2): 69-71.
- Andersen, I., Lundqvist, G.R., Proctor, D.F.** Human nasal function under four controlled humidities. *Am. Rev. Resp. Dis.* 1997; 106, 438–449.
- Banks, W.A., During M.J., and Niehoff, M.L.** Brain uptake of the glucagon-like peptide-1 antagonist exendin (9-39) after intranasal administration. *J. Pharmacol Exp Ther*, 2004; 309(2): p. 469-75.
- Baraniuk JN. and Kaliner MA.** Neuropeptides and nasal secretion. *J. Allergy Clin. Immunol.* 2000; 86: 620-7.
- Barber, P. C. and Dahl, D.** Glial fibrillary acidic protein (GFAP)-like immunoreactivity in normal and transected olfactory nerve. *Exp. Brain Res.* 1998; 65, 681-685.

Borum S, Becker B, Mygind N, Borum P. Comparison between the effect of ipratropium bromide as a pressurized aerosol and as an aqueous pump spray on rhinitis and common cold. *Rhinology*, 2001; 34: 198-200.

Bryant, B.P. The roles of carbonic anhydrase in gustation, olfaction and chemical irritation. *New Horizons*. Birkhauser Verlag, Basel, pp. 2000; 365–374.

Cavaliere, F., Masieri, S., Prioetti, R. and Magalini, S. I. PH and electrolytes in nasal secretion of intensive care unit patients. *Resuscitation*. *Rhinology*, 1999; 16, 133±137

Chien, Y.W., K.S.E. Su, and S.F. Chang, Chapter 1: Anatomy and Physiology of the Nose. Dekker, New York: 1999; p.1-26.

Chou HH. A survey of tar and nicotine contents in domestic and imported cigarettes and their effect on nose. *DOH Research Papers*, 1998; 1-23.

Clement PA. observations in nasal and Paranasal. physiology. *Rhinology*. Sep 2000; 22(3):151-5.

Cole P. Biophysics of nasal airflow: a review. *Am J Rhinol.* Jul-Aug 2000; 14(4):245-9.

Dabbagh, K., K. Takeyama, H. M. Lee, I. F. Ueki, J. A. Lausier, and J. A. Nadel. IL-4 induces mucin gene expression and goblet cell metaplasia in vitro and in vivo. *J. Immunol.* 1999; 162:6233–6237.

Dale, O., R. Hjortkjaer, and E.D. Kharasch. Nasal administration of opioids for pain management in adults. *Acta Anaesthesiol Scand*, 2002; 46(7): p. 759-70.

Daniel Paczesny, Piotr Rapiejko, Jerzy Weremczuk, Ryszard Jachowicz, Dariusz Jurkiewicz. Air temperature measurements in nasal cavities and oral cavity. *Otolaryngol Pol.* 2007; 61(5):864-7.

Daviskas E, Anderson SD, Gonda I, Eberl S, Meikle S, Seale JP, Bautovich G. Inhalation of hypertonic saline aerosol enhances mucociliary clearance in asthmatic and healthy subjects. *Eur Respir J* 2001; 9: 725–732.

Djuspesland PG, Qian W, Furlaott H, Rotnes JS, Cole P, Zamel N. Acoustic rhinometry: a study of transient and continuous noise techniques with nasal models. *Am J Rhinol* 1999;13:323–329.

Deems DA, Doty RL, Settle RG, et al. Smell and taste disorders, a study of 750 patients from the University of Pennsylvania Smell and Taste Center. *Arch Otolaryngol Head Neck Surg* 1995;117:519-528

Drettner B. The role of the nose in the functional unit of the respiratory system. *Rhinology*. Mar 1997; 17(1):3-11.

Doty RL. The Smell Identification Test™ administration manual, 3rd ed. Haddon Hts, NJ: Sensonics Inc, 1998.

England, R. J., Homer, J. J., Knight, L. C. and Ell, S. R. Nasal pH measurement: a reliable and repeatable parameter. *Clin. Otolaryngol.* 1999; 24, 67±68

Fabricant, N. D. Significance of the pH of nasal secretions in situ. Arch. Otolaryngol. 1941; 33, 150±163

Glomb-Reinmund S, Kielian M. The role of low pH and disulfide shuffling in the entry and fusion of different viruses. Virology 1998; 248(2):372-81.

Greenberger PA. Nasal receptors and reflexes. Allergy Asthma Proc 2000;19(4):175–179

Hamilton JW, Cook JA, Philips DE, Jones AS. Limitations of acoustic rhinometry determined by a simple model. Acta Otolaryngol 2000;115:811–814.

Hauser-Kronberger C, Hacker GW, Muss W, Saria A, Albegger K. Autonomic and peptidergic innervation of human nasal mucosa. Acta Otolaryngol, 2000; 113(3): 387-93

Hehar, S.S., Mason, J.D., Stephen, A.B., Washington, N., Jones, N.S., Jackson, S.J. and Bush, D. Twenty-four hour ambulatory nasal pH

monitoring. Clin. Otolaryngol. 1999; 24, 24–25.

Heppt W, Peiser C, Cryer A, Dinh QT, Zweng M, Witt C, Fischer A, Groneberg DA. Innervation of human nasal mucosa in environmentally triggered hyperreflexic rhinitis. J Occup Environ Med 2002; 44:924-929.

Hussain, A.A., Mechanism of nasal absorption of drugs. Prog Clin Biol Res, 1989; 292: 261-272.

Igarashi Y, Goldrich MS, Kaliner MA, Irani AM. Quantitation of inflammatory cells in the nasal mucosa of patients with allergic rhinitis and normal subjects. J Allergy Clin Immunol 1999; 95(3): 716-25.

Inglis SK, Corboz MR, Ballard ST. Effect of anion secretion inhibitors on mucin content of airway submucosal gland ducts. Am J Phys 2001; 274: L762–L766.

Janoff A, Pryor WA, Bengali ZH. NHLBI Workshop summary: effects of tobacco smoke components on cellular and biochemical process in the respiratory system. *AmRev Respir Dis* 1987; 136: 1058-1064.

Katrcolu S, Karatay S, Erbenli T, Gürsoy E, Sunay T. Ultrastructural findings of the nasal mucosa of “ozena” in atrophic rhinitis. *Acta Otolaryngol* 1997; 88: 432-7.

Kim KC., Takishima T, Shimura S, eds. Regulation of airway goblet cell mucin secretion. In: *Airway Secretion: Physiological Bases for the Control of Mucus Hypersecretion. Lung Biology of Health and Disease.* New York, Marcel Dekker, 1998; pp. 433–449.

Krouse JH. The unified airway-conceptual framework. *Otolaryngol Clin North Am.* Apr 2008; 41(2):257-66, v.

Lacroix, J. S., Stjxrne, P., Anggard, A. & Lundberg, J. M.
Sympathetic vascular control of the nasal
mucosa (3): Co-release of noradrenaline and
NPY. *Adta Physiologica Scandinavica* 1999;
135, 17-28.

**Laoukili, J., E. Perret, T. Willems, A. Minty, E. Parthoens,
O. Houcine, A. Coste, M. Jorissen, F.
Marano, D. Caput, and F. Tournier.** IL-13
alters mucociliary differentiation and ciliary
beating of human respiratory epithelial cells.
J. Clin. Invest. 2001; 108:1817–1824.

Loehrl TA. Autonomic function and dysfunction of the nose
and sinuses. *Otolaryngol Clin North
m.* Dec 2005; 38(6):1155-61.

Loerhl TA., Smith T L. measurement of nasal PH in black and
white individuals. *Curr Opin Otolaryngol
Head Neck Surg* 2004; 12: 18–20.

Lund VJ. Nasal physiology: neurochemical receptors, nasal
cycle, and ciliary action. *Allergy Asthma Proc*
1999; 17:179–184

Mao H, Wong LB. Depolarization of cell membrane is associated with an increase in ciliary beat frequency (CBF). *Biochemical and Biophysical Research Communications*, 2003; 215: 1014–1021.

Morris LG, Setlur J, Burschtin OE. Acoustic rhinometry predicts tolerancy of nasal continuous positive airway pressure: a pilot study. *As J Rhinol* 2006; 20(2):133-7.

Naclerio RM, Pinto J, Assanasen P, Baroody FM. Observations on the ability of the nose to warm and humidify inspired air. *Rhinology*. Jun 2007;45(2):102-11.

Nathan RA, Eccles R, Howarth PH. Nasal patency and nasal physiology in rhinitis. *J Allergy Clin Immunol* 2005; 115(3 pt 2):70(3):501-5.

Numminen J, Dastidar P, Heinonen T. Reliability of acoustic rhinometry. *Respir Med* 2003; 97(4):421-7.

Olbrich H, Haffnax K, Kispert A, Volkel A, Volz A, Sasmaz G. primary ciliary dyskinesia and Kartagener syndrome and randomization of left–right asymmetry. *Nature Genet* 2002; 30: 143-44.

O'Riordan TG, Zwang J, Smaldone GC. Mucociliary clearance in adult asthma and healthy groups. *Am Rev Respir Dis* 2000; 148: 598–603.

Otsuka H, Inaba M, Fujikura T, Kunitomo M. Histochemical and functional characteristics of metachromatic cells in the nasal epithelium in allergic rhinitis: studies of nasal scrapings and their dispersed cells. *J Allergy Clin Immunol* 1999; 96:528-536

Phipps C D, Wood W E, Gibson W S, Cochran W J. chronic sinus disease in children. A prospective analysis. *Arch Otolaryngol Head Neck Surg* 2000; 126: 831–6.

Proctor DF. In: Proctor DF, Andersen I. The Nose: Upper Airway Physiology and the Atmospheric Environment. The mucociliary system Amsterdam: Elsevier; 2001: 263

Riechelmann H, Brommer C, Hinni M. Response of human ciliated respiratory cells to a mixture of menthol, eucalyptus oil and pine needle oil. *Arzneimittelforschung*. 1999; 47:1035-1039.

Sachdeva, A., Sachdeva, O. P., Gulati, S. P. and Kakkar, V. Nasal mucociliary clearance and mucus pH in patients with diabetes mellitus. *Ind. J. Med. Res.* 1998; 98, 265±268

Sakane, T., Zuidema J. & Merkus F.W. Transport of cephalexin to the cerebrospinal fluid directly from the nasal cavity. *J Pharm Pharmacol*, 1999; 43(6): p. 449-51.

Scadding G. Nitric oxide in the airways. *Curr Opin Otolaryngol Head Neck Surg*. Aug 2007; 15(4):258-63.

Schumacher MJ. Nasal congestion and airway obstruction: the validity of available objective and subjective measures. *Curr Allergy Asthma Rep* 2002; 2(3):245-51.

Selimoglu, M.A., Selimoglu, E. and Kurt, A. Nasal mucociliary clearance and nasal and oral pH in patients with insulin-dependent diabetes. *Ear Nose Throat J.*, 2008; 78, 585–588, 590

Shusterman, D., Murphy, M.A. and Balmes, J. The influence of sex, allergic rhinitis, and test system on nasal sensitivity to airborne irritants: a pilot study. *Environ. Health Perspect.*, 2001; 109, 15–19.

Silkoff PE, Chakravorty S, Chapnik J, Cole P, Zamel N. Reproducibility of acoustic rhinometry and rhinomanometry in normal subjects. *Am J Rhinol.* Mar-Apr 1999; 13(2):131-5.

Slater A, Smallman LA, Drake-Lee AB. Increase in epithelial mast cell numbers in the nasal mucosa of patients with perennial allergic rhinitis. *J Laryngol Otol* 1998; 110(10):929-33.

Soane RJ, Carney AS, Jones NS, et al. The effect of the nasal cycle on mucociliary clearance. *Clin Otolaryngol* 2001; 26: 9–15.

Steffl M. Physiology of nasal secretions with special consideration of its PH value. Presented at the german Academy, Berlin 2000; 54: 200-202

Su, X.Y., Po, A.L.W. Surface-response study of the effect of pH and tonicity on ciliary activity. *S.T.P. Pharma Sci.* 1994; 4, 82–85.

Suzina AH, Hamzah M, Samsudin AR. Objective assessment of nasal resistance in patients with nasal disease. *J Laryngol Otol* 2003; 117(8):609-13.

Talbot A. R., Herr T.M. & Parsons D.S. Mucociliary clearance and buffered hypertonic saline solution. *Laryngoscope* 1998; 107, 500-503

Taylor M, Shores SC. Heat exchange in the nose. *Laryngoscope*. Oct 1998; 91(10):1606-13.

Van De Donk H.J.M., Zuidema J. & Merkus F.W.H.M. The influence of PH and osmotic pressure upon ciliary beat frequency as determined with a new photo-electric registration device. *Rhinology* 1999; 18, 93-104

Wanner A, Sielczak M, Mella JF, Abraham WM. Ciliary responsiveness in allergic and nonallergic airways. *J Appl Physiol* 1996; 60(6): 1967–1971.

Washington N, Steele RJC, Jackson SJ, Bush D, Mason J, Gill DA, Pitt K, Rawlins DA. Determination of baseline human nasal pH and the effect of intranasally administered buffers. *Int J Pharm.* 2000 Apr 5;198(2):139-46.

Westin H.L. Direct nose-to-brain transfer of morphine after nasal administration to rats. *Pharm Res*, 2006. 23(3): p. 565-72.

Wexler DB, Davidson TM. The nasal valve: a review of the anatomy, imaging, and physiology. *Am J Rhinol*. May-Jun 2004; 18(3):143-50.

Wilson AM, Sims EJ, Orr LC,. Effects of topical corticosteroid and combined mediator blockade on domiciliary and laboratory measurement of nasal function in seasonal allergic rhinitis. *Ann Allergy Asthma Immunol* 2001; 87(4):344-9.

Wilson AM, Sims EJ, Robb F. Peak inspiratory flow rate is more sensitive than acoustic rhinometry or rhinomanometry in detecting corticosteroid response with nasal histamine challenge. *Rhinology*. 2003; 41(1):16-20.

World Health Organisation. Smoking strategies in developing countries: report of a WHO Expert Committee. WHO Tech Rep Ser 1995, No. 853.

Wüstenberg EG, Zahnert T, Hüttenbrink KB. Comparison of optical rhinometry and active anterior rhinomanometry using nasal provocation testing. Arch Otolaryngol Head Neck Surg 2007; 133(4):344-9.

Yadav J, Verma A, Singh J. study on nasal mucus clearance in control groups and patients of perennial allergic rhinitis. Indian J Allergy Asthma Immunol 2003; 17 : 89-91

Zippel. R. & Ebel. R. Comparative measurements of pH of the mucosa of the nose and mouth and pharynx in healthy. Arch. Klin. Experiment. Onren-Nasen Kehlkopfheikunde 1998; 201, 49-56