


REFERENCES



VI. REFERENCES

- A.O.A.C. (1973): Official methods of analysis of the Association of Official Agricultural Chemists. 11th Ed., Washington, D.C. 20044.
- A.O.A.C. (1975): Association of Official Analytical Chemists, official methods of analysis, 12th Ed. Published by the A.O.A.C., Washington, D.C.
- A.O.A.C. (1986): USDA Bur. Chem. Bull, 13(IV): 448. Lewkowitsch, "Chemical technology and Analysis of Oils, Fats and Waxes" 6th ed. 1, 325 (1921).
- A.O.A.C. (1990): Official methods of analysis of Association of Official Analytical Chemists, 15th Ed. Published by the A.O.A.C., 2200 Wilson Boulevard Arlington Virginia. 2201 U.S.A.
- Abd El Aziz, N.M. (1989): Chemical and biological evaluation of some new oily seeds. Ph.D. Thesis, Fac. of Agric., cairo Univ.
- Abul Magid, H.A. and Adram, M. (1994): Effect of salinity on Jojoba a case study in the United Arab Emarates International Conference on Jojoba and its uses held in Catamara, Argentina, sep. 1994.
- Alexander, A. Taisa, Z.; Jaime, W. and Emmanuel, K. (1996): Extraction of oleic acid from soybean oil and Jojoba oil-phase diagrams. J. Amer. Oil Chem. Sco. 73(2): 239.

- Ara, F.; Ali, I.; Ramzan, M. and Riaz, R.A. (1978): Effect of frying and heating on the quality of some edible oils. J. of Agricultural Research, Pakistan 16(1): 101-109.
- Arich, K.; Sarina, G. and Arjeh, G. (1986): Oxidation Stability of Jojoba wax. J. Amer. Oil Chem. Soc., 63(2): 246-248.
- Armbrach, B.H.; Hodges, F.A.; Smith, H.R. and Nelson, A.A. (1963): Mycotoxins. I- Studies on aflatoxin derived from contaminated peanut meal and certain strains of *Asperigillus flavus*. J. Offic. Agr. Chemists. 46: 805-817.
- Arndt, G.F.; (1987): Cosmetics and Toiletries. 102: 68-69.
- Asap, T. and Augustin, M.A. (1986): Effect of TBHQ on quality characteristics of RBD olein during frying. J. Amer. Oil Chem. Soc. 63(9): 1169-1172.
- Augustin, M. and Berry, S.K. (1983): Efficiency of the antioxidants BHA and BHT in palm olein during heating and frying. J. Amer. Oil Chem. Soc. 60(8): 1520-1523.
- Baudry, A. and Dehabbey, A. (1985): Recent advances in the chemistry and properties of Jojoba oil Cosmet, Sci. Technol. 4: 47.
- Buck, W.B.; Osweiler, G.D. and Van Gelder, A.G. (1976): Clinical and diagnostic veterinary toxicology, 2nd Ed., Kendall/Hunt. Publishing Co., Icw, P. 5211.
- Chatterjee, D. (1989): An effective formulation for mould and aflatoxin free storage of corn. Letters in Applied Microbiology, 9(1): 25-28.

References

- Christensen, C.M. and Kaufman, H.H. (1969): Grain storage, the role of fungi in quality loss. Minneapolis: Univ. of Minnesota. Press. 153 pp. (c.f. Seed Pathology 1: 282: 297, 1977).
- Clark, J.A. and Yermanos, D.M. (1980): Jojoba-variability in oil content and composition in a collection of 1156 native plants. J. Amer. Oil Chem. Soc. 57(6): 176-178.
- Coks, L.V. and Red, C.V. (1966): Laboratory handbook for oil and fat analysis. Academic Press, London and New York.
- Daugherty, P.M; Isineath, H.H. and Westler, T.A. (1953): Industrial raw materials of plant origin. II- vegetable waxes, gums, and resins. Ga. Inst. Technol., Eng. Exp. Stn. Bull. No. 17.
- Diener, U.L. and Davis, N.D. (1965): Toxin producing ability of *Aspergillus flavus* grown on peanuts and on artificial medium. Phytopathology 55: 497.
- Diener, U.L. and Davis, N.D. (1966): Aflatoxin production by isolates of *Aspergillus flavus*. Phytopathology 56(12): 1390-1393.
- Diener, U.L. and Davis, N.D. (1986): Biology of *Aspergillus flavus* and *A. parasiticus* aflatoxin in maize. Aproceedings of Workshop. Mixico April 7-11 page 33-44.
- Diener, U.L.; Davis, N.D.; Salmon, W.D. and Prickett, C.O. (1963): Toxin producing *Aspergillus* isolated from domestic peanuts. Science 142: 1491-1492.

- Difco Laboratories in Corporated (1984): Difco manual of dehydrated culture media and reagents for microbiological and clinical laboratory procedure, 10th Ed., difcolaboratories, Inc. Detroit Michigan, U.S.A.
- Duncan, C.C.; Yermanos, M.D; Kumamoto, J. and Levesque, S.C. (1974): J. Amer. Oil. Chem. Soc. 51: 534-536.
- Dunstone, R.L.; Benzioni, A.; Tonnet, M.L.; Milthorpe, P. and Shani, A. (1985): Effect of temperature on the synthesis of Jojoba (*Simmondsia chinensis*) wax. Aust. J. Plant Physiol. 12(4): 355-362.
- Dupolessis, L.M.; vantwisk, P.; Van Niekere, P.J. and Sbeyn, M. (1981): Evaluation of peanut and cottonseed oils for deep frying. J. Amer. Oil. Chem. Soc., 58: 575-578.
- Egyptian Standards (1994): Palm olein-ES: 1706-1994. Egyptian organization for standardization and quality control.
- El-Khateeb, S.Z. and El-Zeany, B.A. (1983): Changes of cottonseed oil during deep fat frying of food. (Cairo Univ., Egypt) dept. of Analytical Chemistry Rivista Italiana delle Sostanze Grasse (Italy) ISSN 0035-6808 (Feb. 1983) 60(2): 73-76.
- El-Shamy, A.M.; Shehata, A.H.; Sanad, O.A. and El Halawany, A.M. (2001): Chemical and biological evaluation of Jojoba oil. Pharmacognosy Dept., Fac. of Pharmacy, Cairo Univ. Vol. 39(2)
- El-Sharkawy, A.A.; Ibrahim, S.S. and Ismail, M.M. (1979): The effect of frying some foods on some properties of cottonseed oil. Agricultural research Review, 57(3): 67-72.

References

- Estefan, R.M. (1983): In Jojoba oil as a possible. Lubricant, 74th Annual Meeting of A.O.C.S., Chicago.
- FAO/WHO (1983): Codex standard for edible fats and oils. Vol. XI first edition Food and Agriculture Organization of the United Nations World Health Organization.
- Farag, R.S.; Hallabo, S.A.S.; Hewedi, F.M. and Basony, A.E. (1986): Chemical evaluation of rapeseed. *Fette Seifen Anstrichmittel* 88(10): 391-397.
- Farkas, V. (1979): *Microbial Rev.*, 43: 117.
- Feenstra, W.H. and Hoffman, G.C. (1975): Animal and vegetable oils. (c.f. *Chem. Abs.*, 83, 77257).
- Firestone, D.; Summers, J.L.; Reina, R.J. and Adams, W.S. (1985): Detection of adulterated and misbranded olive oil products. *J. A.O.C.S.* 62(1): 1558-1562.
- Forti, M. and Levy, Y. (1977): Initial response of Jojoba to various environmental and cultivation conditions. *Res. And Dev. Authority, Ben. Gurion Univ. of the Negev., Beer Sheva, Israel.* pp. 24.
- Graille, J.; Pina, M. and Pioch, D. (1986): *J. Am. Oil Chem. Soc.* 63: 111-116.
- Green, R.M. and Foster, F.O. (1933): *Bot, Gaz*, a 4: 826-828.
- Greene, T.G.; Hilditch, T.P. and Stainsby, W.J. (1936): *J. Chem. Soc.* 2: 1750.
- Haase, E.F. and Mc Ginnies, W.G. (1972): Paper presented at the first International Conference on Jojoba and its uses, Offices of Arid Lands Studies, Univ. of Arizona, Tucson, Arizona, June, 1972.

- Hamilton, R.J. and Tan Boon Keng (1976): In proceedings of the second International Conference on Jojoba and its uses, Ensenada, Mexico, P.P. 170-186.
- Indian Phytopathology (1991): National Botanical Research Institute Lucknow 22600, India. Review of plant Pathology 71(9): 254-255
- Itabashi, Y. and Takagi, T. (1984): Proceedings of the Seventh International Conference on Jojoba and its Uses. J. Chromatog. 299-351.
- Kampf, A.; Grinberg, S. and Galun, A. (1986): Oxidative stability of Jojoba wax. J. Am. Oil. Chem. Soc. 63: 246.
- Knoepfler, N.B. and Vix, H.L.E. (1958): Review of chemistry and research potential of simmondsia chinensis (Jojoba) oil. J. Agric. and Food Chem. 6(2): 118-121.
- Knoepfler, N.B.; Mc Courtney, E.J.; Molaison, L.J. and Spadaro, J.J. (1959): A comparison of six solvents for the extraction of Jojoba seed. J. Amer. Oil Chem. Soc. 36: 644-648.
- Kono, Y.K.T., Katsura, H. and Ohta, S. (1980): Proceedings of the IVth international Conference on Jojoba (M. Puebla, Ed.). Hermosillo-Mexico PP. 239-256.
- Koskin, G. and Ugur, A. (1991): Fungal isolation identification and quantification and mycotoxin detection in poultry feeds and raw feed materials. Pendik Hayvan Hstaliklari Merkez. Arastirma Enstituse Dergisi 22(1-2): 138-147.

- Landis, P.S. and Craver, R.H. (1984): Proceedings of the Seventh International Conference on Jojoba and its Uses.
- Lohani, S.; Hooue, M.M.; BeGum, M.F. and Jourder, G.K. (1995): Bangladesh J. of Scientific and Industrial Research 30(4): 113-118. Dept. of Microbiology, Univ. of Dhaka, Dhaka, Bangladesh. Review of Plant pathology (1997) 76(7):
- Malolepszy, B. (1981): Effect of heating time on quality changes in fats for production of frozen fried chips. Chlonictwo 16(5): 20-22. (c.f. FSTA, 16(7), J 1139, 1984).
- Mendez, E.; sanhueza, J.; Speisky, H. and Valenzuela, A. (1997): Comparison of rancimat evaluation methods to asses oxidative stability of fish oil. J. A.O.C.S. 74(3): 331-332.
- Min, D.B. and Schweizer, D.Q. (1983): Lipid oxidation in potato chips. J. A.O.C.S. 60(9): 1662-1665.
- Miwa, T.K. (1971): Jojoba oil wax esters and derived fatty acids and alcohols: gas chromatographic analysis. J. Amer. Oil Chem. Soc. 48: 259-264.
- Miwa, T.K. (1973): Chemical aspects of Jojoba oil a unique wax from desert shrub Simmondsia California. Cosmet. Perfum 88(1): 39-41. (Chem. Abst. 78, 138117e, 1973).

- Miwa, T.K. (1978): Reactions that deteriorate Jojoba oil quality. Proceedings Seventh International Conference on Jojoba and its Uses.
- Miwa, T.K. and Rotthfus, J.A. (1980): Extreme-pressure labricant tests on Jojoba and sperm oils. J. Jojoba Happenings June (1): 35.
- Mohammed, F.E. and Amer, M.M. (1965): Oils, fats waxes and surfactants. Anglo-Egyptian Bookshop, Cairo Egypt.
- Nawar, W.W. (1982): Lipids in Fennema, O.R. (1972): Food Chemistry” 2nd ed., Dekker Pub., N.Y.
- Neergard, P. (1977): Seed pathology. The Macmillan press Ltd. London and Basingestok Associated Companies in New Yourk, Dublin, Melburne, Johannesburg and Madran 739-754 pp.
- Official and Tentative Methods of Analysis (1975); 3rd Ed. edited by R.O. Walker, American Oil Chemists’ society, Chempaign, IL.
- Okiy, D.A. and Oke, O.L. (1981): Chemical changes in palm oil at the early stages of heating. J. Nigerian Inst. For Palm Oil Research. 6(21): 101-113 (c.f. FSTA, 18(2), N5, 1986).
- Oxoid (1982): The Oxoid Manual of culture media, ingredients and other laboratory services. Tunergraphic Ltd., England.
- Oxoid (1990): The Oxoid Manual of culture media, ingredients and other laboratory services. Oxoid Limited, Wasroad, Basingstoke, Hamphsire, England.

References

- Pathak, S.G. (1973): Jojoba and its uses. International Conference (c.f. E.F. Hasse and W.C. Mc Ginnies, Eds. Univ. of Arizona pp. 21)
- Pathak, S.G.; De Phillips, R.F.; Heplar, L.L. and Alburn, H.E. (1976): Proceedings of the second International Conference on Jojoba and its uses. Ensenada, Mexico. 1976. In press.
- Price, R.L. (1980): In proceedings of the Fourth International Conference on Jojoba and its uses edited by M. Puebla, Hermosillo, Mexico, pp. 236-238.
- Satour, M.M.; Abdou, Y.A.; El-Sherif, E.M. and ElHamid, A.S.A. (1993): Egyptian J. of Agricultural Research 71(1): 75-89. Plant Pathology Research Institute, Agricultural Research Centre Giza, Egypt. Review of Plant Pathology (1997), 76(7):
- Sims, R.J.; Fioriti, J.A. and Hanuk, M.J. (1972): Sterol additives as polymerization inhibitors for frying oils. J. Amer. Oil Chem. Soc., 49: 298-301.
- Sleigh, J.D. and Timburg, M.C. (1981): Notes on medical bacteriology. Churchill Livingstons London, P. 43. (c.f. El-Baroty G., S.A.M. (1988), Ph.D. Thesis, Fac. of Agric., Cairo Univ.).
- Sobhy, H.M. and Mohamed, E.A. (1997): Some biological and pharmacological studies on Jojoba oil. Bull. Fac. Pharm. Cairo Univ. 34(3): 239-243.

- Sobhy, H.M.; Raid, E.M. and Zaki, E.R. (1998): Study on the effect of Jojoba oil as antibacterial agent and growth promoting factor. *Egypt. J. Comp. Path. Clinic. Path.* 11(2): 221-224.
- Spadaro, J.J.; Eaves, P.H. and Gastrock (1960): Characteristics of solvent extracted Jojoba oil. The Chemistry and technology of Jojoba oil. *J. Am. Oil Chem. Soc.* 37: 121.
- Spencer, G.F.; Plathner, R.D. and Miwa, T.K. (1977): Jojoba oil analysis by high liquid chromatography and gas chromatography. *Mass Spectrometry. J. Am. Oil. Chem. Soc.* 54: 187-189.
- Tonnet, M.L.; Dunstone, R.L. and Shani, A. (1984): A rapid micromethod for the quantitative analysis of Jojoba wax and its components. *J. Am. Oil. Chem. Soc.* 61(6): 1061-1064.
- Verschuren, P.M. (1989): *Food Chem. Toxicol.* 27(1): 35-41.
- Vogel, A.L. (1975): A textbook of practical organial chemistry, 3rd Ed., P. 967-971, London English Languge Book Society and Longman Group Ltd. (1975).
- Weiss, E.A. (1983): Oil seed crops. London, Uki Longman Group Ltd. X+ 660 pp.
- Wisniak, J. (1977): Jojoba oil and derivaties. *Prog. Chem. Fats and Other Lipids* 15: 167. (c.f. *Chem. Abst.*, 87, 137600n, 1977).
- Wisniak, J. and Liberman, D. (1975): Some physical properties of simmindsia oil. *J. Amer. Oil. Chem. Soc.* 52: 259-261.

References

- Wisniak, J. and Touvia, K. (1987): The chemistry and technology of Jojoba oil. J. Am. Oil Chem. Soc. Champaign, Illinois, Chapter IV, PP. 251-267
- Wong, L.M.; Timms, E.; Rand, E. and Goh, M.E. (1988): Colorimetric determination of total tochopherols in palm oil. J. Am. Oil. Chem. Soc., 65(2): 318-321.
- Yermanos, D.M.; Francois, L.E. and Tammadon, T. (1967): Effects of soil salinity on the development of Jojoba Econ. Bot. 21: 69-80.
- Zanial, A.A.; Darah, H.Y.; Ibrahim, C.O. and Noraini, I. (1994): Jojoba Leaf extracts. Potential as antimicrobial and antinematode agents. First National Scientific Seminar on Jojoba [*Simmondsia Chinensis* (link) Schneider] A Further Commercial Crop in Malaysia.
- Zowbaba, F. (1980): Additives and edible oils. Influence on quality. Rev. Fr. Crops. Gras, 26(11): 435-440.