

REFERENCES

- Abdel Aleem S., Karim A.M. and Zarouk W.A. (1997):*** "Reduced effects of L-carnitine on glucose and fatty acid metabolism in myocytes isolated from diabetic rats". *Horm. Reab. Res.*; 29(9): 430-435.
- Adams-Chapman I. and Stoll B.J. (2007):*** "The fetus and the neonatal infant: Nervous system disorders". In: Kliegman RM., Behrman RE., Jenson HB., Stanton BF.(eds.): "Nelson Textbook of Pediatrics"(18th edition), WB Saunders, Philadelphia; P. 713-722.
- Ahn E.M., Cho S.C., Lee M. and Cha Y.S. (2007):*** "Serum carnitine, triglyceride and cholesterol profiles in Korean neonates". *British Journal of Nutrition*; 98: 373–379.
- Ainsworth S.B. (2005):*** "Pathophysiology of neonatal respiratory distress syndrome: implications for early treatment strategies". *Treat Respir Med.*; 4(6):423-37.
- Akisu M., Bekler C., Yalaz M., Huseyinov A. and Kultursay N. (2001):*** "Free carnitine concentrations in cord blood in preterm and full-term infants with intrauterine growth retardation". *Pediatr. Int*; 43: 107-108.
- Ambalavanan N. (2002):*** "Fluid and electrolyte balance in neonates". *American Academy of Pediatrics, Medical Association of the state. Alabama med. Ped*; 65: 34-39.
- American Academy of Pediatrics (2004):*** "Subcommittee on neonatal hyperbilirubinemia: Neonatal jaundice and kernicterus". *Pediatrics*; 108: 763-65.

- American Lung Association. (2006):** "Respiratory distress syndrome of newborn fact sheet". Accessed May 7, 2007, at: <http://www.lungusa.org/site/pp.asp>.
- Annibale D.J and Hill J. (2008):** "Periventricular hemorrhage-intraventricular hemorrhage". e.Medicine J. specialities, Pediatrics: cardiac disease and critical care medicine, Neonatology. Nov; 25.
- Ardiuni A., Zibellini G., Ferrari L., Magnanimiti L., Dottoris S., Lohninger A., and Carminati P (2001):** "Participation of carnitine pantoic transferase in the synthesis of dipalmitoylphosphatidyl choline in rat alveolar type II cells". Molecular and Cellular Biochemistry; 218: 81-86.
- Arenas J., Rubio J.C., Martin M.A. and Campos Y. (1998):** "Biological roles of L-carnitine in perinatal metabolism". Early Hum. Dev; 53 (Suppl.): S43–50.
- Arthur R. (2006):** "Magnetic resonance imaging in preterm infants". Pediatr. Radiol; 1007: 006-0154.
- Attar M.A. and Donn S.M. (2002):** "Mechanisms of ventilator-induced lung injury in preterm infants". Semin. Neonatol.; 7 (5): 353-360.
- Ballard J.L., Khoury J.C., Weiding K., Wang L., Ellers-Walsman B.L. and Lipp R. (1991):** "New Ballard score, expanded to include extremely preterm infants". J. Pediatr.; 119: 417-423.
- Ballard P.L., Ertsey R., Gonzales L.W. and Gonzales J. (1996):** "Transcriptional regulation of human pulmonary surfactant proteins SP-B and SP-C by glucocorticoids". Am. J. Respir. Cell Mol. Biol; 14: 599-607.

- Bedetti G., Gargani I. and Corbisiero A. (2006):** "Evaluation of ultrasound lung comets by hand-held echocardiography". Cardiovasc. Ultrasound; 4: 34.
- Bellinghiere G., Santoro D. and Calvani M. (2003):** "Carnitine and hemodialysis". American Journal of Kidney Diseases, March; 41(3).
- Bernardini I., Evans M.I., Nicilaidis K.H., Economides D.L. and Gahl A. (1991):** "The fetal concentrating index as a gestational age-independent measure of placental dysfunction in intrauterine growth retardation". Am. J. Obstet. Gynecol; 164: 1481-1490. (Quoted from: Chace et al., 2003).
- Bernstein S., Heilmer R. and Sasidharan P. (1998):** "Approaching the management of the neonatal intensive care unit graduate". Pediatric Clinics of North America; 45 (1): 79-105.
- Bhakta K.Y. (2008):** "Respiratory distress syndrome". In: Colherty JP., Eichenwald EC., and Stark AR.(eds.): "Manual of Neonatal Care", 6th edition, Lippincott Williams and Wilkins; Philadelphia, PA19106, USA; P.323-330.
- Bodensteiner J.B. and Johnson S.D. (2005):** "Cerebellar injury in the extremely premature infant newly recognized but relatively common outcome". J. Child Neurol; 20 (2): 139-42.
- Bonnefont J.P, Djouadi F., Prip-Buus C., Gobin S., Munnich A. and Bastin J. (2004):** "Carnitine palmitoyltransferases 1 and 2: biochemical, molecular and medical aspects". Mol Aspects Med.; 25: 495–520.

- Boyd S. (2004):** "Causes and treatment of neonatal respiratory distress syndrome. Nurs Times. Jul 27-Aug 2; 100(30):40-4.
- Brass E.P. (1995):** "Pharmacokinetic considerations for the therapeutic use of carnitine in hemodialysis patients". Clin. Ther.; 17:176-185.
- Brevetti G., Chiariello M. and Ferulano G. (1988):** "Increases in walking distance in patients with peripheral vascular disease treated with L-carnitine: a double-blind, cross-over study". Circulation; 77: 767-773. (Quoted from: Kelly, 1998).
- Brewster A.M. (1996):** "Vitamins". In: Kaplan LA. and Pesce AJ. (eds.) "Clinical Chemistry". (3rd.ed), Mosby, London, Madrid, Mexico, p.780-800.
- Buchta R., Nyhan W.L. and Broock R. (1993):** "Carnitine in adolescents". Journal of adolescent health; 14: 440-441.
- Cambonie G., Guillaumont S. and Luc F. (2003):** "Haemodynamic features during high-frequency oscillatory ventilation in preterms". Acta Pediatr.; 92 (9): 10.
- Cha Y.S. (2008):** "Effects of L-carnitine on obesity, diabetes, and as an ergogenic aid". Asia Pac J Clin Nutr; 17(S1):306-308.
- Chace D.H., Pons R., Chiriboga C.A., McMahon D.J, Tein I., Naylor E.W. and De Vivo D.C. (2003):** "Neonatal blood carnitine concentrations: normative data by electrospray tandem mass spectrometry". Pediatric research; Vol. 53, No. 5.
- Chambers C.D., Hernandez-Diaz S., Van Marter L.J., Werler M.M., Louik C., Jones K.L. and Mitchell A.A. (2006):** "Selective serotonin-reuptake inhibitors and risk of persistent pulmonary hypertension of the newborn". N. Engl. J. Med. 9; 354(6):579-87.
-
-

- Chatson K. (2008):** "Temperature control". In: Colherty JP., Eichenwald EC., and Stark AR.(eds.): "Manual of Neonatal Care", 6th edition, Lippincott Williams and Wilkins; Philadelphia, PA19106, USA; P.142-146.
- Chen C., Hus J. and Hsieh T. (1997):** "Analysis of birth weight gestational age". Taiwan J. for Mosan Med. Assoc.; 90: 382-387.
- Chevenak F.A., Skupski D.W. and Romero R. (1998):** "How accurate is fetal biometry in the assessment of fetal age". Am. J. Obstet. Gynecol; 178 (4): 678-687.
- Cifone M.G., Alesse E. and Di Marzio L. (1997):** "Effect of L-carnitine treatment in vivo on apoptosis and ceramide generation in peripheral blood lymphocytes from AIDS patients". Proc. Assoc. Am. Physicians; 109: 146-153. (*Quoted from: Kelly, 1998*).
- Cole F.S, Noguee L.M. and Hamvas A. (2006):** "Defects in surfactant synthesis: clinical implications". Pediatr. Clin. North Am.; 53(5):911-27.
- Copetti R. and Cattarossi L. (2007):** "The double lung point: an ultrasound sign diagnostic of transient tachypnea of the newborn". Neonatology; 91: 203-209.
- Costa M., Canale D. and Filicori M. (1994):** "L-carnitine in idiopathic asthenozoospermia: a multicenter study". Italian Study Group on Carnitine and Male Infertility. Andrologia; 26:155-159. (*Quoted from: Kelly, 1998*).
- Cowett R.M. (2002):** "The infant of the diabetic mother". Neoreviews; 3: e 173-89.

- Crowther C.A. and Harding J.E. (2007):*** "Repeat doses of prenatal corticosteroids for women at risk of preterm birth for preventing neonatal respiratory disease". Cochrane Database Syst. Rev. 18; (3):CD003935.
- Cwik V.A. (2000):*** "Disorders of lipid metabolism in skeletal muscle". Neurologic Clinics, February; 18(1).
- Dammann O., leviton A., Gappa M. and Damman C.E.L. (2005):*** "Lung and brain damage in preterm newborns and their association with gestational age, prematurity subgroup, infection/ inflammation and long term outcome". British J. Obstet. Gynecol; 112(Suppl.1):4-9.
- Davis M.W. and Davis P.G. (2002):*** "Nebulized racemic epinephrine for extubation of newborn infants". Cochrane Database Syst. Rev; (1): CD000506.
- De Paoli A, Davis .P, Faber B. and Morley C. (2008):*** "Devices and pressure sources for administration of nasal continuous positive airway pressure (NCPAP) in preterm neonates". Cochrane Database Syst Rev. Jan 23; (1): CD002977.
- De Simone C., Tzantzoglou S. and Famularo G. (1993):*** "High dose L-carnitine improves immunologic and metabolic parameters in AIDS patients". Immunopharmacol Immunotoxicol ; 15: 1-12. (Quoted from: Kelly, 1998).
- De Vivo D.C., Bohan T.P., Coulter D.L., Dreifuss F.E., Greenwood R.S., Nordli D.R., Sheilds D., Stafstrom C.E. and Tein I. (1998):*** "L-carnitine supplementation in childhood epilepsy: current perspectives". Epilepsia, Nov; 39(1):1216-25.

- Dekerkerk A.M. and Clerk R.K. (2001):*** "Nasal continuous positive airway pressure and outcomes of preterm infants". *J. Pediatr. Child health*; 37: 161-167.
- Desandes R., Desandes E. and Droulle P. (2004):*** "Inhaled nitric oxide improves oxygenation in very premature infants with low pulmonary blood flow". *Acta Pediatr.* ; 93 (1): 66-9.
- Desantis H.E.R. and Clyman R.I. (2006):*** "Patent ductus arteriosus: Pathophysiology and management". *J. Perinatol*; 26 (Suppl.11): 514-8.
- Di-Fiore M.J., Arko M.K., Miller M.J., Krauss A., Zadell A., Keney S.R. and Martin R.J. (2001):*** "Cardiorespiratory events in preterm infants referred for apnea monitoring studies". *Pediatrics*, 108 (6): 1304-1308.
- Dobrowolski S.F., McKinney J.T., Di San Filippo C.A., Sim K.G., Wilcken B. and Longo N. (2005):*** "Validation of dye-binding/high-resolution thermal denaturation for the identification of mutations in the SLC22A5 gene". *Hum Mutat.*; 25: 306–313.
- Dole N., Savitz D.A., Hertz-Picciotto I., Siega-Riz A.M., McMahon M.J. and Buekens P. (2003):*** "Maternal stress and preterm birth". *Am. J. Epidemiol.*; 157 (1): 14-24.
- Donatelli S. (1987):*** "Carnitine Metabolism". In: Gitzelmen R., Baerlocher K. and Steinmann B (Eds.): "Carnitine in Medicine"(3rd edition), Stuttgart, New York; P.90-100.
- Dudell G. and Stoll B.J. (2007):*** "The fetus and the neonatal infant: Respiratory tract disorders". In: Kliegman RM., Behrman RE.,

Jenson HB., Stanton BF. (eds.): "Nelson Textbook of Pediatrics"(18th edition), WB Saunders, Philadelphia; P.728-752.

Dulkerian S.J., Gonzales L.W., Ning Y. and Ballard P.L. (1996):
"Regulation of surfactant protein D in human fetal lung". Am. J. Respir. Cell Mol. Biol.; 15:781-786.

Edwards Y.S. (2001): "Stretch stimulation: its effects on alveolar type II cell function in the lung". Comp. Biochem. Physiol. A. Mol. Integr. Physiol.; 129:245-260.

Egyptian National Neonatal care Program (ENNCP) (2001): Neonatal care: Protocols for physicians, Egyptian Ministry of Health and Population.

El-Beshlawy A., El-Accaoui R., Abd El-Sattar M., Gamal El-Deen M.H., Youssry I., Shaheen N., Hamdy M., El-Ghamrawy M. and Taher A. (2006): " Effect of L -carnitine on the physical fitness of thalassemic patients". Annuals of hematology; volume 86;(1): 31-34.

El-Rafie M.R. (2002): "Main Health problem among Egyptian pediatric Conference Turkey". Egyptian Journal of Neonatology; 32: 13-16.

Ersch J., Roth-Kleiner M., Baeckert P. and Bucher H.U. (2007):
"Increasing incidence of respiratory distress in neonates". Acta Pædiatrica ISSN 0803–5253; P.1577-1581.

Evans A. (2003): "Dialysis-related carnitine disorders and levocarnitine pharmacology". American Journal of Kidney Diseases, April; 41(4).

- Evans A.M., Faull R., Fornasini G., Lemanowicz E.F., Longo A. and Pace S. (2000):** "Pharmacokinetics of L-carnitine in patients with end-stage renal disease undergoing long-term hemodialysis". Clin. Pharmacol. Ther; 68:238-249.
- Fanaroff A.A., Stoll B.J. and Wright L.L. (2007):** "Neonatal Research Network: Trends in neonatal morbidity and mortality for very low birth weight infants". Am. J. Obstet. Gynecol; 196: 147. e1-e8.
- Fiore E.L., Hogue C.J.R., Mattison D.R., Damus K., Johnston R.B. and Williams M.A. (2001):** "New perspectives on the stubborn challenge of preterm birth". Pediatric Epidemiol; 15 (suppl.2): 1-163.
- Ganong W.F. (1999):** "Neonatal RDS". Review of Medical Physiology, 19th ed., Appleton & Lange, Stanford, Connecticut; p. 697-704.
- Gempel K., Kiechl S., Hofmann S., Lochmuller H., Kiechl-Kohlendorfer U., Willeit J., Sperl W., Rettinger A., Bieger I., Pongratz D., Gerbitz K.D. and Bauer M.F. (2002):** "Screening for carnitine palmitoyltransferase II deficiency by tandem mass spectrometry". J. Inherit. Metab. Dis.; 25: 17–27.
- Genazzani A.D., Petraglia F., Algeri I. and Gastaldi M. (1992):** "Acetyl-L-carnitine as possible drug in the treatment of hypothalamic amenorrhea". Acta Obstet. Gynecol. Scand.; 70:487-492.
- Geoffrey A.A., Sherry E.C. and Thomas S.J. (2005):** "Lung disease in premature neonates: radiologic-pathologic correlation". Radiol. RSNA Journals. RadioGraphics; 25: 1047-1073.
- George T.N., Miakotina O.L., Goss K.L. and Snyder J.M. (1998):** "Mechanism of all trans-retinoic acid and glucocorticoid regulation
-
-

of surfactant protein mRNA". *Am. J. Physiol. Lung Cell Mol. Physiol.*; 274: L560-L566.

Ghafoor T., Mahmud S., Ali S. and Dogar S.A. (2003): "Incidence of respiratory distress syndrome". *J. Coll. Physicians Surg. Pak.* May; 13(5):271-3.

Giannacopoulou C., Evangeliu A. and Matalliotakis I. (1998): "Effects of gestational age and birth weight in the concentration of carnitine in the umbilical plasma". *Clin. Exp. Obstet. Gynecol.*; 25: 42-5.

Gissler M., Vuori E.R. and Ritvanen A. (2002): "Finnish reproduction statistics 2000". National Research and Development Centre for Welfare and Health (STAKES) 1–136.

Goffinet F. (2005): "Primary predictors of preterm labour". *Bri. J. obstet. Gynecol.*; 112 (1): 38-47.

Goldenberg R.L., Culhane J.F., Iams J.D. and Romero R. (2008): "Epidemiology and causes of preterm birth". *The Lancet*; 371: 75–84.

Gomella T.L. (2004): "Neonatology: management, procedures, on-call problems, diseases and drugs". In: Gomella TL., Cunningham MD., Eyal FG., Zenk KE (eds.): (5th edition), Medical Publishing Division, McGraw-Hill Companies.

Goni F.M., Requero M.A. and Alonso (1996): "Palmitoylcarnitine, a surface active metabolite". *FEBS Lett.*; 390: 1-5 (*Quoted from: Korkmaz et al., 2005*).

Goraya J.S., Nada R. and Ray M. (2001): "Hyaline membrane disease in a term neonate". *Indian J. Pediatr.* Aug; 68(8):771-3.

- Guarnieri G., Situlin R. and Biolo G. (2001):** "Carnitine metabolism in uremia". American Journal of Kidney Diseases, October; 38(4).
- Hacking D., Watkins A., Fraser S., Wolfe R. and Nolan T. (2001):** "Respiratory distress syndrome and birth order in premature twins". Arch. Dis. Child Fetal Neonatal Ed.; 84(2):F117-21.
- Haddad G.G., Abman S.H. and Chernick V. (2002):** "Basic mechanisms of pediatric respiratory disease". Hamilton, BC Dekker. Inc.
- Halliday H.L. (2006):** "Recent clinical trials of surfactant treatment for neonate". Biol. Neonate; 89 (4): 323-329.
- Hallman M., Haataja R. and Marttila R. (2002):** "Surfactant proteins and genetic predisposition to respiratory distress syndrome". Semin. Perinatol. 2002 Dec; 26(6):450-60.
- Hammerman C. and Kaplan M. (2006):** "Probiotics and neonatal intestinal infection". Curr. Opin. Infect. Dis; 19 (3): 277-82.
- Hamvas A. (2006):** "Inherited surfactant protein-B deficiency and surfactant protein-C associated disease: clinical features and evaluation". Semin. Perinatol.; 30 (6): 316-326.
- Hansen A.K., Wisborg K., Uldbjerg N. and Henriksen T.B. (2007):** "Elective caesarean section and respiratory morbidity in the term and near-term neonate". Acta. Obstet. Gynecol. Scand.; 86(4):389-94.
- Hedayati S.S. (2006):** "Dialysis related carnitine disorder". Seminars in Dialysis; Vol 19, No 4 (July–August) pp. 323–328.

- Heird C.W. (2001):** "Determination of nutritional requirements in preterm infant: Special reference to catch up growth". *Seminars in Neonatology*; 6 (5): 356-375.
- Hendler S.S. and Rorvik D.R. (2001):** "PDR for nutritional supplements". Montvale: Medical Economics Company, Inc.
- Hermansen C.L. and Lorah K.N. (2007):** "Respiratory distress in the newborn". *Am. Fam. Physician.*; 76(7):987-94.
- Herzmann C., Johnson M.A. and Youle M. (2005):** "Long-term effect of acetyl-l-carnitine for antiretroviral toxic neuropathy". *HIV Clin Trials*; 6(6):344–350
- Hogue C.J.R., Hoffman S. and Hatch M.C. (2001):** "Stress and preterm delivery: a conceptual framework". *Pediatr. Perinatal. Epidemiol*; 15 (Suppl.2): 30-40.
- Hohlagschwandtner M., Husslein P. and Klebermass K. (2001):** "Perinatal mortality and morbidity". *Archives of Gynecology and Obstetrics*; 265 (3): 113-118.
- Hollier L.M. (2005):** "Preventing preterm birth: what works, what doesn't". *Obst. Gynecol. Survey*; 60 (2): 124-31.
- Holm B.A., Wang E.A. and Egan R.H. (1996):** "Content of dipalmitoylphosphatidylcholine in lung surfactant; ramifications for surface activity". *Pediatr. Res*; 39: 805-811.
- Hoover R.R. and Floros J. (1999):** "SP-A 3'-UTR is involved in the glucocorticoid inhibition of human SP-A gene expression". *Am. J. Physiol. Lung Cell Mol. Physiol.*; 276: L917-L924.

- Hoppel C. (2003):** "The role of carnitine in normal and altered fatty acid metabolism". American Journal of Kidney Diseases, April; 41(4).
- Hug G. (1996):** "Metabolic disease". In Behrman RE; Kliegman RM.; Nelson WE. and Arvin AM.(eds.)."Nelson Textbook of Pediatrics". (15th ed). WB. Saunders, Philadelphia, London, Toronto, p. 389-390.
- Ikegami M. and Jobe A.H. (1998):** "Surfactant protein-C in ventilated premature lamb lung". Pediatr. Res.; 44: 860-864.
- Ingenito E.P., Mora R. and Mark L. (2000):** "Pivotal role of anionic phospholipids in determining dynamic behavior of lung surfactant". Am. J. Respir. Crit. Care Med.; 161: 831-838.
- Ishohama Y. and Rooney A. (2001):** "Glucocorticoids enhances the response of type II cells from newborn rats to surfactant secretagogues". Biochem. Biophys. Acta.; 1531(3): 241-250.
- Jain L. and Dudell G.G. (2006):** "Respiratory transition in infants delivered by cesarean section". Semin. Perinatol.; 30(5):296-304.
- Jobe A.H. and Bancalari E. (2001):** "Bronchopulmonary dysplasia". Am. J. Respir. Crit. Care Med; 163: 1723-1729.
- Joshi S. and Kotecha S. (2007):** "Lung growth and development". Early Human Development; 83: 789-794.
- Kamikawa T., Suzuki Y. and Kobayashi A. (1984):** "Effects of L-carnitine on exercise tolerance in patients with stable angina pectoris". Jpn. Heart J.; 25:587-597. (*Quoted from: Kelly, 1998*).

- Kattwinkel J. (2006):** "Initial steps in resuscitation". In: Kattwinkel J.(ed.). "Textbook of Neonatal Resuscitation". 5th edition. American Academy of Pediatrics and American Heart Association. USA; Lesson 2. P.1-26.
- Kelley R.I. (1994):** "The role of carnitine supplementation in valporic acid therapy". Pediatrics; 93(6):891-93.
- Kelly G.S. (1998):** "L-carnitine: Therapeutic applications of a conditionally essential amino acid". Altern Med Rev; 3(5):345-360.
- Kerner J. and Hoppel C. (2000):** "Fatty acid import into mitochondria". Biochim Biophys Acta; 1486:1-17.
- Klaus Friese (2003):** "The role of infection in preterm labour". British J. Obstet. Gynecol; 10 (Suppl.20): 52-54.
- Korkina M.V., Korchak G.M. and Kareva M.A. (1992):** "Effects of carnitine and cobamamide on the dynamics of mental work capacity in patients with anorexia nervosa". Zh. Nevropatol Psikhiatr. Im. S. S. Korsakova; 92: 99-102. (Quoted from: Kelly, 1998).
- Korkmaz A., Tekinalp G., Coskun T., Yigit S. and Yurdakok M. (2005):** "Plasma carnitine levels in preterm infants with respiratory distress syndrome". Pediatrics international; 47: 49-52.
- Korman S.H., Waterham H.R., Gutman A., Jakobs C. and Wanders R.J. (2005):** "Novel metabolic and molecular findings in hepatic carnitine palmitoyltransferase I deficiency". Mol. Genet. Metab; 86: 337–343.

- Kramer M.S., Demissie K., Yang H., Platt R.W., Sauve R. and Liston R. (2000):** "The contribution of mild and moderate preterm birth to infant mortality". JAMA; 284: 843-849.
- Kumar A. and Bhatnagar V. (2005):** "Respiratory distress in neonates". Indian J. Pediatr; 72: 425-8.
- Kurl S., Heinonen K.M. and Kiekara O. (1997):** "The first chest radiograph in neonates exhibiting respiratory distress at birth" clin. Pediatr (Phila): 285-9.
- Kurz C., Arbeiter K. and Obermair A. (1993):** "L-carnitine-betamethasone combination therapy versus betamethasone therapy alone in prevention of respiratory distress syndrome". Z. Geburtshilfe Perinatol.; Sep-Oct; 197(5):215-219. (Quoted from: Korkmaz et al., 2005).
- Lamont R.F. and Jaggat A.N. (2007):** "Emerging drug therapies for preventing spontaneous preterm labor and preterm birth". Expert Opinion on Investigational Drugs; 16: 337–345.
- Lampland A.L. (2007):** "The role of high-frequency ventilation in neonates: evidence-based recommendations". Clin. Perinatol. Mar; 34 (1): 129-44.
- Lang C. and Iams J. (2009):** "Goals and strategies for prevention of preterm birth: an obstetric perspective". Pediatric clinics of North America; 56: 537–563.
- Laviano A., Inui A., Marks D.L., Meguid M.M., Pichard C., Fanelli F.R. and Seelaender M. (2008):** "Neural control of the anorexia-cachexia syndrome" Am J Physiol Endocrinol Metab 295: E1000-E1008.
-
-

- Lee K.G. (2008):** "Identifying the high risk newborn and evaluating gestational age, prematurity, postmaturity, large for gestational age, and small for gestational age infants". In: Cloherty JP., Eichenwald EC., and Stark AR. (eds.): "Manual of Neonatal Care", 6th edition, Lippincott Williams and Wilkins; Philadelphia, PA19106, USA; P. 41-58.
- Lenzi A., Lombardo F., Sgro P., Salacone P., Caponecchia L., Dondero F. and Gandini L. (2003):** "Use of carnitine therapy in selected cases of male factor infertility: a double blind cross-over trial". Fertil Steril; 79: 292-300.
- Levene M.I. and De Vries L.S. (2001):** "Neonatal intracranial hemorrhage; cerebral ischemic lesion". In: Levene M.I., Chervenak F.A. and Whittle M. (eds.): "Fetal and Neonatal Neurology", 3rd edition, Churchill Living stone, Edinburgeh; P. 339-400.
- Lewis V. and Whitelaw A. (2002):** "Furosemide for transient tachypnea of the newborn". Cochrane Database Syst Rev.; (1):CD003064.
- Lin C., Wang S., Hsu Y., Lin Y., Yeh T. and Chang F. (2001):** "Risk for respiratory distress syndrome in preterm infants born to mothers complicated by placenta previa". Early Hum. Dev.; 60(3): 215-24.
- Lipscomb M.F. and Masten B.J. (2002):** "Dendritic cells: immune regulators in health and disease". Physiol. Rev.; 82: 97-130.
- Lohninger A., Bock B., Dadak C., Feiks A. and Kaiser E. (1990):** "Effect of carnitine on foetal rat lung dipalmitoyl phosphatidylcholine content and lung morphology". J. Clin. Chem. Clin. Biochem. 28: 313–18. (*Quoted from: Ozturk et al., 2006*).

- Lohninger A., Krieglsteiner H.P., Hajos F., Stangl H. and Marz R. (1996):** "Effects of prenatal treatment with betamethasone, L-carnitine or betamethasone-L-carnitine combinations on the phosphatidylcholine content and composition of the foetal and maternal rat lung". *Eur. J. Clin. Chem. Clin. Biochem*; 34: 387–91. (Quoted from: *Ozturk et al., 2006*).
- Longo N., Di San Filippo C.A. and Pasquali M. (2006):** "Disorders of carnitine transport and the carnitine cycle". *Am. J. Med. Genet. C. Semin. Med. Genet.* May 15; 142C (2): 77–85.
- Lorenz J.M., Paneth N., Setton J.R. and Tyson J.E. (2001):** "Comparison of management strategies for extreme prematurity in New Jersey and Netherlands: outcomes and resource expenditure". *Pediatrics*; 108 (6): 1269-1274.
- Luo G. and Norwitz E.R. (2008):** "Revisiting Amniocentesis for Fetal Lung Maturity After 36 Weeks' Gestation". *Rev Obstet Gynecol.*; 1(2): 61–68.
- Mantan S. and Arulkumaran S. (2006):** "Neonatal RDS". *Lancet*, 10, Vol.2: (Suppl), 1879-9.
- Martin C.R. and Walker W.A. (2006):** "Intestinal immune defense and the inflammatory response in necrotizing enterocolitis". *Semin. Fetal Neonatal Med*; 9 (14): 921-5.
- Mathew T.J. and MacDorman M.F. (2006):** "Infant mortality statistics from the 2003 period linked birth/infant death data set". *National Vital Statistics Reports*. Hyattsville, Maryland: National Center for Health Statistics; 54 (16): 31-36.

- Mattison D.R., Damus K., Fiore E., Petrini J. and Alter C. (2001):** "Preterm delivery public health perspective". Paediat. Perinat. Epidemiol; 15 (Suppl.2): 7-16.
- Maurizio O., Francesco M., Luisa Z., Caterina N., Enrico M., Antonietta C. and Claudio M. (2006):** "Acetyl-l-carnitine in the treatment of painful antiretroviral toxic neuropathy in human immunodeficiency virus patients: an open label study". Journal of the Peripheral Nervous System. 11(1):72-76.
- Mayes P.A. (1996):** "Oxidation of fatty acids". In: Murray RK., Granner DK., Mayes PA. and Rod-Well VW.(eds.) "Harper's Biochemistry" (24th ed). Appleton and Lange, Norwallz-California P.225-233.
- McCall E.M., Alderdice F.A., Halliday H.L., Jenkins J.G. and Vohra S. (2005):** "Interventions to prevent hypothermia at birth in preterm and/or low birth weight babies". Cochrane Database Syst. Rev; 1: 101-110.
- McClure P.C., Patel M.R. and Le T.T. (2009):** "Hyaline membrane disease". e.Medicine J. specialities, Radiology, Pediatrics.
- McDonald C.L. and Ainsworth S.B. (2004):** "An update on the use of surfactant in neonates". Current Pediatrics; 14(4): 284-289.
- McGrath J.M. and Braescu A.V. (2004):** "State of the science: Feeding readiness in the preterm infant". J. Perinat. Neonatal. Nur; 18 (4): 353-68.
- Meis P. (2003):** "Prevention of recurrent preterm delivery by 17- Alpha-Hydroxyprogesterone Caproate". New England Journal of Medicine; 348: 2379-85.

- Mendelson C.R. (2000):** "Role of transcription factors in fetal lung development and surfactant protein gene expression". *Annu. Rev. Physiol.*; 62: 875-915.
- Meyburg J., Schulze A., Kohlmüller D. Linderkamp O. and Mayatepek E. (2001):** "Postnatal changes in neonatal acylcarnitine profile". *Pediatric Research*: January: Volume 49 - Issue 1 - pp 125-129.
- Milana A. and Mazzone D. (1995):** "Aspetti peculiari della carnitina nel periodo neonatale". *Clin. Ter*; 146: 21-29. (*Quoted from: Chace et al., 2003*).
- Mlay G.S. and Mauji K.P. (2000):** "Respiratory distress syndrome among neonates admitted at Matimbili Medical Center". *Dar EL Salaam, Tanzania. J . Trop. Pediatr*; Oct.46(6):303-7.
- Montgomery R., Conway T.W. and Spector A.A. (1990):** "Lipid Metabolism". In: "Biochemistry A Case Oriented Approach" (5th ed.). Eds, Mosby Company. Battimore-Philadelphia; p.417-420.
- Mountquin J.M. (2003):** "Classification and heterogenicity of preterm birth". *British J. Obstet. Gynecol*; 110: (Suppl 20): 30-33.
- Murphy K.E., Hannah M.E. and Willan A.R. (2008):** "Multiple courses of antenatal corticosteroids for preterm birth (MACS): a randomised controlled trial". *The Lancet* 372: 2143–2151.
- Nock M.L., Difiore J.M., Bsee, M.K., Ark, B.S. and Martin R.J. (2003):** "Relationship of ventilatory response to hypoxia with neonatal apnea in preterm infants". *J. Pediatr*; 144: 291-5.
- Nogee L.M. (2004):** "Genetic mechanisms of surfactant deficiency". *Biol. Neonate*; 85: 314-318.
-
-

- Ormond C.J., Daniels C.B. and Orgeig S. (2001):** "Neurochemical and thermal control of surfactant secretion by alveolar type II cells isolated from the marsupial, *Sminthopsis Crassicaudata*". *J. Comp. Physiol.*; 171(3): 223-230.
- Orngreen M.C., Ejstrup R. and Vissing J. (2003):** "Effect of diet on exercise tolerance in carnitine palmitoyltransferase II deficiency". *Neurology*; 61: 559–561.
- Ozturk M.A., Gunes T., Koklu E. and Erciyes A. (2006):** "Free carnitine levels in respiratory distress syndrome during the first week of life". *Am. J. Perinatol*; 23: 445–450.
- Pace S., Longo A., Toon S., Rolan P. and Evans A.M. (2000):** "Pharmacokinetics of propionyl-L-carnitine in humans: Evidence for saturable tubular reabsorption". *Br. J. Clin. Pharmacol*; 50:441-448.
- Pande S., Brion L.P., Campbell D.E., Gayle Y. and Esteban-Cruciani N.V. (2005):** "Lack of effect of L-carnitine supplementation on weight gain in very preterm infants". *J. Perinatol*; 25 (7): 470-7.
- Parvin C.A., Kaplan L.A. and Chapman J.F. (2005):** "Predicting respiratory distress syndrome using gestational age and fetal lung maturity by fluorescent polarization". *Am. J. obstet. Gynecol.*; 192 (4): 1354.
- Pastva A.M., Wright J.R. and Williams K.L. (2007):** "Immunoregulatory roles of surfactant Protein A and D implications in lung disease". *The Proceedings of the American Thoracic Society*; 4: 252-257.
- Petrie A. and Sabin C. (2005):** "Medical Statistics at a Glance". 2nd ed., Blackwell Publishing.
-
-

- Phokela S.S., Peleg S., Moya F.R. and Alcorn J.L. (2005):** "Regulation of human pulmonary surfactant protein gene expression by 1α -25-dihydroxyvitamin D₃". *Am. J. Physiol. Lung Cell Mol. Physiol.*; 289: L617-L626.
- Piazza A.J. and Stoll B.J. (2007):** "The fetus and the neonatal infant: Digestive system disorders". In: Kliegman RM., Behrman RE., Jenson HB., Stanton BF.(eds.): "Nelson Textbook of Pediatrics"(18th edition), WB Saunders, Philadelphia; P. 753-766.
- Pole J.D., Mustard C.A., Beyene J. and Allen A.C. (2009):** "Antenatal steroid therapy for fetal lung maturation: is there an association with childhood asthma?". *J. Asthma*. Feb: 46(1):47-52.
- Powell B.R., Buist N.R.M. and Kennaway N.G. (1998):** "Disorders of fatty acid metabolism". In: Campbell AGM. and McIntosh N. (eds.). "Forfar and Arneil's Textbook of Pediatrics". (5th ed.). Churchill Livingstone, London Edinburgh; p.1122-1129.
- Pramanik A.K. (2009):** "Respiratory Distress Syndrome". *e.Medicine J. specialities; Pediatrics: Cardiac disease and critical care medicine; Neonatology*; 92:99-102.
- Puthoff T.D. (2004):** "Fluid and electrolytes management in preterm infants". *N.B.I.N; W.B. Sanunders Med. Scape CME*; 4 (2): 98-105.
- Rebouche C.J. (1999):** "Carnitine". In: Shils ME., Olson JA., Shike M., Ross AC. (eds.). "Nutrition in Health and Disease". (9th ed.). Baltimore: Williams and Wilkins; p.505-512.

- Rebouche C.J. and Seim H. (1998):** "Carnitine metabolism and its regulation in microorganisms and mammals". *Annu. Rev. Nutr*; 18:39-61.
- Rehan V.K., Torday J.S., Peleg S., Gennaro L., Vouros P., Padbury J., Rao D.S. and Reddy G.S. (2002):** "1 Alpha, 25-dihydroxy-3-epi-vitamin D₃: production and biological activity studies in pulmonary alveolar type-II cells". *Mol. Genet. Metab.*; 76: 46-56.
- Rennie J.M. and Robertson N.R. (1999):** "Care of the well and convalescent preterm baby". In: Robertson N.R (ed.); "Textbook of Neonatology", 3rd edition, Churchill Livingstone; P.325-332.
- Ritchie J. (1999):** "Obstetrics for the neonatologist". In: Robertson N.R. (ed.); "Textbook of Neonatology", 3rd edition, Churchill Livingstone; P. 98-100.
- Roberts D. and Dalziel S. (2006):** "Antenatal corticosteroids for accelerating fetal lung maturation for women at risk of preterm birth". *Cochrane Database Systematic Reviews* 3: CD004454.
- Rodriguez R.J. (2003):** "Management of respiratory distress syndrome: an update". *Respir Care*. Mar; 48(3):279-86; discussion 286-7.
- Rodriguez R.J. and Martin R.J. (1999):** "Exogenous surfactant therapy in newborns". *Respir Care Clin N Am*. Dec; 5(4):595-616.
- Rodriguez R.J., Martin R.J. and Fanaroff A.A. (2002):** "The respiratory distress syndrome and its management". In: Fanaroff AA, Martin RJ. (eds.): "Neonatal- perinatal medicine" (7th edition), St Louis: Mosby-Year Book.

- Rosen C.L. (2003):** "Prevalence and risk factors for sleep-disordered breathing in 8- to 11- year-old children: association with race and prematurity". *Journal of Pediatrics*; 142:383.
- Roth-Kleinberg M., Wagner B.P. and Bachmann D. (2003):** "Respiratory distress syndrome in near-term babies after caesarean section". *Swiss Medical Weekly*; 133 (19-20): 283.
- Rubio-Gozalbo M.E., Bakker J.A., Waterham H.R. and Wanders R.J. (2004):** "Carnitine-acylcarnitine translocase deficiency, clinical, biochemical and genetic aspects". *Mol Aspects Med.*; 25: 521–32
- Sangild P.T., Siggers R.H., Schmidt M., Elnif J., Bjornavad C.R., Thyman T., Grondahl M.L., Hansen A.K., Jensen S.K., Boya M., Moelbak L., Buddington R.K., Westrom B.R., Holst J.J. and Burrin D.G. (2006):** "Diet and colonization dependent intestinal dysfunction predisposes to necrotizing enterocolitis on preterm pigs". *Gastroenterology*; 130 (6): 1776-92.
- Scaglia F. and Longo N. (1999):** "Primary and secondary alterations of neonatal carnitine metabolism". *Semin. Perinatol*; 23: 152–61.
- Schrag S., Gorwitz R., Fultz-Butts K. and Schuchat A. (2002):** "Prevention of perinatal group B streptococcal disease". Revised guidelines from CDC. *MMWR Recomm. Rep.* 16; 51(RR-11):1-22.
- Schulpis K.H., Papakonstantinou E.D., Vlachos G.D., Antsaklis A., Papassotiriou I. and Tsakiris S. (2008):** "The effect of the mode of delivery on the maternal-neonatal carnitine blood levels and antioxidant status". *Clin. Chem. Lab. Med*;46: 680–6.

- Seim H., Eichler K. and Kleber H. (2001):** "L-carnitine and its precursor, gamma-butyrobetaine". In: Kramer K., Hoppe P., Packer L. (eds.). "Nutraceuticals in health and disease prevention". New York: Marcel Dekker, Inc.; 217-256.
- Selbing A. (1999):** "Gestational age estimation". Acta. Obstet. Gynecol. Scand; 64: 593.
- Shalij-Delfos N.E., Ziglman B.L., Tan K.E. and Wittebol-Post D. (2003):** "Screening for retinopathy of prematurity: do former guideline still apply?". J. Pediatr. Ophthalmol. Strabismus; 102: 1460-1473.
- Silverman W.A. and Anderson D.H. (1956):** "Evaluation of respiratory status: Silverman and Anderson index". Pediatrics; 17: 1. (*Quoted from: Whitaker, 2001*).
- Simhan H.N. and Caritis S.N (2007):** "Prevention of preterm delivery". New England Journal of Medicine 357: 477–487.
- Stamme C., Walsh E. and Wright J.R. (2000):** "Surfactant protein A differentially regulates IFN- γ -and LPS-induced nitrite production by rat alveolar macrophages". Am. J. Respir. Cell Mol. Biol; 23:772-779.
- Stanley C.A. and Bennett M.J. (2007):** "Disorders of Mitochondrial Fatty Acid β -Oxidation". In: Kliegman RM., Behrman RE., Jenson HB., Stanton BF.(eds.). "Nelson Textbook of Pediatrics"(18th ed.). WB Saunders, Philadelphia; p.567-572.

- Stevens T.P., Blennow M. and Soll R.F. (2004):** "Early surfactant administration with brief ventilation vs selective surfactant and continued mechanical ventilation for preterm infants with or at risk for respiratory distress syndrome". Cochrane Database Syst. Rev.; CD003063.
- Stoll B.J. (2007):** "The fetus and the neonatal infant: Metabolic disturbances, Blood disorders". In: Kliegman RM., Behrman RE., Jenson HB., Stanton BF.(eds.): "Nelson Textbook of Pediatrics"(18th edition), WB Saunders, Philadelphia; P.671-782.
- Stoll B.J. and Adams-Chapman I. (2007):** "The fetus and the neonatal infant: The high risk infant". In: Kliegman RM., Behrman RE., Jenson HB., Stanton BF.(eds.): "Nelson Textbook of Pediatrics"(18th edition), WB Saunders, Philadelphia; 701-710.
- Stutchfield P., Whitaker R. and Russell I. (2005):** "Antenatal Steroids for Term Elective Caesarean Section (ASTECS) Research Team. Antenatal betamethasone and incidence of neonatal respiratory distress after elective caesarean section: pragmatic randomised trial". BMJ.; 24;331(7518):662.
- Suresh G.K. and Soll R.F. (2005):** "Overview of surfactant replacement trials". J. Perinatol.; 25 (Suppl. 2): S40-4.
- Sweet D., Bevilacqua G., Carnielli V., Greisen G., Plavka R., Didrik Saugstad O., Simeoni U., Speer C.P., Valls-I-Soler A., Halliday H., Working Group on Prematurity of the World Association of Perinatal Medicine and European Association of Perinatal Medicine. (2007):** "European consensus guidelines on the management of neonatal respiratory distress syndrome". J. Perinat. Med.; 35(3):175-86.
-
-

- Taeusch H.W., Ramirez-Schrempp D. and Laing I.A. (2005):** "Surfactant treatment of respiratory disorders". In: Taeusch HW., Ballard RA., Avery ME. and Gleason CA. (editors): "Avery's Diseases of the Newborn" (8th ed.), Elsevier Saunders; pp.670-684.
- Taeush H.W. (2002):** "Improving Pulmonary Surfactant". Acta Pharmacologica Sinica Supplement; pp. 11-15.
- Thomas M.R., Marston L., Rafferty G., Calvert S., Marlow N., Peacock J.L. and Greenough A. (2006):** "Respiratory functions of very prematurely born infants at follow up: influence of sex". Archieve of Disease in Childhood Fetal and Neonatal Edition; 91: 197-201.
- Turker G. and Koksai N. (2005):** "Complement 4 levels as early predictors of poor response to surfactant therapy in respiratory distress syndrome". Am. J. Perinatol.; 22 (3): 149-54.
- Urschitz M.S., horn W. and seyfang A. (2004):** "Automatic control of the inspired oxygen fraction in preterm infants: a randomized crossover trial". Am. J. Respir. Crit. Care med.; 170 (10): 1095-100.
- Valerie A. (2000):** "Disorders of lipid metabolism in skeletal muscle". Neurologic Clinics, February; 18(1).
- Van Kaam A.H. and Rimensberger P.C. (2007):** "Lung-protective ventilation strategies in neonatology: what do we know--what do we need to know?". Crit Care Med. Mar; 35(3):925-31.
- Varner M.V. and Esplin M.S. (2005):** "Current understanding of genetic factors in preterm birth". British J. Obstet. Gynecol; 112(1):28-31.

- Vaz F.M. and Wanders R.J.A. (2002):** "Carnitine biosynthesis in mammals". *Biochem J*; 361: 417-429.
- Veldee MS. (1994):** "Nutrition". In: Burtis CA. and Ashwood ER.(eds.). "Tietz Textbook of Clinical Chemistry".(2nd ed.). WB. Saunders, Philadelphia, London, Toronto; p.1243-1246.
- Verder H., Ebbesen F. and Linderholm B. (2003):** "Prediction of respiratory distress syndrome by the microbubble stability test on gastric aspirates in newborns of less than 32 weeks gestation". *Acta Paediatr.*; 92 (6): 728-33.
- Verma R.P. (1995):** "Respiratory distress syndrome of the newborn infant". *Obstet. Gynecol. Surv.*; 50(7):542-55.
- Vohr B.R., Dusick A., Steichen J., Wright L.L, Verter J. and Mete L. (2005):** "Neuro-developmental and functional outcomes of extremely low birth weight (ELBW) infants in the National Institute of Child Health and Human Development Neonatal Research Network between 1993-1998". *Pediatrics*; 105: 1216-1219.
- Ward R.M. and Beachy J.C. (2003):** "Neonatal complications following preterm birth". *British J. Obstet. Gynecol*; 110 (20): 8-16.
- Watts and Saigal (2006):** "Outcome of extreme prematurity: as information increase so do the dilemmas". *Archieve of Disease in Childhood Fetal and Neonatal Edition*; 91: 221-222.
- Wax J.R., Herson V., Carignan E., Mather J. and Ingardia C.J. (2002):** "Contribution of elective delivery to severe respiratory distress at term". *Am. J. Perinatol.*; 19:81–86.

- Weaver T.E. and Conkright J.J. (2001):** "Function of surfactant proteins B and C". *Annu. Rev. Physiol.*; 63: 555-578.
- Wells D.A., Gillies D. and Fitzgerald D.A. (2005):** "Positioning for acute respiratory distress in hospitalized infants and children". *Cochrane Database syst. Rev*; CD003645.
- Wheatley C.M., Dickinson J.L., Mackey D.A., Craig J.E. and Sale M.M. (2002):** "Retinopathy of prematurity: recent advances in our understanding". *Br. J. Ophthalmol*; 86: 696-700.
- Whitaker K.B. (2001):** "Physical assessment of the neonate". In: Whitaker KB (ed.): "Comprehensive perinatal and pediatric respiratory care". (3rd edition); USA; Delmar: Thomson learning; Inc; P. 113-130.
- Whitfield J., Smith T., Sollohub H., Sweetman L. and Roe C.R. (2003):** "Clinical effects of L-carnitine supplementation on apnea and growth in very low birth weight infants". *Pediatrics* Vol. 111 No. 3 March; P. 477-482.
- Whitsett J.A., Nogee L.M., Weaver T.E. and Horowitz A.K. (1995):** "Human surfactant protein B: structure, function, regulation and genetic disease". *Physiol. Rev*; 75: 749-757.
- Whitsett J.A., Rice W.R., Warner B.B., Wert S.E. and Pryhuber G.S. (2005):** "Acute respiratory disorders". In: MacDonald MG, Mullett MD., Seshia MMK (eds): "Avery's Neonatology Pathophysiology & Management of the newborn" (6th edition), Philadelphia, Pa: Lippincott Williams & Wilkins; pp. 553-577.

- Wood N.S., Marlow N.M. and Costeloe K. (2006):** "Neurological and developmental disability after extremely preterm birth". *N. Engl. J. Med*; 343: 378-384.
- Wright J.R. (2005):** "Immunoregulatory functions of surfactant proteins". *Nat. Rev. Immunol*; 5: 58-68.
- Wu H., Kuzmenko A., Wan S., Schaffer L., Weiss A., Fisher J.H., Kim K.S. and McCormack F.X. (2003):** "Surfactant protein A and D inhibit the growth of Gram-negative bacteria by increasing membrane permeability". *J. Clin. Invest*; 111: 1589-1602.
- Xi L., Brown K., Woodworth J., Shim K., Johnson B. and Odle J. (2008):** "Maternal dietary L-carnitine supplementation influences fetal carnitine status and stimulates carnitine palmitoyltransferase and pyruvate dehydrogenase complex activities in swine". *J. of Nutrition*; Vol.138, No. 12: 2356-2362.
- Yeh T.F., Lin Y.J. and Lin H.C. (2004):** "Outcomes at school age after postnatal dexamethasone therapy for lung disease of prematurity". *New England Journal of Medicine* 350: 1304–1313.
- Yesilpek M.A., Hazar V. and Yegin O. (1998):** "L-carnitine treatment in Beta-thalassemia major". *Acta Hematologica*; 100:162-163.
- Yurdakök M (2004):** "Inherited disorders of neonatal lung diseases". *Turk J Pediatr*; 46: 105-114.
- Zamora S., Benador N., Lacourt G. and Girardin E. (1995):** "Renal handling of carnitine in preterm and term neonate". *J. Pediatr*; 127: 975-978.

Zeitlin J., Bucourt M., Rivera L., Topuz B. and Papiernik E. (2004):

"Preterm birth and maternal country of birth in a French district with a multiethnic population" *British J. Obstet. Gynecol.*; 111 (8): 498-555.

Zhou X., Liu F., and Zhai S. (2007): " Effect of L-carnitine and/or L-

acetyl-carnitine in nutrition treatment for male infertility: a systematic review". *Asia Pac J Clin Nutr*; 16 (Suppl 1):383-390.