

References

- ***Alfred JT (2001).***

Total Knee Arthroplasty. In: Surgical Techniques in Total Knee Arthroplasty; Edited by ***Alfred JT and Giles RS***; ch24:177-188, 2001 Springer-Verlag New York, Inc.

- ***Ambrosetti S, Burger J and Piotrowski W (2003).***

Smart surgical instrument for spinal interventions. Computer Assisted Orthopaedic Surgery.
Proceedings of 6th Annual Meeting of CAOS-International.

- ***Bargren JH, Blaha JD and Freeman MA (1983).***

Alignment in total knee arthroplasty.
Clin Orthop 173: 178–183.

- ***Bellemans J (2006).***

Flexion Instability. In: Total Knee Arthroplasty, A Guide to Get Better Performance; Edited by: ***Johan B, Michael DR and Jan MK***, third edition; chapter 15:96-101, 2006 Springer Medizin Verlag Heidelberg.

-Belleman J (2006).

Achieving Maximal Flexion. In: Total Knee Arthroplasty, A Guide to Get Better Performance; Edited by: **Johan B, Michael DR and Jan MK**, third edition; chapter 29:188-194, 2006 Springer Medizin Verlag Heidelberg.

- Boldt JG and Munzinger U (2008).

Femoral rotation in total knee arthroplasty. In: Osteoarthritis of the knee; Edited by: **Bonnin M and Chambat B**; ch23:385-394, 2008 Springer-Verlag France, Paris.

-Bonnin M (2008).

Failure mechanisms in total knee arthroplasty. In: Osteoarthritis of the knee; Edited by **Bonnin M and Chambat B**; ch 13:205-224, 2008 Springer-Verlag France, Paris.

- Bonnin M (2008).

Rotation in total knee arthroplasty. In: Osteoarthritis of the knee; Edited by: **Bonnin M and Chambat B**; ch 30:601-618, 2008 Springer-Verlag France, Paris.

- Brantigan OC and Voshell AF (1941).

The mechanics of the ligaments and menisci of the knee joint.
J Bone Joint Surg 23:44–66.

- ***Brassard MF, Insall JN and Scuderi (2001).***

Complications of total knee arthroplasty. In: Surgery of the knee; Edited by ***Insall JN and Scott WN***; ch 44:1801-1823, 2001 Churchill Livingstone, Philadelphia.

-***Briard JL, Stindel E and Plaweski S (2003).***

CT Free Navigation with the LCS Surgetics Station: A new way of balancing the soft tissues in TKA based on bone morphing. In: Navigation and robotics in total joint and spine surgery; Edited by ***Stiehl JB, Konermann W and Haaker R***; ch9: 274–280, 2003 Springer, Berlin Heidelberg New York Tokyo.

-***Brys DA, Lombardi AV, Mallory TH and Vaughn BK (1991).***

A comparison of intramedullary and extramedullary alignment systems for tibial component placement in TKA.

Clin Orthop.1991; 263:175–179.

-***Cannon WD, Eckhoff DG, Garrett WE J, Hunter RE and Sweeney HJ (2006).***

Report of a group developing a virtual reality simulator for arthroscopic surgery of the knee joint.

Clin Orthop Relat Res 442:21–29

- ***Cates HE, Ritter MA, Keating EM and Faris PM (1993).***

Intramedullary versus extramedullary femoral alignment systems in total knee replacement.

Clin Orthop. 1993; 286 : 32–39.

-Chin PL, Yang KY and Yeo SJ (2005).

Randomized control trial comparing radiographic total knee arthroplasty implant placement using computer navigation versus conventional technique.

J Arthroplasty, 20(5):618-26.

-Decking R, Markmann Y and Mattes T (2007)

On the outcome of computer-assisted total knee replacement.

Acta Chir Orthop Traumatol Cech, 74(3):171-4.

- Decking R, Markmann Y, Mattes T, Puhl W and Scharf HP (2007).

On the Outcome of Computer-assisted Total Knee Replacement.

Acta Chirurgiae Orthopaedicae et Traumatologiae Čechosl., 74:171–174.

- Engh GA and Petersen TL (1990).

Comparative experience with intramedullary and extramedullary alignment in total knee arthroplasty.

J Arthroplasty. 1990; 5:1–8.

-Fehring TK and Valadie AL (1994).

Knee instability after total knee arthroplasty.

Clin Orthop 299: 157-62.

-Fehring TK and Mc Avoy (1996).

Fluoroscopic evaluation of the painful total knee arthroplasty.

Clin Orthop 331: 226-333.

-Foley KT, Simon DA and Rampersaud YR (2001).

Virtual fluoroscopy: computer-assisted fluoroscopic navigation.

Spine 26: 347–351.

-Frank L, Susan B, Naomi A, Kathleen M Z, Claudia J B and Maxine AG (2008).

Computer-Assisted Navigation for Total Knee Arthroplasty.

Technology evaluation center; Vol. 22, No.10:5-7, February 2008.

-Fuente M, Ohnsorge J, Bast P, Wirt DC and Radermacher K (2002).

Minaro – new approaches for minimally invasive roentgen image based hip prosthesis revision.

Biomed Tech (Berl) 47 (Suppl1): 44–46.

- Giles R S (2001).

The Basic Principles. In: Surgical Techniques in Total Knee Arthroplasty; Edited by *Alfred JT and Giles RS*; ch22:165-167, 2001 Springer-Verlag New York, Inc.

- Griffin FM, Scuderi GR and Insall JN (1998).

Total knee arthroplasty in patients who were obese with 10-years follow-up.

Clin Orthop 356: 28-33.

-Hafez MA, Jaramaz B, Di Gioia AM III (2006).

Computer Assisted Surgery of the Knee: An overview. In: Surgery of the Knee; Edited by **Insall JN and Scott N**, 4thEdition; ch 24:1655–1674, 2006 Churchill Livingston, Philadelphia,

- Hafez MA, Jaramaz B and DiGioia AM (2007).

Alternatives to Navigation In: Navigation and MIS in Orthopedic Surgery; Edited by: **James BS, Werner HK, Rolf GH and Anthony MD**, second edition; chapter75:574-581,2007 Springer Medizin Verlag Heidelberg.

- Harvey IA, Barry and Kirby SP (1993).

Factors affecting the range of movement of total knee arthroplasty.
J Bone Joint Surg (Br) 75: 950-5.

-Heng P, Cheng C, Wong TT, Wu W, Xu Y, Xie Y, Chui YP, Chan KM and Leung KS (2006).

Virtual reality techniques. Application to anatomic visualization and orthopaedics training.
Clin Orthop Relat Res 442: 5–12.

-Hungerford DS (2005).

Alignment of the Human Knee; Relationship to Total Knee Replacement. In: Total Knee Arthroplasty, A Guide to Get Better Performance; Edited by: **Johan B, Michael DR and Jan MK**, third edition; chapter 4:25-31, 2005 Springer Medizin Verlag Heidelberg.

- *Hungerford DS and Kenna RV (1983).*

Preliminary experience with a porous coated total knee replacement used without cement.

Clin Orthop. 1983; 176:95–107.

-*Huitema RB, Hof AL and Postema K (2002).*

Ultrasonic motion analysis system--measurement of temporal and spatial gait parameters.

J Biomech 356: 837–842.

-*Hungerford DS, Kenna RV and Krackow KA (1982).*

The porous-coated anatomic total knee.

Orthop Clin North Am 13:103.

- *Insall JN, Scott WN and Ranawat CS (1979).*

The total condylar knee prosthesis: a report of two hundred and twenty cases.

J Bone Joint Surg. 1979; 61(A):173–180.

-*Jaramaz B, DiGioia AM III (2007).*

CT-Based Navigation Systems. In: Navigation and MIS in Orthopedic Surgery; Edited by: *James BS, Werner HK, Rolf GH and Anthony MD*, second edition; chapter2: 9-14, 2007 Springer Medizin Verlag Heidelberg.

- *Jakopec M and Harris SJ (2001).*

The first clinical application of a “hands-on” robotic knee surgery system.

Comput Aided Surg 6:329–339.

- *Jenny J and Boeri C (2001).*

Image-free computer-assisted total knee prosthesis implantation: A radiological matched-paired comparison with surgeon-controlled instrumentation.

American Academy of Orthopaedic Surgeons, 2001, San Francisco :
American Academy of Orthopaedic Surgeons, 2001, p. 431

- *Johnson DP, Houghton TA and Radford P(1986).*

Anterior midline or medial parapatellar incision for arthroplasty of the knee. A comparative study.

J Bone Joint Surg. 1986; 68B:812.

- *Jose A (2001)*

Knee Scores in Total Knee Arthroplasty. In: Surgical Techniques in Total Knee Arthroplasty; Edited by *Alfred JT and Giles RS*; ch4:31-38, 2001 Springer-Verlag New York, Inc.

- *Katz MA, Beck TD, Silber JS, Seldes RM and Lotke PA (2001).*

Determining femoral rotational alignment in total knee arthroplasty. Reliability of techniques.

J. Arthroplasty, 2001, 16:301-305.

- **Kilgus DJ, Moreland JR and Finerman GA (1991).**

Catastrophic wear of tibial polyethylene inserts.

Clin Orthop 273: 223-31

- **Kim YH, Kim JS and Cho SH (2000).**

Total knee arthroplasty after spontaneous osseous ankylosis and takedown of formal knee fusion.

J Arthroplasty 15: 453-60.

-**Konermann WH and Kistner S (2007).**

Postoperative alignment of conventional and navigated total knee arthroplasty. In: Navigation und Robotic in Total Joint and Spine Surgery; Edited by **Stiehl JB, Konermann WH and Haaker RG**, second edition; ch 7: 219–225, 2007 Springer, Berlin Heidelberg New York Tokyo.

- **Konermann WH and Kistner S (2007).**

CT-free navigation including soft-tissue balancing: LCS-TKA and VectorVision systems. In: Navigation und robotic in total joint and spine surgery; Edited by: **Stiehl JB, Konermann WH and Haaker RG**, second edition; ch8: 225–265, 2007 Springer, Berlin Heidelberg New York Tokyo.

- Konermann WH and Saur MA (2007).

Postoperative Alignment of Conventional and Navigated Total Knee Arthroplasty. In: Navigation and MIS in Orthopedic Surgery; Edited by: **James BS, Werner HK, Rolf GH and Anthony MD**, second edition; chapter10: 81-87, 2007 Springer Medizin Verlag Heidelberg.

-Kowal J, Honl M, Dierk O, Gauck C, Carrero V, Lampe F, Dries S, Quante M, Schwieger K, Hille E and Morlock MM (2003).

Comparison of robotic-assisted and manual implantation of a primary total hip replacement. A prospective study.

J Bone Joint Surg (Am) 85A8:1470–1478

-Kowal J, Langlotz F and Nolte LP (2007).

Basics of Computer-Assisted Orthopaedic Surgery. In: Navigation and MIS in Orthopedic Surgery; Edited by: **James BS, Werner HK, Rolf GH and Anthony MD**, second edition; chapter1: 2-8, 2007 Springer Medizin Verlag Heidelberg.

-Kunz M, Strauss M, Langlotz F, Deuretzbacher G, Ruther W and Nolte LP (2001).

A non-CT based total knee arthroplasty system featuring complete soft-tissue balancing.

MICCAI, LNCS 2208: 409–415.

- **Lefevre F, Kim YH, Kim JS and Yoon SH (2007).**

Alignment and orientation of the components in total knee replacement with and without navigation support: A prospective, randomised study.
J Bone Joint Surg Br, 89(4):471-6.

- **Lionberger DR, (2007).**

The Attraction of Electromagnetic Computer-Assisted Navigation in Orthopaedic Surgery. In: Navigation and MIS in Orthopedic Surgery; Edited by: **James BS, Werner HK, Rolf GH and Anthony MD**, second edition; chapter6: 44-53, 2007 Springer Medizin Verlag Heidelberg.

- **Lonner JH, Hershman S and Mont M (2000).**

Total knee arthroplasty in patients 40 years of age and younger with osteoarthritis.
Clin Orthop 380: 85-90

- **Luring C, Bathis H, Tingart M, Grifka J and Perlick L (2007).**

Experience with Navigated Total Knee Replacements with CT-Free and CT-Based VectorVision® BrainLAB Navigation System. In: Navigation and MIS in Orthopedic Surgery; Edited by: **James BS, Werner HK, Rolf GH and Anthony MD**, second edition; chapter19:147-154, 2007 Springer Medizin Verlag Heidelberg.

- **LutzP, Mortier J and Zichner L (2004).**

Basic principles of CAOS injury.
Computer aided surgery; vol35.issue 1, supplement 1:6-16, june2004.

-Maintz JB and Viergever MA (1998).

A survey of medical image registration.

Med Image Anal 2(1): 1-36.

-Manning M, Elloy M and Johnson R (1988).

The accuracy of intramedullary alignment in total knee replacement.

J Bone Joint Surg. 1988; 70(B):852–858.

- Marc M, Luc V D, Paul G and Lieven M (2007).

Navigated total knee arthroplasty. A radiological analysis of 42 randomised cases.

The Stedelijk Ziekenhuis Roeselare, Belgium Acta Orthop. Belg.; vol 73:49-54, 2007.

-Martin JW and Whiteside LA (1990).

The influence of joint line position on knee stability after condylar knee arthroplasty.

Clin Orthop 259:146–156.

- Mattes T, Gunther K, Puhl W and Scharf H (2001).

Preliminary clinical experiences with the development of the Navitrack® system for computed navigated total knee replacement.

Computer Assisted Orthopaedic Surgery, 2001, Davos, p. 91.

-Moreland JR (1988).

Mechanisms of failure in total knee arthroplasty.

Clin Orthop 226: 49-64

-Moreland JR, Bassett LW and Hanker GJ (1987).

Radiographic analysis of the axial alignment of the lower extremity.

J Bone Joint Surg [Am] 69:745–749.

- Nizard R (2001).

First experience with a computer-assisted surgery system for total knee arthroplasty.

Proc of the 5th EFORT Meeting, 2001, Rhodes, 2001.

- Nizard R and the G.U.E.P.A.R. group (2002).

Computer-assisted Surgery For Total Knee Arthroplasty.

Acta Orthopædica Belgica; Vol. 68 - 3:215-230.

-Perrin N, Stindel E and Roux C (2007).

Bone morphing vs freehand localization of anatomical landmarks: consequences on the reproducibility of implant positioning in total knee arthroplasty.

Computer Aided Surgery, September 2005; 10(5): 1-8.

- Peters PC, Engh GA and Dwyer KA (1992).

Osteolysis after total knee arthroplasty without cement.

J Bone Joint Surg (Am) 74: 864-76.

-Picard F, Moody J, DiGioia IIIAM and Jaramaz B (2004).

Clinic Classifications of CAOS Systems. In: Computer and Robotic Assisted Hip and Knee Surgery; Edited by **DiGioia IIIAM, Jaramaz B, Picard F and Nolte LP**; ch2: 43–48, 2004 Oxford University Press, New York.

- Ritschl P, Fuiko R, Broers H, Wurzinger A and Berner W (2001).

Computer-assisted navigation and robot cutting system for total knee replacement.

Computer-Assisted Orthopaedic Surgery, 2001 Davos, p. 95.

- Romero J, Binkert C and Braum V (2001).

Revision total knee arthroplasty for lateral flexion instability due to internal malrotation of the femoral component.

Communication n° 402, EFORT, Rhodes, 6 June.

-Saragaglia D (2007).

Computer-Assisted Implantation of a Total Knee Prosthesis without Pre-Operative Imaging: The Kinematic Model .In: Navigation and MIS in Orthopedic Surgery; Edited by: **James B S, Werner H K, Rolf G H and Anthony M D** second edition; chapter 11:88-94, 2007 Springer Medizin Verlag Heidelberg.

-Scranton PE (2001).

Management of knee pain and stiffness after total knee arthroplasty.

J Arthroplasty 16:428-35.

-Shawn BH (2006).

Computer Assisted Total Knee Replacement.

Star-News 1:4, September 2006.

- Sherman KP, Hafez MA, Chelule KL and Seedhom BB (2007).

Computer-Assisted Total Knee Arthroplasty Using Patient-Specific Templates: the Custom-made Cutting Guides In: Navigation and MIS in Orthopedic Surgery; Edited by: **James B S, Werner H K, Rolf G H and Anthony M D**, second edition; chapter24:182-188,2007 Springer Medizin Verlag Heidelberg.

- Siebenthal J and Langlotz F (2003).

Video tracking for intra-operative guidance – A complementary solution to tracking in CAOS interventions. In: Computer Assisted Orthopaedic Surgery; Edited by: **Langlotz F, Davies BL, Bauer A** – Proceedings of 3rd Annual Meeting of CAOS-International; ch 4: 86–87, 2003 Steinkopff, Darmstadt.

-Siebert W, Mai S, Kober R and Heeckt PF (2002).

Technique and first clinical results of robot-assisted total knee replacement.

Knee 9(3):173–180

- Simmons ED, Sullivan JA, Rackemann S and Scott RD (1991).

The accuracy of tibial intramedullary alignment devices in total knee arthroplasty.

J Arthroplasty. 1991; 6:45–50.

- **Siston RA, Nicholas JG, Stuart BG and Scott LD (2007).**

Surgical navigation for total knee arthroplasty: A perspective.

Journal of Biomechanics 40:728–735.

-**Steven HS (2001).**

Medial Parapatellar Arthrotomy In: Surgical Techniques in Total Knee Arthroplasty; Edited by **Alfred JT and Giles RS**; ch14:114-118, 2001 Springer-Verlag New York, Inc.

- **Stindel E, Briard JL, Merloz P, Plaweski S, Dubrana F, Lefevre C and Troccaz J (2007).**

Bone morphing: 3D morphological data for total knee arthroplasty.

Computer Aided Surg 7: 156–168.

-**Stindel E, Gil D, Briard JL, Plaweski S, Dubrana F and Lefevre C (2002).**

The center of the ankle in CT less based navigation system. What is really important to detect?

Comp Aided Surg 7(3): 156–168.

-**Stindel E , Perrin N, Briard J L, Lavallée S, Lefevre C and Troccaz J (2007).**

Bone Morphing 3D Reconstruction without Pre- or Intra-Operative Imaging. In: Navigation and MIS in Orthopedic Surgery; Edited by: **James BS, Werner HK, Rolf GH and Anthony MD**, second edition; chapter 5:36-43, 2007 Springer Medizin Verlag Heidelberg.

- ***Stulberg SD (2007).***

CT-Free-Based Total Knee Arthroplasty Navigation with a Minimally Invasive Surgical Technique. In: Navigation and MIS in Orthopedic Surgery; Edited by: ***James BS, Werner HK, Rolf GH and Anthony MD***, second edition; chapter4:12-35, 2007 Springer Medizin Verlag Heidelberg.

-***Stulberg SD, Loan P and Sarin V (2002).***

Computer-assisted navigation in total knee replacement: results of an initial experience in thirty-five patients.

J Bone Joint Surg Incorporated 84-A (Suppl 2): 90–98

- ***Stulberg SD, Saragaglia D and Miehlke R (2004).***

Total knee replacement: navigation technique intra-operative model system. In: Computer and robotic assisted knee and hip surgery; Edited by: ***DiGioia AM, Jaramaz B, Picard R and Nolte PL***; ch 5: 157–178, 2004 Oxford University Press.

.

- ***Tillett ED, Engh GA and Petersen T (1988).***

A comparative study of extramedullary and intramedullary alignment systems in total knee arthroplasty.

Clin Orthop. 1988; 230:176–181.

-Wasielewski RC and Komistek RD (2007).

Computer-Assisted Ligament Balancing of the Femoral Tibial Joint Using Pressure Sensors. In: Navigation and MIS in Orthopedic Surgery; Edited by: **James BS, Werner HK, Rolf GH and Anthony MD**, second edition; chapter23:175-181, 2007 Springer Medizin Verlag Heidelberg.

-Whiteside LA and Summers RG (1983).

Anatomical landmarks for an intramedullary alignment system for total knee replacement.

Orthop Trans. 1983; 7:546–547.

-Worland RL, Jessup DE, Vazquez-Vela JG, Alemparte JA, Tanaka S, Rex FS and Keenan J (2002).

The effect of femoral component rotation and asymmetry in total knee replacements.

Orthopedics 25:1045–1048.

-Yang Y (2003).

Secure an image-based simulated telesurgery system.

Institute of Infocomm Research, Singapore.