

- Duncan, D.B. (1955). Multiple range and multiple F-test. *Biometrics*, II. 1.
- Dusik, J. (1965). Supplements of urea and ammonium sulphate for dairy cows and fattening bulls. *Ved. Prace Vyzk. Ustafu Krmivor, Poherelice*, 6, 17-32. (*Nutr. Abst. and Rev.* 35, 4762, 1965).
- El-Mounir, T.I. (1990). Effect of feeding ammoniated rice straw on performance of Friesian calves. M.Sc. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ. Banha Branch.
- El-Sharkawy, A.M.A. (1984). Chemical technological studies on meats. M.Sc. Thesis, Fac. Agric., Kafr-El-Sheikh, Tanta Univ.
- Etman, K.E.I. (1985). The effect of level of concentrate feeding and roughage on meat production. Ph.D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ. Banha Branch.
- Fahmy, A.A. (1986). Comparative feeding studies with buffalo calves using summer and winter green forages for meat production. Ph. D. Thesis, Fac. Agric., Cairo Univ.
- Flachowsky, G., Lindig, T., Raab, J., Lohnert, H.J., Schwartze, J., Hennig, A. and Guther, G. (1985). Treatment of large straw stacks with gaseous NH_3 and use of treated straw in ruminant diets. *Tierernahrung und Fütterung*. (*Nutr. Abst. and Rev.*, 56, 6089, 1986).
- Gallo, E., Fontenot, J.P. (1986/1987). Ammonia and urea treatment of wheat straw for feeding to ruminants. *Animal Science. Research Report, Virginia Agricultural Experiment Station No. 6*, 12-16. (*Nutr. Abst and Rev.* 58: 1344, 1988).

- Garrett, W.N.; Walker, H.G.; Kohler, G.O. and Hart, M.R. (1976). NaOH and NH₃ treated rice straw for ruminants. *J. Anim. Sci.*, 43: 322 (Abstract).
- Garrett, W.N.; Walker, H.G.; Kohler, G.O. and Hart, M.R. (1979). Response of ruminants to diets containing sodium hydroxide or ammonia treated rice straw. *J. Anim. Sci.*, 48: 92-103.
- Garrett, W.N.; Walker, H.G.; Kohler, G.O.; Waiss, A.C.; Grahama, Jr. R.P.; East, N.E. and Hart, M.R. (1974). Nutritive value of NaOH and NH₃ treated rice straw. *J. Anim. Sci.*, 38: 142 (Abst.).
- Gates, R.N.; Klopfenstein, T.J.; Waller, S.S.; Stroup, W.W.; Britton, R.A. and Anderson, B.F. (1987). Influence of thermo-ammoniation on quality of warm-season grass hay for steers. *J. Anim. Sci.*, 64 (6): 1821-1834.
- Gotlib, V.; Iskrin, V.; Gotlib, G. and Yudin, B. (1983). Treatment of straw with ammonia in winter. *Molochnoe i Myasnnoe Skotovodstvo*, No. 11: 32-33. (Nutr. Abst and Rev., 54, 2420, 1984).
- Graham, H. and Aman, P. (1984). A comparison between degradation in vitro and in sacco of constituents of untreated and ammonia-treated barley straw. *Anim. Feed. Sci. Tech.*, 10 (2/3) 199-211.
- Grau, R. and Hamm, R. (1957). Mitteilung über die Bestimmung der wasserbindung des Muskels. *Zeitschrift für Lebensmittel, Untersuchung und Forschung*, 105 (6): 446-460 (C.F. El-Sharkawy, 1984).

- Grotheer, M.D. (1984). Effect of ammoniation on nutritional and preservatory characteristics of forages. Dissertation Abstracts International, B (Sciences and Engineering) 45 (1) 4. (Nutr. Abst. and Rev. 56, 2905; 1986).
- Grotheer, M.D.; Cross, D.L.; Grimes, L.W.; Coldwell, W.J. and Johnson, L.J. (1985). Effect of moisture level and injection of ammonia quality and preservation of Coastal Bermudagrass hay. J. Anim. Sci. 61 (6) 1370-1371.
- Guenther, J.J., Pope, L.S., Odell, G.V. and Morrison, R.D. (1962). The growth and development of beef calves from weaning to slaughter weight with reference to the effect of plane of nutrition. J. Anim. Sci. 24: 1184-1191.
- Hamm, R. (1972). Kollord chemie des fleisches "Paul Pareyin Beilin and Huamberg", Lipzing (C.F. Proce. Congress Dokumentation, 26th European Meeting of Meat Research Workders, 2, p 124, 1980).
- Harris, S.J. and Miller, B.L. (1986). Anhydrous ammonia treated hay in rations for backgrounding fall weaned calves. In Forages: the keystone of agriculture. Lexington, Kentucky, American Forage and Grassland Council (Undated) 266-268 (Nutr. Abst. and Rev., 56, 256, 1986).