

CONTENTS

	page
INTRODUCTION	1
REVIEW OF LITERATURE	3
MATERIALS AND METHODS	35
EXPERIMENTAL RESULTS	58
1. Surveying of sesame seed-borne fungi.	58
2. Relation between field infection of sesame seeds by <i>M.phaseolina</i> and the collected seeds from different cultivars.	61
3. Relation between field infection of sesame seeds by <i>F. oxysporum</i> and the collected seeds from different cultivars.	63
4. Effect of different methods for isolation of sesame seed-borne fungi.	65
5. Incidence of seed-borne fungi in samples of different sesame cultivars on the blotter test.	57
6. Incidence of seed borne fungi in samples of sesame cv.Giza-32 collected from different governorates on the blotter test.	69
7. Incidence of <i>M.phaseolina</i> and <i>F.oxysporum</i> by using whole seed, and in component plating method.	71
8. Pathogenicity tests of 10 different isolates of <i>M. phaseolina</i> on sesame plants cv. Giza-32 under greenhouse conditions.	72
9. Pathogenicity tests of 10 different isolates of <i>F. oxysporum</i> on sesame plants cv. Giza 32 under greenhouse conditions.	73
10. Serological studies.	75
11. Molecular detection of <i>F. oxysporum</i> .	79
12. Specificity of <i>F. oxysporum</i> isolates.	80
13. PCR Sensitivity for <i>F. oxysporum</i> isolates.	81

Disease Control Studies:	82
Laboratory Studies:	82
1. Effect of different concentrations of three fungicides on linear growth in (mm) of 4 isolates of <i>M. phaseolina</i> and <i>F.oxysporum</i> .	82
2. Effect of different concentrations of some resistance inducing agents on linear growth in (mm) of 4 isolates of <i>M. phaseolina</i> and 4 isolates of <i>F. oxysporum</i> .	87
3. Effect of different concentrations of filtered and toclaved plant extracts on linear growth in (mm) of <i>M. phaseolina in vitro</i> .	91
4. Effect of different concentrations of filtered and autoclaved plant extracts on linear growth of <i>F. oxysporum in vitro</i> .	93
5. Antagonistic effect of some <i>Trichoderma</i> spp. against four isolates of <i>M. phaseolina</i> .	95
6. Antagonistic effect of some <i>Trichoderma</i> spp. against 4 isolates of <i>F. oxysporum</i> .	96
Greenhouse Studies:	98
1. Effect of different fungicides and biocides as seed dressing on the incidence of mortality disease caused by <i>M. phaseolina</i> and <i>F.oxysporum</i> .	98
2. Effect of soaking sesame seeds in chemical inducing agents on controlling mortality disease caused by <i>M. phaseolina</i> .	100
3. Effect of soaking sesame seeds in chemical inducing agents on controlling wilt disease caused by <i>F. oxysporum</i> .	103
4. Effect of soaking sesame seeds in chemical inducing agents on phenolic content in sesame leaves.	105

5. Effect of soaking sesame seeds in chemical inducing agents on sugar content in sesame leaves.	107
6. Effect of filtered and autoclaved watery plant extracts on controlling mortality disease caused by <i>M.phaseolina</i> .	109
7. Effect of filtered and autoclaved watery plant extracts on controlling wilt disease caused by <i>F.oxysporum</i> .	111
8. Effect of antagonistic fungi on disease incidence of sesame plants.	113
a) Disease incidence caused by <i>M.phaseolina</i> .	113
b) Disease incidence caused by <i>F.oxysporum</i> .	114
Field Studies:	115
1. Effect of seed dressing and /or soil treatment with some fungicides or biocides on mortality, wilt disease and total seed yield of seasmе cv. Giza-32 in Ismailia governorate during seasons 2002 & 2003.	115
2. Effect of seed dressing and / or soil treatment with some fungicides or biocides on mortality, wilt disease and total seed yield of seasmе cv. Giza-32 in Giza governorate during seasons 2002 & 2003.	121
DISCUSSION	126
SUMMARY	142
REFERENCES	156
ARABIC SUMMARY	