

6- REFERENCES

A.A.C.C. (1983).

Baking quality of cake flour, Rev. 10, 12, 27, 28; method 10-91, use of layer cake, measuring template, Rev. 10-27, 82. Approved methods. The American Association of Cereal Chemists, 8th Ed., st. Poul., MN.

Abd El-Lateef, B.M. (1990).

Improvement of some bakery products.
M.Sc. Faculty of Agric. , Cairo Univ..

Abdel-Lateef, B.M. and Attia, A.A. (1995).

Production of bakery products from whole wheat meal.

Egypt. J. Agric. Res., 73 94) : 1091-1100.

Abd El-Magied, M.M.; Hassan, E.M. and El-Akel, A.T. (1991).

High protein cookies made with pigeon pea and sorghum blends.

Minia J. Agric. Res. & rev. 13 (1).

Ajayi, O.A. and Korede, o. (1990).

Protein and vitamin B6 content of foods consumed by Nigerian adolescents.

Food Chem. 39, 229-235.

Alex and Rotos, N. (ed.) (1988).

“World agriculture towards 2000”

London and NewYork: Printer / Belhaven press.

Anderson, J.W. and Chen, W.J.L. (1986).

Cholesterol-lowering properties of oat products.

p. 309-333 in : Oats: Chem and Tech.

F.H. Webster, ed. Am. Ascoc. Cereal Chem. : St. Paul, Mv.

(C.F. Cereal Chemistry 74th (5) : 571-575).

Anjum, F.M.; Ali, A. and Chaudhry, N.M. (1991).

Fatty acids, mineral composition and functional (bread and chapatti). Properties of high protein and high lysine barley.

J. of the Sci. of Food and Agric., 55 (4): 511-519.

Anonymous, (1977).

Fiber and gastrointestinal tract progress through research.

Publication of James Ford Bell Technical Center,

Cereal Mills Inc. 30 (2) : 2-4.

Anonymous (1990).

The Annual Statistical Book

Central Agency for public Mobilization and Statistics, Cairo, Egypt.

A.O.A.C. (1990).

Official Methods of the Association of Official Analytical Chemists.

Pub. By the association of official analytical chemists, Inc., Arlington, West Virginia, U.S.A..

Axford, D.W.E.; McDermott, E.E. and Redman, D.G. (1979).

Note on the sodium dodecyl sulfate of bread making quality. Comparison with Pelshenke and Zeleny tests.
Cereal Chem. 56 : 582.

Bachtal, W.G. and Meisner, D.F. (1954).

Fractions, II selection of the sensory test panel.
Cereal Chem., 31 : 171.

Bedolla, S.; Gorzalez de Palacios, M.; Rooney, L.W.; Diehl, K.C. and Khan, M.V. (1983).

Cooking characteristics of sorghum and corn for tortilla preparation by several cooking methods.
Cereal Chem, 60 : 263.

Bhattacharya, M. and Hanna, M.A. (1987).

Kinetic of starch gelatinization during extrusion cooking.
J. Food Sci., 52 (2) : 764-766.

Bhatty, R.S. (1992).

B-glucan content and viscosities of barley and their roller milled flour and bran products.
Cereal Chem. 69 (5), 469-471.

Bratzler, I.J. (1932).

Measuring the tenderness of meat by means of mechanical shear.
Master's Thesis, Kansas State College.
C.F. Evaluating food by sensory methods.

- Brys, K.D. and Zabik, M.E. (1976).**
Microcrystalline cellulose replacement in cakes and biscuits.
J. Am. Diet Assoc. 69 : 50.
- Buringh, P. and Dual, R. (1982).**
"Agricultural land use in space and time".
In : Wolman, M.G. and Fournier, F.G.A. (eds),
Land transformation in agriculture, Chichester, Wiley.
- Burkitt, D.P.; Walker, A.R.P.; and Painter, N.S. (1972).**
Effect of dietary fiber on stools and transit and its role
in the causation of disease.
Lancet 2 : 1408.
- Camire, M.E. and Flint, S.I. (1991).**
Thermal processing effects on dietary fiber
composition and hydration capacity in corn meal, oat
meal and potato peels.
Cereal Chem., 68 (6) : 645-647.
- Charles, S. G. and John, R. D. (1985).**
Effect of varying flour protein content on angel food
and high-ratio white layer cake size and tenderness.
Cereal Chemistry 62 (1) 63-65.
- Chen, H.; Rubenthaler, G.L. and Schamus, E.C. (1988).**
Effect of apple fiber and cellulose on the physical
properties of wheat flour.
J. of Food Sci., 53 (91) : 304-306.

D'Appolonia, B.L. and Gilles, K.A. (1971).

Effect of various starches in baking.

Cereal Chemistry 48 : 625.

David, P. (1974).

The chemical analysis of foods.

Chapter 5, p. 165, Chemical Publishing Co., Inc. New York.

Dexter, j.E.; Matsuo, R.R.; Kosmolak, F.G.; Leisel, E.D. and March ylo, B.A. (1980).

The suitability of the SDS-sedimentation test for assessing gluten strength in durum wheat.

Can. J. Plant Sci. 60 : 25.

El-Farra, A.A.; Mostafa, M.M. and El-Manawaty, H.K. (1985).

Baking quality of barley flour.

Egypt. J. Food Sci. 13 (2) : 129-136.

El-Gindy, M.M. (1976).

Methods and apparatus of cake mixing "Food industries" part 7 confectionery.

Dar-El Maaref. Egypt.

El-Shazly, H.A.E. (1984).

Studies on human nutrition (Barley foods).

M.Sc. Thesis, Faculty of Agriculture, Mansoura Univ., Egypt.

- Fairweather, M.; Brlley, M. and Miles, J. (1992).**
Zinc content and bioavailability.
C.F. IFT Annual Meeting Book Abstracts p.15
C.F. Ph.D. Thesis, Fc. Of Agric., Cairo Univ., Egypt.
- Faubion, J.M. and Hosenev, R.C. (1982).**
High temperature short-time extrusion cooking of
wheat starch and flour. I- Effect of moisture and flour
type on extrudate properties.
Cereal Chem. 59 (6) : 629-630.
- Fellers, D.A.; Mossman, A.P.; Jenneston, P.H. and Wheeler,
E.L. (1976).**
Mechanical debranning of whole kernel wheat
composition, cooking characteristics and storage
stability.
Cereal Chem., 53 (3) : 308-310.
- Fondroy, E.B.; White, P.J. and Prusa, K.J. (1989).**
Physical and sensory evaluation of lean cakes
containing substituted fluffy cellulose.
Cereal Chem. 66 : 402.
- Frensh, S.J. and Hill, M.A. (1985).**
High fiber foods : a comparison of some baked
products containing gum and pectin.
J. Plant Foods, 101-109.

Ghanem, A.M. (1993).

Biochemical studies on wheat protein.

M.Sc. Thesis, Faculty of Agriculture, Zagazig Univ.,
Egypt.

**Haber, G.B.; Burroughs, L.F.; Heaton, K.H. and Murphy, D.
(1977).**

Depletion and disruption of dietary fiber.

Effect on plasma glucose and serum-insulin.

The IONCET 1 : 676-681.

**Hassan, H.F.; Mansour, S.M.; Kassem, A.M. and Khorshed,
A.M. (1990).**

Effect of wheat variety, flour extraction rate, and
water absorption on bread staling.

Egypt. J. Food Science, Vol. 18, No. 1-3 : 35-50.

Hegazy, N.A.; Mekawy, A.A. and Hassona, H.Z. (1991).

Influence of different levels of peanut hull and
physical and sensory evaluation of low caloric cakes.

Nahrung 35 (8) : 821-826.

Hoseney, R.C. (1986).

Yeast leavened products.

In principles of cereal science and technology.

p. 203 Am. Assoc. Cereal Chem., St. Paul MN.

- Hoseney, R.C. and Rogers, D.E. (1994).**
Mechanism of sugar functionality in cookies.
p. 203-226 in : The science of cookie and cracker
production.
H. Faridi, Ed. Avi : New York.
- Hudson, C.A.; Chiu, M.M. and Knuckles, B.E. (1992).**
Development and characteristics of high-fiber muffins
with oat bran, rice bran, or barley fiber fractions.
Cereal Foods World 37 : 374, 1992.
- Hunter, M.B.; Briant, A.M. and Personius, C.J. (1950).**
Cake quality and butter structure.
Cornell Univ. Agr. Exp. Sta. Bull. No. 860, p. 59.
- Ibrahim, O.S. (1988).**
Effect of some additives on wheat flour dough and
bread characteristics.
- Ingledeew, W.M.; Jones, A.M.; Bhatti, R.S. and Rossgel,
B.G. (1995).**
Fuel alcohol production from hull-less barley.
Cereal Chem. 72 : 147.
- Irvlne, G.N.; Bradley, J.W. and Martin, G.C. (1961).**
Farinograph technique for macaroni doughs.
Cereal Chem. 38 : 153.
- Joen de Clerck (1957).**
A textbook of brewing.
Vol. I : 18-20 , London : Chapman and Hall.

Jeltema, M.A.; Zabik, M.E. and Thiel, L.J. (1983).

Production of cookie quality from dietary fiber components.

Cereal Chem. 60 (3) : 227-230.

Jewell, A.A. and Seaman, T. (1994).

Process for producing a fat substitute bakery dough and the fat.

United State Patent No. 5344663

(C.F. Wafaa Abo Zeid, Ph.D. Thesis, Fac. of Agric. Cairo Univ. 1999).

Jones, J.M. (1977).

Trace elements in human nutrition. The contribution of cereals.

Cereal Foods World 22, 573-578.

Kahlon, T.S.; Sanders, R.M.; Chow, F.I.; Chiu, M.C. and Batschart, A.A. (1990).

Influence of rice, oat and wheat bran on plasma cholesterol in hamster.

Cereal Chem. 67 : 439-441.

Kamat, V.B., Laurience, G.A., Hart, C.J. and Yoell, P. (1976).

Contribution of egg yolk lipoproteins to cake structure.

J. Sci. Food Agric. 24: 77-88.

Kentjones, D.W. and Amos, A.J. (1967).

Modern cereal chemistry.

Food Trade Press, Ltd, London, pp. 110-112.

- Kim, K.S. and D'Appolonia, L.B. (1977).**
Bread staling studies "Effect of protein content and storage temperature on the role of starch"
Cereal Chem. 54 : 216-224.
- Kim, C.S. and Walker, C.E. (1992).**
Interactions between starches, sugars and emulsifiers in high ratio cake model systems.
Cereal Chem., 69 (2) : 206-212.
- Kitterman, S. and Rubenthaler, G.L.(1971).**
Assessing the quality of oarly generation wheat selection with the micro AWRC test.
Cereal Sci. Today, 16 : 313.
- Klavons, J.A. and Bennett, R.D. (1995).**
Preparation of alkyl esters of pectin and pectic acid.
J. Food Sci, 60 : 13 513-515.
- Krog, N. (1973).**
Influence of food emulsifiers on the pasting temperature and viscosity of various starches.
Starch / Starke, 25, 22-26.
- Lampart, Szczapa, E.; obuchowski, W.; Czaczyk, k.B. and Buraczewska, L. (1997).**
Effect of lupine flour on the quality and oligosaccharides of pasta and crisps.
Nahrung 41 (4) : 219-223.

Lee, C.; Gelroth, J.A. and Ranhotra, G.S. (1979).

Bioavailability of iron in some brand name variety breads.

Federation-Proceedings 38, 453-455.

Lee, C.C.; Love, J.A. and Johnson, L.A. (1993).

Sensory and physical properties of cakes with bovine plasma products substituted for egg.

Cereal Chem. 70 (1) : 18-21.

Lindahl, L. (1990).

Rheological properties in wheat flour systems.

Ph.D. Thesis, Dept. of Food Technology Univ. of Lund, Lund, Sweden.

(C.F. Wafaa Abo Zeid, Ph.D. Thesis, Fac. of Agric. Cairo Univ. 1999).

Lucisono, M.; Casirachi, E.M. and Barhreri, R. (1984).

Use of deffated corn germ flour in pasta products.

J. of Food Sci. 49 : 482-484.

Maleki, M.; Hoseney, R.C. and Maltern, P,J, (1980).

Effects of loaf volume, moisture content, and protein quality on the softness and staling rate of bread.

Cereal Chem., 57 (2) : 138-140.

- Matsuo, R.R. and Derter, J.E. (1980).**
Relationship between some durum wheat physical characteristics and semolina properties.
Cen. J. Plant Sci., 60 : 49.
- Menjivar, J.A. and Faridi, M. (1994).**
Rheological properties of cookie and cracker doughs.
The science of cookie and cracker production.
p. 283-322.
H. Faridi, ed. Chapman and Hall New York
M.Sc. Thesis, Fac. of Agric., Cairo Univ.
- Mestress, C.; Lexander, L.; Matencia, F. and Lahlau, A. (1991).**
Dry-milling properties of maize.
Cereal Chem., 68 : 51-56.
- Mettler, E. and Seibel, W. (1993).**
Effects of emulsifiers and hydrocolloids on whole wheat bread quality.
Cereal Chem. 70 (4) 373-377.
- Miller, R.A. and Hoseney, R.C. (1997).**
Factors in hard wheat flour responsible for reduced cookies spread.
Cereal Chem. 74 (3) : 330-336.

Miyamoto, A. and Chang, K.C. (1992).

Extraction and physicochemical characterization of pectin from sunflower bread residue.

J. Food Science 57 : (6) 1439-1443.

Morad, M.M.; Doherty, C.A. and Roney, L.W. (1984).

Effect of sorghum variety on baking properties of U.S. conventional bread.

Egyptian pita "Balady" bread and cookies.

J. Food Sci., 49 : 1070-1074.

Morrison, W.R. (1981).

Starch lipids : A reappraisal.

Starch / Staerke 33 : 408-410.

(C.F. Cereal Chem. 74 96) 733-738, 1997).

Newman, R.K.; Newman, C.W.; Hofer, P.J. and Barnes, A.E. (1991).

Growth and lipid metabolism as affected by feeding of hull-less barley with and without supplemental β -glucanase.

Plant Foods Human Nutr. 41 : 371-380.

Ott, L.(1984).

An introduction to statistical methods and data analysis.

2nd ed., Pws Publisher Boston, Ma, U.S.A.

- Park, J.; Rhee, K.S.; Kim, B.K. and Rhee, K.C. (1993).**
Single-screw extrusion of deffated soy flour, corn starch and raw beef blends.
J. Food Sci., 58 (1) : 9-20.
- Pechnik, E.; Balata, M.S. and Pinto, G.F. (1967).**
Opaque-2-Maize.
Arg. Brasil Nutrica, 23 (1) : 17-26.
(C.F. Maize quality protein Abst., 1975 1 (1)).
- Platt, W. and Powers, R. (1940).**
Compressibility of bread crumb.
Cereal Chem. , 17 : 601-621.
- Polizzoto, M.L.; Tinsley, M.A.; Weber, W.C. and Berry, W.J. (1983).**
Dietary fibers in muffins.
J. of Food Sci., 48 (111-118).
- Pomeranze, Y. (1978).**
Composition of functionality of wheat-flour components. pp. 585 in Wheat Chemistry and Technology.
Pub. By The Amer. Assoc. and Cereal Chem. St Paul Minn., U.S.A..
- Posner, E.S. and Deyol, C.W. (1986).**
Changes in milling properties of newly harvested hard wheat during storage.
Cereal Chem. 63 : (5) 451-453.

- Prentice, N.; Burger, C.W. and D'Appolonia, L.B. (1979).**
Rolled high-lysine barley in breakfast cereal, cookies
and bread.
Cereal Chem., 56 (5) : 413-415.
- Ranhotra, G.S.; Lee, C. and Geiroth, J.A. (1979).**
Bioavailability of iron in high cellulose bread.
Cereal Chem., 56, 156-158.
- Ranhotra, G.S.; Gelroth, J.A. and Glaser, B.K. (1993).**
Effect of pectin-wheat bran blends on rate blood
lipids and fecal responses and on muffin quality.
Cereal Chem., 70, 530-534.
- Ranhotra, G.S.; Gelroth, J.A. and Glaser, B.K. (1994).**
Usable energy value of a synthetic fat (Caprinen) in
muffins fed to rats.
Cereal Chem., 71, 159-161.
- Rhee, C.; Bae, S.W. and Yang, M.C. (1983).**
Studies on bread baking properties of naked barley
flour and naked barley wheat flour blends.
Korean Journal of Food Science and Technology 15
(2) : 112-117.
- Salgo, A.; Gamzln, K. and Jecsai, J. (1985).**
Simple enzymic methods for prediction of plant
protein
Lasztity, R. and Midnegi, M. eds. Reidal Public. Co.,
Dord, Scht pp. 331.

Seiler, D.A.L. (1983).

Preservation of bakery products

Flour Mill Res. Assoc. Bull. 4 : 167-177.

**Serma-Saldivar, S.O.; Gnett, R.; Vargas, J.; Ganzalez, M.;
Bedolla, S. and Medina, C. (1988).**

Effect of soy bean and sesame addition on the
nutritional value of maize and decorticated sorghum
tortillas produced by extrusion cooking.

Cereal Chem. , 65 (1) : 44-48.

Shafer, A.M. and Zabik, M.E. (1978).

Dietary fiber sources for baked products : comparison
of wheat brans and other cereal brans in layer cakes.

J. Food Sci., 41 : 357.

Shellenberger, J.A. (1982).

Processing and utilization of wheat.

Vol. II- part I, p. 91, J.A. Wolfed. CRC Press FNC
Boca Roton, pl.

Springsteen, E.; Zabik, M.E. and Shafer, M.A.M. (1977).

Note on layer cakes containing 30-70 / wheat bran.

Cereal Chem. 54 (1) 193-198.

Stampfli, L.; Nersten, B. and Molteberg, I.E. (1996).

Effects of emulsifiers on farinograph and
extensograph measurements.

Food Chemistry, 57 (4) : 523-530.

References _____

Ston, H.; Sidel, J.; Oliver, S.; Woolsey, A. and Singleton, R.C. (1974).

Sensory evaluations by quantitative descriptive analysis.

Food Technology, 28 : 24.

Takeda, K. (1994).

Effects of various lipid fractions of wheat flour on expansion of sponge cake.

Cereal Chem., 71 (1) : 6-9.

Tamstorf, S.; Jonsson, T. and Krog, N. (1985).

The role of fats and emulsifiers in baked product. In : Chemistry and physics of baking, ed. Blanshard, J.M.V.; Frazier, P.J. and Galliard, T. p. 85.

The Royal Society of Chemistry, London.

Tawfik, M.E. (1976).

Association among biochemical constituents of corn grain.

Agricultural Research Review 54 : 75.

Titcomb, S.T. (1977).

Low caloric bread and method for its production.

German Federal Republic Patent Application 2, 722, 198.

C.F. FSTA, 10 6 M 560, 1978.

- Tolonen, M. (1990).**
Vitamins and minerals in health and nutrition.
Academic Press, New York, p. 179.
- Walker, (1974).**
Dietary fiber and the pattern of disease.
Ann. Intern. Med. 80 : 663.
(C.F. Amer. Assoc. of Cereal Chemists, Inc., p. 370-374, 1981).
- Walravens, p. and Hambidge, k. (1976).**
Growth of infants fed a zinc supplemented formula.
Am. J. Clin. Nutr. 29 , 114-121.
- Williams, P.C.; Kuzina, F.D. and Hlynka, I. (1970).**
A rapid calorimetric procedure for estimating the amylose content of starch and flour.
Cereal Chem. 47 : 411.
- Yoshida, C. and Danno, G. (1989).**
Effect of the water soluble fraction on the viscoelasticity of wheat gluten.
Agric. Biol. Chem. 53 : 121.
- Zabik, M.E.; Shafer, M.A.M. and Kukorowski, B.W. (1977).**
Dietary fiber sources for baked products.
Composition of cellulose types and coated cellulose products in layer cakes.
J. of Food Sci., 42 96) 1426-1431.