

# REFERENCES

A.O.A.C. (1975).

Official and Tentative Methods of Analysis.

Association of Official Agricultural Chemist, Washington,  
D.C.

Arnich, L. and Arthur, V.A. (1980).

Interaction of fat-soluble vitamins in hypervitaminoses.

Ann. New York Acad. Sci. 355:109.

Bailey, A.E. (1964).

Industrial oil and fat products.

Interscience publishers, Inc., New York.

Baker, H.; Frank, O.; De Angelis, B. and Feingold, S. (1980).

Plasma tocopherol in man at various times after ingesting  
free or acetylated tocopherol.

Nutr. Rep. Int. 21:531.

Baker, J.R.; McC. Howell, J. and Thompson, J.N. (1967).

Hypervitaminosis A in the chick.

Br. J. Exp. Pathol. 48:507.

Bartov, I. (1983).

Effect of various dietary factors and age on plasma  $\alpha$ -  
tocopherol concentration of turkeys.

Poultry Sci. 62:635.

Bartov, I. and Bornstein, S. (1976).

Effect of degree of fatness in broilers on other carcass  
characteristics : Relationship between fatness and the  
composition of carcass fat.

Br. Poultry Sci. 17:17.

## REFERENCES

---

- Abawi, F.G. and Sullivan, T.W. (1989):  
Interaction of vitamins A, D<sub>3</sub>, E and K in the diet of  
broiler chicks.  
Poultry Sci. 68:1490.
- Abawi, F.G.; Sullivan, T.W. and Scheideler, S.E. (1985).  
Interaction of dietary fat with levels of vitamin A and E  
broiler chicks.  
Ibid. 64:1192.
- Ahuja, H.C. and Misra, U.K. (1975).  
Secretion of hepatic triglycerides into plasma of rats fed  
retinol.  
Agric. Biol. Chem. 39:637.
- Alderson, N.E.; Mitchell, G.E.Jr; Little, C.O.; Warner, R.E. and  
Tucker, R.E. (1971).  
Preintestinal disappearance of vitamin E in ruminants.  
J. Nutr. 101:655.
- Alfin-Slater, R.B. (1960).  
Relation of vitamin E to lipid metabolism.  
Amer. J. Clin. Nutr. 8:445.
- Ames, S.R. (1956).  
Role of vitamin E ( $\alpha$ -tocopherol) in poultry nutrition and  
disease.  
Poultry Sci. 35:145.

----- and ----- (1977a).

Stability of abdominal fat and meat of broilers : the interrelationship between the effects of dietary fat and vitamin E supplements.

Ibid. 18:47.

----- and ----- (1977b).

Stability of abdominal fat and meat of broilers: Relative effects of vitamin E, butylated hydroxytoluene and ethoxyquin.

Ibid. 18:59.

Bartov, I.; Lepstein, B. and Bornstein, S. (1974).

Different effects of dietary acidulated soybean oil soapstock, cottonseed oil soapstock and tallow on broiler carcass fat characteristics.

Poultry Sci. 53:115.

Belfied, A. and Goldberg, D.M. (1971).

Colorimetric determination of alkaline phosphatase activity.

Enzyme 12:561.

Bell, D.J. and Freeman, B.M. (1971).

Physiology and Biochemistry of The Domestic Fowl.

Academic Press London and New York.

Bieri, J.G. and Farrell, P.M. (1976).

Vitamin E.

Vitam. and horm. 34:31.

- Bieri, J.G.; Wu, A. and Tolliver, T.J. (1981).  
Reduced intestinal absorption of vitamin E by low dietary  
level of retinoic acid in rats.  
J. Nutr. 111:458.
- Bring, S.V.; Ricard, C.A. and Zachringer, M.V. (1965).  
Relationship between cholesterol and vitamin A  
metabolism in rats fed at different levels of vitamin A.  
Ibid. 85:400.
- Brody, S. (1949).  
Bioenergetics and growth.  
Reinhold Publication Corp.; New York.
- Brown, F. (1953).  
The tocopherol content of farm feeding stuffs.  
J. Sci. Food Agric. 4:161.
- Burnes, L. and Quackenbush, D. (1951).  
Stability of carotene and vitamin A.  
Ind. Eng. Chem. 43:1592.
- Caputto, R.; McCay, P.B. and Carpenter, M.P. (1961).  
The inhibition of ascorbic acid synthesis by the process of  
lipid peroxidation in vitamin E deficiency.  
Amer. J. Clin. Nutr. 9:61.
- Checke, P.R. and Oldfield, J.E. (1969).  
Influences on selenium and the absorption, excretion and  
plasma level of tritium labelled vitamin E in the rat.  
Can. J. Anim. Sci. 49:169.

- Chow, C.K. and Draper, H.H. (1969).  
Effect of artificial drying on tocopherols and fatty acids of corn.  
J. Agric. Food chemi. 17:1316.
- Chung, R.A.; Rogler, J.C. and Stademan, W.J. (1965).  
The effect of dietary cholesterol and different dietary fats on cholesterol content and lipid composition of egg yolk and various body tissues.  
Poultry Sci. 44:221.
- Combs, G.F.Jr. (1976).  
Different effects of high dietary levels of vitamin A on the vitamin E, selenium nutrition of young and adult chicks.  
J. Nutr. 106:967.
- (1978).  
Studies on the utilization of vitamin E alcohol and esters by the chick.  
Poultry Sci. 57:223.
- Combs, G.F.Jr. and Scott, M.L. (1974).  
Dietary requirements for vitamin E and selenium measured at the cellular level in the chick.  
J. Nutr. 104:1292.
- Combs, G.F.Jr. and Scott, M.L. (1977).  
Nutritional interrelationships of vitamin E and selenium.  
BioScience, 27:467.

Cornelius, C.E. (1963).

Liver function. Clinical biochemistry of domestic animals.

Chap. 5 Ed. C.E. Cornelius and J.J. Kaneko. Academic Press, New York.

Cornelius, C.E.; Bishop, J.; Switzer, J. and Rhode, E.A. (1959).

Serum and tissue transaminase activities in domestic animals.

The cornell Veterinarian Vol. XLIX: No. 1.

Crawford, L.d.; Peterson, D.W.; Kretsch, M.j.; Lilyblade, A.L. and Olcott, H.S. (1974).

The effect of dietary  $\alpha$ -tocopherol and tuna, safflower, and linseed oils on the flavor of turkey.

Fish. Bull. 27:1032.

Dam, H.; Soondergaard, E.; Holmer, G. and Leerbeck, L. (1966).

Production of encephalomalacia in chicks with diet containing vegetables oils.

Z. Ernährungswiss 7:50.

Desai, I.d. and Scott, M.L. (1966).

Bioassays for orally administered and injected tocopherols: A relationship with tissue peroxidizability and lysosomal enzymes.

Proceedings of the Seventh International Congress of Nutr. 5:643.

- Dicks, M.w.; Rouseaw, J.E.Jr.; Eaton, H.D.; Teichman, R.; Gripfo, A.P.Jr. and Kemmerer, H.A.Jr. (1959).  
Some interrelationships between vitamin E and vitamin A in Holstein Calves.  
J. Dairy Sci. 42:501.
- Dingle, J.T. (1961).  
Studies in vitamin A.  
Biochem. J. 79:509.
- Dingle, J.T. and Lucy, J.A. (1965).  
Vitamin A, carotenoids and cell function.  
Biol. Rev. 40:422.
- Donoghue, S.; Kronfeld, D.S. and Ramberg, C.F.Jr. (1979).  
Plasma retinol transport and clearance in in hyper-  
vitaminosis.  
J. Dairy Sci. 62:326.
- Dorr, P. and Balloun, S.L. (1976).  
Effect of dietary vitamin A, ascorbic acid and their  
interaction on turkey bone mineralization.  
Br. Poultry Sci. 17:581.
- Dugan, L., Jr. (1976).  
Lipids in Principles of Food Chemistry.  
Part 1. food chemistry. Fennema, O.R., Ed. Mareel  
Dekker, Inc., New York.
- Edwin, E.E.; Bunyan, J.; Green, J. and Diplock, A.T. (1962).  
The effect of vitamin A on ubiquinone and ubichromenol  
in the rat, and its relation to the effect of vitamin E.  
Br. J. Nutr. 16:135.

Ehrengut, W. (1960).

Excess vitamin A and infection. Experimental studies with vaccinia infection as a model.

Vitam. and horm. 18:501.

El-Gendi, G.M.I. (1989).

Factors affecting meat yield in broilers. Ph.D. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ.

Erdman, J.W., Jr.; Elliot, J.G. and Lachance, P.A. (1977).

The effect of three forms of vitamin A upon *in vitro* lipogenesis from 3 cholesterol precursors.

Nutr. Rep. Int. 16:47.

Erdman, J.W. Jr. and Solomon, L.W. (1977).

Effect of retonic acid feeding on rat serum and liver lipids.

Federation Proc. 36:1136.

Ewing, R. (1963).

Poultry Nutrition.

Fifth edition. Pasadena, California.

Farag, R.S.; Khalil, F.A.; Taha, R.A. and Aboul Enein, A. (1981).

Chemical studies on unsaponifiable matter of the cottonseed and peanut oils infected by *Aspergillus flavus*.

Grasas Y Aceites 32:87

Fell, H.B. and Dingle, J.T. (1963)

Studies on the mode of action of excess of vitamin A.6. lysosomal protease and degradation of cartilage matrix.

Biochem. J. 87:403.

- Fishwick, M.J. and Swoboda, A.T. (1977).  
Measurement of oxidation of polyunsaturated fatty acids  
by spectrophotometric assay of conjugated derivatives.  
J. Sci. Food Agric. 28:387.
- Foerst, W. (1967).  
Vitamin in Ulmann.  
Encyklopadie der technischen Chemie 3ed. Vol. XVIII.  
Munche, Berlin, Wien. [C.F. Roche (1976) "Vitamin  
Compendium" F. Hoffmann-La Roche and Co Ltd, Basle,  
Switzerland].
- Ford, E.J.H. (1965).  
Tests of liver function.  
Physiology and Biochemistry of The Domestic Fowl.  
Academic Press London and New York.
- Fossatic, P. and Prencipe, L. (1982).  
Enzymatic determination of Triglycerides.  
Clin. Chem. 28:2077.
- Franchini, A.; Meluzzi, S.; Burtuzzi, S. and Giordani, G. (1988).  
High doses of vitamin E in the broiler diets.  
Archiv fur Geflugelkunde 52:12.
- Frankel, E.N.; Evans, C.D. and Cooney, P.M. (1959).  
Tocopherol oxidation in natural fats.  
J. Agric. food Chem. 7:438.
- Frigg, M.; Prabucki, A.L. and Crippa, P. (1990).  
Floor pen trial on the effect of dietary vitamin E on  
performance and oxidation stability of broiler meat.  
Zootechnica International (December). pp 22.

- Frings, L.; Christopher, S. and Dum Ralph, T. (1970).  
Colorimetric method for determination of total serum lipid  
based on the sulfophosphovanillin reaction.  
Amer. J. Clin. Path. 53:89.
- Gallo-Torres, H.E. (1970).  
Intestinal absorption and lymphatic transport d-1,3,4,-  
<sup>3</sup>H<sub>2</sub>-tocopherol nicotinate in the rat.  
Int. J. Vitam. Nutr. Res. 40:505.
- Ganguly, J. (1967).  
Metabolism of vitamin A.  
J. Sci. Ind. Res. 26:110.
- Gerber, L.E. and Erdman, J.W.Jr. (1979).  
Effect of retinoic acid and retinyl acetate feeding upon  
lipid metabolism in adrenalectomized rats.  
J. Nutr. 109:580.
- Gomez, K.A. and Gomez, A.A. (1984).  
Statistical Procedures for Agricultural Research.  
2nd ed. John Wiley and Sons Pub., pp. 139.
- Hakkarainen, R.V.; Tyopponen, T.G. and Bengtsson, S.G. (1983).  
Changes in the content and composition of vitamin E in  
damp barley stored in airtight bins.  
J. Sci. Food Agric. 34:1029.
- Harris, R.S. (1962).  
Influences of storage and processing on the retention of  
vitamin E in foods.  
Vitam. and Horm. 20:603.

- Hayse, P.L.; Marion, W.W. and Paulson, R.J. (1974).  
The effectiveness of tocopherol in controlling oxidative rancidity in turkey.  
Poultry Sci. 53:1934.
- Hazzard, D.G.; Wodfel, C.G.; Calhoun, M.C.; Rousseau, J.E., Jr. and Eaton, H.D. (1964).  
Chronic hypervitaminosis A in holestin male calves.  
J. Dairy Sci. 47:391.
- Herting, D.C. and Drury, E.E. (1963).  
Vitamin E content of vegetable oils and fats.  
J. Nutr. 81:335.
- Hollander, D. (1981).  
Intestinal absorption of vitamin A, E, D and K.  
J. Lab. Clin. Med. 97:449.
- Hurst, R.O. (1964).  
The determination of nucleotide phosphorus with a stannous chloride-hydrazine sulphate reagent.  
Canad. J. Biochem. 42:287.
- Ibrahim, I.; Humphreys, D.J.; Stodulaki, J.B. and Hill, R. (1980).  
Plasma enzyme activities indicate of liver cell damage in laying fowl given a diet containing 20 percent of rapeseed meal.  
Vet. Sci. 28:330.
- Jenkins, M.Y. and Mitchell, G.V. (1975).  
Influence of excess vitamin E on vitamin A toxicity in rats.  
J. Nutr. 105:1600.

- Jensen, L.S.; Fletcher, D.L.; Lilburn, M.S. and Akiba, Y. (1981).  
Relationship of level of dietary vitamin A supplementation to broiler performance.  
Poultry Sci. 60:1603.
- Kamstra, M.; Halverson, Y. and Moxon, S. (1953).  
Effect of Trace minerals and other dietary ingredients upon carotene stability in stored poultry diets.  
Ibid. 32:352.
- Kinely, L.J. and Krause, R.F. (1959).  
Serum cholesterol determined as affected by vitamin A.  
Proc. Soc. Exp. Biol. Med. 99:244.
- Kivimae, A. and Carpenta, C. (1973).  
The level of vitamin A content in some conventional feeding stuffs and the effects of genetic variety, processing and storage.  
Acta. Agric. Scand. 19:161.
- Klatte, F.J.; Mitchell, G.E., Jr. and Little, C.O. (1964).  
*In vitro* destruction of vitamin A by abomasal and ruminal contents.  
J. Agric. Food Chem. 12:420.
- Komoda, M. and Harada, I. (1969).  
A dimeric oxidation product of Y-tocopherol in soybean oil.  
J. Amer. Oil. Chem. Soc. 46:18.

- Leenheer, A.B.; Bevere, V.; Ruyler, M. and Claeys, A.E. (1979).  
Simultaneous determination of retinol and  $\alpha$ -tocopherol in  
human serum by high-performance liquid  
chromatography.  
J. Chromatogr. 162:408.
- Lester, R.L.; Grane, F.L. and Hatefi, Y. (1958).  
Coenzyme Q : A new group quinones.  
J. Amer. Chem. Soc. 80. 4751.
- Livingston, A.L.; Nelson, j.W. and Kohler, G.O. (1968).  
Stability of  $\alpha$ -tocopherol during Alfalfa dehydration and  
storage.  
J. Agric. Food Chem. 16:492.
- Lowe, J.S.; Morton, R.A. and Harrison, R.G. (1953).  
Aspects of vitamin A deficiency in rats.  
Nature, 172:716.
- Ludwing, K.S. (1962).  
Vitamin A.  
Acta. Anat. 50:163.
- Mac Donald, D.; Gray, J.I.; Uebersax, M.A. and Morton, I.D.  
(1982).  
A statistical evaluation of three methods for measuring  
lipid oxidation in a model system.  
Food Chem. 8:21.
- Manston, R. (1966).  
The effect of large doses of vitamin A on calcium and  
phosphorus metabolism in the cow.  
Br. Vet. J. 122:443.

- March, B.E. and Biely, J. (1963).  
Vitamin A and cholesterol absorption in the chicken.  
J. Nutr. 79:474.
- March, B.E.; Wang, E.; Seier, L.; Sim, J. and Biely, J. (1973).  
Hypervitaminosis E in the chick.  
Ibid. 103:371.
- Marion, J.E. (1969).  
Oxidation of chicken tissue lipids as influenced by age and sex.  
Poultry Sci. 48:301.
- Martain, M.M. and Hurley, L.S. (1977).  
Effect of large amounts of vitamin E during pregnancy and lactation.  
Amer. J. Clin. Nutr. 25:1629.
- Marusich, W.L.; de ritter, e.; Ogrinz, E.F.; Ketating, J.; Mitrovic, M. and Bunnell, R.H. (1975).  
Effect of supplemental vitamin E in control of rancidity in poultry meat.  
Poultry Sci. 54:831.
- Mathur, A.K.; Ramanathan, R. and Misra, U.K. (1974).  
Effect of feeding excess of vitamin A and vitamin C on liver, plasma and adrenal lipids of rats.  
Int. J. Vit. Nutr. Res. 44:19.
- Mc Cuaig, L.W. and Motzok, I. (1970).  
Excessive dietary vitamin E: its alleviation of hypervitaminosis A and lack of toxicity.  
Poultry Sci. 49:1050.

- Mecchi, E.P.; Pool, M.F.; Behman, G.A.; Hamachi, M. and Klose, A.A. (1956).  
The role of tocopherol content in the comparative stability of chicken and Turkey fat.  
Ibid. 35:1238.
- Mecchi, E.P.; Pool, M.F. and Klose, A.A. (1953).  
The role of tocopherol content in the stability of chicken and turkey fats.  
Ibid. 32:915.
- Misra, U.K. (1974).  
Effect of retinol on liver lipid metabolism of rats.  
Agric. Biol. Chem. 38:247.
- Morton, R.A. (1958).  
Ubiquinone.  
Nature, 182:1764.
- Muller, D.P.R.; Manning, J.A.; Mathias, P.M. and Harries, J.T. (1976).  
Studies on the intestinal hydrolysis of tocopherol esters.  
Int. J. Vit. Nutr. Res. 46:207.
- Murphy, T.P.; Wright, K.E. and Pudelkiewicz, W.J. (1981).  
An apparent rachitogenic effect of excessive vitamin A intake in the chick.  
Poultry Sci. 60:1873.
- Nerurker, M.K. and Sahasrabudhe, M.B. (1956).  
Metabolism of calcium, phosphorus and nitrogen in hypervitaminosis A in young rats.  
Biochem. J. 63:344.

- Nieman, C. and Obbink, H.J.K. (1954).  
The biochemistry and pathology of hypervitaminosis A.  
Vitam. and Horm. 12:69.
- Nir, I.; Shpira, N.; Nitsan, Z. and Dror, Y. (1974).  
Force feeding effects on growth, carcass and blood  
composition in the young chick.  
Br. J. Nutr. 32:229.
- Noguchi, T.; Cantor, A.H. and Scott, M.L. (1973).  
Mode of action of selenium and vitamin E in prevention of  
exudative diseases in chicks.  
J. Nutr. 103:1502.
- Ofmann-La Roche, H. (1976).  
Vitamin Compendium.  
1st ed. Hofmann-La Roche and Co Ltd, Basle,  
Switzerland.
- Pearson, D. (1975).  
Determination of the thiobarbituric acid (TBA) number.  
Laboratory techniques in food analysis.  
2nd Impression 172:173.
- Phillips, W.E.J. (1961).  
Vitamin A deficiency and isoprenoid metabolism.  
Canad. J. Biochem. Physiol. 39:855.
- (1962).  
The ubiquinone and crude sterol content of the liver with  
variations in the intake of tocopherol in the vitamin A  
deficient rat.  
Ibid. 40:1347.

- Plavnik, I. and Hurwitz, S. (1985).  
The performance of broiler chicks during and following a severe feed restriction at an early age.  
Poultry Sci. 64:348.
- Pudelkiewicz, W.J.; Matterson, L.D.; Potter, L.M.; Webster, L. and Singsen, E.P. (1960).  
Chick tissue-storage bioassay of alpha-tocopherol: Chemical analysis techniques and synthetic alpha-tocopherol.  
J. Nutr. 71:115.
- Pudelkiewicz, W.J.; Webster, L. and Matterson, L.D. (1964a).  
Effect of high levels of dietary vitamin A acetate on tissue tocopherols and some related observations.  
Ibid 84:113.
- Pudelkiewicz, W.J.; Webster, L.; Olson, G. and Matterson, L.D. (1964b).  
Some physiological effects of feeding high levels of vitamin A acetate to chicks.  
Poultry Sci. 43:1157.
- Ram, G.C. and Misra, U.K. (1975).  
Studies on mode of action of vitamin A.  
Int. J. Vit. Nutr. Res. 45:3.
- Rivetz, B. and Bogin, E. (1982).  
Enzymatic changes in serum and tissue in fowl infected with a neurotropic mesogenic strain of Newcastle disease virus.  
Avian Path. 11:407.

- Rivetz, B.; Bogin, E.; Weisman, Y.; Avidar, J. and Hadani, A. (1977).  
Change in the biochemical composition of blood in chickens infected with *Borrelia anserina*.  
Ibid. 6:343.
- Rotruck, J.T.; Pope, A.L.; Banther, H.E.; Swanson, A.B.; Haforman, D.G. and Koekstra, W.G. (1973).  
Selenium: biochemical role as a component of glutathione peroxidase.  
Science 179:585.
- Rousseau, J.E., Jr.; Dicks, M.W.; Teichman, R., Helmboldt, C.F.; Bacon, E.L.; Prouty, R.M.; Dolge, K.L.; Jungheer, E.L. and Beall, G. (1957).  
Relationship between plasma, liver and dietary tocopherol in calves, lambs and pigs.  
J. Anim. Sci. 16:612.
- Sebeesta, D.G.; Rodshow, F.J. and Prockop, D.J. (1964).  
Source of the elevated serum alkaline phosphate activity in biliary obstruction: studies utilizing isolated liver perfusion.  
Gastroenterology 47:166.
- Serbell, W. and Harries, H. (1972).  
The vitamins.  
Vol. 5, New York Academic press, publishers.
- Sheehy, P.J.A.; Morrissey, P.A. and Flynn, A. (1991).  
Influence of dietary  $\alpha$ -tocopherol on tocopherol concentration in chick tissues.  
Br. Poultry Sci. 32:391.

- Sheldon, B.W. (1984).  
Effect of dietary tocopherol on the oxidative stability of turkey meat.  
Poultry Sci. 63:673.
- Singh, V.N.; Singh, M. and Venkitasubramanian, T.A. (1969).  
Early effects of feeding excess vitamin A: Mechanism of fatty liver production in rats.  
J. Lipid Res. 10:395.
- Sklan, D. and Donoghue, S. (1982).  
Vitamin E response to high dietary vitamin A in the chick.  
Ibid: 112:759.
- Sklan, D.; Bartov, I. and Hurwitz, S. (1982).  
Tocopherol absorption and metabolism in the chick and turkey.  
J. Nutr. 112:1394.
- Soderhjelm, P. and Andersson, B. (1978).  
Simultaneous determination of vitamins A and E in feeds and foods by reversed phase high-pressure liquid chromatography.  
J. Sci. Food Agric. 29:697.
- Squibb, R.L. (1963).  
Vitamin A toxicity and its effect on liver nucleic acids, protein and lipids in the chick.  
Poultry Sci. 42:1332.
- Stevens, V.I. and Blair, R. (1983).  
Dietary level of fat, calcium, and vitamins A and D<sub>3</sub> as contributory factors to rickets in poults.  
Ibid. 62:2073.

- Takayama, M.; Itoh, S., Nagasaki, T. and Tanimizu, I. (1977).  
Enzymatic determination of phospholipids.  
*Clin. Chem. Acta.* 79:93.
- Tang, K.N.; Rowland, G.N. and Veltmann, J.R., Jr. (1982).  
Comparative vitamin toxicity of bone in the leghorn and  
broiler chick.  
*Poultry Sci.* 61:1554.
- Tappel, A.L. (1962).  
Vitamin E as the biological lipid antioxidant.  
*Vitam. and Horm.* 20:493.
- Taylor, T.G.; Morris, K.M.L. and Kirkely, J. (1968).  
Effect of dietary excesses of vitamin A and D on some  
constituents of the blood of chicks.  
*Br. J. Nutr.* 22:713.
- Thafvelin, B. and Oksanen, H.E. (1966).  
Vitamin E and linolenic acid content of hay as related to  
different drying conditions.  
*J. Dairy Sci.* 49:282.
- Ubersax, M.A.; Dawson, L.E. and Ubersax, K.L. (1978).  
Storage stability (TBA) of meat obtained from turkeys  
receiving tocopherol supplementation.  
*Poultry Sci.* 57:937.
- Veltmann, J.R.; Jensen, L.S. and Rowland, G.N. (1986).  
Excessive dietary vitamin A in the growing chick: Effect  
on fat source and vitamin D.  
*Ibid.* 65:153.

- Vogel, A.R. (1975).  
A Text Book of Practical Organic Chemistry.  
3rd ed. Book Society and Longman Group Ltd.
- Wall, and Kelley, (1951).  
Vitamin A content of feeding-stuffs.  
Ind. Eng. Chem. 43:1146.
- Waltking, A.E. and Zmachinski, H. (1970).  
Fatty acid methodology for heated oils.  
J. Amer. Oil Chem. Soc. 47:530.
- Watson, D. (1960).  
Cholesterol colorimetric method.  
Clin. Chem. Acta. 5:637.
- Weber, F.; Gloor, U. and Wiss, O. (1960).  
*In vitro* untersuchungen zur biosynthesis von cholesterol  
bei vitamin A.  
Mangel. Helvet. Physiol. Pharmacol. Acta. 18:97.
- Weeb, J.E.; Brunson, C.C. and Yates, J.D. (1971).  
Effect of feeding antioxidants on rancidity development in  
procooked, frozen broiler parts.  
Poultry Sci. 50:1643.
- Weeb, R.W.; Marion, W.W. and Hayse, P.L. (1972).  
Effect of tocopherol supplementation on the quality of  
precooked and mechanically deboned turkey meat.  
J. Food Sci. 37:853.

- White, B.A. (1970).  
Colorimetric determination of serum GOT and GPT activity.  
Chemistry of Med. Technologist, 3rd Ed. 660-61.
- Wills, E.D. (1985).  
Biochemical diagnosis. In: Biochemical Basis of Medicine (Wills, D.; Ed.) pp. 489-499, Wright, Bristol, England.
- Wishner, L.A. and Keeney, M. (1965).  
Comparative study of monocarbonyl compounds formed during deep frying in different fats.  
J. Amer. Oil. Chem. Soc. 42:776.
- Wiss, O.; Gloor, U. and Weber, F. (1961).  
Vitamin A function in ubiquinone and cholesterol biosynthesis.  
Amer. J. Clin. Nutr. 9:27.
- Witting, L.A. (1975).  
Vitamin A as a food additive.  
J. Amer. Oil. Chem. Soc. 52:64.
- Wood, J.D. (1960).  
Dietary marine fish oils and cholesterol metabolism. 2. The effect of vitamin A and cod liver oil components on the serum cholesterol levels of chicks.  
Canad. J. Biochem. Physiol. 38:879.

- Wood, J.D. and Topliff, J. (1961).  
Dietary marine fish oil and cholesterol metabolism. 3. The comparative hypercholesterolemic activities of fish oil and vitamin A.  
J. Fisheries Res. Bd. Canada, 18:377.
- Wooton, I.D.P. (1964).  
Estimation of plasma albumin. In: Micro-analysis in medical biochemistry. 4<sup>th</sup> ed. publisher, J. and A. Churchill Ltd. London, 139.
- Wroblewski, F. and Ladue, J.S. (1955).  
Serum glutamic oxalacetic transaminase activity as an indicator of liver cell injury. A preliminary report.  
Ann. Inter. Med. 43:345.
- Yang, N.Y.J. and Desai, I.D. (1977).  
Effect of high levels of dietary vitamin E on liver and plasma lipids and fat soluble vitamins in rats.  
J. Nutr. 107:1418.
- Young, L.G.; Lun, A.; Pos, J.; Forshaw, R.P. and Edmeades, D. (1975).  
Vitamin E stability in corn and mixed feed.  
J. Anim. Sci. 40:495.
- Zamora, R.H.; Francisco, J. and Tappel, A.L. (1991).  
Comparative antioxidant effectiveness of dietary B-carotene, vitamin E, selenium and coenzyme Q<sub>10</sub> in rat erythrocytes and plasma.  
J. Nutr. 121:50.