

LIBRARY

REFERENCES

- A.O.A.C. (1980):** "Official methods of analysis of the Association of Official Analytical Chemists." 13th Ed. Washington, D.C.
- A.O.C.S. (1982):** "Official and Tentative Methods". Pub. by the A.O.C.S., Chicago, Illinois.
- Abd El-Rahman, A.A. and Mahmoud, M.H.M. (1995):** "Effect of dietary rapeseed oil on liver, kidney function and fertility in the rats." *Annals of Agric. Sci. Moshtohor*, 33:1051.
- Abd El-Rahman, A.A.A. (1991):** "Biochemical studies on steroids". Ph.D. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ., (Banha Branch).
- Abo-Arab, A.; Fayed, A. and Hofi, A. (1989):** "Identification of palm oil in some fatty products". *J. Agric. Sci., Mansoura Univ.*, 14:245-53.
- Ackman, R.G. (1983):** "Chemical composition of rapeseed oil". In: *High and Low erucic acid rapeseed oils*, Ed., by Kramer, J. K. G., Sauer, F.D. and Pigden, W.J., Acad. Press, Canada, Part 4:85.
- Ahmad, R. Ali, I. (1971):** "A study of fatty acids composition of rapeseed and mustard oil." *Sci. and Ind.*, 8(3/4):304-7.
- Allen, J.E. (1978):** "Principles and catalysts for hydrogenation of fats and oils." *J Am. Oil Chem. Soc.*, 55:792.
- American Fats and Oils Association Rule 14, (1988):** "Crude Sunflower Oil Trading Rules". In: *United States Sunflower Crop Quality Report (1988)*: Ed. by Karl Schmidt. Pub. by the National Sunflower Association. Bismarck North Dakota 58502-2533.
- Angelo, St.A.J.; Ory, R.L. and Brown, L.E.(1975):** "Comparison of methods for determining peroxidation in processed whole peanut products." *J. Am. oil Chem. Soc.* 52:34.
- Appelqvist, L.A.(1971):** "Composition of seeds of cruciferous oil crops." *J. Am. Oil. Chem. Soc.* 48:851-9.
- Appelqvist, L.A.; Kornfeldt, A.K.; and Wennerholm, J.E. (1981):** "Sterols and steryl esters in some *Brassica* and *Sinapis* seeds." *Phytochemistry* 29, 207-10.

- Arya, S.S; Ramaujam, S. and Vijayaraghavan, P.K.(1969):** "Refractive index as an objective method for evaluation of rancidity in edible oils and fats". J. Am. oil Chem. Soc. 46:28-30
- Bailey, A.E. (1964):** "Industrial oil and fat products" Interscience publishers, Inc. New York.
- Ballester, D.; Rodrigo, R.; Nakouzi, J.; Chichester, C.O.; Yanez, E., and Monckeberg, F. (1970):** "Rape seed meal, II- Chemical composition and biological quality of the protein." J. Sci. Fd. Agric. 21:140-2.
- Barbour, G.W. and Sim, J.S.(1991):** "True metabolizable energy and true amino acid availability in canola and flax products for poultry." Poultry Sci., 70:2154- 61.
- Barrera-Arellano, D., and Esteves, W. (1992):** "Oxidative stability of potato chips determined by rancimat." J. Am. Oil Chem. Soc. 69:335.
- Bastic, M.; Bastic, Li.; Jovanovic, J.A. and Spileller, G. (1978):** "Hydrocarbons and other weakly polar unsaponifiables in some vegetable oils." J.Am. Oil Chem. Soc. 55:886.
- Bell, J.M. and Shires, A. (1983):** "Digestibility by pigs of hulls canola and rapeseed with yellow or brown seed coats." 7th Progress Report Pub. by Canola Council of Canada, Prepared by Mc Gregor, E.E. 301-433 Main St., Winnipeg, Manitoba, Canada.
- Berger, K. (1986):** "Palm oil Products why and how to use them." Food Techn., 72-79.
- Bjørkman, R. (1976):** in "The Biology and Chemistry of the Cruciferae." Ed. by Vaughan, J.G., Macleod, A.J. and Jones, B.M.G., Academic Press, London: 191-205.
- Burton, J. (1983):** "The use of canola protein diets for preruminant calves." 7th Progress Report, Pub by Canola Council of Canada, Prep. by McGregor, E.E., 301-433 Winnipeg, Canada, Main St., Manitoba.
- Campbell, L.D. and Slominski, B.A. (1990):** "Extent of thermal decomposition of indole glucosinolates during the processing of canola seed." J.Am. Oil Chem. Soc., 67:73-5.
- Canola Oil (1988):** "Nutritional properties" Pub. by Canola Council of Canada, October (1988).

- Chapman, H.D. and Pratt, P.F. (1961):** "Methods of analysis for soils, plants, and water." Dept. of Agric. Sci., Univ. of California, Riverside.
- Chen, S.S. and Berger, K.G. (1984):** "The emerging oleochemical industry in Malaysia. PORIM, Palm Oil Developments, No.1.
- Clandinin, D.R. (1986):** "Canola meal for livestock and poultry." Canola Council of Canada, 301-433 Main St., Winnipeg, Manitoba, Canada.
- Clandinin, D.R.; Robblee, A.R.; Bell, J.M. and Slinger, S.J. (1986):** "Composition of canola meal." In "Canola meal for livestock and poultry." Ed. by Clandinin, Canola Council, 301-433 Main St., Winnipeg, Manitoba, Canada R3B 1B3.
- Croft, A.G. (1979):** "The determination of total glucosinolates in rapeseed meal by titration of enzyme-liberated acid and the identification of individual glucosinolates" J. Sci. food Agric., 30:417-23.
- Daun, J.K.; DeClercq, D.R. and Mc Gregor, D.I. (1990):** "Analysis of glucosinolates in canola and rapeseed, Method of the Canadian Grain Commission, Grain Research Laboratory". In Oilcrops: Brassica Subnetwork. Proceedings of the third workshop, held at Shanghai, China 21-24 April, Ed. by Omran, A. Published by IDRC ISBN 0-88936-670-5, Canada.
- Daun, J.K.; Mazur, P.B. and Marek, C.J. (1983):** "Use of gas liquid chromatography for monitoring the fatty acid composition of Canadian rapeseed." J. Am. Oil Chem. Soc., 60:1751.
- Daxenbichler, M.E.; VanEtten, C.H. and Williams, P.H. (1979):** "Glucosinolates and derived products in Cruciferous vegetables. Analysis of 14 varieties of Chinese Cabbage." J. Agric. Food Chem., 27:34-37.
- DeClercq, D.R.; Daun, J.K. and Tipples, T.H. (1992):** "Quality of Canadian canola and flaxseed cargoes". Cropyear (1991-1992), Cargo Bulletin No. 270, Canadian Grain Commission., Grain Res. Lab., 1404-303 Main St., Winnipeg, Manitoba, R 3C 3G8.
- Dorrell, D.G. (1978):** "Processing and utilization of oilseed Sunflower". In "Sunflower Science and Technology" Ed. Carter, J.F., Am. Soc. of Agronomy, Crop Sci. Soc. of Am., Soil Sci. Soc. of Am., Inc., Pub. Madison, Wisconsin, U.S.A.
- Downey, R.K. (1964):** "A selection of *Brassica campestris* L. containing no erucic acid in its seed oil." Can. J. Plant. Sci., 44:295.

- Dubois, M.; Gilles, K.A; Hamilton, J.K.; Rebers, P.A. & Smith, F. (1956):** "Colorimetric method for determination of sugars and related substances." *Anal. Chem.*, 28:350-6.
- Eisner, J.; Iverson, J.L.; Mozingo, A.K. and Firestone, D. (1965):** "Gas chromatography of unsaponifiable matter. III: Identification of hydrocarbons, aliphatic alcohols, tocopherols, triterpenoid alcohols and sterols present in olive oil." *J. Ass. Off. Agric. Chem.* 46:542.
- El-Nikeety, M.M.A. (1981):** "Chemical and physical changes during oxidation and interestrification of vegetable oils." Ph.D. Thesis, Fac. of Agric. Cairo Univ.
- El-Nockrashy, A.S.; Mukherjee, K.D. and Mangold, H.K. (1977):** "Rapeseed protein isolates by countercurrent extraction and isoelectric precipitation". *J. Agric. Food Chem.*, 25:193-7.
- El-Sayed, F.E. (1987):** "Studies on some vegetable oils." M. Sci. thesis, Fac. of Agric., Zagazig Univ.
- Ettlinger, M.G. and Kjaer A. (1968):** "Glucosinolates in Tovariaceae." In "Recent Advances in Phytochemistry, Mabry, T.J.; Alston, R.E. and Runeckles, V.G. (Eds), Appleton-Century-Crofts, New York, NY, vol. 1:60-144.
- Ettlinger, M.G., and Lundeen, A.J. (1957):** "First synthesis of a mustard oil glucoside. The enzymatic lossen rearrangement." *J. Am. Chem. Soc.* 79:1764-5.
- FAO/WHO (1973):** "Energy and protein requirements." World Health Organization, Tech. Rep. Ser. No. 522, Geneva. FAO Nutr. Rep. Ser. No. 52, Rome.
- FAO/WHO (1974):** Joint FAO report of the seventh session of the Codex Alimentarius Committee on fats and oils, London, March (1974). (*C.F. J. Am. Oil Chem. Soc.* 53:94).
- Farag, R.S.; Hallabo, S.A.S.; Hewedi, F.M. and Basyony, A.E. (1986):** "Chemical evaluation of rapeseed." *Anstrichemistry*, 10:391-8.
- FDA (1985):** Food and Drug of Health and Human Services, 21 CFR Part 178, Federal Register, Vol.50, No.18; PP. 3745-55. Food and Drug Administration.

- Fenwick, G.R. (1984):** In "Improved method for the determination of the total glucosinolate contents of rapeseed by determination of enzymically released glucose." *Analyst* (1988), 113:1515-18.
- Fenwick, G.R.; Heaney, R.K. and Mullin, W.J. (1983):** "Glucosinolates and their breakdown products in food and food plants." *CRC Crit. Rev. Food Sci. Nutr.* 18:123-201.
- Gargano, A. (1973):** "Observations on the limitation of colza oil in the preparation of seed oil and margarines." *Industrie Alimentari*, 12:123-24.
- Gillberg, L. and T. rnell, B. (1976):** "Preparation of rapeseed protein isolates. Dissolution and precipitation behavior of rapeseed proteins". *J. of Fd. Sci.*, 41:1063-9.
- Gillberg, L. and T. rnell, B. (1977):** "Preparation of rapeseed protein isolates: A study of rapeseed protein isolates by molecular sieve chromatography." *J. of Fd. Sci.*, 42:139-42.
- Gmelin, R. and Virtanen, A.I. (1960):** "The enzymic formation of Thiocyanate (SCN⁻) from a precursor(s) in *Brassica Species*." *Acta. Chem. Scand.*, 14:507.
- Gray, J.I. (1978):** "Measurement of lipid oxidation." *J. Am. Oil Chem. Soc.* 55:539-46.
- Gunstone, F.D., Harwood, J.L and Padley, F.B. (1986):** "The lipid handbook". Chapman and Hall Ltd. Printed in Great Britain at the Univ. Press, Cambridge.
- Hafermann, J.C.A.; Zhang, Y. and Parsons, C.M. (1993):** "Effects of processing on the nutritional quality of canola meal." *Poultry Sci.* 72:326-33.
- Heaney, R.K. and Fenwick, G.R. (1980):** "The analysis of glucosinolates in Brassica Species using gas chromatography. Direct determination of isocyanate ion precursors, glucobrassicin and neoglucobrassicin." *J. Sci. Food Agric.* 13:593.
- Heaney, R.K.; Spinks, E.A. and Fenwick, G.R. (1988):** "Improved method for the determination of total glucosinolate content of rapeseed by determination of enzymically released glucose." *Analyst*, 113:1515-8.
- Hudson, B.J.F. (1983):** "Evaluation of oxidative rancidity techniques." In: "Rancidity in Foods." Ed. by Allen, J.C. and Hamilton, R.S., Applied Sci. Pub. London and New York.

- Idris, N.A.; Berger, K.G. and Ong, A.S.H. (1989):** "Evaluation of shortenings based on various palm oil products". *J. Sci. Food Agric.* 46:481-93.
- Itoh, T.; Tamura, T. and Matsoumoto, T. (1973):** "Sterol composition of 19 vegetable oils." *J. Am. Oil Chem Soc.* 50:122.
- Jebe, T.A.; Motlock, M.G. & Sleeter, R.T. (1993):** "Collaborative study of the oil stability index analysis." *J. Am. Oil Chem. Soc.* 70:1055-61.
- Jönsson, R. (1977):** "Breeding for improved oil and meal quality in rape (*Brassica napus* L.) and turnip rape (*Brassica Compestris* L.)." *Hereditas*, 87:205-18.
- Johansson, A. and Appelqvist, L.A. (1979):** "The sterol composition of freshly harvested compared to sterol seeds of rape, sunflower and pappy." *J. Am. Oil. Chem. Soc.* 65:955-97.
- Johansson-Kornfeldt, A. (1979):** Ph.D. Thesis, Swedish University of Agric. Sci., Uppsala, Sweden. In *J. Assoc. Off. Anal. Chem.*, Vol. 68:701 (1985).
- ⇒ **Jones, J.D. (1979):** "Rapeseed protein concentrate preparation and evaluation." *J. Am. Oil Chem. Soc.*, 56:716.
- ⇒ **Keith, M.O. and Bell, J.M. (1983):** "Effect of ammoniation on the composition and nutritional quality of canola meal for swine." 7th Progress Report, Pub by Canola Council of Canada, Prepared by McGregor, E.E. 301-433 Main St, Winnipeg, Manitoba, Canada.
- Khalaf, H.G.M. (1992):** "Chemical studies on palm oil". Ph. D. Thesis, Fac. of Agric., Mansoura Univ.
- ⇒ **Khalil, A.R.A. (1991):** "Determination of glucosinolates in rapeseed meal using sulphatase enzyme and modern chromatographic technique." *J. Agric. Sci., Mansoura Univ.*, 16(10):2484-92.
- Kirk, J.T. and Oram, R.N. (1981):** (C.F.: Kramer, J.K.G.; Sauer, F.D. and Pidgen, W.J., 1983). High and low erucic acid rapeseed oils." *Acad. Press, Canada, Part 1*, 1-18.
- ⇒ **Kjaer, A. (1974):** In "Chemistry in Botanical Classification", G. Bendy and J. Santesson (Eds), Academic Press, London, UK, PP:229-34.

Kornfeldt, A. and Børjecrodn, L. (1981): In "Improved method for quantitating and obtaining the unsaponifiable matter of fats and oils." J. Am. Oil. Chem. Soc., (1988), 65:246-51.

Kramer, J.K.G.; Sauer, F.D. and Pigden, W.J. (1983): "High and low erucic acid rapeseed oils." Acad. Press, Canada.

Lin, S.S. (1991): In "Introduction to Fats and Oils Technology". Ed. by Wan P.J., Am. Oil Chem. Soc., Champaign, 211-31.

List, J.; Prikryl, A.; Dedek, J.; Foglar, R.; Kaspar, J.; Blacky, A.; Cmolik, J.; Kultova, I. and Hynek, M. (1983): "Modified fat." Czechoslovak Patent CS 218 041.

Mahmoud, E.M.M. (1995): "Chemical and biological evaluation of some vegetable oils." Ph.D. Thesis, Fac. of Agric., Cairo Univ.

Malaysian Oil Science and Technology (1992): "Food uses of palm oil." Vol. 1 No1.

Malaysian Palm Oil (1978): Technical Bulletin No. 1- Introduction to the Malaysian Palm Oil Industry. Compiled by the Technical Research Committee for the Malaysian Oil Palm Growers' Council Kuala Lumpur.

Marianchuk, M.N.; Ellenberger, J. and Fedec, P. (1987): "Canola check sample program - year 5." 8th Progress Report, Pub by Canola Council of Canada, 301-433 Main St., Winnipeg, Manitoba, Canada.

Markus, W. Läubli and Peter, A. Bruttel (1986): "Determination of the oxidative stability of fats and oils: Comparison between the Active Oxygen Method. (AOCS, Cd 12-57) and the Rancimat Method." J. Am. Oil Chem. Soc. 63.

McGregor, D.I.; Mullin, W.J. and Fenwick, G.R. (1983): "Review of analysis of glucosinolates. Analytical methodology for determining glucosinolate composition and content." J. Assoc. Off. Anal. Chem., 66:825-49.

Mills, J.T.; Clear, K.M. and Dawn, J.K. (1987): "Storability of frost-damaged canola" 8th Progress Report, Pub by Canola Council of Canada, 301-433 Main st., Winnipeg, Manitoba, Canada.

Mohammed, Z.A.; Khairy, T.M. and El-Ahmer, B.A. (1987): "Chemical and biological evaluation of rapeseed oils." J. Drug. Res. Egypt. 17:107-12.

- Moharram, Y.G.; Mostafa, M.M. and Rahma, E.H. (1982):** "Some characteristics of rapeseed oil and meal." *Minufiya J. Agric. Res.*, Vol. 5:279-96.
- Moore, S.; Spachman, D.H. and Stein, W. (1958):** "Chromatography of amino acid on sulphonated polystyrene resins." *Anal. Chem.* 30:1185-90.
- Morrison, III, W.H. (1975):** "Effects of refining and bleaching on oxidative stability of sunflower oil¹." *J. Am. Oil Chem. Soc.* 52:522-25.
- Neff, W.E.; El-Agaimy, M.A. and Mounts, T.L. (1994):** "Oxidative stability of blends and interesterified blends of soybean oil and palm olein." *J. Am Oil Chem. Soc.* 71:1111-16.
- Niekerk, P.J. and Burger, A.E. (1985):** "The estimation of the composition of edible oil mixtures." *J. Am. Oil Chem. Soc.* 62:531.
- **Nishie, K. and Daxenbichler, M.E. (1980):** In *Agric. Food Chem.* V. 29 No. 6:1981-1239 *Food Cosmet. Toxicol.* 18:159.
- Nor Aini, I.; Hanirah, H.; Flingoh, C.H.Oh. and Sudin, N. (1992):** "Resistance to crystallization of blends of palm olein with soybean oil stored at various temperatures." *J. Am. Oil Chem. Soc.* 69:1206.
- Ohlson, R. and Anjou, R. (1979):** "Rapeseed protein products." *J. Am. Oil Chem. Soc.*, 56:431.
- **Olsen, O. and Sørensen, H. (1979):** "Isolation of glucosinolates and identification of o-(α -L-Rhamnopyranosyloxy) benzylglucosinolate from *Reseda Odorata*." *Phytochemi.*, 18:1547.
- **Olsen, O. and Sørensen, H. (1980):** "Sinalbin and other glucosinolates in seeds of double low Rape Species and *Brassica napus* cv. Bronowski." *J. Agric. Food Chem.* 28:43.
- Olsen, S.R; Cole, C.V.; Watanabe, F.S. and Dean, L.A. (1954):** "Estimation of available phosphorus in soil by extraction with sodium bicarbonate." *U.S. Dept. Agric. Circ.*, 939.
- Ong, A.S.H. (1983):** "Fractionation studies of palm oil by density gradient." *J. Am. Oil Chem. Soc.* 60:1755-60.
- Oosten, (1976):** "Food from wastes". *Applied Sci., Pub. LTD, London*:196.

- Parodi, P.W. and Dunstan, R.J. (1971):** "The relationship between the fatty acid composition, the softening point and the refractive index of milk fat." *J. Dairy Technol.*, 26:29.
- Podmore, J. (1987):** In "Recent Advances in Chemistry and Technology of Fats and Oils." Ed. by Hamilton, R.J. and Bhati, A., Elsevier Applied Science Publishers Ltd, New York, P:177.
- Prévôt, A.; Perrin, J.L.; Laclaverie, G.; Auge, Ph. and Coustille, J.L. (1990):** "A new variety of low linolenic rapeseed oil characteristics and room-odor tests." *J. Am Oil Chem. Soc.* 67:161-4.
- Price, P.B. and Parsons, J.G. (1975):** "Lipids of seven cereal grains" *J. Am. Oil Chem. Soc.* 52:490.
- Rady, A.H; Badei, A.Z.M.; Mohamed, E.M. and Hallabo, S.A.S. (1990):** "Evaluation of rapeseeds. I. Physical and chemical properties, stability, fatty acids composition and unsaponifiable matter constituents of rapeseed oil." The First Alexandria Conference on Food Science and Technology, Fac. of Agric. Alex. Univ. March 3-5 (1990).
- Raney, J.P, and McGregor, D.I (1990):** "Determination of glucosinolate content by gas chromatography of trimethylsilyl derivatives of desulfated glucosinolates." In *Oilcrops: Brassica Subnetwork. Proceedings of the third workshop, held at Shanghai, China 21-24 April*, Ed. by Omran, A. Published by IDRC ISBN 0-88936-670-5, Canada.
- Richard, L.A. (1954):** "Diagnosis and improvement of saline and alkali soils." U.S., Dept. Agric. Hand book 60 U.S. Govt. Print Office, Washington, 5:857.
- Robbelen, G. and Thies, W. (1980):** "Variation in rapeseed glucosinolates and breeding for improved meal quality." In: *Brassica crops and their wild Allie.* Ed. by Tsunoda, S.; Hinata, K. and Gomez-Campo, C. Jap. Sci. Soc. Press, Tokyo, PP:285-300.
- Robertson, J.A. (1972):** "Sunflowers: America's Neglected Crop¹." *J. Am. Oil. Chem. Soc.* 49:287-92.
- Rossell, J.B.; King, B. and Downes, M.J. (1985):** "Composition of oil" *J. Am. Oil Chem. Soc.* 62:221-9.
- Rowe, C.J. (1973):** "Food analysis by Atomic Absorption Spectroscopy." Varian Techtron., Australia, U.S.A. and Switzerland.

- Rutkowski, A. (1971): "The feed value of rapeseed meal." J. Am. Oil Chem. Soc., 48:863-7.
- Saarivirta, M. (1973): "The formation of benzylcyanide, benzyl-thiocyanate, benzylisothiocyanate and benzylamine from benzyl-glucosinolate from *Lepidium*." *Planta Med.*, 24:112.
- Sarwar, G.; Blair, R.; Friedman, M.; Gumbmann, M.R.; Hackler, L.R.; Pellett, P.L. and Smith, T.K. (1984): "Inter- and intra- Laboratory variability in rat growth assays for estimating protein quality of foods." J. Assoc. Off. Anal. Chem., 67:976.
- Schormuller, J. (1969): "Handbuch der lebensmittel chemie." Band I.V, Springer-Verlag, 875.
- Second Arab Conference for The Development of The Vegetable Oils Industry and its Specialized Exhibition. Arab Republic of Egypt, Cairo, 27-30 September (1993).
- Sedlacek, B.A.J. (1969): "Handbuch der lebensmittel chemie." Band I.V., Springer-Verlag, 875.
- See, L. and Timms, R.E. (1987): "Use of palm kernel oleins as a frying oil." *Asean Food Journal*, Vol. 3, No. 1.
- Shabana, M.K.S.; Guindi, E.R.; Abdel-Salam, A.M.H. and Abd El-Rahman A.A. (1991): "Effect of refining processes on the physicochemical properties and unsaponifiable matter of some edible oils." *Annals of Agric. Sci, Moshtohor*, 29:1455-66.
- Shabana, M.K.S.; Khalil, A.R.A. and El-Samanody, M.K.M. (1990): "Rapeseed meal (RSM): Detoxification of glucosinolate and biological evaluation of rapeseed meal." *Annals of Agric. Sci, Moshtohor*, 28:423:36.
- Shabana, M.K.S.; Saad, S.M.M.; Rady, A.H. and El-Khwas, K.H. (1989): "Elimination of undesirable materials from rapeseed (*Brassica napus*) seeds by aqueous solution treatments." *Annals of Agric. Sci. Moshtohor*, Vol 27:1051-65.
- Shabana, M.K.S.; Torki, M.A.; Khalil, A.R.A. and El-Samanody, M.K.M. (1990): "Effect of different extraction methods on the saponifiable and unsaponifiable content of rapeseed oils." *Annals of Agric. Sci Moshtohor*, Vol 28:991-1001.

- Sim, J.S. (1987):** "Significance of fatty acid balance on the utilization of canola oil." 8th Progress Report. Pub. by Canola Council of Canada, 301-433 Main St., Winnipeg, Manitoba, Canada.
- Sosulski, F.W. and Dabrowski, K.J. (1984):** "Determination of glucosinolates in canola meal and protein products by desulfation and capillary gas-liquid chromatography" J. Agric. Food Chem., 32:1172-5.
- Swkeldan, E.I.; Wysman, J.A.; Rovers, W.G. and Woutersem, R.A. (1983):** "Toxicological and nutritional evaluation of five different heated oils in rats." 6th International Rapeseed Conference, Paris, 17-19.
- Tan, B.K. and Oh, F.C.N. (1981):** "Malaysian palm oil. Chemical and physical properties". PORIM, Tech., No. 3.
- Tapper, B. and Gibbon, D.B.M. (1967):** "Toxic products from gluco-sinolates." Phytochemistry, 6:749-53.
- Tariq Saeed, M.; Agarwal, R.; Khan, M.W.Y.; Ahmed, F.; Osman, S.M.; Akihisa, T.; Suzuki, K. and Matsumoto, T. (1991):** "Unsaponifiable lipid constituents of ten Indian seed oils." J. Am. Oil Chem. Soc., 68:193-7.
- Teah, Y.K. (1993):** "Improvements in the frying quality of vegetable oils by blending with palm olein." Second Arab Conference, A.R.E. Cairo.
- Teah, Y.K. and Ibrahim, A. (1991):** "Palm olein improves cooking oil blends." Palm Oil Developments, No. 15, Palm Oil Res. Inst. Of Malaysia, Kuala Lumpur. P. 2-8.
- Ted Mag (1993):** "Canola: Process and product technology." J. Am. Oil Chem. Sci., 70:823.
- The National Sunflower Association (1988):** "United States Sunflower Crop Quality Report". Ed. by Karl Schmidt., Bismarck, North Dakota, 58502-2533.
- Thies, W. (1977):** "Analysis of glucosinolates in seeds of rapeseed (*Brassica napus* L.): concentration of glucosinolates by ion exchange." Z. Pflanzenzuchtung, 79:331-35.
- Tod, A.J.; Matlock, M.G. and Sleeter, R.T. (1993):** "Collaborative study of the oil stability index analysis." J. Am. Oil Chem. Soc. 70:1055.
- Tzeng, Y-M.; Diosady, L.L. and Rubin, L.J. (1988):** "Preparation of rapeseed protein isolates using ultrafiltration, precipitation and diafiltration." Can. Inst. Fd. Sci. Technol. J., Vol 24:419-24.

Underhill, E.W. and Kirkland, D.F. (1971): "Gas chromatography of trimethylsilyl derivatives of glucosinolates." *J. Chromatogr.*, 57:47-54.

Underhill, E.W.; Wener, L.R. and Chisheim, M.D. (1973): "Biosynthesis of glucosinolates." *Biochem. Soc. Symp.* 38:303-26.

United States Sunflower Crop Quality Report (1988): Ed. by Karl Schmidt, Pub. by The National Sunflower Association, Bismarck, North Dakota 58502-2533.

VanEtten, C.H. and Wolff, I.A. (1973): In: "Toxicants Occurring Naturally in Food." 2nd ed., National Academy of Sciences. Washington, D.C., P:210.

VanEtten, C.H.; Daxenbichler, M.E.; Peters, J.E. and Tookey, H.L. (1966): "Seedmeal hydrolysis: Variation in enzymatic degradation products from the major thioglucosides in *Cramb. abyssinica* and *Brassica napus* seed meal." *J. Agric. Food Chem.*, 14:426.

VannieKerk, P.J. and Burger, A.E.C. (1985): "The estimation of the composition of edible oil mixtures." *J. Am. Oil Chem. Soc.* 62:531-8.

Watanbe, A.; Tashima, I.; Matsuzaki, N.; Kurashige, J. and Sato, K. (1992): "On the formation of granular crystals in fat blends containing palm oil." *J. Am. Oil Chem. Soc.*, 69:1077-80.

Wetter, L.R. and Dyck, J. (1973): Note: "Preparation of highly purified 3-butenyl- and 2-hydroxy-3-butenylglucosinolates." *Can. J. Anim. Sci.*, 53, 625-26.

Wilson, R.F.; Burton, J.W. and Kwanyuen, P. (1989): In "Edible Fats and Oils Processing: Basic Principles and Modern Practices.", Ed. by Erickson, D., Am. Oil Chem. Soc., Champaign: 355-9.

Worthington, R.E. and Hitchcock, H.L. (1984): "A method for the separation of seed oil steryl esters and free sterols: Application to peanut and corn oils." *J. Am. Oil Chem. Soc.*, 61:1085-88.

Zuprizal; Larbier, M.; Chagneau, A.M. and Geraert, P.A. (1993): "Influence of ambient temperature on true digestibility of protein and amino acids of rapeseed and soybean meals in broilers." *Poultry Sci.*, 72:289-95.