

References

A

- Abd El-Maksoud, A.M.; Noor, E.F. and Abd El-Galil, A.M. (1996):** "Study of the protective and curative effects of *N. sativa* on serum lipid pattern of rats fed hyperlipidemic diet". Egypt. J. Nutr., XI (1):65-85.
- Abd El-Khalek, S.M.; Ramadan, Z.M.; Abd El-Maksoud, A.M. and Noor, E.F. (1996):** "Effect of *N. sativa* seeds and oil on liver functions of rats fed hyperlipidemic diet". Egypt. J. Nutr., XI (1):86-103.
- Ahmed, A.S. (1976):** "Breeding and housing of experimental animals". Nameru-3, Abbassia, 3rd Edit.; 43-73.
- Ahmed, A.E.; Gamal, I.H.; Loh, J. and Abd El-Rahman, S.Z. (1991):** "Studies on the mechanism of haloacetonitrile-induced gastrointestinal toxicity: interaction of dibromoacetonitrile with glutathione and glutathione-S-transferase in rats. J. Biochem. Toxicol.; 6, 115-121.
- Allamah, A.; Vansoun, E.Y.; Zarghi, A. (1997):** "Role of glutathione conjugation in protection of weanling rat liver against acetaminophen". Mech. Aging; 95:71-79.
- Allston, C.A. (1993):** "Nonprotein nitrogenous compounds and renal function". In: Clinical Chemistry Concepts and Applications: S.C. Anderson and S.Cockayne, eds W.B. Saunders, comp. Publ. London, Philadelphia, pp. 366-383.

- Anisimov, V.N.; Popovich, I.G.; Zabezhinki, M.A. (1997):** "Melatonin and colon carcinogenesis". *Carcinogenesis*; 18:1549-53.
- Arrick, B.A.; Nathan, C.F.; Griffith, O.W. and Cohn, Z.A. (1982):** "Glutathione depletion sensitizes tumour cells to oxidative cytotoxicity". *J. Biol. Chem.*, 57:1231-1247.
- Awad, A.T. and Knecht, K.T. (1994):** "Free radicals and disease prevention". The 11th Conf. on "Egypt the Year 2000"; Cairo, Egypt, December 27-29.

B

- Babayán, V.K.; Koottungal, D. and Halaby, G.A. (1978):** "Proximate analysis, fatty acid and amino acid composition of *Nigella sativa* L. seeds". *J. of Food Science*, 43:1314-1319.
- Balistreri, W.F. and Shaw, L.M. (1987):** "Liver function". In: *Fundamentals of clinical chemistry*, 3rd. Tietz, N.W. eds. by W.B. Saunders Company publ., London, pp. 729-735.
- Bancroft, J.D. and Cook, H.C. (1996):** "Proteins and nucleic acids". In: *Theory and Practice of Histological Techniques*. Churchill Livingstone, Medical Division of Pearson Professional Limited, 4th ed.; pp. 139-147.
- Bast, A.; Haenen, G.R.M.M. and Doelman, C.J.A. (1991):** "Oxidants and antioxidants: State of the Art". *Am. J. Med.*, 91(suppl. 3C):25.

-
- Bauernfeind, J.C. (1976):** "Carotenoids as food colors".: Food Technology; 29:48-49.
- Bayliss High, O.B. and Lake, B.D. (1996):** "Lipids". In: Theory and Practice of Histological Techniques. Churchill Livingstone, Medical Division of Pearson Professional Limited, 4th Ed.; pp. 213-220.
- Bedevian, A.K. (1936):** "Illustrated polyglattic", Dictionary of plant Names; p. 415.
- Belfield, A. and Goldberg, D.M. (1971):** "Colorimetric determination of alkaline phosphatase activity". Enzyme; 12:561-568.
- Bellizzi, M.C.; Dutta-Roy, A.K.; Duthie, G.G. and James, W.P. (1997):** α -tocopherol binding activity of red blood cells in smokers. "Free Radical" Res.,27:105-12.
- Benard, O. and Balasubramanian, K.A. (1993):** "Effect of oxidant exposure on thiol status in the intestinal mucosa". Biochem. Pharamcol., 45:2011-2015.
- Bernstein, L. and Weatherall, M.(1952):** " Statistics for medical and other biological students. 2nd ed. Black will comp. Oxford. London, PP. 55-95.
- Beutler, E.; Duron, O. and Kelly, B.M. (1963):** "Improved method for the determination of blood glutathione". J. Lab. Clin. Med., 61:882-888.
- Bieri, J.G.; Corash, L. and Hubbard, V.S. (1983):** "Medical uses of vitamin E". N. Engl. J. Med., 308:1063-1071.

C

- Chang, M.Y.; Less, A.M. and Less, R.S. (1993):** "Low-density lipoprotein modification and arterial wall accumulation in a rabbit model of atherosclerosis". *Biochemistry*; 23:8518-8524.
- Chassaud, L.F. (1979):** "The role of glutathione and glutathione-s-transferase in the metabolism of chemical carcinogens and electrophilic agents. *Adv. Cancer Res.*, 29:175-185.
- Cheeseman, K.H. and Slater, T.F. (1993):** "An introduction to free radical biochemistry". *Br.Med.Bull.*; 49:481-493.
- Chen, L.D.; Kumar, P.; Reiter, R.J.; Tan, D.X.; Manchester, I.C.; Chamber, J.P.; Poeggeler, B. and Saarela, S. (1994):** "Melatonin prevents the suppression of cardiac Ca^{2+} -stimulated ATPase activity induced by alloxan". *Am. J. Physiol.*, 267:E57-E62.
- Chen, L.D.; Tan, D.X.; Reiter, R.J.; Yaga, K.; Poeggeler, B.; Kumar, P.; Manchester, L.C. and Chambers, J.P. (1993):** "*In-vivo* and *in-vitro* effects of the pineal gland and melatonin on [Ca^{2+} and Mg^{2+}] dependant ATPase in cardiac sarcolemma". *J. Pineal Res.*, 14:178-183.
- Christensen, S.E. (1993):** "Proteins". In: *Clinical Chemistry Concepts and Applications*, S.C., Anderson and S., Cockayne, eds, W.B.Saunders. Comp. Publy London, Philadelphia, pp. 188-207.
- Clark, R.; Thompson, R.P.H.; Borirakchanyavat, V.; Widdop, B.; Davidson, A.R.; Goulding, R. and Williams, R. (1973):** "Hepatic damage and death from over dose of paracetamol". *Lancet*, (1):66-69.
- Clive, D.M. and Stoff, J.S. (1984):** "Renal syndromes associated with nonsteroidal anti-inflammatory drugs". *N. Engl. J. Med.*, 310:563-72.

- Cominacini, L.; Garbin, U. and Cascio, V.L. (1996):** "The need for a free radical initiative" .*Diabetologia* ; 39:364-66.
- Corcoran, G.B.; Todd, E.L.; Racz, W.J.; Hughes, H.; Smith, C.V. and Mitchell, J.R. (1985):** "Effects of N-acetylcysteine on the disposition and metabolism of acetaminophen in mice". *J. Pharmacol. Exp. Ther.*, (232):857-863.
- Culling, C.F.A. (1974):** "Handbook of histopathological and histochemical techniques". Butter Worth Co. (Publishers) Ltd. printed in Great Britain by Redwood Burn limited - Trowbridge and Esher; pp. 266-268.
- Cutler, R.G. (1991):** "Antioxidant and aging". *Am. J. Clin. Nutr.*, 53:373S.

D

- Dahlin, D.C. and Nelson, S.D. (1982):** "Synthesis, decomposition kinetics, and preliminary toxicological studies of the pure N-acetyl-p-benzoquinoneimine, a proposed toxic metabolite of paracetamol". *J. Med. Chem.*, 25:885-886.
- Dannerberg, A.M.; Burstone, M.S. and Wildhack, J.A. (1960):** "Phagocytic and enzymatic activities of rabbit mononuclear and polymorphonuclear exudate cells". A histochemical study. *J. Histochem. Cystochem.*: 8:318.
- Davies, P. and Allison, A.C. (1976):** "Secretion of macrophages enzymes in relation to the pathogenesis of chronic inflammation". In: *Immunobiology of the Macrophages*, Davies, S. Nelson (ed.), Academic Press, New York, Chap. 17; p. 427.

-
- de Waart, F.G.; Moser, U. and Kok, F.J. (1997):** "Vit E supplementation in elderly lowers the oxid rate of bincic acid in LDL" *Atherosclerosis.*, 133:255-63.
- Dordonj, B.; Willson, R.A.; Thompson, R.P.H.; Williams, R. (1973):** "Reduction of absorption of paracetamol by activated charcoal and cholestyramine": a possible therapeutic measure". *Br. Med. J.*,:86-87.
- Dorfman, A. (1963):** "Polysaccharides of connective tissue". *J. Histochem. Cytochem.*, 11:2-7.
- Doumas, B.T.; Waston, W.A. and Biggs, H.G. (1971):** "Albumin standard and the measurement of serum albumin with bromocresol green". *Clin. Chem. Acta.*: 31:87-95.

E

- El-Alfy, T.S.; El-Fataty, H.M. and Toama, M.A. (1975):** "Isolation and structure assignment of an antimicrobial principle from the volatile oil of *Nigella sativa* L., seeds". *Pharmazia*; 30:9-11.
- El-Kadi, A. and Kandil, O. (1987):** "The black seed (*N. sativa*) as a natural immune enhancer. Presented at the first International Conference on Scientific Miracles of Quran and Sunnah, held in Islamabad, Pakistan, October (15-17).

- El-Tahir, K.E.H.; Ashour, M.M.S. and Al-Harbi, M.M. (1993):** "The respiratory effects of the volatile oil of the Black seed (*N. sativa*) in Guinea-pigs". Elucidation of the mechanisms of action". *Gen. Pharmac.*, 24:1115-1122.
- Eskander, E.F.; Jun, H.W.; Ibrahim, K.A.; Abdelal, W.E. (1995):** "Hypoglycemic effect of a herbal formulation in alloxan-induced diabetic rats". *Egyptian J. of Pharm. Scien.*, 36:253-270.
- Esterbauer, H.; Dieber-Rotheneder, M.; Striegl, G. (1991):** "Role of vitamin E in preventing the oxidation of LDL". *Am. J. Clin. Nutr.*; 53:3145-3215.
- Esterbauer, H.; Gebicki, J.; Puhl, H. (1992):** "The role of lipid peroxidation and antioxidants in oxidative modification of LDL". *Free Rad. Biol. Med.*, 13:341-390.
- Evans, H.M.; Emerson, O.H. and Emerson, G.A. (1936):** "The isolation from wheat germ oil of an alcohol, α -tocopherol, having properties of vitamin E". *J. Biol. Chem.*, 113:329-332.

F

- Filipe, M.I. and Lake, B.D. (1990):** "Histochemistry in pathology", 2nd ed. Churchill Livingstone. Edinburgh, Cited from *Histochemistry: Theoretical and Applied*, vol. 3, fourth edition, edited by Steward, P.J. and Pearse, A.G.E. Churchill Livingstone Medical Division of Longman Group U.K. Limited (1991). Edinburgh, London, Melbourne, New York and Tokyo (1991).

- Flower, R.J.; Moncada, S. and Vane, J.R. (1985):** "Analgesic-antipyretics and anti-inflammatory agents drugs". In "Goodman and Gilman's Pharmacological Basis of Therapeutics". Gillman, A.G., Goodman, L.S.; Gillman A. eds. Pergamon press, Pull, PP-674-715
- Formigli, L.; Ibbamanneschi, L.; Tani, A.; Gandini, E.; Adembri, C.; Pratesi, C.; Novelli, G.P.; Zecchi Orlandini, S. (1997):** "Vit.E prevents neutrophil accumulation and attenuates tissue damage in ischemic-reperfused human skeletal muscle". *Histol. Histopathol.*; 12(3):663-9.
- Francis, J.P. and Robert, G.K. (1984):** "Ascorbic acid protects against acetaminophen and cocaine-induced hepatic damage in mice". *Drug-Nutrient Interactions*, (3):33-41.

G

- Gazzard, B.G.; Ford, H.A.W.; Smith, M.J.H. and Williams, R. (1973):** "The binding of paracetamol to plasma proteins of man and pig". *J. Pharm. Pharmacol.*, 25:964-967.
- Gazzard, B.G.; Clark, R.; Borirakchanyavat, V. and Williams, R. (1974):** "A controlled trial of heparin therapy in the coagulation defect of paracetamol-induced hepatic necrosis". *Gut*, 15:89-93.
- Gebicki, J.M.; Jurgens, G. and Esterbauer, H. (1991):** "Oxidation of LDL in vitro". In: Sies, H., ed. *Oxidative Stress*. New York: Academic Press; pp.371-379.

Flower, R.J.; Moncada, S. and Vane, J.R. (1985): "Analgesic-antipyretics and anti-inflammatory agents drugs". In "Goodman and Gilman's Pharmacological Basis of Therapeutics". Gillman, A.G., Goodman, L.S.; Gillman A. eds. Pergamon press, Pull, PP-674-715

Formigli, L.; Ibba Manneschi, L.; Tani, A.; Gandini, E.; Adembri, C.; Pratesi, C.; Novelli, G.P.; Zecchi Orlandini, S. (1997): "Vit.E prevents neutrophil accumulation and attenuates tissue damage in ischemic-reperfused human skeletal muscle". *Histol. Histopathol.*; 12(3):663-9.

Francis, J.P. and Robert, G.K. (1984): "Ascorbic acid protects against acetaminophen and cocaine-induced hepatic damage in mice". *Drug-Nutrient Interactions*, (3):33-41.

G

Gazzard, B.G.; Ford, H.A.W.; Smith, M.J.H. and Williams, R. (1973): "The binding of paracetamol to plasma proteins of man and pig". *J. Pharm. Pharmacol.*, 25:964-967.

Gazzard, B.G.; Clark, R.; Borirakchanyavat, V. and Williams, R. (1974): "A controlled trial of heparin therapy in the coagulation defect of paracetamol-induced hepatic necrosis". *Gut*, 15:89-93.

Gebicki, J.M.; Jurgens, G. and Esterbauer, H. (1991): "Oxidation of LDL in vitro". In: Sies, H., ed. *Oxidative Stress*. New York: Academic Press; pp.371-379.

- Goldstein, A. (1964):** "Biostatistics, an introductory text". Macmillan, Ca., New York, pp. 101-106.
- Gorman, L.S. (1985):** "Lipids and lipoproteins". In: Clinical Chemistry; Bishop, M.L.; Daben-Vanlaufen, J.L. and Fody, E.P. eds., Lippincott Co., London, Publ., pp. 346-360.
- Green, J. (1972):** "Vitamin E and the biological antioxidant theory". Ann. N.Y. Acad. Sci., 203:29-44.
- Grant, G.H.; Silverman, L.M. and Christenson, R.W. (1987):** "Amino acids and proteins". In: Fundamentals of Clinical Chemistry, 3rd ed. Tietz, N.W. eds., Saunders Comp. Publ., London, pp. 298-314.

H

- Haisman, P. and Muller, B.R. (1977):** "Glossary of clinical chemistry terms". Butterwoth, London, p. 126.
- Hall, N.D.; Maslen, C.L. and Blake, D.R. (1984):** "The oxidation of serum sulfhydryl groups by hydrogen peroxide secreted by stimulated phagocytic cells in rheumatoid arthritis". Rheumatol. Int., 4:35-38.
- Halliwell, B. (1991):** "Drug antioxidant effects. A basis for drug selection". Drugs; 42:570-597.
- Halliwell, B.; Gutteridge, J.M.C. and Cross, C.E. (1992):** "Free radicals, antioxidants, and human disease: Where are we now". J. Lab. Clin. Med., 119:598.

-
- Handelman, G.J.; Van Kuij, F.G.M.; Chatterjee, A. (1991):** "Characterization of products formed during the antioxidation of β -carotene". *Free Radical Biol. Med.*, 123-137.
- Hanson, N.Q. (1993):** "Carbohydrates". In: *Clinical Chemistry Concepts and Applications* S.C, Anderson and S., Cockayne, eds.: W.B. Saunders comp. puble., London, philadelyhia, pp. 139-162.
- Hara, M.; Ligo, M.; Ohtani-Kaneko, R.; Nakamura, N.; Suzuki, T.; Reiter, R.J.; Hirata, K. (1997):** "Administration of melatonin prevents exercise-induced cellular oxidative changes in rats". *Biol. Signals*, 6:90-100.
- Helmi, F. (1962):** Estimation of Lipids in tissues: Ph.D. Thesis, Tolone University, U.S.A.
- Henery, R.J.; Cannon, D.C. and Winkelman, J.W. (1974):** "Clinical Chemistry: Principles and techniques", 2nd ed., New York, Harper and Row; pp. 422-24.
- Hoffmann, I. and Weisburger, J.H. (1997):** "International symposium on the role of lycopene and tomato products in disease prevention". *Cancer Epidemiol. Biomarkers Prev.* (Aug), 6(8):643-45.
- I**
- Ignesti, G.; Banchelli, M.G.; Pirisino, R.; Raimondi, L. and Buffoni, F. (1983):** "Catalytic properties of serum albumin". *Pharmacol. Res. Commun.*, 15:569-579.

Ingram, L.R. (1993): "Liver Function". In: Clinical chemistry concepts and applications: S.C Anderson and S. Cockayne eds. Comp. Publ. London, Philadelphia. W.B. Saunders, pp. 280-317.

Insel, P.A. (1996): "Analgesic-Antipyretics and Anti-inflammatory Agents Drugs Employed in the Treatment of Rheumatoid Arthritis and Gout". In: Goodman and Gilman's-Pharmacol. basis of therapeutics, 9th ed.. Joel G. Hardman, Alfred Goodman Gilman, Lee Limbird, eds. Pergmon Press, Publ., pp. 631-634.

J

Jaeschke, H. (1990): "Glutathione disulfide as an index of oxidant stress in rat liver during hypoxia". Am. J. Physiol., 258; 499G-505G.

John, F.; Newton, D.H.; Mark, W.G.; Gillbert, H.M. and Jerry, B.H. (1986): "Metabolism and excretion of glutathione conjugate of acetaminophen in the isolated perfused rat kidney". J. Pharmacol. Exp. Ther., 237:519-524.

Johnson, M.A. (1991): "Applications of histochemistry in muscle pathology" In: "Histochemistry Theoretical and Applied", Vol. III, Analytical Technology, Pearse, A.G.E., Churchill Livingstone, 4th ed., Edinburgh, London. PP. 489-513

Johnson, E.J.; Quin, J.; Krinsky, N.I.; Russell, R.M. (1997): "Ingestion by men of a combined dose of β -carotene and lycopene".: J. Nutr.; 127:1833-1837.

Jollow, D.J.; Thorgeirsson, S.S.; Potter, W.z.; Hashimoto, M. and Mitchell, J.R. (1974): "Acetaminophen-induced hepatic necrosis", VI. Metabolic disposition of toxic and non-toxic doses of acetaminophen. *Pharmacology*, (12):251-271.

Jorgensen, L.; Thomson, P. and Poulsen, H.E. (1988): "Disulfiram prevents acetaminophen hepatotoxicity in rats". *Pharmacol. and Toxicol.*, (62):267-271.

K

Karasu, C.; Ozansoy, G.; Bozkurt, O.; Erdovan, D.; Omerovlu, S. (1997): "Antioxidants Diabetes-Induced Complication (ADIC) study group". *Metabolism*, 46:872-879.

Keenan, D.L.; Dharmarajan, A.M.; Zacur, H.A. (1997): "Dietary carrot results in diminished ovarian progesterone secretion". *Fertil. Steril.*, 68:358-63.

Kennedy, T.A. and Liebler, D.C. (1991): "Peroxyl radical oxidation of β -carotene: formation of β -carotene epoxides". *Chem. Res. Toxicol.*, 4:290-295.

King, C. (1993): "Renal Anatomy and Physiology". In: *Clinical Chemistry Concepts and Applications*: S.C. Anderson and S. Cockayne, eds. W.B. Saunders, Comp. Publ. London, Philadelphia pp.351-364.

-
- Klein, B.P.; King, D. and Grossman, S. (1985):**
"Cooxidation reactions of lipoxygenase of plant systems". *Adv. Free Radical Biol. Med.*, 1:309-343.
- Kleinman, J.G.; Breitenfeld, R.V. and Roth, D.A. (1980):**
"Acute renal failure associated with acetaminophen ingestion: report of a case and review of the literature". *Clin. Nephrol.*, 14:201-5.
- Koster, J.F.; Biemond, P. and Swaak, A.J.G. (1986):**
"Intracellular and extracellular sulphhydryl levels in rheumatoid arthritis". *Ann. Rheum. Dis.*, 45:44-46.
- Krinsky, N.I. (1989):** "Antioxidant function of carotenoids". *Free Radical Biol. Med.*, 7:617-635.
- Krinsky, N.I. (1992):** "Mechanism of action of biological antioxidants". *Proc. Soc. Exp. Biol. Med.*, 200-248.
- Kröger, H.; Dietrich, A.; Ohde, M.; Lange, R.; Ehrlich, W.; Kurpysz, M. (1997):** "Protection from acetaminophen-induced liver damage".: *Gen Pharmacol.*, 28:257-63.
- Kyle, M.E. and Farber, J.L. (1991):** "Biochemical mechanisms of toxic cell injury". In: *Handbook of Toxicologic Pathology*, ed. by Haschek, W.M. and Rousseaux, C.G.; AP., Inc., pp. 77-89.

L

- Lake, B.D. (1985):** "Application of enzyme histochemistry in pathological diagnosis; 473-487, cited from Histochemistry, Theoretical and Applied, Vol. III: Analytical Technology, Pearse, A.G.E. (1991). Churchill Livingstone, 4th ed. Edinburgh, London.
- Leduce, E.H. and Wilson, W.J. (1958):** " Applied Dehydrogenase Histochemistry" A.M.A. Arch. Path.. 66:147.
- Lorber, A.; Pearson, C.M.; Meredith, W.L. and Gantz-Mandell, L.E. (1964):** "Serum sulfhydryl determinations and significance in connective tissue diseases". Ann. Intern. Med., 61:423-434.

M

- Machlin, L.J.(1980):** "Vitamin E, A comprehensive Treatise Marcel Dekker, Inc. Publ., New York.pp 101-116
- Mahfouz, M.; Dakhakhny, M.; Gemei, A. and Moussa, H. (1962):** "Chloretic action of N. sativa oil". Egyptian Pharmac. Bull., 44:225-229.
- Mandel, H.G. and Cohen, V.H. (1985):** "Fat-soluble vitamins". In: Goodman and Gilmans-pharmacol. basis of therapeutics. Gilman, A.G. Goodman, L.S.: Gillman, A. eds. Pergamon Press Publ., pp. 1586-1589.

- Matsumoto, S.; Matsuo, M. and Litaka, Y. (1996):** "Oxidation of a vit. E model compound 2,2,5,7,8-entamethylchroman-6-ol. with the tert-butylperoxyl radical. J. Chem. Soc. Chem. Commun., pp. 1076-1077.
- Mayes, P.A. (1996):** "Lipid peroxidation is a source of free radicals". In: Harper's Biochemistry, 24th edition, Murray, Rik., Granner, D.K., Mayes, P.A and Rodwell, V.W. eds, Librairiede Liban, Beirut middle East Edition Publ. pp. 155-158.
- McNamara, D.B. and Mayeux, P.D. (1995):** "Non-opiate analgesics and anti-inflammatory drugs". In "Principles of Pharmacology", ed. P.L. Manson, Chapman and Hall, Publ. N.Y., pp. 1159-1187.
- Michaelsson, M. (1961):** "Bilirubin determination in serum and urine". Scand. J. Clin. Lab. Invest., (suppl. 56), 13-14.
- Miki, M.; Tamai, H. and Mino, M. (1987):** "Free-radical chain oxidation of rat red blood cells by molecular oxygen and its inhibition by α -tocopherol". Arch. Biochem. Biophys., 258:373-380.
- Mitchell, J.R.; Jollow, D.J.; Potter, W.Z.; Davis, D.C. and Gillette, J.R. (1973):** "Acetaminophen-induced hepatic necrosis". I. Role of drug metabolism. J. Pharmacol. Exp. Ther., (187):185-194.
- Moss, D.W.; Ralph Henderson, A.; Kachmar, J.F. (1987):** "Enzymes": In: Fundamentals of Clinical Chemistry, 3rd ed. Tietz, N.W.eds. by W.B.Saunders company Publ. London, pp. 369-373.

Mycek, M.J.; Harvey, R.A. and Champe, P.C. (1997): "Anti-inflammatory drugs". In: Lippincott's illustrated reviews. Horvey, R,A, and Champe P.C eds. "Pharmacology" 2nd ed., Mycek, M.J., Harvey , R.A., Champe, P.C. eds, Lippin Cott-Raven Publ., Philadelphia, New York, PP. 401-417.

N

Nachlas, M.M.; Tsou, K.C.; Desouza, E.; Cheng, C.S. and Seligman, A.M. (1957): "Cytochemical demonstration of succinic dehydrogenase by the use of a new p-nitrophenol substituted ditetrazole". J. Histochem. Cytochem., 5:420.

Niitani, H.; Suzuki, A.; Shimoyama, M. and Kimura, K. (1966): "The role of lysozomes in cancer chemotherapy". II- Effect of mitomycin-C injection of lysosomal enzymatic activities of yoshida Ascites sarcoma cell". Gann, 57:193-98.

Niki, E. (1987): "Lipid antioxidants: How they may act in biological systems"? Br. J. Cancer, 55:153-157.

Norberg, B. (1950): "Phosphoprotein phosphatase in the rat". Acta, Chem. Scand., 4:1206-11.

Novikoff, A.B.; Iacofuno, P. and Villaverde, H. (1965): "Observations on the staining reactions of hepatic lysozomes". J. Histochem. Cytochem., 13:29.

P

- Packer, L. (1994):** "Oxygen Radicals in Biological Systems".
Methods in Enzymology, 233,40-41.
- Park, C.K.; Ishimi, Y.; Ohmura, M.; Yamaguchi, M.; Ikegami, S. (1997):** "Vitamin A and carotenoids stimulate differentiation of mouse osteoblastic cells". J. Nutr. Sci Vitaminol. (Tokyo); 43:281-296.
- Pearse, A.G.E. (1968):** "Histochemistry Theoretical and Applied". Churchill Livingstone Inc., pp. 582-583.
- Pearse, A.G.E. (1972):** "Histochemistry Theoretical and Applied". *ibid.* Vol.2:PP 948-949.
- Pirisino, R.; Di Simplicio, P.D.; Ignesti, G.; Bianchi, G. and Barbera, P. (1988):** "Sulphydryl groups and peroxidase-like activity of albumin as scavenger of organic peroxides". Pharmacol. Res. Commun., 20:545-552.
- Postaire, E.; Regnault, C.; Simonet, L.; Rousset, G.; Bejot, M. (1995):** "Increase of singlet oxygen protection of erythrocytes by vitamin E, vitamin C, and β -carotene intake". Biochem. Mol. Biol. Int.; 35:371-4.
- Potter, W.Z.; Thorgeirsson, S.S. and Jollow, D.J. (1974):** "Acetaminophen-induced hepatic necrosis. V. Correlation of hepatic necrosis, covalent binding and glutathione depletion in hamsters". Pharmacology: 129-143.

Prescott, L.F.; Newton, R.W.; Swainson, C.P.; Wright, N.; Forrest, A.R.W. and Matthew, H. (1974): "Successful treatment of severe paracetamol over dosage with cysteamine". *Lancet*,:588-592.

Price, S.A. and Wilson, L.M. (1982): "Clinical concepts of disease processes". In: *Pathophysiology*, 2nd ed. New York, McGraw-Hill. Publ, N.Y. pp. 283-296.

R

Ramsay, E.C. and Dotson, T.K. (1995): "Tissue and serum enzyme activities in the yellow rat snake. *Elaphe obsoleta quadrivittata*". *Am. J. Vet. Res.*, 56:423-428.

Reiter, R.J. (1991): "Melatonin: that ubiquitously acting pineal hormone". *News Physiol. Sci.*, 6:223-227.

Reiter, R.J. (1994): "Pineal function during aging: attenuation of the melatonin rhythm and its neurobiological consequences". *Acta Neurobiol. Expl.*, 54(suppl.):31-39.

Reiter, R.J. (1995): "The role of the neurohormone melatonin as a buffer against macromolecular oxidative damage". *Neurochem. Int.*; 27:453-60.

Reiter, R.J.; Melchiorri, D.; Sewerynek, E.; Poeggeler, B.; Bar Low-Walden, L.; Chuang, J.; Ortiz, G.G.; Acuna-Castroviejo, D. (1995): "A review of the evidence supporting melatonin's role as an antioxidant". *J. Pineal Res.*, 18:1-11.

Reitman, S. and Frankel, S. (1957): "A colourimetric methods for determination of serum glutamic oxaloacetic and glutaric pyruvic transaminases". *Amer. J. Clin. Path.*, 28:56-59.

Rettmer, R. (1993): "Nutritional Assessment". In: *Clinical Chemistry Concepts and Applications* S.C Anderson and S.Cockayne, eds: W.B. Saunders Publ, London. Y., pp. 595-611.

Rock, C.L.; Flatt, S.W.; Wright, F.A.; Faerber, S.; Newman, V.; Kealey, S.; Pierce, J.P. (1997): "Responsiveness of carotenoids to a high vegetable diet intervention designed to prevent breast cancer recurrence".: *Cancer Epidemiol. Biomarkers Prev.*, 6:617-23.

S

Sarkar, A.; Bishayee, A.; Chatterjee, M. (1995): "Beta-carotene prevents lipid peroxidation and red blood cell membrane protein damage in experimental hepatocarcinogenesis". In: *Cancer Biochem. Biophys.*, 15:111-125.

Schermare, S. (1967): "The blood morphology of laboratory animals", 3rd ed. Davis, F.A.; Comp. Philadelphia, pp. 42-44.

Schraufstatter, U.; Hinshow, D.B.; Hyslop, P.A.; Spragg, R.G. and Cochrane, C.G. (1985): "Glutathione cycle activity and pyridine nucleotide levels in oxidant-induced injury of cells". *J. Clin. Invest.*, 76:1131-1139.

- Singh, R.B.; Niaz, M.A.; Agarwal, P.; Begom, R.; Rastogi, S.S. (1995):** "Effect of antioxidant-rich foods on plasma ascorbic acid, cardiac enzyme, infarction". J. Am. Diet Assoc., 95:775-780.
- Skipper, A.(1989):** "Dietition's Handbook of Enternal and Parenteral Nutrition". Rock ville, M.D. ed., Aspen Publishers pp 315-320.
- Smith, S.T. (1985):** "Nonprotein nitrogen". In: "Clinical Chemistry". Bishop, M.L.; Daben-Vanlaufen, J.L. and Fody, E.P. eds., Lippincott Co., Lond. Publ., pp. 412-422.
- T**
- Tan, D.X.; Chen, L.D.; Poeggeler, B.; Manchester, L.C. and Reiter, R.J. (1993):** "Melatonin: a potent, endogenous hydroxyl radical scavenger". Endocr. J., 1:57-60.
- Thomas, J. and Evans, P.H. (1975):** "Serum protein changes in coal workers pneumoconiosis". Clin. Chem. Acta, 60:237-247.
- Topozada, H.H.; Mazloun, H.A. and El-Dakhakhny, M. (1965):** "The antibacterial properties of N. sativa seeds, active principle with some clinical application". J. Egypt. Med. Ass., Spec. No. 48:187.
- Trinder, P. (1969):** "Determination of blood glucose using glucose oxidase with an alternative oxygen acceptor". Ann. Clin. Biochem., 6:24-27.

Troyer, H. (1980): "Principles and techniques of histochemistry". University of Missouri, Kansas city of Medicine, Kansas city, Missouri, Little Brown and Company, Boston.

Tsuchihashi, H.; Kigoshi, M.; Iwatsuki, M.; Niki, E. (1995): "Action of β -carotene as an antioxidant against lipid peroxidation". Arch. Biochem. Biophys., 20: 137-147.

U

Uchiyama, M. and Mihara, M. (1978): "Determination of malonaldehyde precursor in tissues by thiobarbituric acid test". Anal. Biochem., 86:271-278.

Underwood, B.A. (1984): "Vitamin A in animal and human nutrition". In: The Retinoids, vol. 1 (Sporn, M.B.; Roberts, A.B. and Goodman, De W.S., eds.). Academic press, Inc. New York, pp. 263-374.

Ursini, F.; Maiorino, M.; Valente, M. (1992): "Purification from pig liver of a protein which protects liposomes and biomembranes from peroxidation degradation and exhibits glutathione peroxidase activity on phosphatidylcholine hydroperoxides". Biochem. Biophys. Acta., 710:197-211.

Uthman, E.O. (1985): "Renal function". In: Clinical Chemistry, Bishop, M.L.; Duben-Vonlaufen, J.L. and Fody, E.P., eds., Lippincott Co., London, Publ., pp.426-437.

V

Vane, J.R. and Botting, R.M. (1995): "New insights into the mode of action of anti-inflammatory drugs". *Inflamm. Res.*, 44:1-10.

Villarreal, D.; Freeman, R.H.; Habibullah, A.A. and Simmons, J.C. (1997): "Indomethacin attenuates the renal actions of the arterial natriuretic factor in dogs". *Am. J. Med. Sci.*, 314(2):67-72.

W

Wachstein, M.; Meisel, E. and Falcon, C. (1959): "Developments in dehydrogenase Histochemistry J. Histochem. and Cytochem"., 7:428-432.

Wachstein, M.; Meisel, E. and Falcon, C. (1962): "Succinate Dehydrogenase" *Amer. J. Path.*, 49:219-223.

Ward, K.M. and Cockayne, S. (1993): "Enzymology". In: *Clinical Chemistry Concepts and Applications* S.C. Anderson and S, Cockayne eds., W.b. Saunders, Comp. Publ., Londo, Philadelphia, pp. 238-278.

Willison, P.C. (1976): "Cellular and molecular aspects of chemotaxis of macrophages and monocytes". In: *Immunobiology of macrophages*. Nelson. (ed.), Academic Press, New York, Chap. 14, pp. 358-410.

Witting, L.A. (1972): "The role of polyunsaturated fatty acids in determining vitamin E requirements". *Ann. N.Y. Acad. Sci.*, 203:192-198.

Z

Zahavi, I.; Fisher, S.; Marcus, H.; Heckelman, B.; Kiro, A.; Dinari, G. (1995): "Oxygen radical scavengers are protective against indomethacin-induced intestinal ulceration in the rat". *J. Pediatr. Gastroenterol. Nutr.*, 21:154-157.

Zakim, D. and Boyer, T.D. (1990): "Hepatology: A textbook of liver disease. W.B. Saunders Publ. Philadelphia, PP 75-80.

Zawahry, M.R. (1964): "Isolation of New Hypotensive Fraction from *Nigella sativa* seeds". *Kong. Pharm. Wiss. Vortr. Oeroriginalmitt.*, 23, Muenster (Westfalen), Ger., p. 193.

Ziegler, D.M. (1985): "Role of reversible oxidation-reduction of enzyme thiols-disulfides in metabolic regulation". *Annu. Rev. Biochem.*, 54:305-329.

Zilva, J.F.; Pannall, P.R. and Mayne, P.D. (1988): "Plasma enzymes in diagnosis". In: *Clinical Chemistry in Diagnosis and Treatment*, 5th ed., Zilva, J.F., Pannall, P.R. and Mayne, P.D. eds, Arnold, E., Publ., London, Baltimore, pp. 307-311.