

REFERENCES

- Abd-El-Gallel, A., 1977. Studies on root rot disease of peanut in ARE and its control. M.Sc. Thesis, Fac. of Agric., Zagazig Univ., Egypt.
- Alexandri, A.V., 1968. Control of Botrytis cinerea in strawberry cultivation. (c.f. Rev. Appl. Mycol., 47: 580, 1968).
- Aly, A.S., 1974. Two destructive types of gumosis on citrus trees in ARE. Ph. D. Thesis, Fac. of Agric., Cairo Univ., Egypt.
- Allan, A.L. and J.P. Hollis, 1972. Sulfid inhibition of oxidases in rice roots. *Phytopathology*, 62: 634-635.
- Alper, M., G. Loebenstein, M.B. Joseph and E. Cohen, 1977. Gray mold of strawberry. *Seraygnil Zemlyenik Ras-tenit*, 7: 62, 1977. (c.f. Rev. of Plant Pathology, 57: 85, 1978).
- Aly, M.D.E.H., 1967. Studies on root rot disease on broad bean and its control in U.A.R. Ph. D. Thesis, Fac. of Agric., Ain Shams Univ., Cairo, Egypt.
- Aly, M.H., 1979. Studies on certain diseases of strawberry in Egypt. M.Sc. Thesis, Fac. of Agric., Alexandria Univ., Egypt.
- Anderson, J.P., 1924. Botrytis cinerea in Alaska. *Phytopathology*, 14: 152-155, 1924. (c.f. Rev. Appl. Mycol., 3: 596, 1924).
- Anonymous, 1981. Annual report of Agric. Statistical Dept. 1981, Minis. of Agric., ARE.

- Ansbery, E.V., 1976. The question of maintenance in soil of viability of Phytophthora cactorum Schroet. Vestnik Leningrad. (c.f. Rev. of Plant Pathology, 55: 1161, 1976).
- Barker, K.R., 1961. Factors affecting the pathogenicity of Pillicularia filamentosa . Ph.D. Dis. Sertation Univ., Wisconsin, 82pp. (c.f. Phytopathology, 53: 441, 1963).
- Bauer, H. and H. Allen, 1914. Strawberry disease. The Pennsylvania State University, Circular No. 212, 12 pp.
- Bennett, M., 1972. Field control of strawberry fruit rot (Botrytis cinerea Fr.) by fungicides. Journal of Horticulture Science, 1972. (c.f. Rev. Appl. Mycol., 52: 100, 1973).
- Brooks, R.M. and H.P. Olmo, 1955. Register of new fruit and nut varieties. Proc. Amer. Soc. Hort. Sci., 66: 445 - 454, 1955. (c.f. Rev. Appl. Mycol., 34: 145, 1955).
- Calderone, R.A. and C. Norman, 1976. The activity of some respiratory associated enzymes in sterol and nonsterol grown enzymes in Phytophthora cactorum. Mycologia, 68: 440-448, 1976. (c.f. Rev. of Plant Pathology, 56: 108, 1977).
- Cohen, E. and M. Schiffman, 1979. Post-infection changes in chemical compounds of Lemon caused by Phytophthora citrophthora . Phytopathology, 69 : 1361, 1979.

- Damle, V.P., 1952 . Enzymatic study of certain parasitic fungi. J. Indian Bot. Soc., 31 : 13 - 55.
(c.f. Rev. Appl. Mycol., 31 : 623, 1952).
- Dawood, (Nadia) A., 1962 . Studies on fruit rot of mango caused by Botryodiplodia theobromae. Pat. M.Sc. Thesis, Fac. of Agric., Cairo. Univ.
- Denn, (Rose) H., 1924 . Relation of strawberry fruit rots to weather conditions in the field. Phytopathology, 14 : 229 - 232, 1924.
- Dubin. H.J. and R.C. McCrum, 1975 . Phytophthora cactorum associated with crown rot of apples in Maine. Plant Dis. Repr., 59 : 366, 1975.
- El-Deeb, A.A., 1982 . Studies on crown rot of peanuts. Ph. D. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ. Egypt.
- Parkas, G.L. and Z. Kiraly, 1961 . Role of phenolic compounds in the physiology of plant diseases in resistance. Phytopathology, Z., 52 : 105 - 150, 1962.
- Fehrmann, H. and A.E. Dimond, 1967 . Peroxidase activity and Phytophthora resistance in different organs of the potato plant. Phytopathology, 57 : 61 - 72, 1967.
- Friend, J. and J.D. Thornton, 1974 . Caffeic acid-o- methyl transferase, phenolase and peroxidase in potato tuber tissue inoculated with Phytophthora infestans. Phytopathologia Zeitschrift, 81 : 56 - 64 . (c.f. Rev. of Plant Pathology, 54 : 640, 1975).

- Gamal El-Din, I.F., K.G.M. Ahmed and A.H. M. Ramadan, 1980
Effect of onion cultivars; isolates of Botrytis allii Muna and certain fungicides on chemical components of bulbs. Proceeding of the fourth Conference Of Microbiology, 2: Cairo, 1980.
- Gamal El - Din, I.F., K.G.M. Ahmed and A.H.M. Ramadan, 1980.
Pectulolytic, cellulolytic and oxidative enzymes activity of different isolates of Botrytis allii Muna. on Giza 6 and Behairy onion cultivars in ARE. Proceeding of the fourth Conference of Microbiology, 2: Cairo, 1980.
- Gancheva, I. and S. Stoyanov, 1973. . Benlate against grey mould of strawberry. (c.f. Rev. of Appl. Micol., 25 : 162, 1973).
- Garrett, S.D.. 1961 . A composition of cellulose decomposing ability in five fungi causing cereal rot. Trans Br. Mycol. Soc., 46 : 772 - 776, 1962.
- Gill, C.C., 1955 . Fluorescent metabolites in virus or rust infected bean leaves. Can. J. Botany, 43 : 201-215.
- Gisi, U., 1975 . Investigations on the soil phase of Phytophthora cactorum (Leb.& Cohn.) Schroet with fluorescent optical direct observation. (c.f. Rev. of Plant Pathology, 55 : 133, 1976).
- Goodmann R.N., Z. Kiraly and M.Zailtin, 1967 . The biochemistry and physiology of infectious plant disease. D. Van Nostrand Company, Inc. Toronto, New York, London, 354 pp.

- Govorova, G.F., and L. Nourrisseau, 1970. Phytophthora leathery rot of fruits and the resistance of strawberry to it. Referat Zn. Rosten, 1970. (c.f. Rev. of Plant Pathology, 50 : 250, 1971).
- Grainger, J., 1957 . The economic effects of crop disease. Res. Bull., W. Soct. Coll, Agric., 16 : 80. (c.f. Rev. Appl. Mycol., 37 : 406, 1958).
- Heftmann, E., 1967. Chromatography. 2nd Ed. Reinhold Publishing Corporation : New York. 851 pp.
- Hennebert, G.L., 1959 . The epidemiology of Botrytis cinerea on strawberry plant. Meded land, 1958 (c.f. Rev. Appl. Mycol., 38 : 414, 1959) .
- Henniger, H. and V. Bartel, 1963 . Methods of plant pathology. Elsevier Scientific publishing company, Amsterdam, 405 pp., 1964.
- Hention T.E. and K.L. Fawcett, 1937 . The precooling of fresh fruit. Agric. Engng, St. Mich, 9 : 377-378, 1936. (c.f. Rev. Appl. Mycol., 16 : 225, 1937).
- Hilal, A.A., 1981 . Studies on charcoal stem rot disease on sunflower incited by Macrophomina phaseolina (= Sclerotium bataticola) and methods of control M.Sc. Thesis, Fac. of Agric., Al-Azhar University.
- Hildebrand, E.M., 1938 . Techniques for the isolation of single microorganisms. Bot. Rev., 628 - 658, 1938.
- Holowezak, J., J. and E.B. Williams, 1962 . Metabolism of DL- and L. Phenylalanine in Malus related to susceptibility and resistance to Venturia inaequalis. Phytopathology, 52 : 699 - 703 , 1962.

Horsfall, J.G., 1956 . Principles of Fungicidal Action.
The chronica Botanica company, U.S.A., 279 pp.

Janick, J. and E.B. Williams, 1959 . Resistance of strawberry varieties and selection to leaf spot and scorch. Plant Dis. Repr., 43 : 413 - 415.

Jarvis, W.R., 1962 . The infection of strawberry and raspberry fruits by Botrytis cinerea. Ann. Appl. Bio., 50 : 569 -575, 1962.(c.f. Rev. Appl. Mycol., 42 : 210, 1963).

_____, 1964 . The effect of some climatic factors on the incidence of grey mould of strawberry and raspberry fruit. Hort. Res., 3 : 62 - 71, 1964.(c.f. Rev. Appl. Mycol., 43 : 363, 1964).

_____, 1966 . Gray mould(Botrytis cinerea Pers.) of raspberries and strawberries. Scottish Horticultural Research Institute, 78: 83,1966. (c.f. Rev. Appl. Mycol. 45: 526, 1966).

_____ and H. Borecka. 1969. The susceptibility of strawberry flowers to infection by Botrytis cinerea Pers. Hort. Res., 8 : 147 - 154, 1969. (c.f. Rev. Appl. Mycol., 48 : 159, 1969).

Johanson, G. and L.A. Schall, 1952 . Relation of chlorogenic acid to scab resistance in potato. Science, 115: 627-629.

Jorsted, I., 1923 . Report on plant diseases in agriculture and Horticulture 1920-22, II. Fruit trees and small fruits. Soktrykkeri, 73 : 22, 1923.(c.f. Rev. Appl. Mycol., 3 : 228, 1924).

Kovacs, G., 1968 . Study on the infection of strawberry by Botrytis cinerea Pers. and on methods of control.(c.f. Rev. Appl. Mycol., 48 : 220, 1969).

- Leal, J. A. and M. Gomez, 1965 . The effect of light and darkness on the germination of oospores of certain species of Phytophthora on some synthetic media. Trans. Br. Mycology Soc., 48 : 491 - 494. (c.f. Rev. of Plant Pathology, 54 : 145, 1975).
- Manten, J.C.M., C.C. Machado, E.Minussi, C. Castro and H. Kimati, 1976 . Effect of some fungicides on mycelial growth of M. phaseolina (Tassi) Goid. in vitro. Fitopatologia Brasileira, 1 : 57 - 66, 1976. (c.f. Plant Pathology, 56: 672 - 673, 1977).
- Meyer, D. and F. Schobeck, 1975 . Investigations on the development of Phytophthora cactorum (Leb. & Cohn.) Schroet in soil. (c.f. Rev. of Plant Pathology, 55 : 170, 1976).
- Miller, P.M., 1955 . V-8. Juice agar as general purpose medium for fungi and bacteria. Phytopathology, 45 : 461 - 462, 1955.
- Mohamed, A.A.A., 1978 . Studies on banana fruit rot during development, harvesting and ripening in ARE. Ph. D. Thesis, Fac. of Agric., Cairo Univ.
- Molot, P.M. and J.G. Nourrisseau, 1970 . Investigations on strawberry necrosis caused by Phytophthora cactorum. Annals, Phytopathology, 1 : 117 - 137, 1970. (c.f. Rev. of Plant Pathology, 50: 98, 1971).
- Morsy, M.A, H.A. Tawfic and A.A. Abdel-Gawad, 1968 . Fundamentals of Agriculture Research. (In Arabic) Anglo Egyptian Co. Cairo, Egypt, 1968, 631 pp.
- Nouman, K. A., 1971 . Studies on certain diseases of Viola odorata and Viola tricolor in ARE (Egypt). M.Sc. Thesis, Fac. of Agric., Alex. Univ.

- Ocana, G. and P.H. Taso, 1966 . A selective agar medium for the direct isolation and enumeration of Phytophthora in soil. *Phytopathology*, 56 : 896, 1966.
- Patil, S.S., M. Zucker and A.E. Dimond, 1966 . Biosynthesis of chlorogenic acid in potato roots resistant and susceptible to Verticillium albo-atrum. *Phytopathology*, 56 : 971 - 974, 1966.
- Paulus, A.O., V.Voth, F. Shibuya, H. Bowen and A.H. Holland, 1969 . Fungicidal control of Botrytis rot of strawberry. *California Agric.*, 23 : 15 - 16, 1969. (c.f. *Rev. Appl. Mycol.*, 48 : 359, 1969).
- Paulus , V.Voth, J. Nelson and H. Bowen, 1977. Fungicides control Botrytis in strawberry . *California. Agric.*, 31: 45, 1977. (c.f. *Rev. of Plant Pathology*, 56:172,1977).
- Piper, C.S., 1950 . Soil and Plant Analysis. Inter. Science Publisher, Inc., New Yourk., 175pp.
- Powelson, R.L., 1959 . Etiology and epiphytology of strawberry fruit rot caused by Botrytis cinerea Pers. *Dis. Abstr.*, 20 : 663, 1959. (c.f. *Rev. Appl. Mycol.*, 39 : 430, 1960).
- Radwan, I. A.M.I., 1980 . Studies on storage diseases of garlic in the ARE. Ph. D. Thesis, Fac. of Agric., Zagazig University.
- Rosen, H. 1957. A modified ninhydrin colorimetric analysis for amino acids. *Arch. of Biochemistry and Biophysicas*, 67 : 10 - 15, 1957.
- Rothman, P.G., 1960 . Host-parasite interaction of eight varieties of oats infected with race 202 of Puccinia coronata var. avenae. *Phytopathology*, 50 : 914 - 918, 1960.

- Sakai, (Tomiyama) R., K. Ishizaka and N. Sato, 1967 . Phenol metabolism in relation to disease resistance of Potato tubers. Ann. Phytopathology Soc., Japan, 33 : 216 - 222. 1967. (c.f. Ann. Rev. of Phytopathology, 7: 195 - 222, 1969.
- Sequeira, W.A., 1963 . A genetical basis for the classification of strains of Phytophthora infestans. Proc. Roy. Soc., Edinburgh., 13 : 36 - 51.
Phytopathology, 6 : 375 - 396, 1968.
- Shalaby, H.S. A., 1975 . Studies on Pseudomonas solanacearum causing brown rot of solanaceae. M.Sc. Thesis, Fac. of Agric., Al-Azhar University, 149 pp.
- Simons, T.J. and A.F. Ross, 1971. Changes in phenol metabolism associated with induced systemic resistance to tobacco mosaic virus Samsun Tobacco. Phytopathology, 61 : 1261 - 1265, 1971.
- Sirry, A.R., I.S. Elewa, M.F. Higazi, Harfoush (Dorriya) I. and N.I. Georgy, 1979 . Studies on white rot disease on onion. VII Changes in onion and garlic plants metabolism due to infection. Proceedings 3 rd Egypt. Phytopathology Congress, Cairo, 1979, pp. 588 - 609 .
- Smith, I., 1969 . Chromatographic and electrophoretic techniques. Vol., 1, 3 rd Ed. William Heinemann. Medical Books. L T D. London.
- Sneh, B., 1975 . Recovery of sporangia of Phytophthora cactorum from soil. Canadian Journal of Botany, 52 : 174, 1974. (c.f. Rev. of Plant Pathology, 54 : 97, 1975).
- Snell, F.D. and C.F. Snell, 1953. Colorimetric methods of analysis including some turbidimetric and nephelometric methods. D. Van Nostrand Company, Inc. Toronto New York London , 3: Organic, 1, 606 pp.

- Solomon, M.E., 1951 . Control of humidity with potassium hydroxide, sulphuric acid and other solutions. Bull. En. Res., 42 : 543 - 554.
- Sommer, N.F., R.J. Fortlage, F.G. M. Mitchell and E.C. Maxte, 1974 . Reduction of postharvest losses of strawberry fruits from grey mould. J. of the Amer. Soc. for Hort., Sci., 98 : 285 - 288, 1974. (c.f. Rev. Appl. Mycol., 53 : 124, 1974).
- Stoddard, E.M., Denn (Rose) H. and N.E. Stevens, 1924. Spraying strawberries for the control of fruit rots. U.S. Dept. of Agric. Citrc., 4 : 309, 1924. (c.f. Rev. Appl. Mycol., 3 : 462, 1924).
- Stretch, A.W. and R.M. Cappellini, 1965 . Changes in free amino acids and reducing sugars in highbush blueberry fruit infected with Glomerella cingulata. Phytopathology, 55 : 302, 1965.
- Talboys, P. W. and L.V. Busch, 1970 . Pectic enzymes Produced by Verticillium species. Trans. Brit. Mycol. Soc., 55 : 367 - 381.
- Thomas, W. and R.A. Dutcher, 1924 . The colorimetric determination of carbohydrates in plants by the picric acid reduction method. I. The estimation of reducing sugars and sucrose. J. Amer. Chem. Soc., 46 : 1662, 1924 .
- Townsend, G.K. and T.W. Hunberger, 1943 . Methods for estimating losses caused by diseases in fungicides experiments. Plant Dis. Repr., 27 : 340 - 343,
- Turner, P.D., 1965 . Polyphenoloxidase activity in Caco selections showing variable resistance to Phytophthora pod rot. Plant Dis. Repr., 49 : 319, 1965