

REFERENCES

REFERENCES

- Abdul Wahab.S.M.;Selim, M.A. and Hashim, M.A. (1984).
Phytochemical studies on foenugreek
Bulletin, Fac. of Pharm., Cairo Univ.
- Ahmed, R.T. and Esmail . E.E. (1993).
Biochemical studies on the effect of lupin on blood sugar.
Egypt. J. Pharm. Sci. 34 (4-6), 565.
- Allain, C.C.; Poon, L.S.; Chan, C.S.; Richmonol,W. and Fu, P.C. (1974)
Enzymatic determination of total serum cholesterol
Clin. Chem., 20,470.
- Al-Zaid, M.M.; Hassan, M.A. ; Radir, N. and Goumaa,K.A.(1991).
Biological activity of lipid extract and defatted fraction of lupin
seeds.
Int. J.Pharmac. 29 (2):81.
- Arison, R.N; Ciaccio, E.I.; Glitzer, M.S.; Cassaro, J.A. and Pruss, M.P.
(1967).
Light and Electron. Microscopy of lesion in rats rendered diabetic
with STZ.
Diabetes, 16, 51.
- Auguasti, K.T. (1976)
The antidiabetogenic activity of garlic "Allium Satirum".
Current sciences, 45, 863-4.
- Axler, A. (1982)
Stability of the diabetagenic activity of STZ.
IRCS Med. Sci. Libr. Comp. 10. (2): 157

Azzam, S.M. (1984)

Phytochemical study of certain plants used in Egyptian folk.
Medicine as antidiabetic drugs.

Ph.D. Thesis, Fac. of pharmacy, Cairo, Univ.

Bahat, B.B., Patel, D.G. and Gulati, D.D. (1965)

Alloxan diabetes in mice.

J. Maharaja syajirao Univ. Baroda, 14 (3):33

Bailey, C.C, Bailey, O.T. and Leech, R.S. (1944)

Complications of alloxan diabetes.

New Eng. J. Med. , 230:533.

Banerjee, B. (1944)

Alloxan diabetes in monkeys

Lancet, II: 628, 9.

Behrens, G.K. and Bromer, W.W. (1958).

In Vitamins and Hormones 16:263.

Ben-David, M.; Menzel, E. and Sulmen, F. (1963)

The antidiabetogenic activity of *Brassica niagra* forssk.

Arch. Int. Pharmacodyn. Ther. 145, 309

Bever, B.O. (1986)

Medicinal plants in tropical west Africa.

Cambridge Univ. Press, Camb. , 265.

Billauel, B. and Sutter, B.C. (1982).

Effect of calcium upon insulin inhibition induced by corticosterone
in isolated langerhans islets.

Horm. Met. Res. 14 (11), 612.

- Bowers, G.N. and McComb, R.B.(1975)
The acceptability of enzyme methods.
Clin. Chem. 21 : 1988.
- Brown, E.M.; Freedman, L.R.; Demoor, P. and Lukens, F.D. (1952)
The effect of prolonged infusion of the dog pancreas with glucose
Endocrinology, 50:644.
- Ceriello, A.; Gurigliano, D.; Quatraro, A.; Dozella, C.; Dipalo, G. and
Lefebvre, P.J. (1991)
The antioxidant activity of flavonoids.
Diabetes, 14, 68.
- Chang, A.Y.; Noble, R.E. and Wyse, B.M. (1978)
STZ-induced diabetes in the chinese hamster. Biochemical and
endocrine disorders.
Diab. 13 (6):595.
- Chani, J.;Goldschmied,A.; Joseph,B.; Ahronson,Z.And Sulman,F. (1974).
The antidiabetogenic activity of trigonella foenum.
Arch. Int. Pharmacodyn. 210,27
- Chen, V. and Ianuzzo, C. (1982)
Dossage effect of STZ on rat tissue enzyme activities and glycogen
cocentration.
Can J. Physiol. Pharmacol. 60 : 1251.
- Chase, C.I. (1967)
Statistical analysis of data using t-test according to the degree of
freedom.
Elementary statistical procedures McGrow Hill, Book Comp. 9,P.
140.

Clementi, A. and Torrisi, D. (1934).

The antidiabetogenic effect of *lupinus termis* forssk.

Boll. Soc. Ital. Sper. 9:1004

Cole, B.T.; Engel, F.L. and Predericks, J. (1955)

Sodium fluoroacetate diabetes : Correlations between glycemia,
Ketonemia and tissue citrate level.

Endocrinology, 56, 675.

DeFinis, M.L. and Houssay, B.A. (1943).

Sub-total pancreatectomy followed by administration of thyroid
hormone..

Rev. Soc. Arg. Biol. 19:94.

Desphand, V.H. (1968)

Flavonoides content of the Egyptian *morus alba*.

Parthasavathy, P.C. and Vankatanman T.

letters, 14, 1715.

Dhamananda, S. (1998).

Phytochemical studies on *zizphus spina cristi*.

Institute for Traditional Medicine, Portland, Oregon,

Article.

Diab, L. (1992)

Pharmacognostical study of certain cleome species growing in egypt.

Ph.D. Thesis, Fac. of Pharmacy "Boys" Al-Azhar Univ.

Doumas, B.T.; Biggs, H.G.; Arends, R. and Pinto, P.C. (1971)

Determination of serum albumin

Clin. Chim. Acta, 31:87.

Galal, E.E. and Gawad, M.A. (1965)

Antidiabetic activity of Egyptian onion "Allium Cepa" extract
J.Egypt. Med. Ass. Spec. 48, 14.

Ganong, W.F. (1980)

Insulin synthesis using recombinant DNA technology.
Review of medical physiology, 15th ed, P. 312.

Glombitza, K.W.; Mahran, G.H.; Mirhom, Y.W.; Michel, K.G. and
Motowi, T.K. (1994).

Hypoglycemic and antihyperglycemic effects of zizyphus spina
christi in rats.

Planta Med. 60 (3), 244-7.

Goodwin, J.F. (1970)

Determination of serum inorganic phosphorus using a single reagent.
Clin. Chem. 16 (9), PP 776-780

Goldner, M.G. and Gomori, G. (1944).

Studies on the mechanism of alloxan diabetes.
Endocrinology, 35:241, 8.

Gori, M. and Campbell, R.K. (1998).

Natural products and diabetes treatment.
Diabetes Educ., 24 (2):201

Hamed, N.F. (1990)

Studies on toxicological aspects of some Egyptian anti-diabetic
plants.

M.Sc Thesis, Fac. of Medicine. " Girls". Al-Azhar Univ.

Hammuda, M.H. (1989)

Effect of antidiabetic plant materials on the islets of langerhans.
Ph.D. Thesis, Fac. of Medicine "Girls ", Al-Azhar Univ.

Handa, S.S. ;Chawla, A.S. and Ninder, M.A (1989).

The antidiabetogenic effect of lepidium sativum forssk.

Fitotrapia, 60, 3:195

Hausberger, F.X. and Ramsay, A.J. (1953).

Steroid diabetes in guinea pigs: Effects of cortison administration on blood and urinary glucose

Endocrinology, 53 :423.

Herberg, L. and Buchanan, K.D. (1982)

Effect of high glucagon infusions on blood glucose, plasma insulin and B-hydroxy butyrate in STZ-diabetic and normal rats.

Biochem. Physiol. 72, (2), 433.

Herrera, K. (1942)

The antidiabetogenic effect of lupin .

Ann-Faculted Fam., Bioquim., Peru, 5,56.

Hikino, H. (1985)

Hyposlycemic activity of morus alba.

Planta Medica, 9, 159.

Hill, G.D. (1977)

The dried matter content of lupin.

Nutr. Abstr. Rev. 47, 511.

Hoch, F.L. (1974)

Metabolic effect of thyroid hormones .In Handook of physiology, sec. 7.

Endocrinology. Baltimore. Williams and Wilkins, 1974. American physiological Soc., Greep R.O. and Cestwood, E.B(eds), p. 391.

Houssay, B.A. (1936)

The hypophysis and metabolism of carbohydrates.

New Eng. J.Med. 214:961.

Houssay, B.A. (1946)

The diabetogenic action of thyroid hormone.

Thyroid and diabetes,4 :187..

Ibrahim, M.H. (1977)

Physiological and Biochemical studies on Egyptian onion extracts as hypoglycemic agents.

MSc. Thesis, Fac. of Agric. , Cairo Univ.

Ingbar, S.J and Woeber , A.K. (1981).

Thyroid gland. In Text book of Endocrinology " 6th ed. By Robert H. Williams (eds) W.B. sunders comp. Philadelphia, London, Chap. 4, p.117.

Ingle, D.J. (1948)

The production of experimental glucosurea in the rat.

Recent progr. Hormone res. 2:229.

Jacobs, M.R. (1937)

Production of diabetes mellitus with alloxan.

Proc. Soc. Exper. Biol. & Med.,37,407.

Jefferson,L.S.;Liao,W.S.;Peaoy,D.E.; Miller,T.B.and Taylor, J.M. (1983).

Diabetes induced alteration in liver protein synthesis. Changes in the relative substance of mRNA for albumin and other plasma proteins.

J. Biol. Chem. 258 (2), 1369-75.

- Junod, A.; Lambert, A. ; stauffacher, w. and Renold, A. (1969)
Diabetogenic action of STZ-Relationship of dose to metabolic response.
J.Clin. Invest. 48:2129
- Jubis, W. (1979)
The pancreas and alterations in carbohydrate metabolism. In:
Endocrinology.
McGraw-hill, Book comp. PP 134-193.
- Kiesel, U. and Kolb., H. (1982)
Low dose of STZ induced autoimmune diabetes under the genetic control of the major histocompatibility complex in mice.
Diabet. 23 (1) , 69.
- Knight,J.C. (1977)
Phytochemical studies on Egyptian foenugreek
J.Chromat. 133 ,222
Phytochemical studies on Egyptian Foenugreek
- Krall, L.P. (1970)
The clinical use of oral hypoglycemic agents. In"Ellenberg, M. and Rifkin, H. (eds) Diabetes Mellitus, New york, P.654.
- Leibel, B.S. and Wrenshall, G.A. (1965)
Nature and treatment of diabetes.
Med. Found, Amesterdam, P.368.
- Livingston, R.B. and Carter, S.K. (1970).
Single agent in cancer chemotherapy.
Plenum Press, New York.

- Logothetopoulos, J.; Sharma, B.B.; Salter, J.M. and Best, C.H. (1960).
Induction of permanent diabetes by the administration of glucagon.
Diabetes : 9, 278.
- Marles, R.J. and Fransworth, N.R. (1994).
Economic and medicinal plant research. 6, 149.
- Markos, V. and Samols, E. (1968).
Recent advances in Endocrinology 8th ed. J. &A. Churchill Ltd.
London, P. 111.
- Marks, H.H.; Krall, L.P. and White, P. (1971)
Epidemiology and detection of diabetes. In " Joslin's Diabetes Mellitus. 11th ed. By Marble , A et al. (eds). Philadelphia, Leo & Febiger, PP 10-34.
- Menzel, E. (1984)
The antidiabetogenic effect of Egyptian fenugreek.
Bulletin Res. Council Israel, Sect E, 102, 263.
- Mirsky, I.; Dinegott, D. and Gitelson, S. (1957)
The role of insulinase in the hypoglycemic response of sulfonylureas.
Ann. N.Y. Acad. Sci-71, 103.
- Murlin, J.R.; Clough, H-D.; Gibbs, C.B. and Stokes, A.M. (1923)
Aqueous extracts of pancreas. Influence on the carbohydrate metabolism of depancreatized animals.
J.Biol. Chem. 26:253.
- Muschler, R. (1912)
Phytochemical studies of *Morus alba* L. and *Morus nigro* L.
Manual Flora of Egypt, vol. II, 2:244.

Nadkarini, K.M.(1954)

Indian Material Medica, 3rd edn., revised and enlarged by A.K.

Nadkarni, Popular Book Depot., Bombay, 2 vols.

Nomura, T.; Fukai, T.; Imashimizu, A. and Hauma, M. (1982)

Phytochemical studies on the Egyptian mulberry.

Planta Medica, 46, 167.

Okomoto, k. and Yamamoto, T. (1954)

Experimental studies on the production of diabetes by the ligation of the pancreatic duct of rabbits.

Kob. J. Med. Sci. 1 (3):15.

Orestano, G. (1940)

Effect of lupin on blood sugar of STZ diabetic rats

Arch Farmacol . Sper. 70, 113.

Orestano, G. (1941)

Phytochemical and biological studies on Egyption lupin.

Arch. Farmacol Sper. 70

Osuntonkun, B.O. (1975)

The antidiabetogenic effect of chamomile flowers.

West African Medicinal J. 24, 133.

Paul, C. and Robert, P. (1980)

Chemotherapy of neoplastic diseases;
chemistry of STZ.

In: Goodman and Gilman's (eds), pharmacological basis of therapeutics, 6th ed, Machmillan Pob. Comp. Inc-New York, P.1249.

Pell, J.D.; Gee, J.M.; Wortley, G.M. and Johnson, I.T. (1992)

The antidiabetogenic activity of Cyamobosis tetragonolobus.

J. Nutr. 41 (3):241.

- Rakieten, N.;Rakieten, M.L. and Nadkarn, M.V.(1963)
Studies on the diabetogenic action of STZ
Cancer chemotherapy, 29:91
- Rashwan, O. (1986)
Phytochemical study of certain plants belonging to fam.“Moraceae”
Ph.D. Thesis, Fac. of pharmacy, Cairo Univ.
- Rieser, P. (1967)
Biosynthesis and storage in the B-cells. in Williams and Nitkins”
Comp. Maryland, USA, PP. 3-14.
- Root, M.A. and Ashmore, J. (1964)
Phytochemical and biochemical studies on foenugreeic
J.Arch. Exp. Path. Pharm. 248, 117
- Rubenstein, A.H., Levin,N.W.And Elliott, G.A. (1962)
Manganese content in different species of lupin.
Lancet, II, 1348
- Sharaf, A. and Fayez, M. (1964)
Antidiabetic effect of some plants.
Planta Medica, 12 (2): 188.
- Sharaf, A. and Mansour, M. (1965)
The antidiabetogenic activity of salix babylonica forssk.
J.Egypt. Med. Assoc. 48.
- Seelig, H.P. and Wust, H. (1969)
Detgerminatgion of serum creatinine using picric acid.
Arztl. Lab. 15:34

- Spellacy, W.N.; Bernard, C.; Pushpa, S.K.; William, C. and Sharon, A.B. (1978)
The effect of actually elevated blood glucose levels on LH and FSH release following an i.v gonadotropin-releasing hormone injection.
Fertil. Steril. 29 (1):35.
- Thefeld, W.; Hoffmeister, H.; Busch, E.; Koller, P. and Vollmar, J. (1974)
Reference values for the determination of transaminases and alkaline phosphatase in serum with optimal standard methods.
Dutsch Med. Wschr. 99, 343.
- Topping, D.L. and Targ, M.E. (1975)
Time-course of changes in blood glucose and ketone bodies, plasma lipids and liver fatty acid composition in STZ-diabetic rats.
Horm. Res. 6: 129.
- Trease, G.E. and Evans, W.C. (1989)
Phytochemical studies on Egyptian fenugreek.
Pharmacognosy, 13th ed. Bailliere and Tynndall, London.
- Trinder, P. (1969)
Determination of serum uric acid, glucose and cholesterol.
Ann. Clin. Bioch. 6:24
- Van kampen, E.J. and Zijistra, W.G. (1961)
Determination of hemoglobin using cyanmethemoglobin.
Clin. Chim. Acta. 6, 538.
- Wagner, H. (1973)
Flavonoids content in Egyptian fenugreek.
Phytochem. 12, 2548.
-

Watanabe, C.K. (1918)

Studies in the metabolic changes induced by administration of guanidine bases.

J.Biol.Chem. 33:253.

Wester, D.H. (1927)

Phytochemical studies on Egyptian lupin.

Chem. 2b. 1, 2914

Williams, R.H.; Pollen, R.H.; Tanner, D.C. and Barnes, R.H. (1959)

Oral antidiabetic therapy of sulfonylureas derivatives.

Ann. Int. Med. 51:1121.

Wolff, F.W.; Langdon, R.G.; Ruebner, B.H.; Hollander, C. and Skoglund,

R.D.(1963)

A new form of experimental diabetes.

Diabetes, 12, 332.

World Health Organization (1980)

WHO Expert Committee on Diabetes Mellitus .

Technical Report. Series. 646.

Worner, C.A. and Bensley, S.H. (1958)

Effect of continuous i.v injection of an extract of the alpha cells of guinea pig pancreas on the intact guinea pig.

Anst. Record 22:413

Yoshikawa, K. (1954)

Experimental diabetes produced by repeated intraperitoneal injection of glucose.

Tohoku Igakw Zassi 49:25.

Young, F.G. (1938)

The diabetogenic action of crude anterior pituitary extracts.

Biochem J. 32:513.

Zarrow, M.X.; Yochim, Y.M. and Carthy, J.L.(1964)

Pancreatectomy in the rat. In Academic Press (pub). "Experimental Endocrinology. London and New York. Chap. 13,p.406.
