REFERENCES

REFERENCES

Abd El–All, A.M. (2002): Effect of preceding crops, organic and mineral nitrogen and plant density on productivity of maize plant. J. Agric. Sci., Mansoura Univ., 27 (12):8093-8105.

Abd El-Maksoud, M. F and A. A. Sarhan (2008): Response of maize hybrids to bio and chemical nitrogen fertilization. Zagazig J. Agric., 35(3): 497-515.

Abdel–Hameed, I.M. (2005): Effect of sources and levels of nitrogen fertilization on productivity of maize. Proc. 11th conf. of Agronomy, Agron. Dept., Fac. Agric., Assiut Univ., Nov., I: 171 – 187.

Abou Keraisha, M. A. and B. S. Farghaly (2003): Effect of tillage systems and fertilization interacted with biofertilizers on maize grain yield and yield components under middle and upper Egypt conditions. J. Agric. Sci. Mansoura Univ., 28(8): 5915-5922 .

Abu-Grab, O.S.; F.A. El–Kady and A.A. Darwich (1997): Response of some maize cultivars to nitrogen fertilization under north and middle delta conditions. Ann. of Agric. Sc., Moshtohor, Egypt, 35(1): 1-14.

Afifi, M.H.; F.M. Manal and A.M. Gomaa (2003): Efficiency of applying biofetrilizers to maize under different levels of chemical fertilizers. Annals of Agric. Sc., Moshtohor, 41(4): 1411-1420.

Ahmed, A. G. and B. B. Mekki (2005): Yield and yield components of two maize hybrids as influenced by water deficit during different growth stages. Egypt J. Appl. Sci., 20(2): 64-79.

Al–Kaisi, M.M. and X. Yin (2003): Effect of nitrogen rate, irrigation rate and plant population on corn yield and water use efficiency. Agron. J. 95 (6): 1475 – 1482.

Aly, M. H.; A. M. Soudi and S. H. Ashmaye (2008): The usage of biofertilizer to minimize the mineral fertilizer for sweet Sorghum. Egypt J. Appl. Sci., 23(2B): 486-499.

A.O.A.C. (1990). Official Methods of Analysis Association of official analysis chemists, 13th Ed., Washington, D. C., U.S.A.

Ash–Shormillesy, Salwa M.A.I. (2005): Effect of splitting different nitrogen fertilizer levels on productivity of maize. Zagazig J. Agric. Res., 32 (1):1-12.

Atta Allah, S. A. A. (1998): Response of maize to nitrogen and biofertilizer. Assuit journal of agriculture science, 29(1): 60-73.

Atta, Y. I. (2007): Improving growth, yield and water productivity of some maize cultivars by new planting method. Egypt J. Appl. Sci., 22(11): 1-16.

Ayoola O.T. and E.A. Makinde (2009): Maize growth, yield and soil nutrient changes with N-enriched organic fertilizers. African journal of food, agriculture, nutrition and development 9(1) 580-592.

Bader, M.A. and Sanaa A. Othman (2006): Effect of plant density, organic manure, bio and mineral nitrogen fertilizers on maize growth and yield and soil fertility. Ann. of Agric. Sc., Moshtohor, Egypt, 44 (1): 75-88.

Bahr, A.A.; M. S. Zaidan and M. Hozayn (2006): Yield and quality of maize (*Zea mays, L.*) as affected by slow release fertilizers in newly reclaimed sandy soil. American-Eurasian J. Agric. & Environ. Sci., 1(3): 239-242.

El-Aref, Kh. A. O.; A. S. Abo El-Hamed and A. M. Abo El-Wafa (2004): Response of some maize hybrids to nitrogen and potassium fertilization levels. J. Agric. Sci. Mansoura Univ., 29(11): 6063-6070.

El-Bana, A.Y.A. (2001): Effect of nitrogen fertilization and and stripping leaves on yield and yield attributes of two maize (*Zea mays L.*) hybrids. Zagazig J. Agric. Res. Vol., 28 (3): 579-596.

El–Bana, A.Y.A. and M.A. Gomaa (2000): Effect of N and K fertilization on maize grown in different populations newly reclaimed sandy soil. Zagazig J. Agric. Res., 27 (5): 1179-1190.

El-Douby, K.A. (2002): Effect of preceding crops and bio-mineral nitrogen fertilizer on growth and yield of maize. Annals of Agric. Sc., Moshtohor, 40(1): 27-37.

El-Hariri, D.M.; M.S. Hassanein and M.A. Ahmed (1996): Response of corn yield and its components to plant population and cultivars. Arab Univ. J. Agric. Sci., Ain Shams univ., Cairo, 4(1&2): 69-78.

El-Hasawy, H. I. K. (2001): Effect of topping on some maize cultivars. M. Sc. Thesis Fac. Agric. Moshtohor, Zagazig University. Egypt.

El-Kholy, M.A.; S.El-Ashry and A.M. Gomaa (2005): Biofertilization of maize crop and its impact on yield and grains nutrient content under low rates of mineral fertilizers. Journal of Applied Sciences Research 1(2): 117-121.

El-Maihy, Amira A.E. (2007): Evaluation of some crop successions of main crops under different fertilization levels. M. Sc. Thesis, Fac. Agric., Benha Univ., Egypt.

El-Mekaser, H. K. and M. A. Seiam (2008): Nitrogen use efficiency of some new whit maize hybrids under sandy soils. Egypt J. App. Sci., 23(2B): 514-526.

El-Metwally, I.M.; S.A. Ahmed and Samia A. Saad El-Din (2001): Nitrogen fertilizer levels and some weed control treatments effect on maize and its associated weeds. J. Agric. Sci, Mansoura Univ., 26 (2): 585-601.

El-Sheikh, F.T.Z. (1999): Evaluation of seven maize verities (*Zea mays L.*,) for some growth characteristics, grain yield and its quality. Annals of Agric., Sc., Moshtohor, 37(2):881-896.

Farghly, B.S. (2001): Effect of the preceding winter crop and nitrogen fertilization on yield and yield components of maize and sun flower. Egypt. J. Agric. Res., 79 (4): 1423-1437.

Gholami, A.; S. Shahsavani, and S. Nezarat (2009): The effect of plant growth promoting rhizobacteria (pgpr)on germination, seedling growth and yield of maize. International Journal of Biological and Life Sciences 1(1):35-40.

Gomez, K.A. and A.A. Gomez (1984): Statistical procedures for agricultural research. 2nd, (ed.). John Wiley and Sons, NY, U.S.A.

Hamed, M.F. (1998): Performance of maize under inoculation, nitrogen sources as well as rates. Fayoum J. Agric., Res. & Dev., 12(1): 18-26.

Hamed, M.F (2003): Performance of two maize hybrids under irrigation intervals and ethryl treatments. Annals of Agric., Sc., Moshtohor, 41(2):669-678.

Hassan, M. M. M.; M. A. M. El-Ghonemy and R. S. H. Aly (2008): Response of some maize single cross hybrids to plant density under different Egyptian environmental conditions. Minufia J. Agric. Res. 33(2): 427-443.

Hussaini, I. M. A.; V.B. Ogunlela; A.A. Ramalan and 1.A.M. Falaki (2008): Mineral composition of dry season maize (*zea mays L.*) in response to varying levels of nitrogen, phosphorus and irrigation at kadawa, nigeria. World Journal of Agricultural Sciences 4 (6): 775-780

Ibrahim, S.A and Hala, Kandil(2007): Growth, yield and chemical constituents of corn (Zea maize l.) as affected by nitrogen and phosphorus fertilization under different irrigation intervals. Journal of Applied Sciences Research, 3(10): 1112-1120.

Jackson, M.L. (1973): Soil Chemical Analysis. Prentice Hall of India Private limited New Delhi.

Khalil, F.A.F. (2001): Scheduling irrigation of maize by using the evaporation pan method. Ph.D. Thesis. Fac. Agric., Moshtohor, Zagazig Univ. Egypt.

Klute, A. (ed.) (1986): Method of Soil Analysis. Part I. 2nd Ed. Agron. Monogr.9. ASA, Madison, WI

Lelei, J. J.; R. N. Onwonga and B. Freyer(2009): Organic based nutrient management strategies: Effect on soil nutrient availability and maize (Zea mays L.) performance in Njoro, Kenya. African Journal of Agricultural Research, 4 (2): 92- 99.

Mehasen, S.A.S and N.A. Saeed (2006): Performance of three maize hybrids under spraying with zinc and nitrogen fertilization. Annals of Agric. Sci., Moshtohor, 44 (3):887-897.

Metwally, A. A.; M. M. Shafik; M. Fayez and S. A. Safina. (2007): Effect of nitrogen fertilization and diazotroph inoculation on yield of solid intercropped maize with soybean. J. Agric. Sci. Mansoura Univ., 32(6): 4207-4215.

Mkhabela, M. S.; M. S. Mkhabela and J. P. Shikhulu (2001): Response of maize (*Zea mays L.*) cultivars to different levels of nitrogen application in Swaziland. Seventh estern and Southern Africa regional maize conference. February, 377-381.

Mohamed, E.L. and K.O. El–Aref (1999): Farm yard manure as a substitution of part or all chemical nitrogen fertilizer dose at planting for fertilizing maize (*Zea mays L.*). Assiut J. of Agric. Sci., 30 (5) 139-148.

Moser, S. B.; B. Feil ; S. Jampatong and P. Stamp (2006): Effects of pre-anthesis drought, nitrogen fertilizerrate, and variety on grain yield, yield components, and

harvest index of tropical maize. Agricultural Water Management, 81: 41–58.

Myrphy, J. and J.P. Riley (1962): A modified single solution method for the determination of phosphate in neutral water. Ind. Chem. Acta, 27: 1-36.

Nofal, Fatma A.E. (1999): A study on mineral and organic fertilization of maize in newly reclaimed area. Ph. D. Thesis. Fac. Agric., Moshtohor . Zagazig Univ. Egypt.

Nofal, Fatma A.E.; G.M.A. Mahgoub and R.I.I. Faisal (2005a): Nitrogen use efficiency of some maize hybrids under different rates of nitrogen fertilizer. Egypt. J. Appl. Sci; 20 (4): 145-157.

Nofal, Fatma A.E.; M.S.M. Soliman and M.M. Abdel-Ghani (2005b): Effect of irrigation at different water depletions levels, nitrogen, and manure applications on water use efficiency and maize grain yield in sandy soils. minify J. Agric. Res. 30 (4): 1159 – 1177.

Norwood, C.A. (2001): Planting date, hybrid maturity, and plant population effects on soil water depletion, water use, and yield of dryland corn. Agronomy journal 9(93): 1034-1042.

Oraby, F.T; A.A Sarhan ; M.F. Abd El- Maksoud and A.H. Bassiouny (2003): Proper agronomic practices required to maximize productivity of some maize varieties in old and reclaimed soils. III- Effect of sowing date on

response of two maize hybrids to nitrogen fertilization. Egypt. J. Appl. Sci., 18(5B): 597-618.

Sainia V. K.; S.C. Bhandarib and J.C. Tarafdara (2004): Comparison of crop yield, soil microbial C, N and P, N-fixation, nodulation and mycorrhizal infection in inoculated and non-inoculated sorghum and chickpea crops. Field Crops Research 89: 39-47

Saleh, S.A. and F.R.R. Nawar (2003): Effect of mineral and organic manure fertilizer on maize productivity in reclaimed land. J. Adv. Agric. Res. (Fac. Agric. Saba Basha).8 (1): 59- 68.

Santa, O. R. D.; C. R. Soccol; P. R. Junio; R. F. Hernandez; G. L. M. Alvares; H. S. D. Santa and A. Pandey (2004): Effect of inoculation of *Azospirillum sp.* in maize seed under field conditions. Food, Agric.& Enviroment, 2(1): 238-242.

Sawicka, D. S. A. (2001): Effect of inoculation on population numbers of Azospirillum bacteria under winter wheat, oat and maize. Polish Journal of Environmental Studies 10 (1): 21-25.

Selim, M.M.; B. B. Mekki and M. O. Kabesh (1998): Utilization of organic and biofertified systems for increasing Maize production under New reclaimed sandy

soils. Proc. 8th Conf. Agron., Suez Canal Univ., Ismailia, Egypt. Nov., 201-210

Shafshak, S.E; G.Y. Hammam; Samira M. Amer and Fatma A. Nofal (1994a): Nitrogen use efficiency of some maize genotypes. Annals of Agric. Sci., Moshtohor, Egypt. 32 (3): 1249-1263.

Shafshak, S.E; G.Y. Hammam; Samira M. Amer and Fatma A. Nofal (1994b): Differential growth and yield response of some maize genotypes to nitrogen fertilization. Ann. of Agric. Sc., Moshtohor, Egypt, 32 (3): 1245-1278.

Shams, S.A.A. (2000): Effect of some preceding winter crops, nitrogen levels and Zink foliar application on grain yield of maize (*Zea mays L.*). Ann. of Agric. Sc., Moshtohor, Egypt, 38 (1): 47-63.

Shisanya, C. A.; Monica W. Mucheru; D. N. Mugendi; and J. B. Kung'u (2008): Effect of organic and inorganic nutrient sources on soil mineral nitrogen and maize yields in central highlands of Kenya. Soil & Tillage Research, doi:10.1016/j.still.5-16

Shirvastava, U.K. and N. K. Sinka (1992): Response of maize (zea mays) and wheat (Triticum aestivum) to Azotobacter inoculation and fertilizer application. Indian J. of Agron., 37(2): 356-35.

Siam, Hanan S.; Mona G. Abd-El-Kader and H.I. El-Alia (2008): Yield and yield components of maize as affected by different sources and application rates of nitrogen fertilizer. Res. J. Agric. & Biol. Sci., 4(5): 399-412Research Journal of Agriculture and Biological Sciences, 4(5): 399-412.

Suleiman, M.M. (2004): Effect of mineral and organic fertilization and plant density on growth and yield of corn in sandy soil. Ph. D. Thesis. Fac. Agric., Cairo. Univ. Egypt.

Valero, J. A.J.; M. Maturano; A.A. Ramírez; J. M. T. Martín-Benito and J. F.O. Álvarez (2005): Growth and nitrogen use efficiency of irrigated maize in a semiarid region as affected by nitrogen fertilization. Spanish Journal of Agricultural Research 3(1):134-144.

Walkely, A and Black C. A. (1947): A critical examination of a rapid method for determining organic carbon in soils. Soil Sci., 63:251-264.

Wu, S. C.; Z. H. Cao; Z. G. Li; K. C. Cheung and M.H. Wong (2006): Effects of biofertilizer containing N-fixer, P and K solubilizers and AM fungi on maize growth: a greenhouse trail. Geoderma, 125:155-166.