

References

Augsburger JJ, Affel LL, Benarosh DA, 2002: Ultrasound biomicroscopy of cystic lesions of the iris and ciliary body. Trans Am Ophthalmol Soc; 94:259–71.

Bronson NR, 1972: Development of a simple B-scan ultrasounoscope) Trans Am Ophthaalmol Soc; 70: 365.

Brown LF, 1998: Ferroelectric polymers; Current and future applications .J. Ultrasound Med,124:539-545,

Byrne SF and Green RL, 1998: Properties of acoustic waves, Acoustic spectrum. J Acoust Soc Am; 44: 312-322.

Byrne SF and Green RL, 2002: Intraocular tumors, in Byrne SF, Green RL (eds): Ultrasound of the Eye and Orbit. St. Louis, Mosby–Year Book; 181.

Calvin and Dimitri, 1999: Ultrasound Biomicroscopy in the Diagnosis and Management of Limbal Dermoid Am J Ophthalmol; 128:365–367.

Char DH, Kundert G, Bove R, Crawford JB, 2002: 20 MHz high frequency ultrasound assessment of scleral and intraocular conjunctival squamous cell carcinoma. Br J Ophthalmol; 86: 632–635.

Coleman DJ, 1972: Reliability of ocular and orbital diagnosis with B-scan ultrasound in Ocular diagnosis) Am J Ophthalmol; 73: 501.

Coleman DJ, Konig WF, and Katz L, 1969: A hand-Operated ultrasound scan system for ophthalmic evaluation) Am J Ophthalmol; 68: 256.

Coleman DJ, Lizi F, and Jack R, 1977: Ultrasonography of the eye and orbit, Lea & Febrger, Philadelphia; 345-349.

Conway RM, Chew T, Golchet P, Desai K, Lin S, O'Brien J, 2005: Ultrasound biomicroscopy: role in diagnosis and management in 130 consecutive patients evaluated for anterior segment tumors. Br J Ophthalmol.; 89:950–955.

Daniel J, Weisbrod CJ, Pavlin, khaled E, Mark A, Mandell, John M and Rand ES, 2006: Small Ciliary Body Tumors: Ultrasound Biomicroscopic Assessment and Follow-up of 42 Patients. am j ophthalmol; 141:622–628.

Das T, 1987: Ultrasound in ocular trauma. Indian J Ophthalmol; 35:121-5.

Farber MG, Smith ME, Gans LA, 2007: Astrocytoma of the ciliary body. Arch Ophthalmol; 105:536–537.

Finger PT, Tran HV, Turbin RE, 2003: Highfrequency ultrasonographic evaluation of conjunctival intraepithelial neoplasia and squamous cell carcinoma. Arch Ophthalmol; 121:168–172.

Flavio A, Paul T, Steven A, Raymond I, Esaki, Ishikawa, Jeffrey M, Robert R, 2006: Iris and Ciliary Body Melanomas Ultrasound

- Biomicroscopy With Histopathologic Correlation .Arch Ophthalmol; 118:1515-1521.
- Foster FS, Pavlin CJ, Lockwood GR, Ryan LK, Harasiewicz KA, Berube LR, and Rauth AM, 1999:** Principles and applications of ultrasound backscatter microscopy.Arch Ophthalmol; 40: 608-617.
- Foster FS, Starban M, and Austin G, 1994:** The ultrasonic Macroscope. Ultrasonic Imaging; 6: 243-261.
- Frieling E and Dembinsky B, 2004:** Morphometry of the Ciliary Body using UBM. Ophthalmology; 92: 745-749.
- Garcia J, Encinas JL, Mendez C, Ronco IS, Martinez JM, Garcia J, 2005:** Medulloepithelioma of the ciliary body: UBM findings. J. Ultrasound Med.; 24:247–250.
- Goss SA, Jonhston RL, and Dunn F, 1978:** Comprehensive compilation of empirical ultrasonic properties of mammalian tissues. J Acoust soc Am; 64: 423-457.
- Haifeng M, Yiqiao X, Anhuai Y, Jing W, Ya Xu, Zesheng W, Arnd H, 2009:** Astrocytoma of the Ciliary Body. Ophthalmologica; 223:72–74.
- Ho VH, Thomas CP, Hafeez D, 2007:** Ultrasound biomicroscopy for estimation of tumor thickness for conjunctival masses. Journal of clinical ultrasound; vol. 35, 9:87-89.

Http://www.eyebm.com.

Http://www.optikon.com.

Jansson F and Sundmak E, 1961: Determination of the velocity of sound
in ocular tissues at different temperatures *acta ophthalmol*;
39:899-911.

Kaan G, Banu MH, Güler Z, İlhan GR, 2007: The Use of Ultrasound
Biomicroscopy in the Evaluation of Anterior Segment Tumors
and Simulating Conditions *Ophthalmologica*; 221:305–312.

Kahiry HA, Atta HR, Green HD, Van H , and Azuara BA, 2005:
Ultrasound Biomicroscopy in deep sclerectomy, *eye*
Ophthalmology; 19, 555-560.

Kanski JJ, 2003: Clinical Ophthalmology. The Glaucomas, Grading of the
angle, 5th edition; 9: 202.

Kapetansky FM, 2003: A new water bath for ultrasound biomicroscopy
Ophthalmic surg. Lasers; 28: 605-606.

Keisuke K, Fumiki O, Harumi N, and Tetsuro O, 2004: Ultrasound
Biomicroscopic Findings of Ciliary Body Malignant Melanoma
Japanese J Ophthalmol.; 48:412–414.

Kunimatsu S, Araie M, Ohara K, Hamada C, 1999:Ultrasound
biomicroscopy of ciliary body cysts.*Am J Ophthalmol.*;127:48-55.

Kunimatsu S, Atsuo T, Kouichi M, Hiroyo T, Goji T, Aiko I, and Makoto A, 2005: Prevalence of Appositional Angle Closure Determined by Ultrasonic Biomicroscopy in Eyes with Shallow Anterior Chambers. *Ophthalmology*; 112: 407-412.

Laroche D, Ishikawa H, Greenfield D, Liebmann J M, Ritch R, 1998:
Ultrasound biomicroscopic localization and evaluation of intraocular foreign bodies. *Acta Ophthalmology Scand*; 76:491-495.

Marigo FA, Finger PT, McCormick SA, 2000: Iris nevus and ciliary body melanomas: ultrasound biomicroscopy with histopathologic correlation. *Arch Ophthalmol*; 118: 1515–1521.

Maseru AK, Barber JC, Reinecke RD, Wang FM, 1989: Ocular choristomas. *Surv Ophthalmol*; 33:339–358.

Mohamed ME, M Gupta, Parsons A, Rennie IG, 2005: UBM findings in Ciliary body melanocytoma: Case report. *Br J Ophthalmol*.; 89:14–16.

Mundt GH, and Hugher WF, 1956: Ultrasonics in ocular diagnosis, *Am J Ophthalmol*.; 41: 488.

Naeser P, Möller P, Coho K, 2009: Astrocytoma of the ciliary body: A clinicopathological case report. *Acta Ophthalmol (Copenh)*; 63:28–30.

Nordlund JR, Robertson DM, Herman DC, 2003: Ultrasound biomicroscopy in management of malignant iris melanoma. Arch Ophthalmol; 121:725–727.

Nouby-Mahmoud G, Silverman RH, Coleman DJ, 1993: Using high-frequency ultrasound to characterize intraocular foreign bodies. Ophthalmic Surg.; 24:94-9.

NYEE, 2009: New York Eye and Ear infirmery ocular imaging center, www.nyee.edu.

Oksala A, Lehtinen A, 1957: Diagnostic of detachment of the retina by means of ultrasound, Acta Ophthalmol; 35: 461.

Pavlin CJ, Easterbrook M, Harasiewicz K, Foster FS, 1999: An Ultrasound Biomicroscopy analysis of angle-closure Glaucoma Secondary to Ciliochoroidal Effusion in IgA Nephropathy. Am. J. Ophthalmol.; 116: 341-345.

Pavlin CJ, and Foster FS, 1998: Ultrasound biomicroscopy of the eye. Invest Ophthalmol.;20:112-114

Pavlin CJ, Foster FS, 2000: Ultrasound biomicroscopy of the eye. Ophthalmol Clin North Am ;15:243–8.

Pavlin CJ, Foster SF, 2001: Ultrasound biomicroscopy of the eye. Arch Ophthalmol; 6:97-104.

- Pavlin CJ, Foster FS, 2002:** Ultrasound biomicroscopy of the cornea. In: Krachmer JH, Mannis MJ, Holland EJ, editors. The cornea. St Louis (MO): Mosby-Year Book; 351–9.
- Pavlin CJ, Foster FS, 2004:** High Resolution Ultrasound. In: Krachmer JH, Mannis MJ, Holland EJ, editors. The Cornea. Mosby-Year book Inc.: St. Louis with permission, 89:456-460.
- Pavlin CJ, Harasiewicz K and Foster FS, 1998:** Ultrasound biomicroscopy of anterior segment structures in normal and glaucomatous eyes. Am J Ophthalmol; 113:381-389.
- Pavlin CJ, Harasiewicz K and Foster FS, 2008:** Ultrasound biomicroscopy of anterior segment structures in normal and glaucomatous eyes. Am J Ophthalmol; 113:381–9.
- Pavlin CJ, Harasiewicz K, Sherar MD and Foster FS, 1997:** Clinical use of ultrasound biomicroscopy. Ophthalmology; 98: 287-295.
- Pavlin CJ, Harasiewicz K, Sherar MD, Foster FS, 2005:** Clinical use of ultrasound biomicroscopy. Ophthalmology; 98:287–295.
- Pavlin CJ, Luz MV, Richard LE, Rand S, and Iqbal IK, 2009:** Ultrasound Biomicroscopy in the Imaging of Anterior Segment Tumors versus optical coherence tomography Am J Ophthalmol; 147:214–219.
- Pavlin CJ, McWhae JA, McGowan HD, 1992:** Ultrasound biomicroscopy of anterior segment tumors. Ophthalmology; 99:1220–8.
- Pavlin CJ, Sherar MD, and Foster FS, 1996:** Subsurface ultrasound microscopic imaging of intact eye, Ophthalmology; 97: 244-250.

Pavlin CJ, Simpson ER and Foster FS, 2008: Clinical use of ultrasound biomicroscopy. Ultrasound clinics book; ISBN 10.1016:186-187.

Purnell EW, 1965: Ultrasound in ophthalmological diagnosis in Grossman CC: Diagnostic Ultrasound. New York, Plenum Press; 96.

Reinstein DZ, Silverman RH, Trokel SL, Allemann N, Colemann DJ, 1999: High Frequency Ultrasound digital signal processing for Biometry of the Cornea in Planning for Photo-therapeutic Keratectomy. Arch. Ophthalmol.; 111: 430-431.

Sherar MD, Foster FS, 1999: The design and fabrication of high frequency polyvinylidene fluoride transducers Ultrasonic imaging. Am J Ophthalmol; 11: 79-97.

Sherar MD, Starkoski BG, Taylor WB and Foster FS, 1999: A 100 MHz B-scan ultrasound backscatter microscope. Ultrasonic Imaging. Am J Ophthalmol ;11:95-105.

Shields CL and Shields JA, 2004: Tumors of the conjunctiva and cornea. Surv. Ophthalmol.; 49:3-24.

Shields CL, Demirci H, Karatza E, Shields JA, 2004: Clinical survey of 1643 melanocytic and non melanocytic conjunctival tumors. Ophthalmology; 111:1747-1754.

Shields JA, Eagle RC Jr, Shields CL, Singh AD, Robitaille J, 2002: Pigmented medulloepithelioma of the ciliary body. Arch Ophthalmol.; 120:207-210.

Spencer WH, 1996: Conjunctiva. In: Ophthalmic Pathology: An Atlas and Textbook. 4th ed. Philadelphia, Pa: WB Saunders Co;38-125.

Sujata G, Muna B, Mani B, Tarun S, 2006: role of Ultrasound Biomicroscopy (UBM) in the detection and localisation of anterior segment foreign bodies. Ann Acad Med Singapore; 35:536-40.

Tello C, Chi T, Shepps G, Liebmann J, and Ritch R, 1999: Ultrasound biomicroscopy in pseudophakic malignant glaucoma. Ophthalmology; 100: 1330-1334.

Thijssen MJ, Mol and Timer MR, 1993: Acoustic parameters of ocular tissues. Ultrasound Med. Biol; 11:157-161.

Topilow HW, Ackerman AL, Zimmerman RD, 1984: Limitations of computerised tomography in the localisation of intraocular foreign bodies. Ophthalmology; 91:1086-91.

Torres VL, Allemann N, Erwenne CM, 2007: Ultrasound biomicroscopy features of iris and ciliary body melanomas before and after brachytherapy. Ophthalmic Surg Lasers Imaging; 36:129–138.

Tuomaala S, Kivela T, Liebmann J, 2003: Metastatic pattern and survival in disseminated conjunctival melanoma: implications for sentinel lymph node biopsy. Ophthalmology; 111:816.

Vasquez L, Pavlin CJ, McGowan H, 2007: Ring melanoma of the ciliary body: clinical and ultrasound biomicroscopic characteristics. Can J Ophthalmol; 43:229–33.

Yanoff M and Duker JS, 2005: Ophthalmology. Mosby international Ltd.

78: 985-993.

Yusuf U, Carol LS, Arman M, Jerry AS, Ralph CE, 2006: Ultrasound
Biomicroscopy of Cystic and Solid Caruncular Oncocytoma,
Arch Ophthalmol.; 56:198-199.