

References

- **Abramson D.H., Franzen L.A., Coleman D.J. (1973):** Pilocarpine in the presbyope: Demonstration of an effect on the anterior chamber and lens thickness. Arch Ophthalmol 89:100.
- **Alio J., Schimchak, Negri H. et al. (2005):** Crystalline lens optical dysfunction through aging. Ophthalmology.;112:2022–2029.
- **Alió J.L., Chaubard J.J., Caliz A., Sala E., Patel S. (2006):** “Correction of presbyopia by technovision central multifocal LASIK (presbyLASIK)”, J Refract Surg. 22(5), p.453-60 .
- **American Optometric Association (2006):** Presbyopia. <http://www.aoa.org/x4697.xml>.
- **Anschutz T.(1994):** Laser correction of hyperopia and presbyopia. Int Ophthalmol Clin.; 34:107-137.
- **Augusteyn R., Rosen A., Borja D., Ziebarth N. and Parel J.M. (2006):** Biometry of primate lenses during immersion in preservation media. Molecular Vision, 12, 740–747.
- **Beers A.P., van der Heijde G. (1994):** Presbyopia and velocity of sound in the lens. Optom Vis Sci.;71:250–253. Medline.
- **Bennett R.B. (1998):** The schematic eye. In: Rabbetts RB, ed. Bennett & Rabbett’s Clinical Visual Optics. Oxford, Boston: Butterworth-Heinemann.
- **Binder P.S. (2004):** Flap dimensions created with the IntraLase FS laser. J Cataract Refract Surg;30:26 –32.

- **Bito L.Z. (1988):** presbyopia. Arch Ophthalmol 106:1526,
- **Blum M., Kunert K., Nolte S., Riehemann S., Palme M., Peschel T., Dick M., Dick H.B. (2006):** Presbyopia treatment using a femtosecond laser. Ophthalmologe ; 103: 1014–1019.
- **Bolz M., Prinz A., Drexler W., Findl O. (2007):** Linear relationship of refractive and biometric lenticular changes during accommodation in emmetropic and myopic eyes. Br J Ophthalmol; 91: 360–365.
- **Callina T., Reynolds T.P. (2006):** Traditional methods for the treatment of presbyopia: spectacles, contact Lenses, bifocal contact lenses. Ophthalmol Clin N Am 19; 25 – 33.
- **Cantú R., Rosales M.A., Tepichín E., Curioca A., Montes V., Bonilla J. (2004):** Advanced surface ablation for presbyopia using the Nidek EC-5000 laser. J Refract Surg.; 20:S711-S713.
- **Cheng H., Barnet J.K., Bilupuro A.S., Marsack J.D., Kasthurirangan S., Applegate R.A., Roorda A. (2004):** A population study on changes in wave aberrations with accommodation. J Vis.;4:272-280.
- **Dick H.B., Dell S. (2006):** Single optic accommodative intraocular lenses. Ophthalmol Clin North Am; 19: 107–124, vi.
- **Doane J.F., Jackson R.T. (2007):** Accommodative intraocular lenses: considerations on use, function and design. Curr Opin Ophthalmol; 18: 318–324.
- **Duane A. Textbook of Ophthalmology (1997):** 5th ed. Philadelphia, Pennsylvania: J. B. Lippincott Company.

- **Dubbelman M., der Heijde G.V. and Weeber H. (2005):** Change in shape of aging human crystalline lens with accommodation. Vision Research, 45, 117–132.
- **Dubbelman M., van der Heijde G.L., Weeber H.A., Vrensen G.F.J.M. (2003):** Changes in the internal structure of the human crystalline lens with age and accommodation. Vision Res; 43: 2363–2375.
- **Farid M., Kim M., Steinert R.F. (2007):** Results of penetrating keratoplasty performed with a femtosecond laser zigzag incision: Initial report. Ophthalmology;114:2208–2212.
- **Findl O. (2001):** IOL movement induced by ciliary muscle contraction. In: Guthoff R, Ludwig K, eds. Current Aspects of Human Accommodation. Heidelberg, Germany: Kaden Verlag.
- **Fisher R.F. (1969):** The significance of the shape of the lens and capsular energy changes in accommodation. J Physiol 201:21.
- **Fisher R.F. (1973):** Presbyopia and the changes with age in the human crystalline lens. J Physiol 228:765.
- **Gerten G., Ripken T., Breitenfeld P., Krueger R., Kermani O., Lubatschowski H. et al. (2007):** In-vitro- und in-vivo-untersuchungen zur presbyopiebehandlung mit femtosekundenlasern. Ophthalmology, 104, 40–46.
- **Gil-Cazorla R., Teus M.A., de Benito-Lopis L. (2008):** Incidence of diffuse lamellar keratitis after laser in situ keratomileusis associated with the IntraLase 15 kHz femtosecond laser and Moria M2 microkeratome. J Cataract Refract Surg;34:28–31.

- ***Glasser A. (2008):*** Restoration of accommodation: surgical options for correction of presbyopia. Clin Exp Optom; 91: 3: 279–295.
- ***Glasser A., Wendt M., Ostrin L. (2006):*** Accommodative changes in lens diameter in rhesus monkeys. Invest Ophthalmol Vis Sci; 47: 278–286.
- ***Hamilton D.R., Davidorf J.M., Maloney R.K. (2002):*** Anterior ciliary sclerotomy for treatment of presbyopia: a prospective controlled study. Ophthalmology; 109: 1970–1977.
- ***Harissi-Dagher M., Azar D.T. (2008):*** Femtosecond laser astigmatic keratotomy for postkeratoplasty astigmatism. Can J Ophthalmol; 43:367–369.
- ***Heisterkamp A., Mammon T., Kermani O., Drommer W., Welling H. and Ertmer W. (2003):*** Intrastromal refractive surgery with ultrashort laser pulses: In vivo study on the rabbit eye. Graefes Archives of Clinical and Experimental Ophthalmology.
- ***Hennighausen H., Bille J. (1994):*** “Computer simulation of corneal curvature change caused by intrastromal ablations using a pico-second lasersystem” SPIE 2330.
- ***Heys K.R., Cram S.L., Truscott R.J. (2004):*** Massive increase in the stiffness of the human lens nucleus with age: the basis for presbyopia Mol Vis.;10:956–963.
- ***Hild M., Krause M., Riemann I. et al. (2008):*** Femtosecond laserassisted retinal imaging and ablation: Experimental pilot study. Curr Eye Res;33:351–363.

- **Hoffart L., Proust H., Matonti F. et al. (2007):** Femtosecond laserassisted anterior lamellar keratoplasty. J Fr Ophthalmol; 30:689–694.
- **Holzer M.P. (2009):** updates on intraCOR. Cataract & refractive surgery today Europe; 44-45.
- **Jones Y.J., Goins K.M., Sutphin J.E. et al. (2008):** Comparison of the femtosecond laser (IntraLase) versus manual microkeratome (Moria ALTK) in dissection of the donor in endothelial keratoplasty: Initial study in eye bank eyes. Cornea; 27:88–93.
- **Kezirian G.M., Stonecipher K.G. (2004):** Comparison of the IntraLase femtosecond laser and mechanical microkeratomes for laser in situ keratomileusis. J Cataract Refract Surg; 30:804–811.
- **Kim J.H., Yum J.H., Lee D., Oh S.H. (2008):** Novel technique of corneal biopsy by using a femtosecond laser in infectious ulcers. Cornea;27:363–365.
- **Koretz J.F., Cook C.A., Kaufman P.L. (1997):** Accommodation and presbyopia in the human eye. Changes in the anterior segment and crystalline lens with focus. Invest Ophthalmol Vis Sci 38:569.
- **Koretz J.F., Kaufman P.L., Neider M.W. et al. (1989):** Accommodation and presbyopia in the human eye: II. Aging of the anterior segment. Vis Res 29:1685.
- **Krag S., Andreassen T.T. (2003):** Mechanical properties of the human posterior lens capsule. Invest Ophthalmol Vis Sci.; 44:691–696.

- **Krueger R., Kuszak J., Lubatschowski H., Myers R., Ripken T. and Heisterkamp A. (2005):** First safety study of femtosecond laser photodisruption in animal lenses: Tissue morphology and ataractogenesis. *Journal of Cataract and Refractive Surgery*, 31, 2386–2393.
- **Krueger R., Sun X., Stroh J. and Myers R. (2001):** Experimental increase in accommodative potential after neodymium: yttrium–aluminum–garnet laser photodisruption of paired cadaver lenses. *Ophthalmology*, 108, 2122–2129.
- **Krueger R.R., Thornton I.L., Xu M. et al. (2008):** Rainbow glare as an optical side effect of IntraLASIK. *Ophthalmology*; 115:1187–1195.
- **Kuchle M., Seitz B., Langenbucher A., Gusek-Schneider G., Martus P. and Nguyen N. (2004):** Comparison of 6-month results of implantation of the 1cu accommodative intraocular lens with conventional intraocular lenses. *Ophthalmology*, 111 (2), 318–324.
- **Kuchle M., Seitz B., Langenbucher A., Martus P. and Nguyen N. (2003):** Stability of refraction, accommodation, and lens position after implantation of the 1cu accommodating posterior chamber intraocular lens. *Journal of Cataract and Refractive Surgery*, 29(12), 2324–2329.
- **Langenbucher A., Seitz B., Huber S., Nguyen N.X., Kuchle M. (2004):** Theoretical and measured pseudophakic accommodation after implantation of a new accommodative posterior chamber intraocular lens. *Arch Ophthalmol*; 121: 1722–1727.

- **Li W., Jum F., Feng C. and Hsiung H. (2004):** Multi-focal lasik for myopia. Nidek Refractive Express, 2(1), 1–4.
- **Lifshitz T., Levy J., Klemperer I. et al. (2005):** Anterior chamber gas bubbles after corneal flap creation with a femtosecond laser. J Cataract Refract Surg;31:2227–2229.
- **Machat J.J. (ed.) (1996):** “Excimer Laser Refractive Surgery: Practice and Principle”, Slack Inc.
- **Marchini G., Pedrotti E., Sartori P., Tosi R. (2004):** Ultrasound biomicroscopic changes during accommodation in eyes with accommodating intraocular lenses: pilot study and hypothesis for the mechanism of accommodation. J Cataract Refract Surg; 30: 2476–2482.
- **McLeod S.D., Vargas L.G., Portney V., Ting A. (2007):** Synchrony dual-optic accommodating intraocular lens. Part 1: Optical and biomechanical principles and design considerations. J Cataract Refract Surg; 33:37–46.
- **Metro-Optics (2005):** Metro Progressive aspheric multifocal. Available at: <http://www.metro-optics.com/products/bifocal/gaspermeable/>. Accessed July 29, 2005.
- **Mordi J.A., Ciuffreda K.J. (2004):** Dynamic aspects of accommodation: age and presbyopia. Vis Res. 2004;44: 591–601.
- **Moreira H., Garbus J.J., Fasano A., Lee M., Clapham T.N., McDonnell P.J. (1992):** Multifocal corneal topographic changes with excimer laser PRK. Arch Ophthalmol.;10: 994-999.

- **Nordmann J., Mack G., Mack G. (1974):** Nucleus of the human lens: III. Its separation, its hardness. *Ophthalmic Res.*;6:216–222.
- ***Ophthalmic Products by Carl Zeiss (2005):*** Eyeglass lenses computer vision. Gradal RD. Available at: <http://www.zeiss.de/C125679B00315836/?Open>.
- **Ostrin L.A., Glasser A. (2004):** Edinger-Westphal and pharmacologically stimulated accommodative refractive changes and lens and ciliary process movements in rhesus monkeys. *Exp Eye Res*; 84: 302–313.
- **Pardue M.T., Sivak J.G. (2000):** Age-related changes in human ciliary muscle. *Opt Vis Sci* 77:204–210.
- **Qazi M.A., Pepose J.S., Shuster J.J. (2002):** Implantation of scleral expansion band segments for the treatment of presbyopia. *Am J Ophthalmol*; 134: 808–815.
- **Rabinowitz Y.S., Li X., Ignacio T.S., Maguen E. (2006):** Intacs inserts using the femtosecond laser compared to the mechanical spreader in the treatment of keratoconus. *J Refract Surg*; 22:764 –771.
- **Ripken T., Oberheide U., Fromm M., Schumacher S., Gerten G. and Lubatschowski H. (2007):** Fs-laser induced elasticity changes to improve presbyopic lens accommodation. *Graefes Archives of Clinical and Experimental Ophthalmology*.
- **Rosen A., Denham D., Fernandez V., Borja D., Ho A., Manns F. et al. (2006):** In vitro dimensions and curvatures of human lenses. *Vision Research*, 46, 1002–1009.

- **Ruiz L.A. (April 2008):** Non invasive intrastromal correction of presbyopia. *Cataract & refractive surgery today Europe*; 44-45.
- **Ruiz L.A. (January 2008):** Preliminary clinical results of non-invasive, intrastromal correction of presbyopia using the FEMTEC® femtosecond laser system. *Hawaiian Eye Meeting 2008*.
- **Sarayba M.A., Kurtz R.M., Nguyen T.T. et al. (2005):** Femtosecond laser- assisted intracorneal keratoprosthesis implantation: A laboratory model. *Cornea*;24:1010 –1014.
- **Schachar R.A., Tello C., Cudmore D.P., Liebmann J.M., Black T.D., Ritch R. (1996):** In vivo increase of the human lens equatorial diameter during accommodation. *Am J Physiol*; 271: R670–R676.
- **Schumacher S., Oberheide U., Fromm M., Ripken T. (2009):** Femtosecond laser induced flexibility change of human donor lenses. *Vision Research* 49 :1853–1859.
- **Schumacher S., Fromm M., Lakharia R., Schaefer M., Oberheide U. and Ripken T. (2007):** Fs-laser induced flexibility increase in the crystalline lens. In *Proceedings of the SPIE* (Vol. 6426).
- **Slade S.G. (2007):** The use of the femtosecond laser in the customization of corneal flaps in laser in situ keratomileusis. *Curr Opinion Ophthalmol*;18:314 –317.
- **Soong H.K., Joao Baptista Malta (2009):** Femtosecond Lasers in Ophthalmology. *american journal of ophthalmology* 189: 196.

- **Soong H.K., Mian S., Abbasi O., Juhasz T. (2005):** Femtosecond laserassisted posterior lamellar keratoplasty: Initial studies of surgical technique in eye bank eyes. *Ophthalmology*; 112:44–49.
- **Srinivasan S., Herzig S. (2007):** Sub-epithelial gas breakthrough during femtosecond laser flap creation for LASIK. *Br J Ophthalmol*; 91: 1373.
- **Stachs O., Martin H., Kirchhoff A. et al. (2002):** Monitoring accommodative ciliary muscle function using three-dimensional ultrasound. *Graefes Arch Clin Exp Ophthalmol*. 2002; 240:906–912.
- **Stachs O., Schneider H., Stave J., Guthoff R. (2005):** Potentially accommodating intraocular lenses: an in vitro and in vivo study using three-dimensional high-frequency ultrasound. *J Refract Surg*; 21: 37–45.
- **Stonecipher K.G., Dishler J.G., Ignacio T.S., Binder P.S. (2006):** Transient light sensitivity after femtosecond laser flap creation: Clinical findings and management. *J Cataract Refract Surg*; 32:91–94.
- **Strenk S., Strenk L. and Guo S. (2006):** Magnetic resonance imaging of aging, accommodating, phakic, and pseudophakic ciliary muscle diameters. *Journal of Cataract and Refractive Surgery*, 32, 7792–7798.
- **Swegmark G. (1969):** Studies with impedance cyclography on human ocular accommodation at different ages. *Acta Ophthalmol (Copenhagen).*; 47:1186–1206.

- **Telandro A. (2004):** Pseudo-accommodative cornea: a new concept for correction of presbyopia. J Refract Surg.; 20:S714-S717.
- **The LifeStyle Company (July 2005):** Practitioner page. Lifestyle GP. Available at <http://www.lifestylecompany.com/Pages/gp.html>.
- **Weeber H.A., Eckert G., Pechhold W., van der Heijde R.G.L. (2007):** Stiffness gradient in the crystalline lens. Graefes Arch Clin Exp Ophthalmol; 245: 1357–1366.
- **Yasuda A., Yamaguchi T., Ohkoshi K. (2003):** Changes in corneal curvature in accommodation. J Cataract Refract Surg; 29: 1297–1301.
- **Yoo S., Kymionis G., Koreishi A. et al. (2008):** Femtosecond laserassisted sutureless anterior lamellar keratoplasty. Ophthalmology; 115:1303–1307.