

Calloway, D.H.; Cole, E.R. and Spextor, H. (1957).

"Nutritive value of irradiated turkey. I - Growth promoting quality and biological value."

J. Amer. diet. ASS., 33; 1027 - 1029.

CAST (1986).

"Council for Agricultural Science and Technology.

Ionizing Energy in Food Processing and Pest control."

Report No. 109, July 1986.

Library of congress cataloging in publication data.

Washington D.C. 205/1.

Chapman, H.D. and Pratt, P.F. (1961).

"Methods of analysis for soils, plants and waters."

Dept. of Agric., Sci., Univ., of California, Riverside.

Craig, B.M. (1971).

"Production and utilization of rapeseed in Canada."

J. Amer. Oil Chem. Soc., 48; 787 - 789.

Daun, J.K. and Hougen, F.W. (1976).

"Sulfur content of rapeseed oils".

J. Amer. Oil Chem., 53; 169 - 171.

Daun, J.K. (1986).

"Erucic acid levels in western Canadian canola and rapeseed."

J. Amer. Oil Chem. Soc., 3, 321 - 324.

Daun, J.K.; Cooke, L.A. and Clear, R.M. (1986).

"Quality, morphology and sterability of canola and rapeseed harvested after overwintering in Northern Alberta".

J. Amer. Oil Chem., Soc., 63; No. 10; 1333 - 40.

Delhaye, R. and Guyot, A. (1970).

"Variations in fatty acids composition of rapeseed oil."

Bulletin des Recherches Agronomiques de Gembloux,
1970 5 (3/4): 443 - 449.

Deuel, H.J.; Cheng, A.L.S. and Morehouse, M.G. (1948).

"High and low erucic acid rapeseed oils".

Academic Press Canada, 1983; Part 11, 254 - 274.

Dku, T. (1984).

"Changes in the components of gamma-irradiated fried Kamaboko. IV. Changes in the fatty acid composition of the oil in fried Kamaboko of sardine by gamma irradiation and storage".

J. of Japanese Soc. of Fd. Sci. and Technology.

(Nippon Shokuhin Kogyo Gakkaish): 31; (3):174-179.

Downey, R.K. (1964).

"High and low erucic acid rapeseed oils".

Academic Press Canada, 1983; Part 6: 144 - 157.

Downey, R.K. (1983).

"High and low erucic acid rapeseed oils".

Academic Press Canada, 1983; Part 1; 1 - 18.

Dubowski, K.M. (1962).

"An-o-toluidine method for body blood glucose determination.

Clin. Chem. 8; 215.

Eckey, E.W. (1954).

"Vegetable fats and oils".

Reinhold publishing corporation, New York, U.S.A.

El-Nockrashy, A.S.; Mukherjee, K.D. and Mangold, H.K.(1977).

"Rapeseed protein isolates by countercurrent extraction and isoelectric precipitation".

J. Agric. Fd. Chem., 25: 1, 193 - 197.

El-Sayed, S.A.; Rouf, M.S.; Morad, M.M. and Rady, A.H.
(1979).

"Effect of gamma irradiation on fatty acids of tomato seed oil."

Arab. Journal of Neuclear Sciences and Application
12;2 (1979); 361 - 374.

El-Sharkawy, A.A.; Rady, A.H.; Moustafa, M.M. and Kandil, S.H. (1986).

"Changes in main components of raw and roasted peonut and sesame seeds. I. Oil properties, fatty acid composition, hydrocarbons and sterol constituents."
Egypt. J. Fd. Sci., 14; 1, 1 - 12.

Elson, C.M.; Hynes, D.L. and Macneil, P.A. (1979).

"Trace metal content of rapeseed meals, oils and seeds."

J. Amer. Oil Chem. Soc., 63; 10; 998 - 999.

F.A.O./WHO/IAEA; (1962).

"Reporte of meeting on the whole someness of irradiated foods."

BrVssels, 23-30; October, 1961; Rome, Food and Agriculture Organization 205 pp.

Farag, R.S.; Hallabo, S.A.S.; Hewedi, F.M. and Basyony, A.E.
(1986).

"Chemical evaluation of rapeseeds."

Anstrichmistry, 10; 391 - 398.

Fenwick, G.R. and Curtis, R.F. (1980).

"Rapeseed meal in ration for laying hens; a review of the effect on Egg quality."
J. Sci. Fd. Agric., 31; 515 - 525.

Gillberg, L. and Tornell, B. (1976).

"Preparation of rapeseed protein isolates."
Dissolution and precipitation behavior of rapeseed proteins.
J. Fd. Sci., 41; 1063 - 1069.

Hayakawa, S.; Suzvki, H.; Hayashi, T. and Kawashima, K.(1985)

"Effect of gamma irradiation on the nutritive value of domestic animals feeds."
Rep. Natl. Fd. Res. Inst. 46 : 109 - 113.

Helbert, J.R. and Brown, K. (1957).

"Colour reaction of anthrone with monosaccharides, mixtures and oligosaccharides containing hexuronic acid.
Anal. Chem., 29; 10; 1464 - 1466.

Hultman, E. (1959).

"Rapid specific method for determination of aldose-saccharide in body fluids."
Nature 183; 108.

Itoh, T.; Tamura, T. and Majsumoto, T. (1973).

"Sterol composition of 19 vegetable oils."
J. Amer. Oil Chem. Soc. 50: 122 - 125.

Jackson, N. (1969).

"Toxicity of rapeseed meal and its use as a protein supplement in the diet of tow hybrid strains of caged laying Hens."
J. Sci. Fd. Agric., 1969; 20; 734 - 740.

Johansson, A. and Appelqvist, L.A. (1978).

"The content and composition of sterols and sterol esters in low erucic acid rapeseed (Brassica napus)."
Lipids 1978; 13; 10 ; 658 - 665.

Johansson, A. and Appelqvist, L.A. (1979).

"The sterol composition of freshly harvested compared to sterol seeds of rape, sunflower and poppy."
J. Amer. Oil Chem. Soc., 56; 12, 995 - 997.

Jonsson, R. (1977).

"High and low erucic acid rapeseed oils."
Academic Press Canada, 1983; Part 6; 144 - 158.

Josefsson, E. (1975).

"Effects of variation of heat treatment conditions on the nutritional value of low glucosinolate rapeseed meal."
J. Sci. Fd. Agric., 26; 157 - 164.

Kavalam, J.P. and Nawar, W.W. (1969).

"Effect of ionizing radiation on some vegetable fats."
J. Amer. Oil Chem. Soc., 46: 387 - 390.

Kennedy, T.S. and Ley, F.J. (1971).

"Studies on the combined effect of gamma radiations and cooking on nutritive value of fash."
J. Sci. Ed. Agric. 22; 146.

Khalil, A.R. (1978).

"Chemical studies on the unsaponifiable matter of the vegetable oils."
M. Sc. Thesis, Fac. of Agric., Ain Shams Univ.

Kirk, J.T. and Oran, R.N. (1981).

"High and low erucic acid rapeseed oils."
Academic Press Canada, Part 1, 1 - 17.

Kjaer, A. (1966).

"The distribution of sulphur compounds."
Comparative phytochemistry (Swain, T., Ed.), Academic
Press, New York, 1966; 187 - 194.

Koesters, W.W. and Kirchgessner, M. (1976).

"Effect of UV and gamma irradiation on vitamin B-6
content and protein constituents of feeds."
Landwirtsch for Sch. 29 (3-4): 194-203.

Kramer, J.K.G.; Sauer, F.D. and Pigden, W.J. (1983).

"High and low erucic acid rapeseed oils."
Academic Press Canada, 1983; Part 1, 1-18.

Kume, T.; Chosdy, R.; Itoh, T. and Takeshia, M. (1983).

"Effect of gamma irradiation on fish meal."
Agric. Biol. Chem. 47, 4 ; 723-728.

Langer, P. and Greer, M.A. (1977).

"Antithyroid substances and naturally occurring
goitrogens S."
Karger, Basel, 1977; p. 1.

Lee, J.I.; Takayanagi, K. and Shiga, T. (1974).

"Breeding for improvement of fatty acid composition
in rapeseed, Brassica napus L. I. Fatty acid com-
position in rapeseed oil of Asian and European
varieties."

Bulletin of the National Institute of Agricultural
Science, Japan, D., 25, 1 - 16.

Lessman, K.J. and McCaslin, B.D. (1987).

"Gamma irradiation to inactivate thioglucosid of crucifers."

J. Amer. Oil Chem. Soc., 64, 2, 237 - 241.

Liu, R.F.K.; Thompson, and Jones, J.D. (1982).

"Yield and nutritive value of rapeseed protein concentrate."

J. of Fd. Science, 47, 977 - 981.

Martillotti, F.; Malossini, F.; Carretta, A. and Lanzani, A. (1980).

"Chemical composition of the seeds and oil meals of rapeseed belonging to 2 varieties and their influence on milk yield and milk composition in dairy cows."

Zootecnica e Nutrizione Animals, Vol. 5(1): 239-246.

Metta, V.C. and Johansson, B.C. (1956).

"The effect of radiation sterilization on the nutritive value of foods. I. Biological value of milk and beef proteins."

J. Nutr. 59; 479- 90.

Monty, K.J. (1960).

"Carbonyl compounds as inhibitors of lipids metabolism and their significance in irradiated foods.

Fed. Proc., 19; 1034-1037.

Moustafa, M.M.; Rady, A.H. and Rahma, E.H. (1986).

"Effect of different technological methods on the quality of soybean oil and meal.

Egypt J. Fd. Sci., 14; 2, 409 - 419.

- Muminova, S.N.; Ibragimov, A.R.; Mirzakrimov, R.M. and Rizaev, N.U. (1971).
"Effect of gamma irradiation on the properties of extracted cottonseed oil for the preparation of K-5 drying oil."
Uzb. Khim. zh.; 1, 40-40 (1971); (in Russian).
(c.f. Neuc1. Sci., Abst., 41839).
- Nelson, J.P.; Millum, A.J. and Fister, H.D. (1969).
"Gas chromatographic determination of tecopherols and sterols in soya sludges and residues, an improved method."
J. Amer. Oil Chem. Soc., 47; 259-261.
- Owen, D. (1970).
"The isolation and detoxification of rapeseed pre-sscake meal with a biological and chemical evaluation."
Ph. D. Dissertation, University of California, Davis, CA., 1970, p. 18.
- Owen, F. and Chichester, C.O. (1971).
"A process for producing nontoxic rapeseed protein isolate and an acceptable feed by product."
American Association of Cereal Chemists, 48; 2, 91 - 96.
- Pigden, W.J. (1983).
"High and low erucic acid rapeseed oils".
Academic press Canada, 1983; Part 2; 21 - 57.
- Rady, A.H. (1976).
"A comparative study of several technological and chemical aspects of the production of plantsoils."
M. Sc. Thesis, Fac. of Agric., Cairo, Univ.
- Rady, A.H. (1981).
Effect of gamma irradiation and estrification on crude rice brane oil properties.

- Rady, A.H.; Mostafa, M.M. and Rahma, E.H. (1987).
Effect of humid and dry heat application on the
quality of soybean oil and cake residue.
Egypt. J. Fd., Sci. 15 (1): 37 - 49.
- Rahman, L. and Qudlus, M.A. (1981).
Variability in oil content, fatty acids pattern and
glucosinolate content in mustard and rapeseed.
Indian Journal of Agricultural Sciences 1981, 51
1, 23 - 26.
- Rattory, E.A.S.; Phamer, R. and Ruzati, A. (1974).
"Toxicity of kidney beans (Phaseolus vulgaris L.)
J. Sci. Fd. Agric., 1974; 25; 1035 - 1040.
- Rauchberger, Y.; Mokady, S. and Cogan, V. (1979).
"The effect of aqueous leaching of glucosinolates
on the nutritive quality of rapeseeds meal."
J. Sci. Fd. Agric., 30; 31 - 39.
- Read, M.S. (1960).
"The effect of ionizing radiation on the nutritive
value of foods.
In Proceeding of the International Conference on
the Preservation of Food by Ionizing Radiation;
July, 1959; 138 - 152; Washington, D.C.
- Rosanna, M.M. and Tanya, R. (1985).
"Food irradiation: New perspectives on a controver-
sial Technology A Review of Technical, Public Health,
and Economic Considerations Congress of the United
States Office of Technology Assessment Washington
D.C. 20516.
- Rowe, C.J. (1973).
Food analysis by Atomic Absorption Sepectrascopy.
Varian Techtron., Australia, U.S.A. Switzerland.
- Rutkowski, A. (1971).
The feed value of rapeseeds meal;
J. Amer. Oil Chem. Soc., 48; 863 - 867.

- Sauer, F.D. and Kramer, J.K.G. (1983).
"High and low erucic acid rapeseeds oils".
Academic Press Canada, 1983; Part 11; 254 - 274.
- Sehovic, D.; Jovanovic, K.; Basic, V.; Stojak, L. J.;
Koludrovic, B.; Desic, Lj.; Balzer, I. and Hrust, V.
(1980).
"Comparative studies of amount and composition of o
oils and amount of glucosinolate in rapeseed(Brassica
napus L. Var.oleiferae)."
Hran. Ishrana, 1980; 21 (3/4): 47 - 49.
- Shiga, T. (1978).
"Breeding for fatty acids composition of oil in
rapeseed, Brassica napus L."
Ministry of Agriculture and Forestry, 187 - 196.
- Smith, T.K. and Campbell, L.D. (1976).
"Rapeseed meal glucosinolates : metabolism and effect
on performance in laying hens."
Poultry Sci. 55; 861 - 867.
- Sosulski, F. (1981).
"Composition of polar lipids in rapeseed".
J. Amer. Oil Chem. Soc., 58; 561 - 564.
- Stefansson, B.R. (1983).
"High and low erucic acid rapeseed oils".
Academic Press Canada, 1983; Part 6; 143 - 158.
- Stumpf, P.K. and Polard, M.R. (1983).
Ibid, Part 5; 131 - 141.

Swkeldam, E.J.; Wysman, J.A.; Roverts, W.G. and Wouterse, R.A. (1983).

"Toxicological and nutritional evaluation of five different heated oils in rats".
6th International Rapeseed Conference, Paris; 17- 19.

Taha, M.H. (1973).

"Studies on the chemical refining of crude rice bran oil."

M. Sc. Thesis, Fac. of Agric., Ain Shams Univ.

Tursunov, M.; Rizaev, N.V.; Mirzakarimov, R.M.; Ibragimov, A.P. and Sukhinina, L.A. (1966).

"Effect of gamma irradiation on the physicochemical properties of cotton seed oil."

Izc. Vyssh. Ucheb. Zaved. Pisheh. Tekhnol. No. 6;
31 - 33. (1966).

(c.f. Neuc1. Sci. Abst., 22; 21127, 1968).

Van Etten, C.H. (1969).

"Toxic constituents of plant foodstuffs",

Edited by L.E. Liener, Academic Press, New York;
1969; 120 - 8.

Weiss, T.J. (1970).

"Food oils and their uses".

The Avi Publishing Company, INC., Westport, Connecticut, 29 - 31.

WHO (1981).

Wholesomeness of Irradiated Food.

Report of a Joint FAO/IAEA/WHO Expert Committee.

Technical Report Series 659; World Health Organization, Geneva, Switzerland.