

REFERENCES

- A.A.C.C (1962) .

**American Association of Cereal Chemists, Approved
methods, 8th ed ., ST. Paul. U.S.A.**

- A.A.C.C (1983) .

**Approved Methods of the American Association of Cereal
Chemists .**

Am. Assoc. Cereal Chem. ST. Paul , MN, U.S.A.

- Abd-El-Hamid, N.A; Osman, M.A and El-Farra, A.A (1986) .

**Effect of addition of broad bean flour on rheological
properties of dough and baking quality of balady bread .
Egypt. J. Food. Sci. 14 (2):429-434**

- Abou El-Azm, Y.Z. (1982) .

Studies on improvement of local bread .

M.S.C. Thesis Dept. Food. Sci and Tech. Dpt., Fac. of Agric.

Cairo university.

- Anon (1969) .

Grain processing-Machinery and Equipment for flour mills.

TMS Pardubice CSSR.

- _____ (1976) .
The practice of flour milling (vol.1).

Inc.National Association of British and Irish Millers limited.

 - _____ (1986) .
Egyption Standard 1601.
Egyption Organization for standardization and quality control .

 - _____ (1991) .
Egyption Standard No. 1251 / 1991.
Egyption Organization for standardization.

 - **A.O.A.C. (1980) .**
Association of Official Analatical Chemists.
“Official Methods of Analysis ” 13 th ED.Woshington.U.S.A.

 - **Ashour,H.K. (1985) .**
Biochemical studies on preparation and evaluation of some wheat protein concentrations.
PH.D.Thesis,Ain Shams,Fac.of Agric.
-

- **Barhoma, M.A.; A twa M.F.H. and Hassan, S. (1990) .**
Effect of Orelon and brominal on the chemical and technological properties of wheat grain.
Minufiya J.Agric.res.15(2):2177.

 - **Bassiri, A., and Nahapetian, A. (1971)**
Differences in concentrations and interrelationships of phytate, phosphorus, magnesium, calcium, zinc, and iron in wheat varieties.
J.Agric.Food chem.25:1118.

 - **Bloksma, A.H. (1978).**
Rheology and chemistry of dough. In "Wheat chemistry and technology" Edited by pomeranz, Y., Published by the American Association of Cereal Chemists. Incorporated. Paul, Minnesota.

 - **Bolling, H.; El-Baya, A.W. and Zuinglberg, H. (1973) :**
Germ Oil and Wheat Baking Capacity.
Getreid, Mehl Brot, 27(3) 92.4.
C.F.C.A.79,69736h.
-

– Booth, M.R. (1973).

Private communication.

(C.F. Kingswood, k.1975, the structure and Biochemistry of the wheat grain. Bread symposium, Applied Science Pub. London).

– Burkwall, M.P. and Glass, R.L. (1965).

The fatty acids of wheat and its milled products.

Cereal Chem. 42:236-246.

– Canadian International Grains Institute (1982).

Grains and Oilseeds, handling, marketing and processing.

Winnipeg Manitoba, Canada R3 C3 G7, third edition. P.579.

– Chiriotti, P. And Penerollo, L.J. (1991) .

Pasta Technology Today. Italy.

– Clocco, C.F. and D'Appolonia, B.L. (1982).

Characterization and gelling capacity of water-soluble pentosans isolated from different mill streams.

Cereal Chem. 59(3):163-166.

- **Daftary, R.D. ; Pomeranze, Y. And Souer, D.B.(1970).**
Changes in wheat flour damaged by molds during storag.
Effect of lipid, lipoprotein and protein.
J.Agric.Fd Chem.18:613.
 - **Dexter, J.E.; Matsuo, R.R. and Kruger, J.E.(1990).**
The spaghetti-making quality of commercial durum wheat
samples with variable α -amylase activity.
Cereal Chem.68(4):401-405.
 - **_____.; Tkachuk and Tipples, K.H.(1991).**
Physical properties and processing quality of durum wheat
fractions recovered from a specific gravity Table.
Ibid.68(4):401-405
 - **Dick, J.W., Shuey, W.C. and Banasik, D.J.(1977).**
Adjustment of rheological properties of flours by fine
grinding and air classification.
Ibid.54(2):246-255.
-

- **Dintzis, Frederick R.,Lahrfeld,Jacob.,Nelson,Terry c., and
Finnay,PatrickL.(1992).**
**Phytate content of soft wheat Brans as Related to Kernel
size, Curtivor,Location,and Milling and Flour Quality
Parameters.**
Ibid.69(5)577.581.
- **Donnelly,B.J.(1978).**
Pasta products:Raw material,technology, Evaluation.
The 19 th Annual symposium, central state section.
A.A.C.C.January 26,1978.ST.Louis Missouri.U.S.A.
- El-Bardeny,A.E.(1989).**
**Effect of physical and chemical characteristics of some
wheat on the quality of some products.**
Ph.D.Thesis,Fac.of.Agric.at Moshtohor,Zagzig univ.
- **————— .(1994).**
**Comparative study on the Filter Flour production During
Roller Milling.**
Egypt.J.FoodSci.,vol22,No.1,pp.71.85.
-

————— (1995).

**Chemical and physical studies on flour mill streams:1.break
flours.**

Ibid .,vol23,No.1

—————,Mourad,S.S.,and Kashaf,E.M.(1993).

Chemical and physical studies on flour mill streams .

2.Reduction flours.

4th Conf.Agric.Dev.Res.Ain Shams univ.,Cairo,Feb.1993.

–El-Gindy,M.M.(1982).

Food Science,voll,Cereal Technology.

Dar El-Maaref,Pub.

–El-Hinnawy;S.T.El-Hadidy,Z.A and El-Ghobashy,R.E.(1977).

**Some Enzymatic activities and The Major Biochemical
constituents of wheat and Corn Kernels.**

Annals of Agric.science,Fac.of Agric. Ain Shams univ.

Research Bulletin,738,May,Cairo.

–El-Sabe,M.A.(1995).

**Effect of semolina particles size on Macaroni,quality and
nutritive value.**

Ms.C.Thesis,Fac.of Agric.at Moshtohor,Zagazig univ.

-Faheid,S.M.M.(1992).

Application of sieve fractionation on wheat flours to improve different quality characteristics for bread-making.

Egypt.J.FoodSci.,20 (1):159-173.

-Farrand,E.A.(1969) .

Starch damage and alpha-amylase as bases for mathematical models relating to flour-water absorption.

Cereal Chem.46:103(1969).

-Fellers,D.A.;Mossman,A.P.;Jonneston,P.H and wheeler,E.L.(1976).

Mechanical debranning of whole kernel wheat, composition,cooking characteristics and strage stability.

Ibid., 53(3):308.

-Foda,Y.H.;Abu-Salem,F.M.;Rasmy,N.M.,Yassaen,A.A.E. and

Ramy , A . (1986) .

Chemical constituents of balady bread.

Annals of agric.sci.,Moshtohor,24 (1) 335-345.

-Fraser,J.R.and Holmes,D.C.(1959).

Proximate analysis of wheat flour carbohydrate.

Iv.Analysis of wholemeal flour and some of its fractions.

J.Sci.Food Agric.10:506-512.

-Geddes,W,F.(1951).

**The Chemistry and Technology of Food and Food
Products. 2d-ed.Edited by Morris B.Jacobs.
Interscience.Newyork N.Y.**

-Graveland,A.,Bosveld,P.,Lichtendonk,W.J.,Morseille,

J.P.,Moonen, J.H.E.,and Scheepstra, A.(1985)

**A model for the molecular structure of the glutenins from
wheat flour.**

J.Cereal chem.3:1.

-Halverson,J.(1988).

Criteria of wheat quality.

**Federal Grain Inspection service.U.S.Department of
agriculture, Kansas city,Missowri.**

**C.F.wheat:chemistry and Technology,vol.1 chapter 2,
edited by pomeranz (1988).**

- ——— ,and Zenely,L. (1988).

Criteria of wheat quality. Pages 15-45 .

C.F Wheat chemistry and Technology,vol.1,3 rd. Y.

Pomeranz,ed.Am.Assoc.Cereal Chem,;St.Paul,NN.

- Hassan,S.A.(1980).

**Separation and evaluation of cereal proteins.
Ph.D.Thesis,Fac of Agric.,Cairo univ.**

- Hassan,A.M.,Abu-Raya,M.A. andEn era,A.M.A(1991).

**The effect of adding the sheep bones protein concentrate
to the wheat flour for manufacture Pan bread .
Egypt.J.Appl.Sci., 6 (10):242-250.**

- Hinton,G.G.(1959).

**The distribuation of ash in the wheat Kernel.
Cereal Chem.36,19-31.**

- Holas,J.and Tipples,K.H.(1978).

**Factors affecting farinograph and baking absorption.
Quality characteristics for flour streams.
Ibid.55(5):637-652.**

- Ibrahim,O.S.(1988).

**Effect of some additives on wheat flour dough and
bread characteristics.
M.Sc.,Thesis,Fac.of Agric.,Cairo univ.**

– Irvine, G.N.(1979).

Durum wheat quality : comments on the international collaborative test proc.Int.symp.Matieres premiers et pates Alimantaires.G.Fabriant and C.lintas. eds.i.c.c. 1st Naz.Nutrizione.Rome.

Janssen,A.M., Vereyken,J.N.,and Vliet,T.v.(1991)

**Rheological studies on gluten.In Gluten proteins 1990,W.Bushuk and R.Tkachuk (Ed.),P.180.
Am.Assoc.Cereal chem. St.Paul,MN.**

– Kent-Jones,D.W.,and Amos,A,J.(1967).

modern cereal chemistry,6th .Edition,Food Trade Press Ltd.,London,England.

– Kent ,N.L.(1966).

**Subaleurone endosperm cells of high protein content .
Ibid.43.585.**

– ——— (1983).

**Technology of cereals.
Pergman press,Third Edition.**

—, and Evers, A.D. (1969).

Variation in protein composition within the endosperm
of hard wheat.

Cereal chem., 46, 293.

—Khattab, A.S. (1976).

Chemical and Technological studies on preparation of Baby
from cereal and cereal products.

M.Sc. Thesis faculty of Agric. Al-Azhar; univ. Cairo

A.R.E.

—Kingswood, K. (1975).

The structure and biochemistry of the wheat grain. Bread
symposium, Applied science Pub. London.

—Kulp, K.; Ranum, P.M.; Williams, P.C., and Yamazaki, W.T. (1980).

Natural level of nutrients in commercially milled wheat
flour. 1. Description of samples and proximate
analysis, protein, ash, flour colour.

Cereal Chem. 57.1.

LI. Y.Z. and Posner, E.S. (1989).

An Experimental Milling Technique for various flour
extraction levels:

Ibid. 66(4): 324-328.

- Lolas , GM., and Markakis, p . (1975) .

**phytic acid and other phosphorus compounds of beans
(phaseolus vulgaris L .) .**

J. Agric. Food Chem .23:13-15

-Lopez. Y.; Gordin D. And field, M.I.(1981).

**Release of Phosphorus from phytate by natural lactic
acid fermentation.**

J.Food sci., 48,953.

-Lorenz , K,Loewe, R. Weadon, D. ; and walf, W. (1980).

**Natural leavels of nutrients in commercially milled wheat
flours. 111. Mineral analysis.**

Cereal chem. 57 (1):65 - 69.

- Matsuo, R.R., and Irvin , G. N. (1975) .

Rheology of durum wheat products.

Ibid. 52: 131 - 135 .

_____ . and Dexter, J.E. (1980)

**Comparison of experimentally milled durum wheat
Semolina to semolina produced by some canadian
commercial mill .**

Ibid. 57 (2) : 117 - 122 .

-Meyer, L.H (1968) :

Food chemistry.

**Reinhold Book corporation New York . Amesterdam -
London.**

-Mohamed, E.A . (1992).

Effect of different flours and their blends on bread quality.

Ph. D. Thesis . Dept -Food sci. And Tech - Fac.of Aric.

Cario univ.

-Morrison, W.R. (1978).

Wheat lipid composition.

Cereal chem . 55 (5) : 548 - 558 .

-Naguchi, G.; Shisrya, M., Tanaka, K.and Yoneyana . T. (1976) .

**Correlation of dough. Stichiness with tecturemeter reading
and with various quality parameters.**

Flour Milling co.

Ibid . 54 (1) :72 .

-Nahapetian , A., and Bassiri, A. (1976) .

**Variations in concentrations and interrelations ships of
phtate, phosphorus, magnesium, calcium , Zinc, and iron
in wheat varieties during two years.**

J. Agric. Food chem . 24:947 .

-Nelson, C.A. , and Loving , H. J. (1963) .

**Mill stream analysis - its importance in milling special
flours.**

Cereal sci. Today 8: 301 .

-Nelson, P.N., and Mc Donald , C, E (1977).

**Properties of wheat flour protein in flour from selected mill
streams.**

Cereal chem . 54 (6) 1182 - 1191 .

- O'Dell, B. L ., De Boland , A. R. , and Koirtyohann , S. R (1972).

**Distribution of phytate and nutritionally important
elements among the morphological components of
cerealgrains.**

J. Agric. Food chem. 20 : 718 -721 .

-Orth, R. A , and K,C . Mander. (1975) .

**Effect of milling yield on flour composition and
breadmaking quality.**

Cereal chem . 52 : 305 .

-Peterson, R. F . (1965) .

wheat, Botany Cultivation , and utilization .

Interscience Publishers Inc. New York .

-Pitz, W. (1992) .

Durum wheat : quality evaluation. From pasta:

Raw materials and Processing technology.

Short course July 13 -24 .

- Pomeranz, Y . (1971) .

“ Wheat chemistry and Technology ” A . A . C . C .

Inc. , st. Paul, Minnesota, U.S. A

- _____ (1978) .

Compsition and functionality of wheat - flour components.

In “ Wheat chemistry and technology ”

Edited by poneranz, Y. P. 585 published by the American

Association of cereal chemists incorporated . st. Paul ,

Minnesota.

-Posner, E. S ., and Deyoe, C.W (1986)

**Changes in milling properties of newly harvested hard
wheat during storage .**

Cereal chem . 63 (5) : 451 .

-Pratt , J. R., (1971) .

Criteria of flour quality in pomegranate, Y

Wheat chemistry and technology A.A CC, I. Mc . st . Paul

Minnesota U.S.A .

-Pyle, E.J.(1979).

**Baking science and Technology. Published by
publishing company, Chicago. ILL.**

- ——— (1988).

Baking science Technology 3 ed, Vol II.

Socland pub.co.U.S.A.Kansas.

-Qarooni.J.(1996).

Wheat characteristics of flat breads.

Cereal Food World 41 (5):391-395.

- Raouf, M.S.; Badei, A.Z. M. And Wasfy, A. S. M . (1992).**
Sieve fractionated wheat flour : 1. Chemical composition
of fractions and rheology of dough.
Egypt. J. Food sci, 20 : 75-84 .
- Reed , G., and Thorn, J.A . (1971).**
Enzymes. Page 453 in : Pomeranz, Y. , ed. Wheat
chemistry and technology.
Am . Assoc. Cereal Chem. : st. Paul . MN.
- Refai, F.Y. (1965) .**
Essential of milling industry . Pub . by the general
establishment of mills and bakeries . (in Arabic) .
- Rooney, L.W; Gustafson, C. B and Porter , K.B (1969).**
Influence of triticum timopheevi cytoplasm on the
Quality of Wheat (Triticum aestivum L .) .
Crop science, vol ,.9 . July . August 1969 .
- Seckinger , H. L and Wolf, M. J (1967) .**
Lipid distribution in the protein matrix of Wheat
endosperm as observed by electronmicroscopy .
Cereal Chem . 44 November .
-

- Seleem . H . A . (1991) .

**Effect of storage under inrtyses on the technological
Properties of wheat , faba bean and soybean seeds.**

M.Sc. Thesis , Food Sci. And techn. Dep., Fac.

Agric., cairo Univ.

- Sharaf, F; El - bardeny ,A ; Mourad ,S; and Attia W . (1990) .

Studies on therapeutic diets bread - 2. High Fiber Bread.,

**International conference on foods for special Dietary
and Medicinal Uses. Cairo 19-22 March 1990 .**

Bull. Nur. Inst. Cairo, Egypt; Vol. 10 ,no 3 : 99- 110.

- Shellenberger , J . A . (1982) .

Processing and utilization wheat . Vol . 11 : part. 1 ;

91, J.A wolfed ed. , C R C press Fnc. , Boca Raton, P.1.

- Simmonds , D.H (1989).

Wheat and wheat quality in australia . pub.

Australian wheat board.

- Soliman , S, A, (1996) .

**Studies on wheat flour milling products and their effect
on quality of some bakery products.**

M.Sc . Thesis . Fac - of Agric. Cairo univ.

- Sollars , W.F and Rubenthaler, G.L. (1975) .
Flour fractions effecting farinograph absorption.
Cereal Chem . 52 (3) : 420 - 427 .

 - Spies, R . (1990) .
Application of rheology in the bread industry.
In Dough Rheology and Baked Product Texture, H.
Faridi and J.M . Faubion (Ed) , P. 344 AVI , Van
Nestrand Reinhold . Newyork .

 - Staudet , E. And Ziegler E. (1973) .
“Flour Chimistry ” . Buhler Brothers L.
Switzerland . P. 121 .

 - Sullivan , b., engebretson , W. E . and Ander son , M. L . (1960)
The relation of particle size to certain flour
characteristics .
Cereal Chem . 37 : 436- 455 .

 - Tabekhia, M.M ., and Donnelly, B. J . (1982) .
Phytic acid in durum wheat and its milled products.
Ibid . 59 (2) : 105 - 107 .
-

- **Tipples, K. H. (1969).**

The relation of starch damage to baking performance of flour.

Baker's Dig. 436:28 .

- **Tkachuk , R.; Dexter , J.E. and Tipples , H . (1991).**

Removal of spruted Kernels from hard red spring wheat with aspecific gravity table .

Cereal Chem . 68 : 390 .

- **Unver, E. M . and Domolds, C. E . (1976) .**

Water absorption of flour dough and flour fractions from spring wheat .

Baker's digest 50 (5) : 19 .

C. F .Food Sci ., Technol . Abst . 9 (6) : 6 M 605 .

- **Wada , T., and Maeda , E. (1980) .**

Acytological study on the phosphorus accumulation tissues in graminaceous seeds. .

Jpn . J Crop Sci . 49 : 475 .

-
- Wieser , H. Seilmeier , W., and belitx , H. D (1980) .
Vergleichende Untersuchungen fiber partielle
Aminosavresequenzen von Prolaminen and Ghutelinen
Verschiedener getreidearten . 1 Proteinfractionierung
nach Osborne . Z . Lebensm . Unter such . Forsch.
170: 17 .
- Yamazaki , W. T . (1978).
Soft wheat flour products . Page 743 in :
{wheat Chemistry and Technology }
Y. Pomeranze - ed Am . ASSOC.
Cereal chem , St . Paul , Minnesota .
- Zakharova , S. A . and Kazaker , E. P. (1970)
Sulphydryl group and disulphid bonds in dough from
amixture of stronge and weak varieties of wheat after
hydrothermal treatment.
(C. F . Chem . Abst . 74 , 4 , 30869 k) .
- Ziegler , E . and Greer , E. N . (1971).
Principles of milling
C.F. Wheat Chemistry and Technology . Pomeranez .
Y. P . 143., st . Paul Minesota .
U. S . A
-

- _____ ,and _____ (1978) .

principles of milling . page 145.

C.F. { Wheat Chemistry and Technology } .

Y . pomeranz . ed. Am ASSOC.

Cereal Chem., st. Paul Minnesota.
