



REFERENCES

6. REFERENCES

- A.O.A.C. (1990):** Official Methods of Analysis of the Association of official Agriculture Chemistry. 15th ed. Published by the Association Official Agriculture Chemists Washington, D.C., U.S.A.
- Abd El-Malak, G. (1995):** The effect of extraction process on the activity of some cellulosic hydrolyzing enzymes of agricultural by-products. M.Sc. Thesis Fac. of Agric., Moshtohor, Zagazig Univ.
- Abd El-Nasser, N.H.; Samia, M. H.; and Amira A. El-Gammal (1997):** Formation of enzymes by biodegradation of agricultural wastes with white rot fungi. J. of Polymer Degradation and Stability. Vol. 55, P. 249-255.
- Abdel-Sater, M. A. and El-Said A. H. M. (2001):** Xylan-decomposing fungi and xylanolytic activity in agricultural and industrial wastes. International J. of Biodeterioration and Biodegradation, Vol. 47, P.15-21.
- Aditya, J.; Grag, S.K.; and Verma, S. (1990):** Production of ethanol from sugars in wood hydrolysate by *Fusarium oxysporum*. World. J. of Microbial. and Biotech., 6, 10-14.
- Aiello C.; Ferrer A.; and Ledesma A. (1996):** Effect of alkaline treatments at various temperatures on cellulose and biomass production using submerged sugarcane

bagasse fermentation with *Trichoderma reesei* QM 9414. *Bioresource Technol.*, 57:1,13-18.

Ali, M. E.; Vego, J.L.; Klasson, K.T.; Clausen, E.C.; and Gaddy, J.L. (1992): Cellulase and hemicellulase formation by fungi using corn stover as the substrate. *Biological Wastes*, 32, 209-218.

Alves, L.A., Vitolo; M. Felipe, M.G.; Almeida, E. and Silva, J.B. (2002): Xylose reductase and xylitol dehydrogenase activities of *Candida guilliermondii* as a function of different treatments of sugarcane bagasse hemicellulosic hydrolysate employing experimental design. *Appl Biochem and Biotech.*, 98-100:403-13.

Amitabha, D. and Geeta, N. (1995): Production of xylanolytic enzymes during growth on pulverized grass by *Aspergillus ochraceus* – 42. Letter in *Applied Microb.*, 20, 141-144.

Anders T.; Anne, B.T.; Anette, S.S.; Henning, J.; Birgitte, K.A.; and Lisbeth, O. (2003): Production of cellulase and hemicellulase-degrading enzymes by filamentous fungi cultivated on wet-oxidised wheat straw. *J. of Enzyme and Microbiol., Technol.* (Vol. 42)

Ashok, P.; Soccol, C.R.; Poonam, N.; Soccol, V.T.; Pandey A. and Nigam, P. (2000): Biotechnological potential of agro-industrial residues.1: Sugarcane bagasse. *Bioresource Technol.* 74:1, 69-80.

Bastawede, K.B. (1992): Cellulolytic enzymes of a thermotolerant *Asperigillus terreus* strain and their

REFERENCES

action on cellulosic substrate. World J. of Microb. and Biotech., 8, 45-49.

Beltrame, P.L.; Carniti, P.; Focher, B.; Marzatti, A.; and Satro V. (1984): Enzymatic hydrolysis of cellulosic materials: A kinetic study. Biotech. and Bioeng., 26, 1233-1238.

Ben-Ghedalia, D. and Nirn, I. (1981): The effect of combined chemical and enzyme treatments on the saccharification and in vitro digestion rate of wheat straw. Biotech. and Bioeng., 23, 823-831.

Boyce, C.O.J. (1986): Novo handbook of practical biotechnology. Enzymes Division Bagasvared, Denmark.

Bradford M.M. (1976): A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Anal. Biochem., 72,248-254.

Busto, M.D.; Ortega, N.; and Perez-Mateos, M. (1999): Location, kinetics and stability of cellulases induced in *Trichoderma reseei* cultures. J. of Bioresource Technol. Vol., 57, Issue 2, p. 187-192.

Caminal, G.; Lopez-Satin, J.; and Sola, C. (1985): Kinetic modeling of the enzymatic hydrolysis of pretreated cellulose. Biotech. and Bioeng., 27, 1282-1290.

REFERENCES

- Chanal, D.S. (1988):** Effect of nature of substrate on the composition of cellulase system and its hydrolytic potential. Sanbi insatsu Co., Ltd., Japan., 88, 13-16.
- Chen, W.P. and Anderson, A. W. (1980):** Extraction of hemicellulose from ryegrass straw for the production of glucose isomerase and use of the resulting straw residue for animal feed. *Biotech. and Bioeng.*, 22, 519-531.
- Dale, B.E. (1985):** cellulose pretreatments, technology and techniques. *Ann. Repots on fermentation process*, 8, 299-232.
- David C.S. and Thomas M.W. (1991):** Xylanase production by *Aspergillus awamori*. *Biotech. and Bioeng.*, Vol. 38, P. 883-890.
- David, J.F.; Peter, P.G.; Noel, W.D.; and Warwiek, L.M. (1989):** Comparison of alkali steam (acid) pretreatment of lignocellulosic materials to increase enzymatic susceptibility: Evaluation under optimised pretreatment condition. *J. Chem. Teach. Biotech.*, Vol, 44, 135-146.
- Dekker, R.F.H. (1983):** Bioconversion of hemicellulose: Aspects of hemicellulase production by *Trichoderma reesei* QM 9414 and Enzymic saccharification of hemicellulose. *Biotech. and Bioeng.*, 25, 1127-1146.
- _____ and Wallis, A.F.A. (1983): Enzymatic saccharification of sugarcane bagasse pretreated by autohydrolysis steam explosion. *Biotech. and Bioeng.*, 25, 3027-3048.

REFERENCES

- Desai, J.D.; Desai, A.J.; and patel, N.P. (1982):** Production of cellulases and β -glucosidase by shake culture of *Scytalidium lignicala*. J. Ferment. Technol., 60, (2), 117-124.
- Deshpande, V.; Lachke, A.; Mishra, C.; Keskar, S. and Rao, M. (1986):** Mode of action and properties of xylanase and β -xylosidase from *Neurospora crassa*. Biotech. and Bioeng., 28, 1832-1837 .
- Doran, J.B.; Aldrich, H.C. and Ingram, L.O. (1994):** Saccharification and Fermentation of sugarcane bagasse. Biotech. and Bioeng., 44, 240-247.
- Du Tiot, P.J.; Olivier, S.P. and Bilijon, V.P.L. (1984):** sugarcane bagasse as a possible source of fermentable carbohydrates. 1. Characterization of bagasse with regard to monosaccharide, hemicellulose, and amino acid composition. Biotech. and Bioeng., 26, 1071-1078.
- Fan, L.T. and Lee, Y.H. and Gharpurary, M.M. (1982):** The nature of lignocellulosic and their treatments for enzymatic hydrolysis. Adv. in Biotech. Engin., 23, 158-183 .
- _____ and _____ (1983): Kinetic studies of enzymatic hydrolysis of insoluble cellulose: Derivation of a mechamistic kinetic model Biotech. and Bioeng., 25, 2707-2733.
- FAO (2000):** Bulletin of Statistics Vol.1 No. 2

REFERENCES

Foda, F.A.F. (1994): Biochemical studies on industrial enzymes. Ph.D. Thesis Fac. of Agric., Moshtohor, Zagazig Univ.

_____ and Abd El Aleem, I.M. (1998): Production and evaluation of cellulase enzymes from *Trichoderma hamatum* and *Rhizopus nigricans*. Annals of Agric. Sc. Moshtohor, Vol. 36(4):2235-2249.

Fox, D.J.; Dunn, N.W.; Gray, P.P. and Marsden, W.L. (1983): Saccharification of bagasse using a counter-current plug- flow reactor. J.Chem. Tech. Biotechnol. 33b, P. 114-118.

_____ ; _____ ; _____ and _____ (1984): An explanation of the discrepancy between the results of HPLC and DNS assays in the analysis of lignocellulosic hydrolysates. J. Chem. Tech. Biotech., 34B, P. 171-175.

_____ ; _____ ; _____ and _____ (1987): Factors affecting the enzymic susceptibility of alkali and acid pretreated sugarcane bagasse. J. Chem. Tech. Biotech., 40, 117-132.

Frederik, M.M.; Kiang, C.C. : Frederik, J.R. : and reilly, P.J. (1985): Purification and characterization of endo-xylanases from *Aspergillus niger*: I. Two isozymes active on xylan backbones near branch points. Biotech. and Bioeng., 27, 525-532

Frederik, C.M.; Nilsson, B.; Persson, I. and Tjerneld, F. (1988): Kinetic models for enzymic cellulose

REFERENCES

degradation in aqueous two- phase systems. *Biotech. and Bioeng.*, 31, 203-207 .

Gabr, S.A.; Labib, S.M.; Sitohy, M.Z.; and Ghozlan, M.S. (1991a): Sugar production from some agricultural cellulosic residues using *Trichoderma viride*. *Zagazig, J. Agric. Res.*, 18 (2), 403-419.

_____ ; _____ ; _____ and _____ (1991 b):
Enzymatic hydrolysis of some physical and chemically pretreated agricultural cellulosic residues. *Zagazig, J. Agric. Res.*, 18 (2), 375-391.

Ghekelouwa, B.O. and Murray, M.Y. (1991): Production and properties of β -glucosidase by *Neurospora sitophila*. *World J. of Microbio. and Biotech.*, 7, 7-11.

Gilman, J.C. (1957): A manual of soil fungi (2 ED). The Iowa State College Press – Ame – Iowa, USA, 450P.

Gisélia, F.; Cinthia, G.B. and Rosane M.P. (1999): Production of xylanolytic enzymes by *Aspergillus tamaritii* in solid state fermentation, *FEMS. Microb. Letters*, Vol. 173, P. 335-339.

Gong, J.L.; Caminal, G. J.; Calers, D.M.; and Lopez, S.J. (1989): A kinetic model for pretreated wheat straw saccharification by cellulase. *J. Chem. Tech. Biotech.*, 44., 275-288.

Gordon, G.L.R. and Phillips, M.W. (1992): Extracellular pectin lases produced by *Neocallimastix SP.* LMI, a rumen. *Letters in Applied Microbiol.* 15,113-115.

REFERENCES

- Gustavo, C.; Humberto, J.; Ana, G. ; and Rodolfo, E. (1983):**
The use of sugarcane stillage for single cell protein production. J. Chem. Tech. Biotech., 33B,21-28.
- Hamed, A.S.; Sitohy, M.Z.; Labib, S.M.; and Ghozlan, M.S. (1990):** Optimizing the condition for the cellulose hydrolysis of some chemically and physically pretreated. Egypt J. Appl., Sci., 5 (8): 601-612.
- Highland, K., (2001):** Fungal and bacterial enzyme activities in *Alnus nepalensis*. D. Don European J. of soil Biology., Vol. 37, P. 175-180 .
- Hoda, G.E.M.; Alian, A.M.; Nagwan, M.E.S. and Fadel, M.A. (1990):** Enzymatic hydrolysis of some cellulosic wastes for fodder yeast production: Transformation of wastes to fermentable sugars. Ann. of Agric. Sci., Cairo, 35 (1), 143-155.
- Huitron, C. and Kirchner. O.G. (1996):** Saccharification of native sugarcane bagasse pith by the cross synergistic action of cellulases from *Penicillium sp.* Ch-M-001 and *Aspergillus terreus* Ch-M-013. Applied Biochem. and Biotech., Vol. 57-58, 253-265.
- Kishen, S.T.; Harvey, W.B. and Charles, R.W. (1981):** Enhanced production of cellulase, hemicellulase, and β -glucosidase by *Trichoderma reesei* (Rut. 30). Biotech. and Bioeng., 231, 1837-1849.
- Kling, S. H.; Velleng C.C.; Ferrara, M. A.; Torres, J.C.; Magalhaes, D.B. and Andryu, D.D.Y. (1987):** Enhancement of enzymatic hydrolysis of sugarcane

REFERENCES

bagasse by steam explosion pretreatment. *Biotech. and Bioeng.*, 30, 1039.

Lee H. and Fan L.T. (1983): Kinetic studies of enzymatic hydrolysis of insoluble cellulose: II- Analysis of extended hydrolysis times. *Biotech. and Bioeng.*, 25, 939-966.

Lee, K.J.; Choi, J.D.; and Lim, F. (1992): Purification and properties of intracellular fructosyl transferase from *aurobasidium pullulans*. *World J. of Microbiol. and Biotech.*, 8, 411-415.

Lee, Y.H.; Fan, L.T.; and Fan, L.S. (1980): Kinetic of hydrolysis of insoluble cellulose by cellulase. *Adv. in Biochem. Enging.*, 17, 131-168.

Lineweaver, H. and Burk, D. (1954):Methods of plotting enzyme kinetic data. *J. Am. Chem. Soc.*, 56, 658.

Mackenzi, C.R.; Bilous, D.; and Johnson, K. G. (1984): Streptomyces flavogrisis cellulase: Evaluation under various hydrolysis conditions. *Biotech. and Bioeng.*, 25, 590-594.

Maheswari, D.K.; Jahan, H.; Paul, J. and Varma, A. (1993):Wheat straw, a potential substrate for cellulase production using *Trichoderma reesi*. *World J. of Microb. and Biotech.*, 9, 120-121.

Mandels, M. and Weber, J. (1969): The production of cellulases. In cellulases and their application. *Adv. Chem.. Soc.*, 95-391-414.

REFERENCES

- Martin, C.; Negro, M. J.; Alfonsel, M.; and Saez, R. (1988):** Enzymatic hydrolysis of lignocellulosic biomass from *Onopordum nervosum*. *Biotech. and Bioeng.*, 32, 341-344.
- Medve, J.; Karlsson, J.; lee. D. and Tjerneld, F. (1998):** Hydrolysis of microcrystalline cellulose by cellobiohydrolase I and endoglucanase II from *Trichoderma reesei*: Adsorption, sugar production pattern, and synergism of the enzymes. *Biotech. and Bioeng.*, Vol. 59, No.5, 621-634.
- Ministry of Agriculture (1994):** "General Department of Agricultural Statistics". Vol. 2, Abs. August 1994.
- Monica, V.A.; Janice, A.P.; Lesie, J.B. and Blands, S.M. (1986):** Composition of the cellulase complexes of *Trichoderma ressi* RI. P37 and *Thermomonospora Fusca yx*. *Chem. Eng. Commun.*, (45), 93-109.
- Neureiter, M.; Danner, H.; Thomasser, C.; Saidi, B., Braun, R. (2002):** Dilute-acid hydrolysis of sugarcane bagasse at varying conditions. *Appl. Biochem. and Biotech.*, 98-100:49-58.
- Okeke, B.C. and Obi, S.K.C. (1993):** Production of cellulolytic and xylanolytic enzymes by an *Arthrographis* Species. *World. J. of Microb. and Biotech.*, 9, 345-349.
- _____ and _____ (1995): Saccharification of agro-waste materials by fungal cellulases and hemicellulases. *Bioresource Tech.*, (51), 23-27.

REFERENCES

- Ooshima, H.; Kurakake, M.; Kato, J. and harano, Y. (1991):** Enzymatic activity of cellulase adsorbed on cellulose and its change during hydrolysis. *Appl. Biochem. Biotech.*, 31, 253-266.
- Oriol, E.; Schettino, B.; Viniegra-Gonzalez, G.; and Raimbault, M., (1988):** Solid state culture of *Aspergillus niger* on support. *J. of Fermentation Technol.*, 66, 57-62.
- Park, Y.S.; Kang, S.W.; Lee, J.S.; Hong, S.I. and Kim, S.W. (2002):** Xylanase production in solid state fermentation by *Aspergillus niger* mutant using statistical experimental designs. *Appl. Microb., Biotech.*, 58:761-766.
- Playne, M.J. (1984):** Increased digestibility of bagasse by pretreatment with alkalis and steam explosion. *Biotech. and Bioeng.*, 26, 426-433.
- Prasertsan, P. and Oi, S. (1992):** Production of cellulolytic enzymes from fungi and use in the saccharification of palm cake and plam fibre. *World J. of Microb. and Biotech.*, 8, 536-538.
- Ramos, L.P. and Saddler, J.N. (1992):**Composition of steam pretreatment of eucalyptys and spure wood chips and their enzymatic hydrolysis. *Appl. Biochem. and Biotch.*, 34135, 37-48.
- Rao, M.; Seeta, R.; and Deshpande, V. (1983):** Effect of pretreatment on the hydrolysis of cellulose by

REFERENCES

Penicillium funiculosum cellulase and recovery of enzyme. Biotech. and Bioeng., vol. 25, P. 1863-1871.

Rembrandt, D.; Diana, C.P.B.; Huub, J.M.O.; Chris, D. and Godfried, D.V. (1997): Degradation of structural polysaccharides by the plant cell-wall degrading enzyme system from anaerobic fungi: An application study. Enzyme and Microb. Tech. Vol. 21, P. 130-136

Ristroph, D.L. and Humphery, A. E. (1985): Kinetic characterization of the extracellular xylanases of *Thermomonospora Sp.* Biotech. and Bioeng., 27, 832-836.

Ryu, D.D. and Lee, S.B. (1982): Effect of compression milling on cellulose structure and on enzymatic hydrolysis Kinetics. Biotech. and Bioeng., 24, 1047-1067.

Ryu, D.D.Y. and Mandels M. (1980): "Cellulases: Biosynthesis and applications." Enzyme Microb. Tech., 2, P. 91-101.

Saad, S.M.M.; Foda, F.F.; Guindi, E.R. and Zaki, R.N. (1999): Production of glucose and ethanol from some residues using the produced cellulase enzyme from *T. reese*, *T. harzianum* and *A. niger*. Annals of Agric. Sci., Moshtohor, Vol. 37 (2): 1221-1233.

Sanyal, A.; Kunda, R.K.; Sinha, S.N. and Dube, D.K. (1988): Extra cellular cellulolytic enzyme system of *Aspergillus japonicus*: 1. Effect of different carbon sources. Enzyme Microb. Tech., 10, 85-90.

REFERENCES

- Saska M. and Ozer E. (1995):** Aqueous extraction of sugarcane bagasse hemicellulose and production of xylose syrup. *Biotechnol. and Bioeng.* 45:6, 517-523.
- Scheider, W. C. (1957):** *Methods in enzymology*, 3, 781. Colowick, S. P. and Kaplan N. O., Eds.
- Sheldon, I.B.D. and William, D.M. (1996):** Bioconversion of forest products industry waste cellulose to fuel ethanol: A review. *Bioresource Tech.*, (55), 1-33.
- Shigemitsu, K.; Iwao, T.; Teiji, U. and Kazuyoshi, O. (1991):** Purification and some properties of soybean saponin hydrolase from *Aspergillus oryzae*. KO-2. *Agric. Biol. Chem.*, 55(11), 31-36.
- Sinitsyn, A.P.; Gusakov, A.V.; and Vlasenko, E.Y. (1991):** Effect of structural and physico-chemical features of cellulosic substrates on the efficiency of enzymatic hydrolysis. *Appl. Biochem. and Biotech.*, (30), 43-59.
- Smith, D.C. and Wood, T.M. (1991):** Isolation of mutants of *Aspergillus awamori* with enhanced production of extracellular β -xylanase and β -xylosidase. *World J. of Microb. and Biotech.*, (7), 343-354.
- Soderstrom, J.; Pilcher, L.; Galbe, M.; Zacchi, G. (2003):** Combined use of H₂SO₄ and SO₂ impregnation for steam pretreatment of spruce in ethanol production. *Appl. Biochem. Biotech.*, 105 -108:127-40.
- Somogyi, M.J. (1952):** "Notes on sugar determination. *J. Biol. Chem.*, 195, 19-23.

REFERENCES

- Sunantyo (1998):** Preliminary study of process production of cellulase acetate from pulp of sugarcane bagasse. Berita Pusat Penelitian Perkebunan Gula Indonesia. No.23, 39-41.
- Swaroop, R.K. and Krishna (1996):** Development of cellulase – free xylanase-producing anaerobic consortia for the use of lignocellulosic wastes. Enzyme and Microb. Tech., (18), 23-28.
- Szczodark, J. (1988):** The enzymatic hydrolysis and fermentation of pretreated wheat straw to ethanol. Biotech. and Bioeng., 32, 771-776.
- Tahany, M.A. (1991):** Production of cellulase and degradation of some agricultural and woody wastes. Egypt. J. Agric. Res., 69 (2), 489-500.
- Takao, S.; Kanagata, Y.; and Sasaki, H. (1985):** Cellulase production by *Penicillium purpurogenum*. J. ferment. Technol., 63 (2), 127-134.
- Tanaka, M.; Robinson, C.W., and Moo-Young, M. (1985):** Chemical and enzymatic pretreatment of corn stover to produced soluble for metation substrats. Biotech. and Bioeng., (27), 362-368.
- Tangu, S.K.; Blanch, H.W. and Charles, R. (1981):** Enhanced production of cellulase, hemicellulase, β -glucosidase by *Trichoderma reesei* (Rut C-30) Biotech. and Bioeng., 23, 1837- 1849.

REFERENCES

- Tewari, H.K.; Singh, L.; Marwaha, S.S. and Kennedy, J.F. (1987):** Role of pretreatment on enzymatic hydrolysis of agricultural residues for reducing sugar production. *J. Chem. Tech. Biotech.*, (38), 153-165.
- Tjerneld, F.; Persson, L.; Albertsson, P.A. and Hagerdal, H.B. (1985):** Recycling in cellulose hydrolysis by combined use of aqueous two-phase systems and ultrafiltration. *Biotech. and Bioeng. symp.* (15), 419-429.
- Todorov, N. (1980):** Effect of the daily spring killing of straw with sodium hydroxide solution on its digestibility, energetic food value and consumption in sheep. *Zhivotnovud, Nauki*, (17), 83-89.
- Vallander, L. and Eriksson, K. E. (1985):** Enzymatic saccharification of pretreated wheat straw. *Biotech. and Bioeng.*, 27, 650-659.
- Warzywoda, M.; Ferre, V.; and Pourquie, J. (1983):** Development of a culture medium for large – scale production of cellulolytic enzymes by *Trichoderma reesei*. *Biotech. and Bioeng.*, 25, 3005 – 3010.
- Zaki, R.N. (1998):** Biochemical studies on cellulase enzyme and its applications on some agricultural wastes. Ph.D. Thesis Fac. of Agric., Moshtohor, Zagazig Univ.