

CONTENTS

| | Page |
|--|-------------|
| 1. INTRODUCTION | 1 |
| 2. REVIEW OF LITURATURE | 5 |
| 2.1. Rice bran | 5 |
| 2.1.1. Chemical composition of rice bran | 5 |
| 2.1.2..Effect of rice bran and rice bran oil as hypocholesterolemic agents in human and animals | 9 |
| 2.1.3. Utilization of rice bran and rice bran oil in some baked food systems | 21 |
| 2.2. Barley radicle (rootlets) | 29 |
| 2.2.1. Chemica1 composition of barley industry wastes | 29 |
| 2.2.2..Utilization of barley and by-products in some food systems | 32 |
| 2.2.3..Effect of dietary fiber on serum cholesterol, triglycerides, lipoproteins, glucose and insulin on diabetic rats | 39 |
| 3. MATERIALS AND METHODS | 45 |
| 3.1. Materials | 45 |
| 3.1.1. Rice bran | 45 |
| 3.1.2. Radicle "rootlets" | 46 |

| | |
|--|----|
| 3.1.3. Commercial wheat flour | 46 |
| 3.2. Methods | 47 |
| 3.2.1. Extraction of oil | 47 |
| 3.2.2. Chemical analysis | 47 |
| 3.2.3. Biological experimental | 47 |
| 3.2.4. Determination of total lipids pattern | 54 |
| 3.2.4.1. Determination of total cholesterol | 54 |
| 3.2.4.2. Determination of HDL-cholesterol | 54 |
| 3.2.4.3. Determination of LDL-cholesterol | 54 |
| 3.2.4.4. Determination of triglycerides | 55 |
| 3.2.5. Determination of blood glucose | 55 |
| 3.2.6. Determination of total serum protein | 55 |
| 3.2.7. Determination of serum albumin | 55 |
| 3.2.8. Determination of serum transaminases activities | 55 |
| 3.2.9. Determination of serum uric acid | 55 |
| 3.2.10. Determination of serum urea | 55 |
| 3.2.11. Determination of serum creatinine | 55 |
| 3.3. Technological methods | 56 |
| 3.3.1. Farinograph parameters | 56 |
| 3.3.2. Extensograph parameters | 56 |
| 3.4. Biscuit making technique | 56 |
| 3.4.1. Incorporation of rice bran and radicle in Marie biscuit | 56 |

Page

| | |
|---|-----------|
| 3.4.2. Organoleptic evaluation of biscuit | 57 |
| 3.5. Statistical analysis of the data | 58 |
| 4. RESULTS AND DISCUSSION | 59 |
| Chemical composition of rice bran, barley radicle and biscuits | 4.1. 59 |
| 4.2. Effect of the addition rice bran and radicle flours to wheat flour on rheological properties | 61 |
| 4.2.1. Farinograph properties | 61 |
| 4.2.2. Extensograph properties | 64 |
| Organoleptic evaluation of biscuits supplemented with different levels of rice bran and radicle | 4.3. 67 |
| 4.4. Biological effects of biscuits made of rice bran and radicle on hypercholesterolemic rats | 69 |
| 4.4.1. Effect of experimental diets on body weight gain, food intake and feed efficiency of hypercholesterolemic rats | 69 |
| Effect of different experimental diets on organs weight of rats | 4.4.2. 71 |
| 4.4.3. Effect of experimental diets with rice bran and radicle on total cholesterol levels during the experimental period (45 days) | 73 |
| 4.4.4. Effect of different components diets on serum triglycerides, LDL-, HDL-, total cholesterol and risk ratio | |

| | |
|---|----|
| | 75 |
| 4.4.5. Effect of experimental diets on total protein, albumin, globulin, alkaline phosphatase (ALP) and transaminase enzymes of hypercholesterolemic rats | 77 |
| 4.4.6. Effect of different experimental diets on Kidneys functions of hypercholesterolemic rats | 79 |
| 4.5. Effect of biscuits supplemented with rice bran barley radicle diets on biological parameters of diabetic rats | 79 |
| 4.5.1. Effect of different experimental diets on body weight gain, food intake and feed efficiency of diabetic rats | 81 |
| 4.5.2. Effect of biscuits supplemented using rice bran and barley radicle on organ weights of diabetic rats after 5 weeks | 83 |
| 4.5.3. Effect of experimental diets on serum glucose levels of diabetic rats during experimental period | 83 |

| | Page |
|---|-------------|
| Effect of biscuits diets on serum triglycerides, total cholesterol and risk ratio of diabetic rats after 5 weeks | 87 |
| 4.5.5. Effect of biscuits diets containing rice bran and barley radicle on total protein, albumin, globulin, alkaline phosphatase (ALP) and transaminase enzymes of diabetic rats | 89 |
| 4.5.6. Effect of experimental diets of rice bran and barley radicle on serum urea, uric acid and creatinine contents of diabetic rats | 91 |
| 5. SUMMARY | 93 |
| 6. REFERENCES | 99 |
| 7. ARABIC SUMMARY | |

