

## 6. REFRANCES

- Abd El-Wahab, N. (1999).** Enzymatic activities and processing of some apple products. M.Sc. Thesis, Fac. of Agric., Cairo Univ., Egypt.
- Acevedo, N.C.; Briones, V.; Buera, P. and Aguilera, I.J.M. (2008).** Microstructure affects the rate of chemical, physical and color changes during storage of dried apple discs. *J. Food Engin.*, 85: 222-231.
- Aebi, H.F. (1983).** Catalase. In *Methods in Enzymatic Analysis*, Vol. 3 (H.U. Bergmeyer, ed.) p. 273, Verlagchemie, Dearfield Beach, FL.
- Alonso-Salces, R.M.; Herrero, C.; Barranco, A.; Lo'pez-Ma'rqez, D.M.; Berrueta, L.A.; Gallo, B. and Vicente, F. (2006).** Polyphenolic compositions of Basque natural ciders: A chemometric study. *Food Chem.*, 97: 438-446.
- Amerine, M. and Ough, C. (1980).** *Methods for analysis of Musts and Wines.* A Willy-Interscience Publication, Univ. of California, NY, 7, pp.175-199.
- Annese, M.; Manzano, M. and Nicoli, M. (1997).** Quality of minimally processed apple slices using different modified atmosphere conditions. *J. Food Quality*, 20: 359-370.
- Anon (1987).** Sulfiting agent; proposal to revoke GRAS status for use on fresh potatoes served or sold unpackaged and unlabeled to consumers. *Food Reg.*, 52: 237-46968.

- AOAC. (2000).** "Official Methods of Chemical Analysis" Association of Official Analytical Chemists, Arlington, Virginia, USA.
- Ayaz, F.A.; Hayirhologlu-Ayaz, S.; Sengul Alpay-Karaoglu, S.; Gru, J.; Valentova, K.; Ulichova, J. and Strand, M. (2008).** Phenolic acid contents of kale (*Brassica oleraceae* L. var. *acephala* DC.) extracts and their antioxidant and antibacterial activities
- Bakowska, A.; Kucharska, A.Z. and Oszmianski, J. (2003).** The effect of heating, UV irradiation, and storage on stability of the anthocyanin-polyphenol copigment complex. *Food Chem.*, 81: 349-355.
- Belcarz, A.; Ginalska, G.; Kowalewska, B. and Kulesza, P. (2007).** Spring cabbage peroxidases – Potential tool in biocatalysis and bioelectrocatalysis. *Phytochem.*, 8-18.
- Bennion M. (1990).** Enzymatic oxidative browning. In *Introductory Foods*. McMillan Publishing Company, New York, 168.
- Betoret, N.; Andre´s, A.; Segui, L. and Fito, P. (2007).** Application of safes (systematic approach to food engineering systems) methodology to dehydration of apple by combined methods. *J. Food Engin.*, 83: 186-192.
- Beveridge, T. and Weintraub, S.E. (1995).** Effect of blanching pretreatment on color and texture of apple slices at various water activities. *Food Research International*, 28: 83-86.

- Bialobrzewski, I. (2006)** Simulation of changes in the density of an apple slab during drying. *International Communications in Heat and Mass Transfer*, 33: 880-888.
- Bilbao-Sa´inz, C.; Andre, A. and Fito, P. (2005).** Hydration kinetics of dried apple as affected by drying conditions *J. Food Engin.*, 68: 369-376.
- Boudhrioua, N.; Giampaolib, P. and Bonazzia, C. (2003).** Changes in aromatic components of banana during ripening and air drying. *Lebensm.-Wiss. u.-Technol.*, 36: 633–642.
- Burdurlu, H.S. and Karadeniz, F. (2003).** Effect of storage on nonenzymatic browning of apple juice concentrates. *Food Chem.*, 80: 91-97.
- Chang, S.; Tan, C.; Frankel, E.N. and Barret, D.M. (2000).** Low-Density lipoprotein antioxidant activity of phenolic compounds and polyphenol oxidase activity in selected clingstone peach cultivars. *J. Agric. Food Chem.*, 48: 147-151.
- Chen, L.; Mahta, A.; Berenbaum, M.; Zanger, A.R. and Engeseth, N. K. (2000).** Honeys from different floral sources as inhibitors of enzymatic browning in fruit and vegetable homogenates. *J. Agric. Food Chem.*, 48: 4997-5000.
- Chikhalikar, N.V.; Sahoo, A.K.; Singhal, R.S. and Kulkarni, P.R. (2000).** Studies on frozen pourable custard apple (*Annona squamosa*L) pulp using cryoprotectants. *J. Sci Food Agric.*, 80: 1339-1342.

- Cocci, E.; Rocculi, P.; Romani, S. and Rosa, M.D. (2006).** Changes in nutritional properties of minimally processed apples during storage Postharvest. *Biol. and Technol.*, 39: 265–271
- Cristina Bilbao-Sa´inz, C.; Andre, A. and Fito, P. (2005).** Hydration kinetics of dried apple as affected by drying conditions *J. Food Engin.*, 68: 369-376.
- Dandamrongrak, R.; Young, G. and Mason, R. (2002).** Evaluation of various pre-treatments for the dehydration of banana and selection of suitable drying models. *J. Food Engin.*, 55: 139–146.
- Drake, S.R. and Eisele T.A. (1999).** Carbohydrate and acid contents of Gala apples and Bartlett pears from regular and controlled atmosphere storage. *J. Agric. Food Chem.*, 47: 3181-3184.
- Ding, C.; Chachin, K.; Ueda, Y. and Wang, C.Y. (2002).** Inhibition of loquat enzymatic browning by sulfhydryl compounds. *Food Chem.*, 76: 213-218.
- Duangmal, K. and Apenten, R.K.O. (1999).** A comparative study of polyphenol oxidases from taro (*Colocasia esculenta*) and potato (*Solanum tuberosum* var. *romano*). *Food Chem.*, 64: 351-359.
- Eissa A. and Salama M. (2002).** Inhibition of enzymatic browning by Natural Leafy Vegetables Extracts and keeping Quality of fresh and dried apple rings. *Polish J. Food and Nutrition Sciences*, 11: 27-32.

- Eissa, H.A. (1992).** Relation between oxidative enzymes activity and mineral content of some food stuffs. M.Sc., Thesis in Fac. of Agric., Ain Shams Univ.
- Eissa, H.A. and Ayesh, A.M. (2002).** Mycotoxin reduction and inhibition of enzymatic browning during apple juice processing. Egypt. J. Food Sci., 30: 1-21.
- Emaga, T.H.; Robert, C.; Ronkart, S.N.; Wathélet, B. and Paquot, M. (2007).** Dietary fiber components and pectin chemical features of peels during ripening banana and plantain varieties. Bioresource Technology, 8: 30-35.
- Espin, J.C.; Garcia-Ruiz, P.A.; Tudela, J. and Garcia-Canovas, F. (1998).** Study of Stereospecificity in Pear and Strawberry Polyphenol Oxidases. J. Agric Food Chem., 46: 2469-2473.
- Espin, J.C.; Garcia-Ruiz, P.A.; Tudela, J.; Varon, R. and Garcia-Canovas, F. (1998).** Monophenolase and diphenolase reaction mechanisms of apple and pear polyphenol Oxidases. J. Agric. Food Chem., 46: 2968-2975.
- Ferreres, F.; Sousa, C.; Valentaño, P.; Seabra, R.M.; Pereira, J.A. and Andrade, P.B. (2007).** Tronchuda cabbage (*Brassica oleracea* L. var. *costata* DC) seeds: Phytochemical characterization and antioxidant potential. Food Chem., 101: 549–558.
- Fua, Y.; Zhangb, K.; Wang, N. and Dua, J. (2007).** Effects of aqueous chlorine dioxide treatment on polyphenol oxidases from Golden Delicious apple. LWT 40: 1362-1368.

- Galeazi, M.; Sgarbierion C. and Constantinides S. (1981).** Isolation, purification and physicochemical characterization of polyphenoloxidase (PPO) from a Dwarf variety of banana. *J. Food Sci.*, 46: 150-155.
- Genovese D.; Elustondo, M. and Lozano, J. (1997).** Color and cloud stabilization in cloudy apple juice by steam heating during crushing. *J. Food Sci.*, 62: 1171-1175
- Gokmen, A. and Serpen, A. (2002).** Equilibrium and Kinetic studies on the adsorption of dark colored compounds from apple juice using adsorbent resin. *J. Food Engin.*, 53: 221-227.
- Golding, J.B.; Shearer, D.; McGlasson, W.B. and Wyllie, S.G. (1999).** Relationships between respiration, ethylene and aroma production in ripening banana *J. Agric. Food Chem.*, 47: 1646-1651.
- Goswami, B. and Borthakur, A. (1995).** Chemical and biochemical aspects of developing culinary banana (Muss ABB) 'Kachkal'. *Food Chem.*, 55: 169-172.
- Gorny, J.R.; Hess-Pierce, B. and Kader, A.A. (1999).** Quality changes in fresh-cut peach and nectarine slices as affected by cultivar, storage atmosphere and chemical treatments. *J. Food Sci.*, 64: 429-432.
- Hayta, M. (2002).** Bulgur quality as affected by drying methods. *J. Food Sci.*, 67: 2241-2244.
- Heinze K. (1970).** The determination of sulphuric acid in foods by different methods of analysis. *Industrielle-Obst-und-emueseeverwertung*, 55: 185-186.

- Hofsetz, K.; Lopes, C.C.; Hubingera, M.D.; Mayor, L. and Sereno, A.M. (2007).** Changes in the physical properties of bananas on applying HTST pulse during air-drying. *J. Food Engin.*, 83: 531–540.
- Janovitz-Klapp, A.H.; Richard, F.C.; Goupy, P.M. and Nicolas, J. (1990).** Inhibition studies on apple polyphenol oxidase. *J. Agric. Food Chem.*, 38: 926–931.
- Karathamos, V.; Kanellopoulos, N. and Belessiotis, V. (1999).** Development of porous structure during air drying of agricultural plant products. *J. Food Engin.*, 29: 167-183.
- Karcher, A.; Melouk, H.A. and El-Rassi, Z. (1999).** High-performance liquid-phase separation of glycosides. III. determination of total glucosinolates in cabbage and rapeseed by capillary electrophoresis via the enzymatically released glucose. *Anal. Biochem.*, 267: 92–99.
- Kim D., Smith N. and Lee, C. (1993).** Quality of minimally processed apple slices from selected cultivars. *J. Food Sci.*, 58: 1115-1117.
- Krokida, M.K. and Philippopoulos, C. (2006).** Volatility of apples during air and freeze drying. *J. Food Engin.*, 73: 135-141.
- Kusznierewicza, B.; Bartoszekb, A.; Wolskaa, L.; Drzewieckic, J.; Gorinsteind, S. and Namies, J. (2008).** Partial characterization of white cabbages (*Brassica oleracea* var *capitata* f. *alba*) from different regions by glucosinolates, bioactive compounds, total antioxidant activities and proteins *LWT*, 41: 1-9 .

- Larmond, E. (1974).** Methods for sensory evaluation of food. Food Research Institute, Central experimental form, Department of Agriculture, Ottawa, Canada.
- Lavilla, T.; Puy, J.; Lopez, M. L.; Recasens, I. and Vendrell, M. (1999).** Relationships between volatile production, fruit quality, and sensory evaluation in Granny Smith apples stored in different controlled- atmosphere treatments by means of multivariate analysis. *J. Agric. Food Chem.*, 47: 3791-3803.
- Lee, K.T.; Farid, M. and Nguang, S.K. (2006).** The mathematical modelling of the rehydration characteristics of fruits *J. Food Engin.*, 72: 16-23.
- Lee, M.Y.; Lee M.K. and Park, I. (2007).** Inhibitory effect of onion extract on polyphenol oxidase and enzymatic browning of taro (*Colocasia antiquorum* var. *esculenta*), *Food Chem.*, 105: 528-532.
- Leitea, J.B.; Mancinia, M.C. and Borgesb, S.V. (2007).** Effect of drying temperature on the quality of dried bananas cv. prata and d'a'gua *LWT* 40: 319-323.
- Leja, M.; Mareczeka, A. and Benb, J.(2003).** Antioxidant properties of two apple cultivars during long-term storage. *Food Chem.*, 80: 303-307.
- Lewicki P. (1998).** Some remarks on rehydration of dried foods. *J. Food Engin.* 36: 81-87.
- Lewicki P.; Dorota W. and Jolanta M. (1997).** Changes of structure during rehydration of dried apples. *J. Food Engin.*, 32: 347-350.

- Lim, Y.Y.; Lim, T.T. and Tee, J.J. (2007).** Antioxidant properties of several tropical fruits: A comparative study. *Food Chem.*, 103: 1003-1008.
- Litvin, S.; Monnheim, C. H. and Miltz, J. (1998)** Dehydration of carrots by a combination of freeze drying, microwave heating and air or vacuum drying. *J. Food Engin.*, 36: 103-111.
- Lo Scalzo, R.; Genna, A.; Branca, F.; Chedin, M. and Chassaigne, H. (2008).** Anthocyanin composition of cauliflower (*Brassica oleracea* L. var. *botrytis*) and cabbage (*B. oleracea* L. var. *capitata*) and its stability in relation to thermal treatments. *Food Chem.*, 107: 136-144.
- Marani, C.M. Agnelli, M.E. and Mascheroni, R.H. (2007).** Osmo- frozen fruits: mass transfer and quality evaluation. *J. Food Engin.*, 79: 1122-1130.
- McEvily A.; Iyengar R. and Otwell, W. (1992).** Inhibition of enzymatic browning in foods and beverages. *Crit. Rev. Food Sci. Nutr.* 32: 253-273.
- Mohamed, M.R. (1998).** Technology and chemical studies on dehydration of some Egyptian banana varieties. M.Sc. Thesis, Fac. of Agric., Zagazig Univ.
- Nasr, M.A. (1994).** Studies on some snack products from apple and banana. M.Sc. Thesis, Fac. of Agric., Alex. Univ., Egypt.
- Nguyen, M. and Price, W. E. (2007).** Air-drying of banana: Influence of experimental parameters, slab thickness,

banana maturity and harvesting season. J. Food Engin., 79: 200-207.

**Oktay, M., Kufreviölu, I., Kocacaliskan, I. and Sakiroölin, H. (1995).** Polyphenol oxidase from Amasya Apple. J. Food Sci., 60: 494-496.

**Ozöglu, H. and Bayindirh, A. (2002).** Inhibition of enzymatic browning in cloudy apple juice with selected anti-browning agents. Food Control, 13: 213-221.

**Palmier, M.O. and Doren, S.R.V. (2007).** Rapid determination of enzyme kinetics from fluorescence: Overcoming the inner filter effect. Anal. Biochem., 7: 8-12.

**Palou, E.; Lopez-Malo, A.; Barbosa-Canovas, G.; Chanes-Welti, J. and Swanson, W. (1999).** "Polyphenol oxidase and color of blanched and high hydrostatic pressure treated banana puree". J. Food Sci., 64: 42-45.

**Patricia G.; Diane M.; Ronald E. and Robert W. (1993)** Enzymatic browning inhibited in fresh and dried apple rings by pineapple juice. J. Food Sci., 58: 399-404.

**Pe'reza, E.; Schultzb, F.S. and Delahayec, E.P. (2005).** Characterization of some properties of starches isolated from *Xanthosoma sagittifolium* (tannia) and *Colocassia esculenta* (taro). Carbohydrate Polymers 60: 139-145.

**Pittia, P.; Nicoli, M.C.; Comi, G. and Massini, R. (1999).** Shelf-life extension of fresh-like ready-to-use pear cubes. J. Sci. Food Agric., 79: 955-960.

**Pods, edek, A. (2007).** Natural antioxidants and antioxidant capacity of Brassica vegetables: A review LWT 40: 1-11.

- Ponce, A.G.; Vallea, C.E. and Rourac, S.I. (2004).** Natural essential oils as reducing agents of peroxidase activity in leafy vegetables *Lebensm.-Wiss. u.-Technol.*, 37: 199-204.
- Ponne C., Taner B. and Dogan Y. (1994).** Blanching leafy vegetables with electromagnetic energy. *J. Food Sci.* 59: 1037-1041.
- Quoc , A.L.; Mondor, M.; Lamarche, F.; Ippersiel, D.; Bazinet, L. and Makhoulf, J. (2006).** Effect of a combination of electro dialysis with bipolar membranes and mild heat treatment on the browning and opalescence stability of cloudy apple juice. *Food Research International*, 39: 755-760.
- Richard, F.C.; Goupy, P.M. Nicolas, J.J.; Lacombe, J.M. and Pavia, A.A. (1991).** Cysteine as an inhibitor of enzymatic browning. 1. isolation and characterization of addition compounds formed during oxidation of phenolics by apple polyphenol oxidase. *J. Agric. Food Chem*, 39: 841-847.
- Richard, J. and Gouri, B. (1987)** Statistics "Principles and Methods". John Wiles and Sons, New York, 403 - 427.
- Richard-Forget, F.C.; Goupy, P.M. and Nicola, J.J.(1992).** Cysteine as an Inhibitor of enzymatic Browning. 2. Kinetic Studies. *J. Agric. Food Chem.*, 40: 2108-2113.
- Richard-Forget, F.C. and Gaillard, F.A. (1997).** Oxidation of chlorogenic acid, catechins, and 4-methylcatechol in model solutions by combinations of pear polyphenol oxidase and peroxidase: a possible involvement of

peroxidase in enzymatic browning. *J. Agric. Food Chem.* 45: 2472-2476.

**Sacilik, K. and Elicin, A.K. (2006).** The thin layer drying characteristics of organic apple slices. *J. Food Engin.*, 73: 281-289.

**Sadler, G.; Parich, M. and Wicker, L. (1992).** “Microbial, enzymatic and chemical changes during storage of fresh and processed orange juice,” *J. Food Sci.*, 57: 1187-1191.

**Sagar, V., Khurdiya, D. and Balakrishnan, K. (1998).** Effect of storage temperature and period on quality of dehydrated ripe mango slices. *J. Food Sci. and Technol., India.* 35: 147-150.

**Salvatori, D.; Andres, A.; Chiralt, A. and Fito, P. (1999).** Osmotic dehydration progression in apple tissue: spatial distribution of solutes and moisture content. *J. Food Engin.*, 42: 125-132.

**Sapers, G. and Douglas, F. (1987).** Measurement of enzymatic browning at cut surfaces and in juice of raw apple and pear fruits. *J. Food Sci.*, 52: 1258-1262.

**Sapers, G.; Phillips, J.; Garzarella, L.; Pondish, D.; Matulaitis, R.; McCormach, T.; Sondey, S.; Seib, P. and El-Atawy, Y. (1989).** Control of enzymatic browning in apple with ascorbic acid derivatives polyphenoloxidase inhibitors, and complexing agents. *J. Food Science*, 54: 997-1003.

**Schultz, E.L.; Mazzuco, M.M.; Machado, R.A.F. Bolzan, A.; Quadri, M.B. and Quadri, M.G.N. (2007).** Effect of

pre-treatments on drying, density and shrinkage of apple slices J. Food Engin., 78: 1103-1110.

- Shengmin, L.U.; Yaguang, L.; Turner, E. and Feng, H. (2007).** Efficacy of sodium chlorite as an inhibitor of enzymatic browning in apple slices. Food Chem., 104: 824-829.
- Siddiq, M.; Sinha, N.K. and Cash, J.N. (1992).** Characterization of polyphenol oxidase from stanley plums. J. Food Sci., 57: 1177-1180.
- Singh, J.; Upadhyay, A.K.; Bahadur, A.; Singh, B.; Singh, K.P. and Rai, M. (2006).** Antioxidant phytochemicals in cabbage (*Brassica oleracea* L. var. *capitata*) Scientia Horticulturae, 108: 233-237.
- Sojo, M.M.; Nunez-Delicado, E.; Sanchez-Ferrer, A. and Garcta-Carmona, F. (2000).** Oxidation of Salsolinol by banana Pulp polyphenol oxidase and its kinetic synergism with dopamine. G. J. Agric. Food Chem., 48: 5543-5547.
- Stamp, J. and Labuza, T. (1983).** Kinetics of the maillard reaction between aspartame and glucose in solution at high temperatures. J. Food Sci., 48: 543-547.
- Torre-Gutie´rrez, L.; Chel-Guerrero, L.A. and Betancur-Ancona, D. (2008).** Functional properties of square banana (*Musa balbisiana*) starch. Food Chem., 106: 1138-1144.
- Tung-Sun, C.; Siddiq, M.; Sinha, N. and Cash, J. (1995)** Commercial pectinase and the yield and quality of stanley

plum juice. J. Food Processing and Preservation. 19: 89-101.

- Unal, M.U. (2007).** Properties of polyphenol oxidase from Anamu banana (*Musa cavendishii*) using cryoprotectants. J. Sci. Food Agric., 80: 1339-1342.
- Valderrama, P. and Clemente, E. (2007).** Isolation and thermostability of peroxidase isoenzymes from apple cultivars Gala and Fuji. Food Chem., 87: 601-606.
- Valentova K.; Ulrichova, J. and Strnad, M. (2008).** Phenolic acid contents of kale (*Brassica oleraceae* L. var. *acephala* DC.) extracts and their antioxidant and antibacterial activities. Food Chem., 107: 19-25.
- Valero, E. and Gacia-Carmona, F. (1998).** pH-Dependent effect of sodium chloride on latent grape polyphenol oxidase. J. Agric. Chem., 46: 2447-2451.
- Vercet, A.; Burgos, J. and Lopez- Burgos, P. (2001).** Manothermo-sonication of foods and food resembling systems: effect on nutrient content and nonenzymatic browning. J. Agric. Food Chem., 49: 483-489.
- Voegt-Turenne, C.; Mahfouz, M. and. Allaf, K. (1999).** Three models for determining the induction time in the browning Kinetics of the Granny Smith apple under static conditions. J. Food Engin., 41: 133-139.
- Vrchovska, V.; Sousa, C.; Valenta, P.; Ferreres, F.; Pereira. J.A.; Seabra, R.M. and Andrade, P.B. (2006).** Antioxidative properties of tronchuda cabbage (*Brassica oleracea* L. var. *costata* DC) external leaves against

DPPH, superoxide radical, hydroxyl radical and hypochlorous acid. *Food Chem.*, 98: 416-425.

- Wang, Z.; Sun, J.; Chen, F.; Liao, X. and Hu, X. (2007).** Mathematical modelling on thin layer microwave drying of apple pomace with and without hot air pre-drying. *J. Food Engin.*, 80: 536-544.
- Westereng, B.; Michaelsen, T.E.; Samuelsen, A.B. and Knutsen, S.H. (2007).** Effects of extraction conditions on the chemical structure and biological activity of white cabbage pectin. *Carbohydrate Polymers*, 7: 17-20.
- Wettstein, D. (1957).** Chlorophyll-Letale und Der Submikroskopische Formwechsel Der Plastiden. *Experimental Cell Research.*, 12: 427-506.
- Wuyts, N.; Dirk De Waele, D.D. and Swennen, R. (2006).** Extraction and partial characterization of polyphenol oxidase from banana (*Musa acuminata* Grande naine) roots. *Plant Physiology and Biochemistry*, 55: 169-172.