

References

1. Malbrain, M., De Laet, I., Cheatham, M. (2007)

Consensus Conference Definition and Recommendations on intra-abdominal hypertension (IAH) and the Abdominal Compartment Syndrome (ACS). The long road to the final publications, how did we get there? Acta Clinica Belgica. 62: (1), P.44-59.

2. Hunter, J.D., Damani Z. (2004)

Intra-abdominal hypertension and the abdominal compartment syndrome Anesthesia. 59 (9): 899-907.

3. Moore A.F., Hargest, R., Martin M., Delicata R.J. (2004)

Intra-abdominal hypertension and the abdominal compartment syndrome. Br. J. Surg. 91 (9), 1102-10.

4. . Etienne- J. M. (1863)

Cited from Schein, M. (2006)

Abdominal Compartment Syndrome: Historical Background. In: Ivatury RR, Cheatham M.I.L., Malbrain MLNG, Sugrue M (Editors): Abdominal Compartment Syndrome. Landes Bioscience.P.1-7.

5. Wendt (1873)

Cited from Schein, M. (2006)

Abdominal Compartment Syndrome: Historical Background. In: Ivatury RR, Cheatham M.I.L., Malbrain MLNG, Sugrue M (Editors): Abdominal Compartment Syndrome. Landes Bioscience.P.1-7.

6. Oderbrechr (1875)

Cited from chein, M. (2006)

Abdominal Compartment Syndrome: Historical Background. In: Ivatury RR, Cheatham M.I.L., Malbrain MLNG, Sugrue M (Editors): Abdominal Compartment Syndrome. Landes Bioscience.P.1-7.

7. Emerson H. (1911)

Cited from Schein, M. (2006)

Abdominal Compartment Syndrome: Historical Background. In: Ivatury RR, Cheatham M.I.L., Malbrain MLNG, Sugrue M (Editors): Abdominal Compartment Syndrome. Landes Bioscience.P.1-7.

8. Ogilvie W. H. (1940)

The complications of abdominal war wounds. Lancet,2, 253:256.

9. Gross R. E. (1948)

A new method for surgical treatment of large omphaloceles. Surgery, 24, 277:292.

10. Baggot M. G. (1951)

Abdominal blow-out: a concept current research. Anesthesia Analgesia, 30, 295:298.

11. korn I.L. (1969)

Cited from Korn I. L. HARMAN P.K., Nolan S.P. (1984)

The measure abdominal reexploration. Ann Surg. 199, 28:30.

12. korn I.L. (1972)

Cited from Korn I. L. HARMAN P.K., Nolan S.P. (1984)

The measure abdominal reexploration. Ann Surg. 199, 28:30.

13. Korn I. L. HARMAN P.K., Nolan S.P. (1984)

The measure abdominal reexploration. Ann Surg. 199, 28:30.

14. Fietsam, R J., Villalba, M., Glover JL., Clark, K. (1989)

Intra-abdominal compartment syndrome as complication of ruptured abdominal aortic aneurysm repair. Am Surg. 55, 396-402.

15. Cullen D.J., Coyle, J.P., Teplick R., Long, MC. (1989)

Cardiovascular, pulmonary, and renal effects of massively increased intra-abdominal pressure in critically ill patients. Crit Care Med. 17, 118-121.

16. Iberti, T., Lieber, C. and Benjamin, E. (1989)

Determination of intra-abdominal pressure using a transurethral bladder catheter: clinical validation of the technique. Anesthesiology. 70, 47-50.

17. Karmali, S. Evans, D. Laupland, K., Findlay, C., Ball C. and Bergeron, E. (2006)

To close or not to close that is one of the questions? Perceptions of Trauma Association of Canada surgical members on the management of the open abdomen. J Trauma. 60 (2), 287-293.

18. Kirkparick, A., Laupland, K., Karmali, S., Bergeron, E., Stewart, T. and Findlay, C. (2006)

Spill your guts! Perceptions of Trauma Association of Canada member surgeons regarding the open abdominal and the abdominal compartment syndrome. J Trauma. 60 (2), 279-86.

19. Nagappan, R. Ernest, D. and Whitfield, A. (2006)

Recognition and management of intra-abdominal hypertension and abdominal compartment syndrome. J Trauma. 7 (4), 298-302.

20. Tiwari, A. Myint, F. and Hamilton, G. (2006)

Recognition and management of abdominal compartment syndrome in the United Kingdom. Intensive Care Med. 32(6), 906-9.

21. Ravishankar, N. and Hunter J. (2005)

Measurement of intra-abdominal pressure in intensive care units the United Kingdom: a national postal questionnaire study.Br J Anaesth. 2005 Jun; 94(6):763-6.

22. Malbrain, M., Chiumello, D., Pelosi P., Wilmer, A. Brienza, N. and Malcangi, V. (2004)

Prevalence of intra-abdominal hypertension in critically ill patients: a multicoated epidemiological study. Intensive Care Med. 30(5), 822-9.

23. Schachtrupp, A. Jansen, M., Bertram, P. Kuhlen R. and Schumpelick, V. (2006)

Abdominal compartment syndrome: Significance, diagnosis and treatment. Anesthetist. 55(6), 660-667.

24. Chen, R. J., Fang J. F. Chen M.F. (2001)

Intra-abdominal pressure monitoring as a guideline in the non operative management of blunt hepatic trauma. J Trauma. 51(1), 44-50.

25. Rasmussen, T.E. Hallett, JW. Jr., Noel, AA. Jenkins, G., Bower , TC. and Cherry K. J. J.R. (2002)

Early abdominal closure with mesh reduces multiple organ failure after ruptured abdominal aortic aneurysm repair: Vasc Surg. 35(2), 264-53.

- 26. Metha, M. Darling R.C. III., Roddy, S.P. Fecteau, S. Ozsvath, K. J. and Kreineberg P.B. (2005)**

Factors associated with abdominal compartment syndrome complicating endovascular repair of ruptured abdominal aortic aneurysms .Eur J Vasc endovasc Surg. 42(6), 1047-51.

- 27. Djavani, K., Wanheinen, A. and Bjorck, M. (2006)**

Intra-abdominal hypertension and abdominal compartment syndrome following surgery for ruptured abdominal aortic aneurysm . Eur J Vas Endovasc Surg. 31(6), 58-4.

- 28. Brasel, K.J. and Weigelt, J.A. (2000)**

Damage control in trauma surgery. Curr Opin Crit Care. (4), 276-280.

- 29. Stagnitti, F. Mongardini, M. Schillaci, F. Ribaldi, S. Priore, F. and Corona, F. (2003)**

Packing: current concepts of "life – saving "surgery. G Chir. 248 (8-9), 315-22.

- 30. O'Mara, MS., Semins, H., Hathaway, D., Caushai, PF. (2003)**

Abdominal compartment syndrome as consequences of rectus sheath hematoma. Am Surg. 69 (11), 975-7.

- 31. Stagnitti, F., Calderale, SM., Priore, F., Ribaldi, S., Ti-beri, R.and Pascalis M. (2004)**

Abdominal compartment syndrome: pathophysiologic and clinic remarks. G Chir: 25 (10), 335-42.

32. Tao, J., Wang, C., Chen, L., Yang, Z., Xu, Y. and Xiong, J.(2003)

Diagnosis and management of severe acute pancereatitis complicated with abdominal compartment syndrome. J Huazhong Univ Sci. Technology Med Sci. 23 (4), 399-402.

33. Balogh, Z., MacKinley BA., Cocnour, CS., Kozar, RA., Valdivia, A. and Sailors RM. (2003)

Supernormal trauma resuscitation causes more cases of abdominal compartment syndrome. Arch Surg. 138(6), 637-42.

34. Desneder, L., De Laet, I., Vermassen, F. and De Waele, J. (2007)

Tertiary Petitonitis and Tertiary ACS: a perfect match? Acta Clinica Belgica. 62, (1), 304.

35. Cheatham, ML. and Malbrain, M. (2006)

Abdominal Perfusion Pressure. In: Ivatury RR, Cheatham ML, Malbrain MLNG, Surgue M (Editors). Abdominal Copartment Syndrome. Landes Bioscience.2006 P.69-81.

36. Pastores, SM., Katz, DP. and Kvetan V. (1996)

Splanchnic ischemia and gut mucosal injury in sepsis and the multiple organ dysfunction syndromes. Am J Gas-troenterol. 1996 Sep; 91(9):1697-710.

37. Saggi, Bob H.M.D. Sugerman, Harvey J. MD; Ivatury, Rao R. MD; Bloomfield, Geoffrey L. MD(1998)

Abdominal Compartment Syndrome. The Journal of Trauma: Injury, Infection, and Critical Care: Volume 45 - Issue 3 - pp 597-609.

38. Diebel, LN., Dulchavsky, S.A. and Brown, WJ. (1997)

Splanchnic ischemia and bacterial translocation in the abdominal compartment syndrome. J Trauma. 43 (5), 852-5.

39. Botha, A.J., Moore, F.A., Moore, E.E. (1995)

Post injury neutrophil priming and activation: an early vulnerable window .Surgery. 118: 358-46.

40. Biffl, W.L., Moore E.E, Zallen, G. (1999)

Neutrophils are primed for cytotoxicity and resist apoptosis in injured patients at risk for multiple organ failure Surgery. 162: 46, 42-8.

41. Zallen, G., Moore, E.E. and Johnson, J.L (1999)

Circulating post injury neutrophils are primed for the release of proinflammatory cytokines. J Trauma. 46: 42-8.

42. Bathe, F., Chow A.W. and Phang, P.T. (1998)

Splanchnic origin of cytokines in a porcine model of mesenteric ischemia-reperfusion injury . Surgery. 123: 79-88.

43. Moore E.E. (1998)

Mesenteric lymph: the critical bridge between dysfunctional gut and multiple organ failure. Shock.1998; 10:415-6.

44. Riedemann, N.C. and Ward, P.A. (2003)

Complement in Ischemia Reperfusion Injury. Am J Pathol. 162: 363-7.

- 45. Hassoun H.T., Kone, BC., Mercer, DW., Moody, FG., Weisbordt NW. and Moore, F.A. (2001)**

Post-injury multiple organ failure: the role of the gut .Shock. 15(1), 1-10.

- 46. Caldwell, C.B. and J.J. and Ricotta (1987)**

Changes in visceral blood flow with elevated intra-abdominal pressure. J Surg Res. 43(1), p. 14-20.

- 47. Kashtan, J. (1981)**

Hemodynamic effect of increased abdominal pressure. J Surg Res. 30(3), p. 249-55.

- 48. Schein, M. (1995)**

The abdominal compartment syndrome: the physiological and clinical consequences of elevated intra-abdominal pressure. J Am Coll Surg. 180 (6), p. 745-53.

- 49. Barnes, G.E. (1985)**

Cardiovascular responses to elevation of intra-abdominal hydrostatic pressure. Am J Physiol. 248(2), p. 208-13.

- 50. MacDonnell, S.P., O.A., Lalude A.C. and Davidson (1996)**

The abdominal compartment syndrome: the physiological and clinical consequences of elevated intra-abdominal pressure. J Am Coll Surg. 183(4), p. 419-20.

- 51. Baxter, J.N. P.J. and O'Dwyer (1995)**

Pathophysiology of laparoscopy. Br J Surg. 82(1), p. 1-2.

- 52. Eddy, A.C., C.L. Rice, D.M. and Anardi (1988)**

Right ventricular dysfunction in multiple trauma victims. Am J Surg. 155 (5), p. 712-5.

53. Luca, A. (1993)

Hemodynamic effects of acute changes in intra-abdominal pressure in patients with cirrhosis. Gastroenterology. 104 (1), p. 222-7.

54. Bloomfield, G.L. (1997)

Elevated intra-abdominal pressure increases plasminogen activity and aldosterone levels. J Trauma. 42 (6), p. 997-1004.

55. Ridings, P.C. (1995)

Cardiopulmonary effects of raised intra-abdominal pressure before and after intravascular volume expansion. J Trauma. 39 (6), p. 1071-5.

56. Cheatham, M.L. (1998)

Right ventricular end-diastolic volume index as a predictor of preload status in patients on positive end-expiratory pressure. Crit Care Med, 26(11), p. 1801-6.

57. Cheatham, M.L. (1999)

Preload assessment in patients with an open abdomen. J Trauma. 46 (1), p. 16-22.

58. Diamant, M., Benumof, J.L. and Saidman, L.J. (1978)

Hemodynamics of increased intra-abdominal pressure: Interaction with hypovolemia and halothane anesthesia. Anesthesiology. 48(1), p. 23-7.

59. Chang, M.C. (1998)

Effects of abdominal decompression on cardiopulmonary function and visceral perfusion in patients with intra-abdominal hypertension. J Trauma. 44(3): p. 440-5.

60. Chang, M.C. and Meredith, J.W. (1997)

Cardiac preload, splanchnic perfusion and their relationship during resuscitation in trauma patients. J Trauma. 42(4), p. 577-82.

61. Ridings, P.C., Blocher, C. and Sugerman, H. (1994)

Cardiopulmonary effects of raised intra-abdominal pressure. Surg Forum. 45: p. 74-76. 2.

62. Boyd, O., Grounds, R.M. and Bennett, E.D. (1993)

A randomized clinical trial of the effect of deliberate perioperative increase of oxygen delivery on mortality in high-risk surgical patients. Jama. 270 (22), p. 2699-707.

63. Wilson, J. (1999)

Reducing the risk of major elective surgery: randomized controlled trial of preoperative optimization of oxygen delivery. Bmj. 318 (7191), p. 1099-103.

64. Rivers, E. (2001)

Early goal-directed therapy in the treatment of severe sepsis and septic shock. N. Engl. J. Med. 345 (19), p. 1368-77.

65. Goodale, R.L. (1993)

Hemodynamic, respiratory, and metabolic effects of laparoscopic cholecystectomy. Am J Surg. 166 (5), p. 533-7.

66. Caldwell, C.B. and Ricotta, J.J. (1987)

Changes in visceral blood flow with elevated intra-abdominal pressure. J Surg Res.43 (1), p. 14-20.

67. Kashtan, J. (1981)

Hemodynamic effect of increased abdominal pressure. J Surg Res. 30 (3), p. 249-55.

68. Richardson, J.D. and Trinkle, J.K. (1976)

Hemodynamic and respiratory alterations with increased intra-abdominal pressure. J Surg Res. 20 (5), p. 401- 9.

69. Diamant, M, Benumof, J.L. and Saidman, L.J. (1978)

Hemodynamics of increased intra-abdominal pressure: Interaction with hypovolemia and halothane anesthesia. Anesthesiology. 48 (1), p. 23-7.

70. Barnes, G.E. (1985)

Cardiovascular responses to elevation of intra-abdominal hydrostatic pressure. Am J Physiol. 248 (2), p. 208-13.

71. Diebel, L.N. (1992)

Effect of increased intra-abdominal pressure on hepatic arterial, portal venous, and hepatic microcirculatory blood flow. J Trauma. 33(2), p. 279-82.

72. Cheatham, M.L. (1998)

Right ventricular end-diastolic volume index as a predictor of preload status in patients on positive end-expiratory pressure. Crit Care Med.26 (11), p. 1801-6.

73. Cheatham, M.L. (1999)

Preload assessment in patients with an open abdomen. J Trauma. 46(1): p. 16-22.

74. Chang, M.C. (1998)

Effects of abdominal decompression on cardiopulmonary function and visceral perfusion in patients with intra-abdominal hypertension. J. Trauma. 44 (3), p. 440-5.

75. Diebel, L.N. (1992)

End-diastolic volume. A better indicator of preload in the critically ill. Arch Surg. 127 (7), p. 817-21.

76. Malbrain, M. (2003)

Effect of intra-abdominal pressure on pleural and filling pressures. Intensive Care Med. 29, p. S73.

77. Pctosi, P. (2003)

Pulmonary and extra pulmonary acute respiratory distress syndrome is different. Eur. Respir. J. Suppl. 42, p. 48-56.

78. Ridings, P.C. (1995)

Cardiopulmonary effects of raised intra-abdominal pressure before and after intravascular volume expansion. J Trauma. 39(6): p. 1071-5.

79. Hunter, J.D. and Damani, Z. (2004)

Intra-abdominal hypertension and the abdominal compartment syndrome. Anaesthesia. 59 (9), p. 899-907.

80. Citerio, G. (2001)

Induced abdominal compartment syndrome increases intracranial pressure in neurotrauma patients: a prospective study. Crit Care Med. 29 (7), p. 1466-71.

81. Cullen, D.J. (1989)

Cardiovascular, pulmonary, and renal effects of massively increased intra-abdominal pressure in critically ill patients. Crit Care Med. 17 (2), p. 118-21.

82. Diebel, L.N., Dulchavsky, S.A. and Wilson (1992)

Effect of increased intra-abdominal pressure on mesenteric arterial and intestinal mucosal blood flow. J Trauma. 33(1), p. 45-8.

83. Diebel, L.N. (1992)

Effect of increased intra-abdominal pressure on hepatic arterial, portal venous, and hepatic microcirculatory blood flow. J Trauma. 33(2), p. 279-82.

84. Schwarte, L.A. (2004)

Moderate increase in intraabdominal pressure attenuates gastric mucosal oxygen saturation in patients undergoing laparoscopy. Anesthesiology. 100(5): p. 1081-7.

85. Diebel, L.N., Dulchavsky, S.A. and Brown, W.J (1997)

Splanchnic ischemia and bacterial translocation in the abdominal compartment syndrome. J Trauma. 43(5): p. 852-5.

86. Diebel, L., Saxe, J. and Dulchavsky, S.(1992)

Effect of intra-abdominal pressure on abdominal wall blood flow. Am Surg. 58 (9), p. 573-5.

87. Hunter, J.D. and Damani, Z. (2004)

Intra-abdominal hypertension and the abdominal compartment syndrome. Anaesthesia. 59 (9), p. 899-907.

88. Citerio, G. (2001)

Induced abdominal compartment syndrome increases intracranial pressure in neurotrauma patients: a prospective study. Crit Care Med. 29 (7), p. 1466-71.

89. Bloomfield, G.L. (1997)

A proposed relationship between increased intra-abdominal, intrathoracic, and intracranial pressure. Crit Care Med. 25 (3), p. 496-503.

90. Josephs, L.G. (1994)

Diagnostic laparoscopy increase: intracranial pressure. J. Trauma. 36 (6), p. 815-818.

91. Joseph, D.K. (2004)

Decompressive laparotomy to treat intractable intracranial hypertension after traumatic brain injury. J. Trauma. 57 (4), p. 687-95.

92. Leppaniemi, A. and Kemppainen, E. (2005)

Recent advances in the surgical management of necrotizing pancreatitis. Curr Opin Crit Care. 11(4): p. 349-52.

93. Pupelis, G. (2002)

Clinical significance of increased intraabdominal pressure in severe acute pancreatitis. Acta Chir Belg. 102 (2), p. 71-4.

94. Tao, J. (2003)

Diagnosis and management of severe acute pancreatitis complicated with abdominal compartment syndrome. J Huazhong Univ Sci Technolog Med Sci. 23(4): p. 399-402.

95. Gecelter, G. (2002)

Abdominal compartment syndrome in severe acute pancreatitis: an indication for a decompressing laparotomy? Dig Surg. 19(5): p. 402-4.

96. Reckard, J.M. (2005)

Management of intraabdominal hypertension by percutaneous catheter drainage. J Vase Interv Radiol. 16(7): p. 1019-21.

97. Sun, Z. X., Huang, I. I.R. and Zhou, H. (2006)

Indwelling catheter and conservative measures in the treatment of abdominal compartment syndrome in fulminant acute pancreatitis. World J. Gastroenterol. 12 (31), p. 5068-70.

98. Oda, S. (2005)

Management of intra-abdominal hypertension in patients with severe acute pancreatitis with continuous hemodiafiltration using a polymethyl methacrylate membrane hemofilter. Ther Apher Dial. 9 (4), p. 355-61.

99. Maslovsky, O.P. and Zagorujko, V. (2005)

Acute pancreatitis with multiple organ dysfunction syndrome: is high volume hemofiltration helpful? Intensive Care Medicine. 31, 1(134): p. 185

100. Kowal-Vern, A. (2006)

Elevated cytokine levels in peritoneal fluid from burned patients with intra-abdominal hypertension and abdominal compartment syndrome. Burns, 32(5):563-9.

101. Tsoutsos D. (2003)

Early Escharotomy as a Measure to Reduce Intraabdominal Hypertension in Full-Thickness Burns of the Thoracic and Abdominal Area. World J. Surg.

102. O'Mara, M.S. (2005)

A prospective, randomized evaluation of intra-abdominal pressures with crystalloid and colloid resuscitation in burn patients. J. Trauma. 58 (5), p. 1011-8.

103. Beck, R. (2001)

Abdominal compartment syndrome in children. Pediatr Crit Care Med. 2(1): p. 51-6.

104. Ejike, J.C. and Mathur, M. (2005)

Occurrence and outcome of abdominal compartment syndrome in critically ill children. Critical Care Medicine, 2005. 33 p. 95.

105. Ng E, Kim HB, Lillehei CW, Seefelder C. (2002)

Life threatening tension pneumoperitoneum from intestinal perforation during air reduction of intussusception. Paediatr Anaesth. 12(9), p. 798-800.

106. Kidd, J.N., Jr. (2003)

Evolution of staged versus primary closure of gastroschisis. Ann Surg. 237 (6), p. 759-64.

107. Davis, (2005)

Comparison of indirect methods of measuring intra-abdominal pressure in children. Intensive Care Med. 31 (3), p. 471-475.

108. Balogh, Z. (2003)

Both primary and secondary abdominal compartment syndrome can be predicted early and are harbingers of multiple organ failure. J. Trauma. 54 (5), p. 848-59.

109. Rezende-Neto, J.B. (2002)

Systemic inflammatory response secondary to abdominal compartment syndrome: stage for multiple organ failure. J. Trauma. 53 (6), p. 1121-8.

110. Rezende-Neto, J.B. (2003)

The abdominal compartment syndrome as a second insult during systemic neutrophil priming provokes multiple organ injury. Shock. 20 (4), p. 303-8.

111. Kacmaz, A. (2003)

Octreotide: a new approach to the management of acute abdominal hypertension. Peptides. 24 (9), p. 1381-6.

112. Kacmaz, A. (2004)

Octreotide improves reperfusion-induced oxidative injury in acute abdominal hypertension in rats. J. Gastrointest Surg. 8 (1), p. 113-9.

113. Sener, G. (2003)

Melatonin ameliorates oxidative organ damage induced by acute intra-abdominal compartment syndrome in rats. J Pineal Res. 35 (3), p. 163-8.

114. Bathe O.F., and Chow A.W. (1998)

Splanchnic origin of cytokines in a porcine model of mesenteric ischemia-reperfusion. Surgery. 123: p. 79-88.

115. Bathe, O.F., A.W. Chow, and Phang, P.T. (1998)

Splanchnic origin of cytokines in a porcine model of mesenteric ischemia-reperfusion. Surgery. 123(1), p. 79-88.

116. Moore, F.A., Moore, E.E. and Read, R.A. (1993)

Post injury multiple organ failure: role of extra thoracic injury and sepsis in adult respiratory distress syndrome. New Horiz. 1 (4), p. 538-49.

117. Botha, A.J. (1995)

Postinjury neutrophil priming and activation: an early vulnerable window. Surgery. 118 (2), p. 358-64.

118. Zallen, G. (1999)

Circulating postinjury neutrophils are primed for the release of proinflammatory cytokines. J. Trauma. 46(1), p. 42-8.

119. Diebel, L.N., Dulchavsky, S.A. and Brown, W.J. (1997)

Splanchnic ischemia and bacterial translocation in the abdominal compartment syndrome. J. Trauma. 43(5), p. 852-5.

120. Eleftheriadis, E. (1996)

Gut ischemia, oxidative stress, and bacterial translocation in elevated abdominal pressure in stress, and bacterial translocation in elevated abdominal pressure in rats. World J Surg. 20 (1), p. 11 - 6.

121. Gargiulo, N.J. (1998)

Hemorrhage exacerbates bacterial translocation at low levels of intra-abdominal pressure. Arch Surg. 133 (12), p. 1351-5.

122. Moore, E.E. (1998)

Mesenteric lymph: the critical bridge between dysfunctional gut and multiple organ failure. Shock. 10 (6), p. 415-6.

123. Balogh, Z. (2003)

Supernormal trauma resuscitation causes more cases of abdominal compartment syndrome. Arch Surg. 138 (6), p. 637-43.

124. Gonzalez, R.J. (2002)

Hyperosmolarity abrogates neutrophil cytotoxicity provoked by post-shock mesenteric lymph. Shock. 18(1), p. 29-32.

125. Ivatury R., Diebel L.N. and Potter J.M. (1997)

Intra abdominal hypertension and the abdominal compartment syndrome. Surg Clin. North Am. 77(4), 783-800.

126. Kirkpatrick A.W., Brenneman F.D., Maclean R.F. (2000)

Is clinical examination an accurate indicator of raised intra-abdominal pressure in critically injured patients? Can J Surg. 43 (3), 207-11.

127. Korn I.L. (1989)

A simple technique to accurately determine intra-abdominal pressure. Crit Care Med. 17(7):714-5.

128. Cheatham M.L. and Safcsak, K. (1998)

Intra-abdominal pressure: a revised method for measurement. J AM Coll Surg. 186 (5), 954-5.

129. Schachtrupp A, Tons C., Fackeldey V. (2003)

Evaluation of two novel methods for the direct and continuous measurement of the intra-abdominal pressure in a porcine model. Intensive Care Med. 29 (9), 1605-8.

130. Malbrain, M. (2004)

Validation of novel fully automated continuous method to measure intra-abdominal pressure. Intensive Care Med. 29 (1), 73.

131. Schachtrupp, A., Henzler, D., Orfao, S., Schaefer W, Schwab R. and Becker P. (2006)

Evaluation of a modified piezoresistive technique and a water-capsule technique for direct and continuous measurement of intra-abdominal pressure in porcine model. Crit Care Med. 34 (3), 754-50.

132. Shafik, A., El-Sharkawy, A., Sharaf, W.M. (1997)

Direct measurement of intra-abdominal pressure in various conditions. Eur J Surg. 163 (12), 883-7.

133. Offner, P.J., de Souza, A.L., Moore E., Biffl, W.L., Franciose, R.J. and Johnson J.L. (2001)

Avoidance of abdominal compartment syndrome in damage-control laparotomy after trauma. Arch Surg. 136 (6), 676-81.

134. Miller R.S., Morris, J.A. J.R., Diaz, J. Herring, J.R. and MaaK, M.B. (2005)

Complications after 344 damage-control open celiotomies. J. Trauma. 59 (6), 1365-71.

135. Burch, J.M., Moore, E., Moore, F.A. and Franciose, R. (1996)

The abdominal compartment syndrome. Surg Clin North Am. 76 (4), 883-42.

136. Ertel, W. (2000)

Incidence and clinical pattern of the abdominal compartment syndrome after "damage-control" laparotomy in 311 patients with severe abdominal and/or pelvic trauma. Crit Care Med. 28 (6), p. 1747-53.

137. Meldrum, D.R. (1997)

Prospective characterization and selective management of the abdominal compartment syndrome. Am J. Surg. 174 (6), p. 667-72.

138. Ivatury, R.R. (1997)

Intra-abdominal hypertension and the abdominal compartment syndrome. Surg Clin North Am. 77 (4), p. 783-800.

139. Saggi, B.H. (1998)

Abdominal compartment syndrome. J. Trauma. 45 (3), p. 597-609.

140. Ivatury, R.R., Sugerman, H.J. and Peitzman, A.B. (2001)

Abdominal compartment syndrome: Recognition and management, in Advances in Surgery, J.L. Cameron, Editor. Mosby. p. 1-19.

141. Oda, S. (2005)

Management of intra-abdominal hypertension in patients with severe acute pancreatitis with continuous hemodiafiltration using a polymethyl methacrylate membrane hemofilter. Ther Apher Dial. 9 (4), p. 355-61.

142. Morken, J. and West, M.A. (2001)

Abdominal compartment syndrome in the intensive care unit. Curr Opin Crit Care. 7 (4), p. 268-74.

143. Balogh, Z. and Moore, F.A. (2004)

Recent advance in the characterization of post-injury abdominal compartment syndrome. *International J. Intensive Care*. 11 (1), p. 30-42.

144. Balogh, Z. and Moore, F.A. (2005)

Intra-abdominal hypertension: not just a surgical critical care curiosity. *Crit Care Med*. 33(2), p. 447-9.

145. Joseph, D.K. (2004)

Decompressive laparotomy to treat intractable intracranial hypertension after traumatic brain injury. *J. Trauma*. 57 (4), p. 687-95.

146. Malbrain, M.L. and Cheatham, M.L. (2004)

Cardiovascular effects and optimal preload markers in intraabdominal hypertension, in *Yearbook of Intensive Care and Emergency Medicine*, J.L. Vincent, Editor. Springer-Verlag: Berlin, p. 519-543.

147. Cheatham, M.L. (2000)

Abdominal perfusion pressure: a superior parameter in the assessment of intra-abdominal hypertension. *J. Trauma*. 49 (4), p. 621-6.

148. Malbrain, M.L. (2005)

Effect of abdominal perfusion pressure on outcome in mechanically ventilated patients. *Intensive Care Medicine*. 31, 1 (134), p. 5

149. Kimball, E.J. and Mone, M. (2005)

Influence of neuromuscular blockade on intra-abdominal pressure. *Critical Care Medicine*. 33 (12), p. 38.

150. Cleva, R.R. (2001)

Acute renal failure due to abdominal compartment syndrome: report on four cases and literature review. *Rev Hosp Clin Fac Med Sao Paulo*. 56 (4), p. 123-30.

151. O'Mara, M.S. (2005)

A prospective, randomized evaluation of intra-abdominal pressures with crystalloid and colloid resuscitation in burn patients. J. Trauma. 58 (5), p. 1011-8.

152. Hernandez, G. (2005)

Intra-abdominal hypertension in septic shock patients. Intensive Care Medicine. 31, 1 (134): p. 91.

153. Valenza, F. (2003)

Intra-abdominal pressure may be decreased non-invasively by continuous negative extra- abdominal pressure (NEXAP). Intensive Care Med. 29 (11), p. 2063-7. 29.

154. Sugrue, (2005)

Abdominal compartment syndrome. Curr Opin Crit Care. 11(4): p. 333-8.

155. Kimball, E.J.

Assessment of the current understanding and clinical management of abdominal compartment syndrome (ACS) among ICU physicians.

156. Gracias, V.H. (2002)

Abdominal compartment syndrome in the open abdomen. Arch Surg. 137 (11), p. 1298-300.

157. Balogh, Z. and Moore, F.A. (2004)

Recent advances in the characterization of post-injury abdominal compartment syndrome. International J. Intensive Care. 11 (1), p.30-42.

158. Gracias, V.H. (2002)

Abdominal compartment syndrome in the open abdomen. Arch Surg. 137 (11), p. 1298-300.

159. De Cou, J.M. (2000)

Abdominal compartment syndrome in children: experience with three cases. J Pediatr Surg, 2000. 35(6): p. 840-2.

160. Ivatury, R.R. (1998)

Intra-abdominal hypertension after life-threatening penetrating abdominal trauma: prophylaxis, incidence, and clinical relevance to gastric mucosal pH and abdominal compartment syndrome. *J. Trauma*. 44 (6), p. 1016-21.

161. Tao, J. (2003)

Diagnosis and management of severe acute pancreatitis complicated with abdominal compartment syndrome. *J Huazhong Univ Sci Technolog Med Sci*. 23 (4), p. 399-402.

162. Pupelis, G. (2002)

Clinical significance of increased intraabdominal pressure in severe acute pancreatitis. *Acta Chir Belg*. 102 (2), p. 71-4.

163. Biancofiore, G. (2004)

Intraabdominal pressure in liver transplant recipients: incidence and clinical significance. *Transplant Proc*. 36 (3), p. 547-9.

164. Sugrue, M. (1999)

Intra-abdominal hypertension is an independent cause of postoperative renal impairment. *Arch Surg*. 134 (10), p. 1082-5.

165. Cipolla, J. (2005)

A proposed algorithm for managing the open abdomen. *Am. Surg*. 71 (3), p. 202-7.

166. Malbrain, M.L. (2005)

Incidence and prognosis of intraabdominal hypertension in a mixed population of critically ill patients: a multiple-center epidemiological study. *Crit Care Med*. 33 (2), p. 315-22.