

References

- **Abbayaranta W, Seward J, Appleton C, et al.(2006):**

Left atrial size: physiologic determinants and clinical applications.

J Am Coll Cardiol; 47:2357-2363.

- **Agarwat AK, Venugopalan P.(2001):**

Left atrial spontaneous echo contrast in patients with rheumatic mitral valve stenosis in sinus rhythm: relationship to mitral valve and left atrial measurements.

Int J Cardiol; 77:63– 8.

- **Aime-Sempe C, Folliguet T, Rucker-Martin C, et al.(1999):**

Myocardial cell death in fibrillating and dilated human right atria.

J Am Coll Cardiol; 34:1577-86.

- **Alam M, Wardell J, Andersson E, et al.(2000):**

Right ventricular function in patients with first inferior myocardial infarction: assessment by tricuspid annular motion and tricuspid annular velocity.

Am Heart J; 139:710-715.

- **Allessie M, Ausma J, Schotten U.(2002):**

Electrical, contractile and structural remodeling during atrial fibrillation.

Cardiovas Res; 54:230-46.

- **Ambrose JA, King BD, Teicholz LE, et al.(1983):***Early diastolic motion of the posterior aortic root as an index of left ventricular filling.*

J Clin Ultrasound; 11:357.

- **Anne W, Willems R, Van der MN, et al.(2004):**

Atrial fibrillation after radiofrequency ablation of atrial flutter: preventive effect of angiotensin converting enzyme inhibitors, angiotensin II receptor blockers, and diuretics.

Heart; 90:1025–30.

- **Appleton CP, Hatle LK, Popp RL.(1988):**

Relation of transmitral flow velocity patterns to left ventricular diastolic function: new insights from a combined hemodynamic and Doppler echocardiographic study.

J Am Coll Cardiol; 12:426-440.

- **Appleton CP, Hatle LK.(1992):**

The natural history of left ventricular filling abnormalities: assessment by 2-dimensional and Doppler echocardiography.

Echocardiography ;9:437-457.

- **Appleton CP.(1997):**

Hemodynamic determinants of Doppler pulmonary venous flow velocity components: new insights from studies in lightly sedated normal dogs.

J Am Coll Cardiol ;30:1562-1574.

- **Appleton CP, Jensen JL, Hatle LK, et al.(1997):**

Doppler evaluation of left and right ventricular diastolic function: a technical guide for obtaining flow velocity recordings.

J Am Soc Echocardiogr ;10:271-292.

- **Apstein CS, Morgan JP.(1994):**

Cellular mechanisms underlying left ventricular diastolic dysfunction. In: Gaasch WH, LeWinter MM, eds. *Left Ventricular Diastolic Dysfunction and Heart Failure*.

Philadelphia, Pa: Lea & Febiger; 3–24.

- **Aschenberg W, Schluter M, Kremer P, et al.(1986):**

Transesophageal twodimensional echocardiography for the detection of left atrial appendage thrombus.

J Am Coll Cardiol; 7:163– 6.

- **Attuel P, Pellerin D, Gaston J.(1989):**

Latent atrial vulnerability: new means of electrophysiologic investigations in paroxysmal atrial arrhythmias. In: Attuel P, Coumel P, Janse MJ, editors.

The Atrium in Health and Disease.

Mount Kisco, NY: Futura, 81–94.

- **Aviles RJ, Martin DO, Apperson-Hansen C, et al.(2003):**

Inflammation as a risk factor for atrial fibrillation.

Circulation; 108:3006 –10.

- **Badano LP, Albanese MC, De Biaggio P,et al.(2004):**

Prevalence, clinical characteristics, quality of life, and prognosis of patients with congestive heart failure and isolated left ventricular diastolic dysfunction.

J Am Soc Echocardiogr: 253-261.

- **Baicu CF, Zile MR, Aurigemma GP, et al.(2005):**

Left ventricular systolic performance, function and contractility in patients with diastolic heart failure.

Circulation; 111:2306-2312.

- **Bailey GW, Braniff BA, Hancock EW, et al.(1968):**
Relation of left atrial pathology to atrial fibrillation in mitral valvular disease.
Ann Intern Med; 69:13-20.
- **Banerjee P, Banerjee T, Khand A, et al.(2002):**
Diastolic heart failure: neglected or misdiagnosed?
J Am Coll Cardiol. ; 39:138-141.
- **Bauman JL, Schoen MD.(2002):**
Arrhythmias. In: Dipiro JT, Talbert RL, Yee GC, et al., Pharmacotherapy: A pathophysiologic Approach. 5th ed.
New york: Mc Graw-Hill: 273-303.
- **Beers MH, Porter RS, Jones TV, et al.(2006):**
The Merck Manual of Diagnosis and Therapy. 18th ed.
White house station, NJ: Merck research laboratories: 673-699.
- **Bella JN, Palmieri V, Roman MJ, et al.(2002):**
Mitral ratio of peak early to late diastolic filling velocity as a predictor of mortality in middle-aged and elderly adults. The Strong Heart Study.
Circulation; 105:1928-1933.
- **Bellet S.(1971):**
Clinical Disorders of the Heart Beat. 3rd ed.
Philadelphia: Lea & Febiger.
- **Bell SP, Nyland L, Tischler MD, et al.(2000):**
Alterations in the determinants of diastolic suction during pacing tachycardia.
Circ Res.; 87:235–240.

- **Benjamin EJ, Levy D, Vaziril SM, et al.(1994):**

Independent risk factors for atrial fibrillation in a population-based cohort. The Framingham Heart Study.

J.A.M.A., 271:840-844.

- **Beppu S, Izumi S, Miyatake K, et al.(1988):**

Abnormal blood pathways in left ventricular cavity in acute myocardial infarction. Experimental observation with special reference to regional wall motion abnormality and hemostasis.

Circulation; 78:157-164.

- **Berger M, Schweitzer P.(1998):**

Timing of thromboembolic events after electrical cardioversion of atrial fibrillation or flutter: a retrospective analysis.

Am J Cardiol; 82:1545–7, A8.

- **Betocchi S, Losi MA, Piscione F, et al. (1996):**

Effects of dual- chamber pacing in hypertrophic cardiomyopathy on left ventricular outflow tract obstruction and on diastolic function.

Am J Cardiol; 77:498-502.

- **Bharti S, Lev M.(1992):**

Histology of the normal and disease of atrium. In: Fall RH, Podrid PJ, editors. Atrial fibrillation: Mechanism and Management.

New york: Raven press: 15-39.

- **Black IW, Chesterman CN, Hopkins AP, et al.(1993):**

Hematologic correlates of left atrial spontaneous echo contrast and thromboembolism in nonvalvular atrial fibrillation.

J Am Coll Cardiol ;21:451–7.

- **Blackshear JL, Pearce LA, Asinger RW, et al. (1993):**

Mitral regurgitation associated with reduced thromboembolic events in high-risk patients with nonrheumatic atrial fibrillation. Stroke Prevention in Atrial Fibrillation Investigators.

Am J Cardiol ;72:840–3.

- **Blackshear JL, Pearce LA, Hart RG, et al. (1999):**

Aortic plaque in atrial fibrillation: prevalence, predictors, and thromboembolic implications.

Stroke; 30:834–40.

- **Bonow RO.(1991):**

Radionuclide angiographic evaluation of left ventricular diastolic function.

Circulation; 84[3 Suppl]:1208-1215.

- **Bonow RO, Udelson JE.(1992):**

Left ventricular diastolic dysfunction as a cause of congestive heart failure.

Mechanisms and management.

Ann Intern Med; 117:502-510.

- **Brilla CG, Funck RC, Rupp H.(2000):**

Lisinopril-mediated regression of myocardial fibrosis in patients with hypertensive heart disease.

Circulation. ; 102:1388–1393.

- **Brookes CI, White PA, Staples M, et al.(1998):**

Myocardial contractility is not constant during spontaneous atrial fibrillation in patients.

Circulation; 98:1762– 8.

- **Brugada J, Mont L, Matas M, et al.(1997):**

Atrial fibrillation induced by atrioventricular nodal reentrant tachycardia.

Am J Cardiol 1997; 79: 681–2.

- **Brun P, Tribouilloy C, Duval AM, et al.(1992):**

Left ventricular flow propagation during early filling is related to wall relaxation: a color M-mode Doppler analysis.

J Am Coll Cardiol; 20:420-432.

- **Brutsaert DL, Fransen P, Andries LJ, et al.(1998):**

Cardiac endothelium and myocardial function.

Cardiovasc Res.; 38:281–290.

- **Bruth C, Hermann B, Schmermund A, et al.(2002):**

Impact of disease activity on left ventricular performance in patients with acromegaly.

Am Heart J; 144:538-543.

- **Carolyn SP, Han L, Ha JW, et al.(2005):**

The mitral L wave: A marker of pseudonormal filling and predictor of heart failure in patients with left ventricular hypertrophy.

J Am Soc Cardiol volume 18, issue 4(April 2005).

- **Caruana L, Petrie MC, Davie AP, et al.(2000):**

Do patients with suspected heart failure and preserved left ventricular systolic functions suffer from "diastolic heart failure" or from misdiagnosis? A prospective descriptive study.

BMJ. ; 321:215-218.

- **Cazolla O, Freiburg A, Helmes M, et al.(2000):**

Differential expression of cardiac titin isoforms and modulation of cellular stiffness.

Circ Res.; 86:59–67.

- **Cecilia G, and Daniel GB.(2004):**

Diastolic heart failure: Challenges of Diagnosis and Treatment.

American Family Physician Journal; Vol.69/No.11.

- **Chen PS, Prystowsky EN.(1991):**

Role of concealed and supernormal conductions during atrial fibrillation in the preexcitation syndrome.

Am J Cardiol; 68:1329 –34.

Chen SA, Tai CT, Yu WC, et al.(1999):

Right atrial focal atrial fibrillation: electrophysiologic characteristics and radiofrequency catheter ablation.

J Cardiovasc Electrophysiol; 10:328 –35.

- **Chen YJ, Chen SA, Chen YC, et al.(2001):**

Effects of rapid atrial pacing on the arrhythmogenic activity of single cardiomyocytes from pulmonary veins: implication in initiation of atrial fibrillation.

Circulation ; 104:2849 –54.

- **Chimowitz MI, DeGeorgia MA, Poole RM, et al.(1993):**

Left atrial spontaneous echo contrast is highly associated with previous stroke in patients with atrial fibrillation or mitral stenosis.

Stroke; 24:1015–9.

- **Cheng CP, Igarashi Y, and Little WC. (1992):**

Mechanism of augmented rate of left ventricular filling during exercise.

Circ Res; 70:9-19.

- **Choong CY, Herrmann HC, Weyman AE, et al.(1987):**

Preload dependents of Doppler-derived indexes of left ventricular diastolic function in humans.

J Am Coll Cardiol; 10:800-808.

- **Christine J, Marit M, Margareta R, et al.(2000):**

Doppler tissue imaging in congestive heart failure patients due to diastolic or systolic dysfunction: a comparison with Doppler echocardiography and atrioventricular plane displacement technique.

Eur J of Heart Fail. March 2000.

- **Chung MK, Martin DO, Sprecher D, et al.(2001):**

C-reactive protein elevation in patients with atrial arrhythmias: inflammatory mechanisms and persistence of atrial fibrillation.

Circulation; 104:2886 –91.

- **Clark DM, Plumb VJ, Epstein AE, et al.(1997):**

Hemodynamic effects of an irregular sequence of ventricular cycle lengths during atrial fibrillation.

J Am Coll Cardiol; 30:1039–45.

- **Cleland JG, Tendera M, Adamus J, et al.(1999):**

Perindopril for elderly people with chronic heart failure: the PEP-CHF study.

Eur. J. Heart Fail; 1:211-7.

- **Cohen GI, Pietrolungo JF, Thomas JD, et al. (1996):**

A practical guide to assessment of ventricular diastolic function using Doppler echocardiography.

J Am Coll Cardiol; 27:1753-1760.

- **Collins LJ, Silverman DI, Douglas PS, et al.(1995):**

Cardioversion of nonrheumatic atrial fibrillation. Reduced thromboembolic complications with 4 weeks of precardioversion anticoagulation are related to atrial thrombus resolution.

Circulation; 92:160 –3.

- **Cooper G IV.(2000):**

Cardiocyte cytoskeleton in hypertrophied myocardium.

Heart Failure Rev.; 5:187–201.

- **Cox JL, Canavan TE, Schuessler RB, et al.(1991):**

The surgical treatment of atrial fibrillation. II. Intraoperative electrophysiologic mapping and description of the electrophysiologic basis of atrial flutter and atrial fibrillation.

J Thorac Cardiovasc Surg; 101:406 –26.

- **Cox JL, Boineau JP, Schuessler RB, et al. (1995):**

Modification of the maze procedure for atrial flutter and atrial fibrillation. I. Rationale and surgical results.

J Thorac Cardiovasc Surg; 110:473– 84.

- **Cox JL, Schuessler RB, Lappas DG, et al.(1996):**

An 8 1/2-year clinical experience with surgery for atrial fibrillation.

Ann Surg 1996; 224: 267–73.

- **Cox JL.(2004):**

Cardiac surgery for arrhythmias.

J Cardiovasc Electrophysiol ;15:250–62.

- **Crijns HJ, Tjeerdsma G, De Kam PJ, et al.(2000):**

Prognostic value of the presence and development of atrial fibrillation in patients with advanced chronic heart failure.

Eur Heart J; 21:1238-45.

- **Cuocolo A, Sax FL, Brush JE, et al.(1990):**

Left ventricular hypertrophy and impaired diastolic filling in essential hypertension. Diastolic mechanisms for systolic dysfunction during exercise.

Circulation ;81:978-986

- **Dahl CF, Ewy GA, Warner ED, et al.(1974):**

Myocardial necrosis from direct current counter shock. Effect of paddle electrode size and time between discharges.

Interval Circulation; 50:956–61.

- **Damiano RJ Jr, Gaynor SL, Bailey M, et al.(2003):**

The long-term outcome of patients with coronary disease and atrial fibrillation undergoing the Cox maze procedure.

J Thorac Cardiovasc Surg; 126:2016 –21.

- **Darbar D, Herron KJ, Ballew JD, et al.(200):**

Familial atrial fibrillation is a genetically heterogeneous disorder.

J Am Coll Cardiol; 41: 2185–92.

- **Dernellis J, Panaretou M.(2001):**
C-reactive protein and paroxysmal atrial fibrillation: evidence of the implication of an inflammatory process in paroxysmal atrial fibrillation.
Acta Cardiol ;56:375– 80.
- **Djalaly A, Schiller NB, Poehlmann HW, et al.(1981):**
Diastolic aortic root motion in left ventricular hypertrophy.
Chest; 79:442.
- **Duval-Moulin AM, Dupouy P, Brun P, et al.(1997):**
Alteration of left ventricular diastolic function during coronary angioplasty-induced ischemia: a color M-mode Doppler study.
J Am Coll Cardiol 1997; 29:1246-1255.
- **Elvan A, Pride HP, Eble JN, et al.(1995):**
Radiofrequency catheter ablation of the atria reduces inducibility and duration of atrial fibrillation in dogs.
Circulation; 91:2235– 44.
- **European Study Group on diastolic heart failure.(1998):**
How to diagnose diastolic heart failure.
Eur Heart J. ; 19:990-1003.
- **Fang MC, Go AS, Chang Y, et al.(2007):**
Death and disability from warfarin-associated intracranial and extracranial Hemorrhages.
Am J Med; 120:700–5.
- **Feinberg WM, Cornell ES, Nightangle SD, et al.(1997):**
Relationship between prothrombin activation fragment F1.2 and international normalized ratio in patients with atrial fibrillation Investigators.

Stroke; 28:1101-1106.

- **Fick DM, Cooper GW, Wade WE, et al.(2003):**

Updating the Beers criteria for potentially inappropriate medication use in older adults: Results of a U.S. consensus panel of experts.

Arch intern. Med.; 163(22):2716-2724.

- **Fox CS, Parise H, D'Agostino RB Sr, et al.(2004):**

Parental atrial fibrillation as a risk factor for atrial fibrillation in offspring.

JAMA; 291:2851–5.

- **Franz MR, Karasik PL, Li C, et al.(1997):**

Electrical remodeling of the human atrium: similar effects in patients with chronic atrial fibrillation and atrial flutter.

J Am Coll Cardiol; 30:1785–92.

- **Freestone B, Lip GY, Chong AY, et al.(2005):**

Circulating endothelial cells in atrial fibrillation with and without acute cardiovascular disease.

Thromb Haemost; 94:702– 6.

- **Friberg J, Buch P, Scharling H, et al.(2003):**

Rising rates of hospital admissions for atrial fibrillation.

Epidemiology; 14:666-72.

- **Friberg J, Scharling H, Gadsboll N, et al.(2003):**

Sex-specific increase in the prevalence of atrial fibrillation (The Copenhagen City Heart Study).

Am J Cardiol; 92:1419-23.

- **Frohlich ED, Apstein C, Chobanian AV, et al.(1992):**

The heart in hypertension [published erratum appears in N Engl J Med 1992; 327(24):1768].

N Engl J Med 1992; 327:998 –1008.

- **Frommelt p. pelech A. Frommelt M.(2003):**

Diastolic dysfunction in an unusual case of cardiomyopathy in a child: insights from Doppler and Doppler tissue imaging analysis.

J Am Soc Echocardioger; 16:176-18.

- **Furber A, Pezard P, Jeune JJ, et al.(1995):**

Radionuclide angiography and magnetic resonance imaging: complementary non-invasive methods in the diagnosis of constrictive pericarditis.

Eur J Nucl Med; 22:1292-1298.

- **Furberg CD, Psaty BM, Manolio TA, et al.(1994):**

Prevalence of atrial fibrillation in elderly subjects (the Cardiovascular Health Study).

Am J Cardiol; 74:236-41.

- **Fuster V, Ryden LE, Astinger RW, et al.(2006):**

ACC/AHA/ESC 2006 guidelines for the Management of patients With Atrial Fibrillation:Executive Summary.

J AM Coll Cardiol: 48:854-906.

- **Gaasch WH, Quinones MA,Waisser E, et al.(1975):**

Diastolic compliance of the left ventricle in man.

Am J Cardiol; 36:193-201.

- **Gaasch WH.(1994):**

Diagnosis and treatment of heart failure based on left ventricular systolic or diastolic dysfunction.

JAMA, 271:1276-80.

- **Gaasch WH, Zile MR.(2004):**

Left ventricular diastolic dysfunction and diastolic heart failure.

Annu Rev Med; 55:373-94.

- **Galderisi M, Benjamin EJ, Evans JC, et al.(1993):**

Impact of heart rate and PR interval on Doppler indexes of left ventricular diastolic filling in an elderly cohort (the Framingham Heart Study).

Am J Cardiol; 72:1183-1187.

- **Gami AS, Pressman G, Caples SM, et al.(2004):**

Association of atrial fibrillation and obstructive sleep apnea.

Circulation; 110:364 –7.

- **Garcia MJ, Rodriguez L, Ares M, et al.(1996):**

Differentiation of constrictive pericarditis from restrictive cardiomyopathy: assessment of left ventricular diastolic velocities in longitudinal axis by Doppler tissue imaging.

J Am Coll Cardiol; 27:108-114.

- **Garcia MJ, Rodriguez L, Ares M, et al.(1996):**

Myocardial wall velocity assessment by pulsed Doppler tissue imaging: characteristic findings in normal subjects.

Am Heart J; 132:648-656.

- **Garcia MJ, Smedira NG, Greenberg NL, et al.(2000):**

Color M-mode Doppler flow propagation velocity is a preload insensitive index of left ventricular relaxation: animal and human validation.

J Am Coll Cardiol 2000; 35:201-8.

- **Garcia M, Thomas J.(1999):**

Tissue Doppler to assess diastolic left ventricular function.

Echocardiography; 16:501-508.

- **Garcia M, Thomas JD, Klien Al.(1998):**

New Doppler echocardiographic applications for the study of diastolic function.

J Am Coll Cardiol ;32:865-875.

- **Gwelling M, Mertens L, Moerman P, et al.(1996):**

Idiopathic restrictive cardiomyopathy in childhood a diastolic disorder characterized by delayed relaxation.

Eur Heart J; 17:1413-1420.

- **Gillinov AM, McCarthy PM.(2004):**

Advances in the surgical treatment of atrial fibrillation.

Cardiol Clin; 22:147–57.

- **GO AS, Hylek EM, Phillips Y, et al. (2001):**

prevalence of diagnosed atrial fibrillation in adults: National implications for rhythm management and stroke prevention: The anticoagulation and Risk factors in Atrial Fibrillation (ATRIA) study.

JAMA: 285:2370-2375.

- **Goette A, Staack T, Rocken C, et al.(2000):**

Increased expression of extracellular signal-regulated kinase and angiotensin-converting enzyme in human atria during atrial fibrillation.

J Am Coll Cardiol; 35:1669-77.

- **Goldman ME, Pearce LA, Hartz RG, et al.(2000):**

Transesophageal echocardiographic correlates of clinical risk of thromboembolism in nonvalvular atrial fibrillation: I. Reduced flow velocity in the left atrial appendage.

J Am Soc Echocardiogr; 12:1080 –7.

- **Gosselink AT, Crijns HJ, Hamer HP, et al.(1993):**

Changes in left and right atrial size after cardioversion of atrial fibrillation: role of mitral valve disease.

J Am Coll Cardiol; 22:1666 –72.

- **Gouaux JL, Ashman R.(1947):**

Auricular fibrillation with aberration simulating ventricular paroxysmal tachycardia.

Am Heart J; 34:366 –73.

- **Grimm RA, Stewart WJ, Maloney JD, et al.(1993):**

Impact of electrical cardioversion for atrial fibrillation on left atrial appendage function and spontaneous echo contrast: characterization by simultaneous transesophageal echocardiography.

J Am Coll Cardiol; 22:1359–66.

- **Grogan M, Smith HC, Gersh BJ, et al.(1992):**

Left ventricular dysfunction due to atrial fibrillation in patients initially believed to have idiopathic dilated cardiomyopathy.

Am J Cardiol; 69:1570–3.

- **Ha JW, Oh JK, Redfield MM, et al.(2004):**

Triphasic mitral inflow velocity with mid diastolic filling clinical implications and associated echocardiographic findings.

Am Soc Echocardiogr; 17:428-431.

- **Ha J, Ahn J, Moon J, et al.(2006):**

Triphasic mitral inflow velocity with mid- diastolic flow : The presence of mid- diastolic mitral annular velocity indicates advanced diastolic dysfunction.

Eur J Echocardiogr;7:16-21.

- **Haissaguerre M, Jais P, Shah DC, et al.(1998):**

Spontaneous initiation of atrial fibrillation by ectopic beats originating in the pulmonary veins.

N Engl J Med 1998; 339:659–66.

- **Halperin JL,.(1988):**

Atrial fibrillation and stroke: new ideas, persisting dilemmas.

Stroke 1988; 19:937– 41.

- **Hart RG, Halperin JL.(1999):**

Atrial fibrillation and thromboembolism: a decade of progress in stroke prevention.

Ann Intern Med; 131:688-95.

- **Hart RG, Halperin JL.(2001):**

Atrial fibrillation and stroke: concepts and controversies.

Stroke; 32:803– 8.

- **Hart CY, Hahn EL, Meyer DM, et al.(2001):**

Differential effects of natriuretic peptides and NO on LV function in heart failure and normal dogs.

Am J Physiol Heart Circ Physiol.; 281:H146–H154.

- **Hart RG, Pearce LA, McBride R, et al.(1999):**

Factors associated with ischemic stroke during aspirin therapy in atrial fibrillation: analysis of 2012 participants in the SPAF I-III clinical trials. The Stroke Prevention in Atrial Fibrillation (SPAF) Investigators.

Stroke; 30:1223–9.

- **Hart RG, Pearce LA, Miller VT, et al.(2000):**

Cardioembolic vs. noncardioembolic strokes in atrial fibrillation: frequency and effect of antithrombotic agents in the stroke prevention in atrial fibrillation studies.

Cerebrovasc Dis; 10:39–43.

- **Hart RG, Pearce LA, Aguilar MI.(2007):**

Meta-analysis: antithrombotic therapy to prevent stroke in patients who have non valvular atrial fibrillation.

Ann Inter Med; 146:857-67.

- **Hartiala JJ, Mostbeck GH, Foster E, et al.(1993):**

Velocity encoded cine MRI in the evaluation of left ventricular diastolic function: measurement of mitral valve and pulmonary vein flow velocities and flow volume across the mitral valve.

Am Heart ;125:1054-1066.

- **Hasegawa H, Little WC, Ohno M, et al.,(2003):**

Diastolic mitral annular velocity during the development of heart failure.

J Am Coll Cardiol; 41:1590-1597.

- **Hatel.(1993):**

Doppler echocardiographic evaluation of diastolic function in hypertensive cardiomyopathies.

Eur Heart J; 14:88-94.

- **Healey JS, Baranchuk A, Crystal E, et al.(2005):**

Prevention of atrial fibrillation with angiotensin-converting enzyme inhibitors and angiotensin receptor blockers: a meta-analysis.

J m Coll Cardiol; 45:1832–9.

- **Heppell RM, Berkin KE, McLenachan JM, et al.(1997):**

Haemostatic and haemodynamic abnormalities associated with left atrial thrombosis in non-rheumatic atrial fibrillation.

Heart; 77:407–11.

- **Hogg K, Swedberg K, McMurray J.(2004):**

Heart failure with preserved left ventricular systolic function; epidemiology, clinical characteristics, and prognosis.

J Am Coll Cardiol; 43:317-327.

- **Hsu LF, Jais P, Keane D, et al.(2004):**
Atrial fibrillation originating from persistent left superior vena cava.
Circulation; 109:828 –32.
- **Hughes M, Lip GY.(2008):**
Stroke and thromboembolism in atrial fibrillation: a systematic review of stroke risk factors, risk stratification schema and cost effectiveness data.
Thromb Haemost; 99:295–304.
- **Hunt SA, Baker DW, Chin MH, et al.(2001):**
AHA/ACC guidelines for the evaluation and management of chronic heart failure in the adult: executive summary: A report of the American College of Cardiology/American Heart Association Task Force on practice Guidelines (Committee to revise the 1995 Guidelines for the Evaluation and Management of Heart failure).
Circulation; 104:2996-3007.
- **Hurrel DG, Nishimura RA, Ilstrup DM, et al.(1997):**
Utility of preload in assessment of left ventricular filling pressure by Doppler echocardiography: a simultaneous catheterization and Doppler echocardiographic study.
J Am Coll Cardiol; 30:459-467.
- **Hwang JJ, Shyu KG, Hsu KL, et al.(1994):**
Significant mitral regurgitation is protective against left atrial spontaneous echo contrast formation, but not against systemic embolism.
Chest; 106:8 –12.

- **Ingwall JS.(1998):**
Energetics of the normal and failing human heart: focus on the creatine kinase reaction.
Adv Org Biol.; 4:117–141.
- **Institute for Clinical System Improvements (ICSI).(2002):**
Heart care guidelines, Jan:1-71.
- **Ito T, Suwa M, Hirota Y, et al.(1996):**
Influence of left atrial function on Doppler transmitral and pulmonary venous flow patterns in dilated and hypertrophic cardiomyopathy: evaluation of left atrial appendage function by transesophageal echocardiography.
Am Heart J; 131:122-130.
- **Jais P, Haissaguerre M, Shah DC, et al.(1997):**
A focal source of atrial fibrillation treated by discrete radiofrequency ablation.
Circulation; 95: 572–6.
- **Janicki JS, Matsubara BB.(1994):**
Myocardial collagen and left ventricular diastolic dysfunction.
Philadelphia: Lea & Febiger, :124-140.
- **Jensen JL, Williams FE, Beilby BJ,et al.(1997):**
Feasibility of obtaining pulmonary venous flow velocity in cardiac patients using transthoracic pulsed wave Doppler technique.
J Am Soc Echocardiogr ; 10:60-66.
- **Jong-Won Ha, Jeong-Ah Ahr, Jae-Yun Moon, et al.(2006):**
Triphasic mitral inflow velocity with mid-diastolic flow: The presence of mid-diastolic mitral annular velocity indicates advanced diastolic dysfunction.
European Journal of Echocardiography 7(1): 16-21.

- **Kamkin A, Kiseleva I, Wagner KD, et al.(2003):**
Mechanically induced potentials in atrial fibroblasts from rat hearts are sensitive to hypoxia/ reoxygenation.
Arch Intern Med ; 446:169 –74.
- **Kanter MC, Tegeler CH, Pearce LA, et al.(1994):**
Carotid stenosis in patients with atrial fibrillation. Prevalence, risk factors, and relationship to stroke in the Stroke Prevention in Atrial Fibrillation Study.
Arch Intern Med; 154:1372–7.
- **Khan IA.(2003):**
Atrial stunning: determinants and cellular mechanisms.
Am Heart J; 145:787–94.
- **Klein AL, Hatle LK, Taliercio CP, et al.(1990):**
Serial Doppler echocardiographic follow-up of left ventricular diastolic function in cardiac amyloidosis.
J Am Coll Cardiol; 16:1135-1141.
- **Klein AL, Hatle LK, Taliercio CP, et al.(1991):**
Prognostic significance of Doppler measures of diastolic function in cardiac amyloidosis. A Doppler echocardiography study.
Circulation; 83:808-816.
- **Klein AL, Tajik AJ.(1991):**
Doppler assessment of pulmonary venous flow in healthy subjects and in patients with heart disease.
J Am Soc Echocardiogr; 4:379-392.

- **Klein AL, Burstow DJ, Tajik AJ, et al.(1994):**
Effects of age on left ventricular dimensions and filling dynamics in 117 normal persons.
Mayo Clin Proc 1994; 69:212-224.
- **Klein AL, Canale MP, Rajagopalan N, et al.(1999):** Role of
transesophageal echocardiography in assessing diastolic dysfunction in a
large clinical practice: a 9-year experience.
Am Heart J; 138:880-889.
- **Klein AL, Leung DY, Murray RD, et al.(1999):**
Effects of age and physiologic variables on right ventricular filling dynamics
in normal subjects.
Am J Cardiol; 84:440-448.
- **Kochiadakis GE, Skolidis EI, Kalebubas MD, et al.(2002):**
Effect of acute atrial fibrillation on phasic coronary blood flow pattern and
flow reserve in humans.
Eur Heart J; 23:734-41.
- **Kostin S, Hein S, Arnon E, et al.(2000):**
The cytoskeleton and related proteins in the human failure heart.
Heart Failure Rev.; 5:271-280.
- **Keren G, Meisner JS, Sherez J, et al.(1986):**
Interrelationship of mid-diastolic mitral valve motion, pulmonary venous flow,
and transmitral flow.
Circulation; 74:36-44.

- **Krahn AD, Manfreda J, Tate RB, et al.(1995):**
The natural history of atrial fibrillation: incidence, risk factors, and prognosis in the Manitoba follow-Up Study.
Am J Med; 98:476-84.
- **Kuecherer HF, Muhiudeen IA, Kusumoto FM, et al.(1990):**
Estimation of mean left atrial pressure from transesophageal pulsed Doppler echocardiography of pulmonary venous flow.
Circulation 1990; 82:1127-1139.
- **Kumagai K, Fukunami M, Ohmori M, et al.(1990):**
Increased intracardiovascular clotting in patients with chronic atrial fibrillation.
J Am Coll Cardiol; 16:377– 80.
- **Kumagai K, Nakashima H, Urata H, et al.(2003):**
Effects of angiotensin II type I receptor antagonist on electrical and structural remodeling in atrial fibrillation.
J Am Coll Cardiol; 41:2197-204.
- **Kumagai K, Nakashima H, Saku K.(2004):**
The HMG-CoA reductase inhibitor atorvastatin prevents atrial fibrillation by inhibiting inflammation in a canine sterile pericarditis mode.
Cardiovasc Res; 62:105–11.
- **Lam C, Han L, Ha J, et al.(2005):**
The mitral L wave: A marker of pseudonormal filling and predictor of heart failure in patients with left ventricular hypertrophy.
J Am Soc Echocardioger :18:336-341.

- **Lazar S, Dixit S, Marchlinski FE, et al.(2004):**
Presence of left-to-right atrial frequency gradient in paroxysmal but not persistent atrial fibrillation in humans.
Circulation; 110:3181– 6.
- **LE Heuzy JY, Paziaud O, piot O, et al.(2004):**
Cost of care distribution in atrial fibrillation patients: The COCAF study.
Am Heart J: 147:121-126.
- **Leslie E, Geoffry J, and Jamc M.(1991):**
Statistical analysis. In:interpretation and uses of medical statistics (4th ed).
Oxford scientific publication,(pub),PP.411-6.
- **Levy S, Lacombe P, Cointe R, et al.(1988):**
High energy transcatheter cardioversion of chronic atrial fibrillation.
J Am Coll Cardiol; 12:514–8.
- **Levy S, Maarek M, Coumel P, et al.(1999):**
Characterization of different subsets of atrial fibrillation in general practice in France: the ALFA study.The College of French Cardiologists.
Circulation; 99:3028-35.
- **Little WC, Downes TR, Applegate RJ.(1990):**
Invasive evaluation of left ventricular diastolic performance.
Herz; 15:362-376.
- **Lombardi F, Tarricone D, Tundo F, et al.(2004):**
Autonomic nervous system and paroxysmal atrial fibrillation: a study based on the analysis of RR interval changes before, during and after paroxysmal atrial fibrillation.
Eur Heart J; 25:1242– 8.

- **Lorell BH, Apstein CS, Weinberg EO, et al.(1990):**
Diastolic function in left ventricular hypertrophy: clinical and experimental relationships.
Eur Heart J; 11[Suppl G]: 54-64.
- **Lorell BH, Carbello BA.(2000):**
Left ventricular hypertrophy: pathogenesis, detection, and prognosis.
Circulation; 102:470-9.
- **Lown B, Amarasingham R, Neuman J.(1962):**
New method for terminating cardiac arrhythmias: use of synchronized capacitor discharge.
JAMA ;182:548 –55.
- **Lowe GD, Rumley A, Woodward M, et al.(1997):**
Epidemiology of coagulation factors, inhibitors and activation markers: the Third Glasgow MONICA Survey. I. Illustrative reference ranges by age, sex and hormone use.
Br J Haematol; 97:775– 84.
- **Madrid AH, Bueno MG, Rebollo JM, et al.(2002):**
Use of irbesartan to maintain sinus rhythm in patients with long-lasting persistent atrial fibrillation: a prospective and randomized study.
Circulation; 106:331– 6.
- **Maggioni AP, Latini R, Carson PE, et al.(2005):**
Valsartan reduces the incidence of atrial fibrillation in patients with heart failure: results from the Valsartan Heart Failure Trial (Val-HeFT).
Am Heart J; 149:548-57.

- **Mandinov L, Eberli FR, Sieler C, et al.(2000):**
Diastolic heart failure.
Cardiovasc Res. ;45:813-825.
- **Manios EG, Kanoupakis EM, Mavrakis HE, et al.(2001):**
Sinus pacemaker function after cardioversion of chronic atrial fibrillation: is sinus node remodeling related with recurrence?
J Cardiovasc Electrophysiol ; 12:800–6.
- **Manning WJ, Leeman DE, Gotch PJ, et al.(1989):**
Pulsed Doppler evaluation of atrial mechanical function after electrical cardioversion of atrial fibrillation.
J Am Coll Cardiol ;13:617–23.
- **Manning WJ, Silverman DI, Waksmonski CA, et al.(1995):**
Prevalence of residual left atrial thrombi among patients with acute thromboembolism and newly recognized atrial fibrillation.
Arch Intern Med ;155: 2193–8.
- **Mant J, Hobbs FD, Fletcher K, et al.(2007):**
Warfarin versus aspirin for stroke prevention in an elderly community population with atrial fibrillation (the Birmingham Atrial Fibrillation Treatment of the Aged study, BAFTA): a randomized controlled trial.
Lancet ;370:493-503.
- **Mantero A, Gentile F, Gualtierotti C, et al.(1995):**
Left ventricular diastolic parameters in 288 normal subjects from 20-80 years old.
Eur Heart J 1995;16:94-105.

- **Mansour M, Mandapati R, Berenfeld O, et al.(2001):**
Left-to-right gradient of atrial frequencies during acute atrial fibrillation in the isolated sheep heart.
Circulation; 103:2631– 6.
- **Marin F, Roldan V, Climent VE, et al.(2004):**
Plasma von Willebrand factor, soluble thrombomodulin, and fibrin D-dimer concentrations in acute onset non-rheumatic atrial fibrillation.
Heart 2004; 90:1162– 6.
- **Mary-Rabine L, Albert A, Pham TD, et al.(1983):**
The relationship of human atrial cellular electrophysiology to clinical function and ultrastructure.
Circ Res; 52:188-199.
- **Masui T, Finck S, Higgins CB.(1992):**
Constrictive pericarditis and restrictive cardiomyopathy: evaluation with MR imaging.
Radiology; 182:369-373.
- **McAlister FA, Teo KK, Taher, et al.(1999):**
Insights into the contemporary epidemiology and outpatient management of congestive heart failure.
Am Heart J.; 138:87-94.
- **Michael R, Zile MR, Dirk L, et al.(2002):**
New concepts in diastolic dysfunction and diastolic heart failure: part I diagnosis, prognosis and measurement of diastolic function.
Circulation; 105:1387-1393.

- **Miller VT, Rothrock JF, Pearce LA, et al.(1993):**
Ischemic stroke in patients with atrial fibrillation: effect of aspirin according to stroke mechanism. Stroke Prevention in Atrial Fibrillation Investigators.
Neurology; 43:32– 6.
- **Mitusch R.(1996):**
Detection of a hypercoagulable state in nonvalvular atrial fibrillation and the effect of anticoagulant therapy.
Thromb Haemost; 75:219 –23.
- **Mitusch R, Garbe M, Schmucker G, et al.(1995):**
Relation of left atrial appendage function to the duration and reversibility of nonvalvular atrial fibrillation.
Am J Cardiol; 75:944 –7.
- **Mitusch R, Lange V, Stierle U, et al.(1995):**
Transesophageal echocardiographic determinants of embolism in nonrheumatic atrial fibrillation.
Int J Card Imaging; 11:27–34.
- **Moe GK, Abildskov JA.(1959):**
Atrial fibrillation as a self sustaining arrhythmia independent of focal discharge.
Am Heart J ;58:59 –70.
- **Moller JE, Sondergaard E, Seward JB, et al.(2000):**
Ratio of left ventricular peak Ea wave velocity to flow propagation velocity assessed by color M-mode Doppler echocardiography in first myocardial infarction: prognostic and clinical implications.
J Am Coll Cardiol; 35:363-370.

- **Morgan JP, Erny RE, Allen PD, et al.(1990):**

Abnormal intracellular calcium handling, a major cause of systolic and diastolic dysfunction in ventricular myocardium from patients with heart failure.

Circulation; 81[2 Suppl]: III21-III32.

- **Mugge A, Kuhn H, Nikutta P, et al.(1994):**

Assessment of left atrial appendage function by biplane transesophageal echocardiography in patients with nonrheumatic atrial fibrillation: identification of a subgroup of patients at increased embolic risk.

J Am Coll Cardiol ;23:599–607.

- **Nagatomo Y, Carabello BA, Coker ML, et al.(2000):**

Differential effects of pressure or volume overload on myocardial MMP levels and inhibitory control.

Am J Physiol Heart Circ Physiol.; 278:H151–H161.

- **Nagueh SF, Kopelen HA, Quinones MA.(1996):**

Assessment of left ventricular filling pressures by Doppler in the presence of atrial fibrillation.

Circulation; 94:2138-45.

- **Naito M, David D, Michelson EL, et al.(1983):**

The hemodynamic consequences of cardiac arrhythmias: evaluation of the relative roles of abnormal atrioventricular sequencing, irregularity of ventricular rhythm and atrial fibrillation in a canine model.

Am Heart J; 106:284 –91.

- **Nakai H, Takeuchi M, Nishikage T, et al.(2007):**

The mitral L wave a marker of advanced diastolic dysfunction in patients with atrial fibrillation.

Circ J 2007;71:1244-1249.

- **Nakatani S, Garcia MJ, Firstenberg MS, et al.(1999):**

Non invasive assessment of left atrial maximum dP/dT by a combination of transmitral and pulmonary venous flow.

J Am Coll Cardiol; 34:795-801.

- **Nattel S.(2002):**

New ideas about atrial fibrillation 50 years on.

Nature; 415:219 –26.

- **Nayler WG, Poole-Wilson PA and Williams A.(1979):**

Hypoxia and Calcium.

J Mol Cell Cardiol; 11:683-706.

- **Niebauer MJ, Brewer JE, Chung MK, et al.(2004):**

Comparison of the rectilinear biphasic waveform with the monophasic damped sine waveform for external cardioversion of atrial fibrillation and flutter.

Am J Cardiol; 93:1495–9.

- **Nishimura RA, Schwartz RS, Holmes DR Jr, et al.(1996):**

Failure of calcium channel blockers to improve ventricular relaxation in humans.

J Am Soc Echocardiogr; 21:182-188.

- **Nishimura RA, Tajik AJ.(1997):**

Evaluation of diastolic filling of left ventricle in health and disease: Doppler echocardiography is the clinician's Rosetta stone.

J Am Coll Cardiol; 30:8-18.

- **Oden A, Fahlen M, Hart RG.(2006):**

Optimal INR for prevention of stroke and death in atrial fibrillation: a critical appraisal.

Thromb Res ;117:493–9.

- **Ohno M, Cheng CP, Little WC.(1994):**

Mechanisms Of altered patterns of left ventricular filling during the development of congestive heart failure.

Circulation; 89:2241-2250.

- **Olsson SB, Cotoi S, Varnauskas E.(1971):**

Monophasic action potential and sinus rhythm stability after conversion of atrial fibrillation.

Acta Med Scand; 190:381–7.

- **Oltrona L, Broccolino M, Merlini PA, et al.(1997):**

Activation of the hemostatic mechanism after pharmacological cardioversion of acute nonvalvular atrial fibrillation.

Circulation; 95:2003– 6.

- **Ommen SR, Nishimura RA, Appleton CP, et al.(2000):**

Clinical utility of Doppler echocardiography and tissue Doppler imaging in the estimation of left ventricular filling pressures a comparative simultaneous Doppler-catheterization study.

Circulation 2000; 102:1788-1794.

- **Oyama R, Murata K, Tanaka N, et al.(2004):**

Is the ratio of transmitral peak E- wave velocity to color flow propagation velocity useful for evaluating the severity of heart failure in atrial fibrillation?
Circ J; 68:1132-1138.

- **Packer DL, Bardy GH, Worley SJ, et al.(1986):**

Tachycardia-induced cardiomyopathy: a reversible form of left ventricular dysfunction.
Am J Cardiol 1; 57:563–70.

- **Packer DL, Asirvatham S, Munger TM.(2003):**

Progress in nonpharmacologic therapy of atrial fibrillation.
J Cardiovasc Electrophysiol ;14: S296–S309.

- **Page RL, Tang AS, Prystowsky EN.(1991):**

Effect of continuous enhanced vagal tone on atrioventricular nodal and sinoatrial nodal function in humans.
Circ Res; 68:1614 –20.

- **Page RL, Wharton JM, Prystowsky EN.(1996):**

Effect of continuous vagal enhancement on concealed conduction and refractoriness within the atrioventricular node.
Am J Cardiol; 77:260 –5.

- **Pappone C, Santinelli V, Manguso F, et al.(2004):**

Pulmonary vein denervation enhances long-term benefit after circumferential ablation for paroxysmal atrial fibrillation.
Circulation; 109:327–34.

- **Patti G, Chello M, Candura D, et al.(2006):**

Randomized trial of atorvastatin for reduction of postoperative atrial fibrillation in patients undergoing cardiac surgery: results of the ARMYDA-3 (Atorvastatin for Reduction of Myocardial Dysrhythmia After cardiac surgery) study.

Circulation; 114; 1455-61.

- **Paulus WJ.(2000):**

Beneficial effects of nitric oxide on cardiac diastolic function: “the flip side of the coin.”

Heart Failure Rev.; 5:337–344.

- **Pedersen OD, Bagger H, Kober L, et al.(1999):**

Trandolapril reduces the incidence of atrial fibrillation after acute myocardial infarction in patients with left ventricular dysfunction.

Circulation 1999; 100:376–80.

- **Peverill RE, Harper RW, Gelman J, et al.(1996):**

Determinants of increased regional left atrial coagulation activity in patients with mitral stenosis.

Circulation; 94:331–9.

- **Philibin EF, Rocco TA, Lindenmuth NW, et al.(2006):**

Systolic versus diastolic heart failure in community practice: clinical features, outcomes, and the use of angiotensin-converting enzyme inhibitors.

Am J Med; 109:605-613.

- **Pinamonti B, Zecchin M, Di Lenarda A, et al.(1997):**

Persistence of restrictive left ventricular filling pattern in dilated cardiomyopathy: an ominous prognostic sign.

J Am Coll Cardiol ;29:604-612.

- **Pokharel S, Van Geel PP, Sharma UC, et al.(2004):**

Increased myocardial collagen content in transgenic rats overexpressing cardiac angiotensin-converting enzyme is related to enhanced breakdown of N-acetyl-Ser-Asp-Lys-Pro and increased phosphorylation of Smad2/3.

Circulation; 110:3129-35.

- **Polontchouk L, Haefliger JA, Ebelt B, et al.(2001):**

Effects of chronic atrial fibrillation on gap junction distribution in human and rat atria.

J Am Coll Cardiol; 38:883-91.

- **Pouleur H.(1990):**

Diastolic dysfunction and myocardial energetics.

Eur Heart J ;11[Suppl C]:30-34.

- **Pozzoli M, Traversi E, Cioffi G, et al.(1997):**

Loading manipulations improve the prognostic value of Doppler evaluation of mitral flow in patients with chronic heart failure.

Circulation; 95:1222-1230.

- **Prystowsky EN.(1997):**

Atrioventricular node reentry: physiology and radiofrequency ablation. *Pacing Clin Electrophysiol* ;20:552–71.

- **Prystowsky EN, Benson DW Jr, Fuster V, et al.(1996):**

Management of patients with atrial fibrillation. A statement for healthcare professionals. From the Subcommittee on Electrocardiography and Electrophysiology, American Heart Association.

Circulation; 93:1262–77.

- **Prystowsky EN, Katz AM. Atrial fibrillation.(1998):**

In: Textbook of Cardiovascular Medicine.

Philadelphia: Lippincott-Raven, 1661.

- **Psaty BM, Manolio TA, Kuller LH, et al.(1997):**

Incidence of and risk factors for atrial fibrillation in older adults.

Circulation; 96:2455-61.

- **Raitt MH, Kusumoto W, Giraud G, et al.(2004):**

Reversal of electrical remodeling after cardioversion of persistent atrial fibrillation.

J Cardiovasc Electrophysiol; 15:507–12.

- **Rajagopalan MI, Del Furia F, Lind B, et al.(2003):**

Comparison of new Doppler echocardiographic methods to differentiate constrictive pericardial heart disease and restrictive cardiomyopathy.

Am J Cardiol; 87:86-94.

- **Rastegar R, Harnick DJ, Weidemann P, et al.(2003):**

Spontaneous echo contrast videodensity is flow-related and is dependent on the relative concentrations of fibrinogen and red blood cells.

J Am Coll Cardiol; 41:603–10.

- **Reichek N, Wilso J, St John Sutton M, et al.,(1982):**

Non invasive determination of left ventricular end-diastolic stress: Validation of the method and initial application.

Circulation;65:99.

- **Ricard P, Levy S, Trigano J, et al.(1997):** Prospective assessment of the minimum energy needed for external electrical cardioversion of atrial fibrillation. *Am J Cardiol; 79:815– 6.*

- **Rihal CS, Nishimura RA, Hatle LK, et al.(1994):**

Systolic and diastolic dysfunction in patients with clinical diagnosis of dilated cardiomyopathy. Relation to symptoms and prognosis.

Circulation; 90:2772-2779.

- **Rivaz-Gotz C, Khoury DS, Manolios, et al.(2003):**

Time interval between onset of mitral inflow and onset of early diastolic velocity by tissue Doppler novel index of left ventricular relaxation; experimental studies and clinical application.

J Am Coll Cardiol; 42:1463-1470.

- **Robert A, Taylor.(2005):**

ventricular diastolic function in:

The ultimate Echo Guide, 4; 56:68.

- **Rose AJ, Ozonoff A, Henault LE, et al.(2008):**

Warfarin for atrial fibrillation in community-based practice.

J Am Coll Cardiol; 7:1687-1696.

Rossvoll O, Hatle LK.(1993):

Pulmonary venous flow velocities recorded by transthoracic Doppler ultrasound: relation to left ventricular diastolic pressures.

J Am Coll Cardiol; 21:1687-1696.

- **Sanfilippo AJ, Abascal VM, Sheehan M, et al.(1990):**

Atrial enlargement as a consequence of atrial fibrillation. A prospective echocardiographic study.

Circulation; 82:792–7.

- **Sanders P, Morton JB, Davidson NC, et al.(2003):**
Electrical remodeling of the atria in congestive heart failure: electrophysiological and electroanatomic mapping in humans.
Circulation: 108:1461-8.
- **Sata N, Hamada N, Horinouchi T, et al.(2004):**
C-reactive protein and atrial fibrillation. Is inflammation a consequence or a cause of atrial fibrillation?
Jpn Heart J; 45:441–5.
- **Scalia GM, Greenberg NL, McCarthy PM, et al.(1996):**
Inertial nature of pulmonary vein flow-invasive and Doppler correlations in humans.
J Am Coll Cardiol; 27[Suppl]:140A-141A.
- **Scherf D, Schaffer AI, Blumfeld S.(1953):**
Mechanism of flutter and fibrillation.
Arch Intern Med; 91:333–52.
- **Schulz-Menger J, Friedrich MG.(2000):**
Magnetic resonance imaging in patients with cardiomyopathies: When and why.
Herz; 25:384-391.
- **Senni M, Tribouilloy CM, Rodeheffer RJ, et al.(1998):**
Congestive heart failure in the community: a study of all incident cases in Olmsted Country, Minnesota, in 1991.
Circulation ,98:2282-2289.
- **Shah D, Haissaguerre M, Jais P, et al.(2003):**
Nonpulmonary vein foci: do they exist?
Pacing Clin Electrophysiol; 26:1631–5.

- **Shah PM, Pai RG.(1992):**

Diastolic heart failure.

Curr Probl Cardiol; 17:781-868.

- **Shibata MC, Flather MD, Bohm M, et al.(2002):**

Study of the Effects of Nebivolol Intervention on Outcomes and Rehospitalisation in Seniors with Heart Failure(SENIORS). Rationale and design.

Int J Cardiol; 86:77-85.

- **Shinagawa K, Shiroshita-Takeshita A, Schram G, et al.(2003):**

Effects of antiarrhythmic drugs on fibrillation in the remodeled atrium: insights into the mechanism of the superior efficacy of amiodarone.

Circulation; 107:1440–6.

- **Shinbane JS, Wood MA, Jensen DN, et al.(1997):**

Tachycardia-induced cardiomyopathy: a review of animal models and clinical studies.

J Am Coll Cardiol; 29:709 –15.

- **Shiroshita-Takeshita A, Schram G, Lavoie J, et al.(2004):**

Effect of simvastatin and antioxidant vitamins on atrial fibrillation promotion by atrial-tachycardia remodeling in dogs.

Circulation; 110:2313–9.

- **Schwartzman D, Bazaz R, Nosbisch J.(2004):**

Common left pulmonary vein: a consistent source of arrhythmogenic atrial ectopy.

J Cardiovasc Electrophysiol; 15:560–6.

- **Schwarz UI, Ritchie MD, Bradford Y, et al.(2008):**

Genetic determinants of response to warfarin during initial anticoagulation.

N Engl J Med; 358:999–1008.

- **Sohara H, Amitani S, Kurose M, et al.(1997):**

Atrial fibrillation activates platelets and coagulation in a time-dependent manner: a study in patients with paroxysmal atrial fibrillation.

J Am Coll Cardiol; 29:106 –12.

- **Sohn D, Song J, Zo J, et al.(1999):**

Mitral annular velocity in the evaluation of left ventricular diastolic function in atrial fibrillation.

J Am Soc Echocardiogr;12;927-931.

- **Spinale FS, Coker ML, Bond BR, et al.(2000):**

Myocardial matrix degradation and metalloproteinase activation in the failing heart: a potential therapeutic target.

Cardiovasc Res.; 46:225–238.

- **Stewart S, Hart CL, Hole DJ, et al.(2002):**

A population-based study of the long-term risks associated with atrial fibrillation: 20-year follow-up of the Renfrew/paisley study.

Am J Med; 113:359-64.

- **Stoddard MF, Dawkins PR, Prince CR, et al.(1995):**

Left atrial appendage thrombus is not uncommon in patients with acute atrial fibrillation and a recent embolic event: a transesophageal echocardiographic study.

J Am Coll Cardiol; 25:452–9.

- **Sutherland GR, Kukuliski T, Kvitting JE, et al.(2000):**
Quantitation of left ventricular asynergy by caediac ultrasound.
Am J Cardiol; 86:4G-9G.
- **Tabata T, Grimm R, Asada J, et al.(2004):**
Determinants of LV diastolic function during atrial fibrillation:Beat-to-Beat analysis in acute dog experiments.
Am J physiol Heart Circ Physiol; 286: H 145-H 152.
- **Takahashi Y, Iesaka Y, Takahashi A, et al.(2003):**
Reentrant tachycardia in pulmonary veins in patients with paroxysmal AF.
J Cardiovasc Electrophysiol; 14:927-32.
- **Takatsuji H, Mikami T, Urasawa K, et al.(1996):**
A new approach for evaluation of left ventricular diastolic function: spatial and temporal analysis of left ventricular filling flow propagation by color M-mode Doppler echocardiography.
J Am Coll Cardiol; 27:365-371.
- **Thambidorai SK, Parakh K, Martin DO, et al.(2004):**
Relation of C-reactive protein correlates with risk of thromboembolism in patients with atrial fibrillation.
Am J Cardiol; 94:805–7.
- **Thomas JD, Choong CY, Flachskampf FA, et al.(1990):**
Analysis of the early transmitral Doppler velocity curve: effect of primary physiologic changes and compensatory preload adjustment.
J Am Coll Cardiol; 16:644-655.

- **Thomas JD, Newell JB, Choong CYP, et al.(1991):**

Physical and physiological determinants of transmitral velocity: numerical analysis.

Am J Physiol; 260(Heart Circ Physiol 29):H1718-H1730.

- **Thomas JD, Flachskampf FA, Chen C, et al.(1992):**

Isovolumic relaxation time varies predictably with its time constant and aortic and left atrial pressures: implications for the non invasive evaluation of ventricular relaxation.

Am Heart J; 124:1305-1313.

- **Thomas JD.(1994):**

Doppler echocardiography and left ventricular diastolic function. In: Gaasch WH, Le Winter MM, eds. Left ventricular diastolic dysfunction and heart failure.

Philadelphia: Lea & Febiger, :192-218.

- **Toutouzas P, Stefanadis C, Boudoulas H.(2000):**

1st international symposium on left atrial function: introduction.

Eur Heart J ;2[Suppl]:K1-K3.

- **Trambaiolo P, Toni G, Salustri A, et al.(2001):**

New insights into regional systolic and diastolic left ventricular function with tissue Doppler echocardiography: from qualitative analysis to a quantitative approach.

J Am Soc Echocardiogr ;14:85-96.

- **Tsai LM, Chen JH, Lin LJ, et al.(1997):**

Natural history of left atrial spontaneous echo contrast in nonrheumatic atrial fibrillation.

Am J Cardiol; 80:897–900.

- **Tsang T, Gersh B, Appleton C, et al. (2002):**

Left ventricular diastolic dysfunction as a predictor of the first diagnosed non valvular atrial fibrillation in 840 elderly men and women.

J AM Coll Cardiol: 40:1636-1644.

- **Tsang T, Abbyaranta W, Barnes M, et al.(2006):**

Prediction of cardiovascular outcomes with left atrial size: Is volume superior to area or diameter?

J Am Coll Cardiol: 47:1018-1023.

- **Van Den Berg MP, Tuinenburg AE, van Veldhuisen DJ, et al.(1998):**

Cardioversion of atrial fibrillation in the setting of mild to moderate heart failure.

Int J Cardiol; 63:63–70.

- **Van Gelder IC, Hagens VE, Bosker HA, et al.(2002):**

A comparison of rate control and rhythm control in patients with recurrent persistent atrial fibrillation.

N Eng J Med; 347:1834-40.

- **Vsan RS, Benjamin EJ, Levy D.(1995):**

Prevalence, clinical features and prognosis of diastolic heart failure: an epidemiologic perspective.

J Am Coll Cardiol ;26:1565-1574.

- **Vsan RS, Larson MG, Benjamin EJ, et al.(1999):**
Congestive heart failure in subjects with normal versus reduced LV ejection fraction: prevalence and mortality in a population-based cohort.
J Am Coll Cardiol ;33:1948-55.
- **Vsan RS, Levy D.(2000):**
Defining diastolic heart failure: a call for standardized diagnostic criteria.
Circulation; 101:2118-2121.
- **Vsan RS, Larson MG, Levy D, et al.(2003):**
Doppler transmitral flow indexes and risk of atrial fibrillation (The Framingham Heart Study).
Am J Cardiol, 91:1079-1083.
- **Verheule S, Wilson E, Everett T, et al.(2003):**
Alterations in atrial electrophysiology and tissue structure in a canine model of chronic atrial fibrillation due to mitral regurgitation.
Circulation; 107:2615-22.
- **Wachtell K, Lehto M, Gerdts E, et al.(2005):**
Angiotensin II receptor blockade reduces new-onset atrial fibrillation and subsequent stroke compared to atenolol; the Losartan Intervention for End Point Reduction in Hypertension (LIFE) study.
J Am Coll Cardiol ;45:712-57.
- **Walsh RA.(1990):**
Sympathetic control of diastolic function in congestive heart failure.
Circulation; 82[2 Suppl]:I52-I58.

- **Wang TJ, Larson MG, Levy D, et al.(2003):**

Temporal relations of atrial fibrillation and congestive heart failure and their joint influence on mortality: the Framingham Heart Study.

Circulation 2003; 107:2920-5.

- **Warner JG, Metzger DC, Kitzman DW, et al.(1999):**

Losartan improves exercise tolerance in patients with diastolic dysfunction and a hypertensive response to exercise.

J Am Coll Cardiol; 33:1567-72.

- **Weber KT, Brilla CG.(1991):**

Pathological hypertrophy and cardiac interstitium: fibrosis and renin-angiotensin-aldosterone system.

Circulation. ; 83: 1849–1865.

- **Wei JY.(1992):**

Age and the cardiovascular system.

N Engl J Med; 327:1735-9.

- **White CW, Kerber RE, Weiss HR, et al.(1982):**

The effects of atrial fibrillation on atrial pressure-volume and flow relationships.

Circ Res ;51: 205–15.

- **Wichmann J, Ertl G, Hohne W, et al.(1983):**

Alpha-receptor restriction of coronary blood flow during atrial fibrillation.

Am J Cardiol; 52: 887–92.

- **Wijffels MC, Kirchhof CJ, Dorland R, et al.(1995):**

Atrial fibrillation begets atrial fibrillation. A study in a wake chronically instrumented goats.

Circulation; 92:1954–68.

- **Wittkamp FH, de Jongste MJ, Lie HI, et al.(1988):**
Effect of right ventricular pacing on ventricular rhythm during atrial fibrillation.
J Am Coll Cardiol; 11:539–45.
- **Wolf PA, Abbott RD, Kannel WB.(1991):**
Atrial fibrillation as an independent risk factor for stroke: the Framingham Study.
Stroke; 22:983– 8.
- **Wolf PA, Dawber TR, Thomas HE, et al.(1978):**
Epidemiologic assessment of chronic atrial fibrillation and risk of stroke: the Framingham study.
Neurology; 28:973-7.
- **Wood MA, Brown-Mahoney C, Kay GN, et al.(2000):**
Clinical outcomes after ablation and pacing therapy for atrial fibrillation: a meta-analysis.
Circulation; 101:1138–44.
- **Wyse DG, Waldo AL, DiMarco JP, et al.(2002):**
A comparison of rate control and rhythm control in patients with atrial fibrillation.
N Eng J Med; 347:1825-33.
- **Yamada H, Goh PP, Sun JP, et al.(2002):**
Prevalence of left ventricular diastolic dysfunction by echocardiography: clinical application of the Canadian Consensus Guidelines.
J Am Soc Echocardiogr; 15:1238-1244.

- **Yamamoto K, Redfield MM, Nishimura RA.(1996):**

Analysis of left ventricular diastolic function.

Heart; 75:27-35.

- **Yang Y, Grosset DG, Li Q, et al.(2000):**

Identification of echocardiographic “smoke” in a bench model with transcranial Doppler ultrasound.

Stroke; 31:907–14.

- **Yip GW, Zhang Y, Tan PY, et al.(2002):**

Left ventricular long-axis changes in early diastole and systole: impact of systolic function on diastole.

Clin Sc: (Lond); 102: 515-22.

- **Yu WC, Lee SH, Tai CT, et al.(1999):**

Reversal of atrial electrical remodeling following cardioversion of long-standing atrial fibrillation in man.

Cardiovasc Res; 42:470–6.

- **Yusuf S, Pfeffer MA, Swedberg K, et al.(2003):**

Effects of candesartan in patients with chronic heart failure and preserved left-ventricular ejection fraction: the CHARM-preserved Trial.

Lancet, 362:777-81.

- **Zile MR, Brutsaert DL.(2002):**

New concepts in diastolic dysfunction and diastolic heart failure: part I: diagnosis, prognosis, and measurements of diastolic function.

Circulation; 105:1387-93.

- **Zile MR, Baicu CF, Gassch WH.(2004):**

Diastolic heart failure: abnormalities in active relaxation and passive stiffness of the left ventricle.

N Eng J Med; 350:1953-1959.