

REFERENCES

Adams, E. D., & Bianchi, A.L., (6 / 2008): A practical approach to labor support, 37(1), 106-15. Available at: <http://www.ncbi.nlm.nih.gov/pubmed>.

Ajell O.C., (2004): Maternity and Gynechologic Nursing clinical learning guides, pp. 40-112.

Angelita, N, J., (5 / 2004): Effectiveness of Teaching on Episiotomy & Perineal Care Among Primipara Women of Selected Hospitals in Karnataka, Nursing Journal of India. Available at: <http://findarticles.com/p/articles>.

Asadi-Lari, M. , Packham,C., & Gray,D.,(9 / 10 / 2007): Need for redefining needs, Health and Quality of Life Outcomes,(1), 1-12. Available at: <http://www.hqlo.com>.

Asadi-Lari, M., (2003): Health and Quality of Life Outcomes.

Available at: <http://www.hqlo.com/content/>.

Avery,A., Zimmermann, K., Underwood, P.W.,& Magnus, J.H., (6 / 2009): Confident commitment is a key factor for sustained breastfeeding, 36(2), 141-8.

Available at: <http://www.ncbi.nlm.nih.gov/pubmed>.

Bello, M. I.O., Adedokun, B.O., Ojengbede, O.A., Olayemi, .O., Oladokun, A., & Fabamwo, A.O., (2009): Assessment of the effect of psychosocial support during childbirth in Ibadan, south-west Nigeria: a randomised controlled trial, Australian

and New Zealand journal of obstetrics and gynaecology, 49(2), 145-50. Available at: <http://www.ncbi.nlm.nih.gov/pubmed>.

Birth International , (17/december /2009) : Comfortable positions for fast, efficient labor and birth . Available at:
<http://www.birthinternational.com/parents/labour/positions.html>

Blog ,F., (2009) : Labor Positions . Available at:
www.flickr.com/photos/vodkafish.

Boron, W.F., & Boulpaep, E.L. (2003): Medical physiology, Fertilization, Pregnancy and Lactation, 1st ed., saunders Elsevier Scienc comp, china, pp. 1183, 1184.

Boston,(11 / 7 / 2007): The Rights of Childbearing Women, Women's Health Book Collective,

Browning, C. (2000): Using music during childbirth. Birth, 27 (4), 272-276.

Brüggemann, O.M., Osis, M.J., & Parpinelli, M.A.,(2 / 2007): Support during childbirth: perception of health care providers and companions chosen by women, Article in Portuguese, 41 (1), 44 – 52. Available at: <http://www.scielosp.org>.

Callister, L. (2005): What has the literature taught us about culturally competent care of women and children. MCN American Journal of Maternal/Child Nursing, 30 (6), 380-388.

Callister, L., Khalaf, I., Semenik, S. , kartchner, R.,& Vehvilainen-Julkunen, K.(2003): The pain of childbirth: Perceptions of culturally diverse women. Pain Management Nursing, 4(4), 145-154.

- Callister, L.C. (2001):** Culturally competent care of women and newborns: Knowledge, attitude, and skills. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 30 (2), 209-215.
- Campbell, G. (2004):** Critical incident analysis of water immersion. *British Journal of Midwifery*, 12 (1), 7-11.
- Cattaneo , A., Chalmers, B., Hofmeyr, G. J., Madi, B.C.,& Rajan, L., (19 / 11 / 2009):** Birth Initiation of Breastfeeding, and the First Seven Days after Birth Facts for Feeding. Available at:<http://www.Internationalbreastfeedingjournal.com/>.
- Chalmers, B.,(1987):** Knowledge about pregnancy, birth and the postpartum period amongst Pedi Women, *Journal of psychosomatic obsteterics & Gynecology*, 1 (7),51-61. Available at :[http:// www.informahealthcare. com/doi/abs](http://www.informahealthcare.com/doi/abs).
- Chaturvedi, P., & Banait, N., (25 /11/ 2007):** Knowledge and attitude regarding breast-feeding, in mothers attending antenatal clinics, *Indian Journal of Pediatrics*, 4 (67). Available at :[http://www.springerlink. com/ content/c](http://www.springerlink.com/content/c).
- Cheng, y.,& Caughey, A. B.,(26 / 10/ 2009):** Normal Labor and Delivery.
- Christine, L., Robertsa, Cafferyb, k., & Clarkea, J., (6 / 2007):** Knowledge and decision-making for labor analgesia of Australian primiparous women , 2 (23) ,139-145. Available at :[http://www.sciencedirect. com/ science](http://www.sciencedirect.com/science).

Chung, U., et al . (2003): Effects of L14 and BL67 acupressure on labor pain and uterine contractions in the first stage of labor. *Journal of Nursing Research*, 11 (4), 251-260.

Cioffi, J. (2004): Caring for women from culturally diverse backgrounds: Midwives' experiences. *Journal of Midwifery & Women's Health*, 49 (5), 437-442.

Cunningham, F.G., MacDonald, P.C., Gant, N.F., Leveno, K.J., et al., (2001): *Williams Obstetrics* (21st ed.). New York: McGraw-Hill.

Cyna, A.M., McAuliffe, G.L., & Andrew, M.L. (2004): pain relief in labour and childbirth: A systematic review *British Journal of Anaesthesia*, 93 (4), 505-511.

D'Avanzo, C., & Geissler, E. (2003): *Pocket guide to cultural health assessment* (3rd ed.). St. Louis: Mosby.

Difranco, J. (2000): Biofeedback. In F. Nichols & S. Humenick, *Child birth education: Practice, research, and theory* (2nd ed). Philadelphia: Saunders.

DONA,(2008): Birth doulas make a difference. Available at: www.DONA.org.

Durham,J., Simkin, P.,& Ancheta, R.,(2009) : *Positions for Labor and Birth*. Available at:
<http://transitiontoparenthood.com/ttp/parented/pain/positions.htm>

Engstrom, J. (2004): *Maternal- neonatal nursing made incredibly easy!* Philadelphia: Lippincott Williams and Wilkins.

Enkin, M., Kierse, M., Neilson, J., Crowther, C., Duley, L., Hodnett, E., et al. (2000): A guide to effective care in pregnancy and childbirth (3rd ed.). Oxford, NY: Oxford University Press.

Escott, D., Slade, P., & Spiby H., (7 / 2009): Preparation for pain management during childbirth: The psychological aspects of coping strategy development in antenatal education. Available at: <http://www.sciencedirect.com>.

Farlex, (2009): latent phase. Available at :[http:// www. mondofacto. com/ facts/ dictionary](http://www.mondofacto.com/facts/dictionary).

Florence, D., & Palmer, D. (2003): Therapeutic choices for the discomforts of labor. Journal of Perinatal and Neonatal Nursing, 17(4), 238-249.

Fox, S.I. (1996): Human Phsyiology, Reproduction, 5th ed., Atimes Mirror comp., USA, P. 651.

Fraser, D.D., &Cooper, M.A. (2003): Myles text book for Mid Wives, Labor, 14th ed., churchilliving stone comp., London, pp. 451-500.

Gallister, L.C.(2001): Culturally competent care of women and newborns: Knowledge, attitude, and skills. Fouranl of Obstetric, Gynecologic, and Neonatal Nursing 30(2), 209-215.

Gentz, B. (2001): Alternative therapies for the management of pain in labor and delivery. Clinical Obstetrics and Gynecology, 44(4), 704-732.

Gilmour , C., Hall, H., McIntyre, M., Gillies, L.,& Harrison B.,(7 / 2009): Factor associated with early breast feeding cessation in

Frankston, Victoria: a descriptive study, 17(2) ,13-9. Available at :<http://www.ncbi.nlm.nih.gov/pubmed>.

Goodman, P., Mackey, M.C., & Tavakoli, A.S. (2004): Factors related to childbirth satisfaction. *Journal of Advanced Nursing*, 46 (2), 212-219.

Hansen, S., Clark, S., & Foster, J. (2002): Active pushing versus passive fetal descent in the second stage of labor: A randomized study. *Obstetrics and Gynecology*, 99(1), 29-34.

Hardin, R.N., Amanda, M., BSN , Ellen, B.,& Buckner, R.N ,(2004): Characteristics of a Positive Experience for Women Who Have Unmedicated Childbirth, *The journal of perinatal education*, 13(4) 10–16. Available at: <http://www.pubmedcentral.nih.gov>.

Hausman, Bernice, Huggins, Mohrbacher,K. N., et al, (2009): breast feedingthe first 6 months of life Available at: <http://rehydrate.org/breastfeed/index.html>.

Henderson, C., & Macdonald, S. (2004): Myes' Mid wifery, Labor and Delivery, 13th ed., Bailliere Tindall comp., London, pp. 433-500.

Hodnett, E.D., Downe, S., Edwards, N.,& Walsh, D. (2005): Home-like versus conventional institutional settings for birth. *Cochrane Database of Systematic Reviews*, 1.

Holmes, D. & Baker, P.N., (2006): Mid wifery by Ten Teachers, Labor, 1st ed., Holdder Arnold Comp., London, P. 214 -216.

Holroyd , E ., Yin-Icing, l., & Pui-yuk, l,w., (2009): Hong Kong Chinese women's perception of support from midwives during

labor, article of midwifery 2 (13),66 - 72. Available at :<http://www.sciencedirect.com/science>.

Ibach, F., Dyer, R.A., Fawcus, S., & Dyer, S.J., (2007): Knowledge and expectations of labor among prim gravid women in the public health sector, South African Medical Journal. Available at: <http://cat.inist.fr aModele>.

Ito, M., & Sharts-Hopko, N. (2002): Japanese women's experience of childbirth in the United States. Health Care for Women International, 23 (6-7), 666-677.

Jadad, A.R., Evang, K., Last, J.M., & Raska, K. (29 / 12 / 2009): Health .Available at: encyclopedia2.thefreedictionary.com.

Jarosz, K., Krawczyk, A., Wielgoś, M., Przyboś, A., Oknińska, A., Szymusik, I., & Marianowski, L., (6 / 2004): Assessment of mothers' knowledge about breastfeeding , 75(1),26-34. Available at: <http://www.ncbi.nlm.nih.gov/pubmed>.

Johanson, R., Ladewig, P.A., London, M.L., & Olds, S.B., (2008) : Teaching care plan for Perineal care postpartum Available at: <http://www.collegetermpapers.com>.

Josephine, K. & Christine, A.,(2000): knowledge, attitudes and practices of women and men towards safe motherhood in rural settings. Available at: [http://www.ugandadish.org/bcc/ Safe_Motherhood_ Research.do](http://www.ugandadish.org/bcc/Safe_Motherhood_Research.do).

Ketterhagen, D., VandeVuss, L., & Berner, M. (2002): Self-hypnosis: Alternative anesthesia for childbirth. MCN American Journal of Maternal/ Child Nursing, 27 (6), 335-340.

Khoshnood, B., Colle, B. M.H., Leridon, H.& Blondel, B., (16 / 10 /2008): Impact of advanced maternal age on fecundity and women's and children's health, 37(8),733-47. Available at: <http://www.ncbi.nlm.nih.gov/pubmed>.

Klossner, N.J., & Hatfield, N.T., (2006): Introductory Maternity & Pediatric Nursing, Prenatal Care, Nursing Care during Labor and Birth, 1st ed., Awolters kluwer comp., PhiladelPhia, PP.130 - 248.

Koehn, M. (2000): Alternative and complementary therapies for labor and birth: An application of Kolcaba's theory of holistic comfort. *Holistic Nursing Practice*, 15(1), 66-77.

Koehn, M. (2000): Alternative and complementary therapies for labor and birth: An application of Kolcaba's theory of holistic comfort. *Holistic Nursing Practice*, 15 (1), 66-77.

Koeppen, B.M., & Stanton, B.A. (2008): Physiology, The male and Female Reproductive systems, 6th ed., Mosby Elsevier comp., Canda, P. 793.

Krepelka P., Hanáček, J., & Hrdlicka, D., (6 / 2009): Contraceptive methods used by women in the period before and after giving birth, 74(3), 211-8.

Availableat: <http://www.ncbi.nlm.nih.gov/pubmed>.

Lai, M.L., Lin, K.C., Li, H.Y., Shey, K.S., & Gau, M.L.,(3 / 2009): Effects of delayed pushing during the second stage of labor on postpartum fatigue and birth outcomes in nulliparous women,

The Journal of Nursing Research. 17(1), 62-72. Available at:
<http://www.nursingcenter.com>.

Lee, L.Y., & Holroyd, E., (9 / 2009): Evaluating the effect of childbirth education class: a mixed-method study, International nursing review, 56(3) , 361-8. Available at: [http:// www. ncbi. nlm. nih. gov/pubmed](http://www.ncbi.nlm.nih.gov/pubmed).

Leeman, L., Fontaine, P., King, V., Klein, M. C., & Ratcliffe, S. (2003):
The nature and management of labor pain: Part II.
Pharmacologic pain relief. American Family Physician, 68 (6),
1115-1120.

Lewin D, Fearon B, Hemmings V, & Johnson G (15 / 7 / 2005):
Women's experiences of vaginal examinations in labor, 21(3),
267-77. Available at: <http://www.ncbi.nlm.nih.gov/sites>.

Littleton, L.y., & Engebretson, J.C., (2005): Maternity Nursing Care,
Nursing Care of The pregnant Woman, Processes of labor and
Delivery: Analgesia and Anesthesia, Nursing Care of The
intrapartal Family, Lactation and New born Nutrition, 1st ed.,
Thomson Delmar Learning Comp., Canada, PP. 225-573,707.

Liu, Y. E., (2009): The Effects of the Upright Position During Childbirth,
Journal of nursing Scholarship, 1 (21) , 14 – 18. **Available at:**
<http://www3.interscience.wiley.com/journal>.

Lowdermilk, D.L., & Perry, S.E., (2006): Maternity & Women's Health
Care, Management of Discomfort, Nursing Care during labor
and Birth, 9th ed., Mosby Elsevier Comp., China, PP. 344 -437.

Lowdermilk, D.L., & Perry, S.E., (2007): Maternity & Women's Health Care, Anatomy and Physiology of Pregnancy, Nursing Care during Pregnancy, Child birth and Perinatal Education, labor and Birth processes, Management of Discomfort, Nursing Care during labor, Nursing Care of The post partum Woman , 9th ed., Mosby Elsevier Comp., China, PP.347- 587.

Mackey, M. (2001): Use of water in labor and birth. Clinical Obstetrics and Gynecology, 44 (4), 733-749.

McInnes, R.J., & Chambers, J.A.,(5 / 2008): Supporting breastfeeding mothers: qualitative synthesis, 62(4), 407-27. Available at: <http://www.ncbi.nlm.nih.gov/pubmed>.

Medves, J. ,(2002) : Continuous caregiver support during labor has beneficial maternal and infant outcomes, BMJ Journals, 1(1). Available at :<http://ebn.bmj.com>.

Molina, J. (2001): Traditional Native American practices in obstetrics. Clinical Obstetrics and Gynecology, 44 (4), 661-670.

Moneta, J., Oknińska, A., Wielgoś, M., Przyboś, A., Szymusik, I., & Marianowski, L., (12 / 2001): Patient's preferences concerning the course of labor, 72(12), 1010-8. Available at: <http://www.ncbi.nlm.nih.gov/pubmed>.

Mugambe, Nel, M., Hiemstra, L.A.,& Steinberg, W.J., (2007): Knowledge of and attitude towards pain relief during labour of women attending the antenatal clinic of Cecilia Makiwane Hospital, South Africa, 49(4):16.
Available at <http://www.popline.org/docs>

Nakao, Y., Moji,k., Honda,,S., & Oishi,k.,(2008): Initiation of breastfeeding within 120 minutes after birth is associated with breastfeeding at four months among Japanese women, national Breastfeeding Journal Available at: [http:// www. Internationalbreast feeding journal.com](http://www.Internationalbreastfeedingjournal.com).

Nejad, M. V., (7 / 2005): Couples' attitudes to the husband's presence in the delivery room during childbirth, Easem Mediterranean Healthjournal.11(4),828-34.Availableat:
<http://www.emro.who.int/publications>

Nichols, F. (2000): Paced breathing techniques. In F. Nichols & S. Humenick (Eds.), Childbirth education: Practice, research and theory (2nd ed.). Philadelphia: Saunders.

Niven, C . A. ,& Black, M. T.,(31 / 3/ 2009): Memory for labor pain: a review of the literature, 27(4),254-5. Available at:
<http://www.ingentaconnect.com>.

Olds, S.B., London, M.L., ladewig, P.W.,& Davidson, M.R., (2004): Maternal- New born Nursing & Women's Health Care, Preparation for Parenthood, Pregnancy at Risk : Gestational onset, Processes and Stages of Labor and Birth , The family in Child birth : Needs and care, 7th ed., Pearson Education, Inc, upper saddle River, New Jersey, PP.288 – 677.

Orshan, S.A.,(2008): Maternity, Newborn and Women's Health Nursing :Comprehensive care across the life span, Fertility Control and Contraception, Labor and Child birth, 1st ed., wolters kluwer business comp., Philadelphia, PP.287 – 623.

O'Sullivan, G., Liu, B., Hart, D., & Shennan, A., (24 / 3/ 2009): Effect of food intake during labor on obstetric outcome, British Medical Journal, P.33. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi>.

O'Toole, M.T. (2003): Encyclopedia and dictionary of medicine, nursing and allied health (7th ed). Philadelphia: Saunders.

Parsons, M. (2004): Midwifery dilemma: To fast or feed the laboring woman. Part 2: The case supporting oral intake in labor. Australian Midwifery Journal, 17 (1). 5-9.

Petfinder, (2009): Signs and symptoms of labor. Available at: <http://health.howstuffworks.com>.

Phipps, H., Charlton, S., & Dietz, H.P.,(6 / 2009): Can antenatal education influence how women push in labor, New South Wales, Australia, Journal of Obstetrics and Gynaecology, 49(3) , 274-8. Available at: <http://www.ingentaconnect.com>.

Pilliteri, A., (2003): Maternal and Child Health Nursing Care of The child bearing and Child rearing family, Preparation for Child birth and Parenting, 5th ed., wolters kluwer business comp., Philadelphia, PP. 315.

Pilliteri, A., (2007): Maternal and Child Health Nursing Care of The child bearing and Child rearing family, Preparation for Child birth and Parenting, High–Risk Pregnancy: A woman who Develops A complication of Pregnancy, Caring for A woman during Vaginal Birth, Providing Comfort during Labor and Birth, 5th ed., wolters kluwer business comp., Philadelphia, PP. 326 – 561.

Primeau, M.R, Lucey, K.A., & Crotty, P.M. (2003): Managing the pain of labor. *Advance for Nurses*, 4 (12), 15-19.

Rassin, M., Klug, E., Nathanzon, H., Kan, A.,& Silner,(3 / 2009): Cultural differences in child delivery: comparisons between Jewish and Arab women in Israel, 56 (1) , 123-30.available at.<http://www.qsensei.com/>

Ricci, S.S, (2007): Essentials of Maternity Newborn, and Women's Health Nursing, Nursing Management during Pregnancy, Nursing Management during Labor and birth, Nursing Management during The post partum, Newborn Adaptation, Nursing Management of The new born, 1st ed., awolters kluwer business comp., Philadelphia, PP. 332- 473.

Ricci, S.S., & Kyle, T.(2008): Maternity and pediatric Nursing, Labor and Birth Process ,wolterskuwer.p.p.362. available at. <http://books.google.com.eg/books>.

Roberts, J.E. (2003): A new understanding of the second stage of labor: Implications for nursing care. *JOGNN*, 32 (6), 794-801.

Rollant, P.D.(2001): Maternal Child Nursing, Nursing Process Application and The process of Labor and Birth, 2nd ed, Mosby comp., London, P. 123.

Rouse, D.J., & St. John, E. (2003): Normal labor, delivery newborn care, and puerperium. In J. R. Scott, R.S. Gibbs, B.Y. Karlat, & A.F. Haney (Eds). *Danforth's obstetrics and gynecology* ,9th ed., pp. 35-56.

- Rudman, A., El-Khoury, B., & Waldenström U.,(9 / 2007):** Women's satisfaction with intrapartum care - a pattern approach, Journal of Advanced Nursing, 59(5),474-87. Available at: <http://www.ingentaconnect.com>.
- Said, S. A.,(2008):** Assessment of Rural Women Concept of self-care to promote their Reproductive Health, Unpublished Master degree thesis, Maternal and Neonatal Nursing Department, Faculty of Nursing, Benha University, PP.76 , 82.
- Shorten, A., Donsante, J., & Shorten, B.,(3 / 2002):** Birth position, accoucheur, and perineal outcomes: informing women about choices for vaginal birth, 29(1) , 18-27. Available at: <http://www.ncbi.nlm.nih.gov/pubmed>.
- Simkin, P. (2002):** Supportive care during labor: a guide for busy nurses. JOGNN, 31(6), 721-732.
- Simkin, P., & Bolding, A. (2004):** Update on nonpharmacologic approaches to relieve labor pain and prevent suffering. Journal of Midwifery & Women's Health, 49(6), 489-504.
- Simkin, P., & O'Hara, M. (2002):** Nonpharmacologic relief of pain during labor: Systematic reviews of five methods. American Journal of Obstetrics and Gynecology, 186(5), 131-151.
- Simpson, K.R. (2005):** The context and clinical evidence for common nursing practices during labor. MCN- American Journal of Maternal Child Nursing, 30 (6), 356-363.
- Simpson, K.R., & Creehan, P.A. (2001):** AWHONN perinatal nursing (2nd ed.). Philadelphia: Lippincott Williams and Wilkins.

Silverthorn, D. U., William, C., Carrison, C. W., Silverthorn, A. C., Johnson, B. R., (2009): Human Physiology, Reproduction and Development, 4th ed., Pearson Benjamin Cummings Comp., Toronto, P. 851.

Skilnand, E., Fossen, D., & Heiberg, E. (2002): Acupuncture in the management of pain in labor. *Acta Obstetrica et Gynecologica Scandinavica*; 81, 943-948.

Smith, C. A., et al., (2004): Complementary and alternative therapies for pain management in labour. *the Cochrane library* (Oxford).

Smith, C., Collins, C., Cyna, A., & Crowther, C. (2005): Complementary and alternative therapies for pain management in labour. *The Cochrane Database of Systematic Reviews*, 2006, Issue 3. Chichester, UK: John Wiley and Sons.

Snyder, M., & Lindquist, R. (Eds.). (2000): Complementary/ alternative therapies in nursing (4th ed). New York: Springer.

Takahashi, I., Osaki, Y., Okamoto, M., Tahara, A., & Kishimoto, J., (2009) : The current status of hand washing and glove use among care staff in Japan: its association with the education, knowledge, and attitudes of staff, and infection control by facilities, *Journal article*. Available at :[http:// www.springerlink.com/content](http://www.springerlink.com/content).

Thalai, G., & Dragons, (2009): Greek Women's Attitudes to Pregnancy, Labor and Infant: Their Significance for Intervention , 2 (8) , PP. 266 - 267. Available at: [http:// www.eric.ed.gov/ERICWebPortal/custom/portlets](http://www.eric.ed.gov/ERICWebPortal/custom/portlets).

Tiran, D. & Mack, S. (2000): Complementary therapies for pregnancy and childbirth (2nd ed.). Edinburgh: Bailliere- Tindall.

Tzeng, Y., Ling, Chao, Y.Y., Kuo, S., Teng,Y.u.,& Kuei, (2009): Childbirth-related fatigue trajectories during labor, Journal of advanced Nursing, 3 (63) , 240 – 249. Available at: <http://www3.interscience.wiley.com/journal>.

Walker, B., &Erdman, A., (31 / 3 / 2007) : Childbirth Education Programs: The Relationship Between Confidence and Knowledge , journal of wiley inter science, 2 (11), 103 – 108. Available at :[http:// www3. interscience. wiley. com/ journal](http://www3.interscience.wiley.com/journal).

Wan Yim, I.p., (28 / 10/ 2009): Chinese husbands' presence during labour: A preliminary study in Hong Kong, International Journal of Nursing Practice,2 (6) , 89 – 96. Available at: [http:// www3. interscience. wiley. com/ journal](http://www3.interscience.wiley.com/journal).

Weiss, R.E., (2009): Ways to Stay Upright and Mobile for Labor and Delivery.Available at: [.http:// pregnancy. about. com/od/ comfortmeasures](http://pregnancy.about.com/od/comfortmeasures).

Wiley, Jonge, A.D., Teunissen, D.A., Diem,v. M.T., Scheepers, P.L., & Lagro-Janssen, A.L., (28 / 10 / 2009): Women's positions during the second stage of labor: views of primary care midwives, Journal of advanced Nursing, 4 (63) , 347 – 356. Available at: [http://www3. interscience. wiley. com/journal](http://www3.interscience.wiley.com/journal).

Yildirim, G., & Sahin, N.H.,(2004): The effect of breathing and skin stimulation techniques on labor pain perception of Turkish women, 9(4) ,183-7. Available at:<http://www.ncbi.nlm.nih.gov/pubmed>.