

REFERENCE

- . **Acheson JF, Green WT, Sanders MD.** Optic nerve sheath decompression for the treatment of visual failure in chronic raised intracranial pressure. J. Neurol. Neurosurg. Psychiatry 1994; 57: 1462-1429.
- . **Adams RD, Victor M.** Benign intracranial hypertension. In Principles Of Neurology. McGraw-Hill , Inc. New York , 1st ed. 1996;547-550.
- . **Amer S.** Evaluation of optic nerve sheath decompression (ONSD) for pseudotumor cerebri (PTC). Online clinical communication for ophthalmologists 2001; (TM) – www.occojournal.com.
- . **Arroyo HA, Jan JE, McCormic AQ, Farrel K.** Permanent visual loss aftershunt malfunction. Neurology 1985; 35: 25-29.
- . **Banta JT, Farris BK.** Pseudotumor cerebri and optic nerve sheath decompression . Ophthalmology 2000; 107 (10) : 1907-1912.
- . **Bilson FA, Hudson RL.** Surgical treatment of chronic papilloedema in children . Br. J. Ophthalmol 1975; 59: 92-95.
- . **Boeri R.** The pseudotumor cerebri. Current opinion Neurol. 1994; 8: 69-73.

- . **Brodsky MC, Rettele GA**. Protracted postsurgical blindness with visual recovery following optic nerve sheath decompression. *Arch. Ophthalmol* 1998; 116(1): 107-109.
- . **Brodsky MC, Vaphiades M**. Magnetic resonance imaging in pseudotumor cerebri. *Ophthalmology* 1998; 105: 1686-1693.
- . **Bron AJ, Tripathi RC, Tripathi BJ**, editors. Visual pathway, 15: 510-515, quoted in Wolff's anatomy of the eye and orbit, eighth edition 1997; Chapman and Hall Medical, New York.
- . **Broot JH**. Pseudotumor cerebri As a side effect lruprorolin acetate . In *J.Med Sci* 1996; 165:60.
- . **Brouman ND, Spoor TC, Ramocki JM**. Optic nerve sheath decompression for pseudotumor cerebri. *Arch. Ophthalmol* 1988; 106(10): 1378-1383.
- . **Bulens DL, Meervaldt JD, Koudstaal PJ, Van Der Wildt GJ**. Spatial contrast sensitivity in benign intracranial hypertension. *J. Neurol. Neurosurg. Psychiatry* 1988; 51: 1323-1329.
- . **Bunt AH, Minckler DS**. Optic nerve axonal transport; Basic aspects. In Tasman&Jaeger (eds.) ; Duane's Ophthalmology on CD-ROM;Foundations.Lippincott-Raven Publishers, Philadelphia-New York,1998; 1:26.

- . **Burde RM, Krap JS, Miller RN.** Reversal of visual deficit with optic nerve sheath decompression in longstanding pseudotumor cerebri. *Am J Ophthalmol* 1974; 77 (No.5): 770-772.

- . **Burde RM, Savino PJ, Trobe JD,** editors. *Clinical decisions in neuro-ophthalmology*. Mosby year Book 1992, St Louis.

- . **Brazis PW.** Clinical review: the surgical treatment of pseudotumor cerebri (IIH). *Cephalgia*. Dec 2008; 28 (12): 1361-73.

- . **Brodsky MC, Rettle GA.** Protracted postsurgical blindness with visual recovery following optic nerve sheath decompression. *Arch. Ophthalmol* 1998;116(1):107-109.

- . **Broot JH.** Pseudotumor cerebri as a side effect of leuprorolin acetate. In *J Med Sci* 165:60,1996.

- . **Burgett RA, Purin VA, Kawasaki A** : Lumboperitoneal shunting in pseudotumor cerebri. *Neurology* 1997; 49 : 734-739 .

- . **Carter SR, Seiff SR.** Macular changes in pseudotumor cerebri before and after optic nerve sheath fenestration. *Ophthalmology* 1995; 102:937.

- . **Collins ML, Traboulsi EI, Maumene IH.** Optic nerve head swelling and optic atrophy in the systemic mucopolysaccharidosis. *Ophthalmology* 1990;97:1445.

- . **Corrbett JJ, Mehta.** Cerebrospinal fluid pressure in normal obese subjects and patients with pseudotumor cerebri. *Neurology* 1983;33:1386-1388.

- . **Corrbett JJ, Nerad JA, Tse DT, Anderson RL.** Result of optic nerve sheath fenestration for pseudotumor cerebri, the lateral orbitotomy approach. Arch Ophthalmol 1988;106:1391-1379.
- . **Corrbett JJ, Thompson HS.** The rational management of idiopathic intracranial hypertension. Arch Neurol 1989;46:1049-1051.
- . **Corrbett JJ, Sabino PJ, Thompson HS.** Visual loss in pseudotumor cerebri. Follow up of 27 patients from 5-41 years and profile of 14 patients with severe visual loss. Arch. Neurol 1982; 39: 461-474.
- . **Cruz OA, Fogg SG, Roper-Hall G.** Pseudotumor cerebri associated with cyclosporine use. Am J Ophthalmol 122:436-437 1996.
- . **Dandy WE.** Intracranial pressure without brain tumor, diagnosis and treatment. Ann Surge 1973; 106:492-513.
- . **Davidson SI.** A surgical approach to pleurocephalic disc oedema. Trans Ophthalmol Soc UK. 1969;89:669–90.
- . **Digre KB.** Idiopathic intracranial hypertension headache. Curr Pain Headache Rep 2002; 6 (3):217-225.
- . **Duke-Elder S, Cook C .**The differentiation of neural ectoderm. In Duke-Elder S (ed):System of ophthalmology,Vol 1, Normal and Abnormal Development, St. Louis, C.V. Mosby,1963,81-126.
- . **Feldon SE.** Visual outcomes comparing surgical techniques for management of sever IIH. Neurosurg Focus. 2007; 23(5):E6.
- . **Flaharty PM, Sergott RC, Lieb W, Bosley TM, Savino PJ.** Optic nerve sheath decompression may improve blood flow in anterior ischaemic optic neuropathy. Ophthalmology 1993; 100 (3): 297-302.

- . **Friedman DI, Jacobson DM.** Idiopathic intracranial hypertension. J Neuro ophthalmol 2004; 24:138-145.
- . **Galibraith JK, Sullivan JH.** Decompression of perioptic meninges for relief of papilloedema. Am. J. Ophthalmol 1973; 76(5) : 687-692.
- . **Gibby WA, Cohen NS, Goldberg HI, Sergott RC.** Pseudotumor cerebri:C.T. findings and correlation with vision loss. ARJ 1993; 106: 143-146.
- . **Glaser JS.** Topical diagnosis: Prechiasmal visual pathways. In Tasman & Jaeger(eds). Duane's Clinical Ophthalmology on CD-ROM. Lippicott-Raven company, Philadelphia-New York.1998,2:5.
- . **Glaser JS, Teimory M, Schatz NJ.** Optic nerve sheath fenestration for progressive ischaemic optic neuropathy. Arch Ophthalmol 1994, 112: 1047.
- . **Green GJ, Lessel S, Loewenstien JI.** Ischaemic optic neuropathy in papilloedema. Arch. Ophthalmol 1980; 98:502-504.
- . **Green JP, Newman NJ, Steowe ZN, Nemeroff CB.** Normal pressure pseudotumor cerebri. J. Neuro-ophthalmol 1996;16(4): 241-246.
- . **Gucer G, Viernstein L.** Long-term intracranial pressure recording in the management of pseudotumor cerebri. Neurosurg 1978;49: 256-263.
- . **Gutgold-Glen H, Kattah JC, Chavis RM.** Reversible visual loss in pseudotumor cerebri. Arch. Ophthalmol 1984; 102: 403-406.
- . **Guy J, Johnston PK, Corbett JJ, Day AL, Glaser JS.** Treatment of visual loss in pseudotumor cerebri associated with uraemia. Neurology 1991; 40: 28-32.

- . **Hayreh SS**. Pathogenesis of oedema of the optic disc(papilloedema) . Br. J. Ophthalmol 1964; 48: 522-543.
- . **Hayreh SS**. The sheaths of the optic nerve. Ophthalmologica 189:54-63, 1984
- . **Hayreh SS**. Pathogenesis of oedema of optic disc. Doc-Ophthalmol 1968; 24: 289-412.
- . **Hayreh MS, Hayreh SS**. Optic disc oedema in raised intracranial pressure, Evolution and resolution. Arch. Ophthalmol 1977; 95: 1237-1244.
- . **Horoshovski D, Amital H, Katz M, Shoeled Y**. pseudotumor cerebri in SLE. Clinical Rheumatology 14:708-710 1995.
- . **Horton CH, Seiff SR, Pitt LH, Weinstein PR, Rosenblum ML, Hoyt WF**. Decompression of the optic nerve sheath for vision –threatening papilloedema caused by dural sinus occlusion. Neurosurgery 1992; 31: 203-212.
- . **Huber A, Boldi FC**. Eye signs and symptoms in brain tumor. Ed 3 1976; St, Louis.
- . **Hupp SL**. Optic nerve sheath decompression :the emerging indications. Ophthalmol Clin North Am 1991; 4(No.3) : 575-583.
- . **Hupp SL, Buckley EG**. Post traumatic venous obstructive retinopathy associated with enlarged optic nerve sheath. Arch Ophthalmol. 1984;102:254–8.
- . **Hupp SL, Glaser JS, Frazier-Byrne S**. Optic nerve sheath decompression. Arch. Ophthalmol 1987;105: 386-389.
- . **Jinkins JR**. Papilloedema. AJR 1987; 149: 793-802.

-
- . **Jonas JB, Naumann GO.** The optic nerve; its embryology, histology, and morphology. In Varma R, Spaeth GL, and Parker KW (eds.) The optic nerve head in glaucoma. Washington, Library of Congress Publication 1992, 3-6.
 - . **Kanski JJ.** editor. Neuro-ophthalmology, 18: 610-613, quoted in **Kanski** clinical ophthalmology , fifth edition 2003, Butterworth- Heinemann.
 - . **Kaye AH, Gailbraith JK, King J.** Intracranial pressure following optic nerve sheath decompression for IIH. J. Neurosurg 1981; 55:453-456.
 - . **Kelman SE, Heaps R, Wolf A, Elman MJ.** Optic nerve decompression surgery improves visual function in patients with pseudotumor cerebri. Neurosurgery 1992; 30: 391-395.
 - . **Kelman SE, Sergott RC, Wolf A, Elman MJ.** Optic nerve sheath decompression improves visual function in patients with pseudotumor cerebri. Neurosurgery 1992; 30: 391-395.
 - . **Keltner JL, Aberts DM, Lubow M, Fritsch E, Davey LM.** Optic nerve decompression : a clinical pathologic study. Arch. Ophthalmol 1977; 95:97-104.
 - . **Keltner JL.** Optic nerve sheath decompression, How does it work? How its name comes? Arch. Ophthalmol 1988; 106: 1365-1369.
 - . **Kersten RC, Kulwin DR .** Optic nerve sheath fenestration through a lateral canthotomy incision. Arch Ophthalmol. 1993;111:870–4.
 - . **Kersten RC, Kulwin DR.** Mitomycin C in optic nerve sheath decompression. Ophthalmology 1996; 103(6): 864-865.

- . **Knight RG, Fielder AR, Firth JL.** Benign intracranial hypertension : visual loss and optic nerve sheath fenestration . J. Neurol Neurosurg Psychiatry 1986; 49: 243-250.

- . **Kosmorsky G.** pseudotumor cerebri. Neuro clin North Am 2001; 12(4): 775-797.

- . **Kushner BJ.** Optic nerve sheath decompression presumed postoperative development of medullated nerve fibers. Arch. Ophthalmol 1979; 97: 1459-1461.

- . **Lee AG.** Pseudotumor cerebri after treatment with tetracycline and isotretinoin for acne cutis, 55: 165-168,1995.

- . **Lepore FE.** Unilateral and highly asymmetric papilloedema in Pseudotumor cerebri. Neurology 1992, 42: 676-678.

- . **Lessel S, Rosman P.** Permanent visual impairment in childhood Pseudo tumor cerebri. Arch. Neurol 1986; 43:801-804.

- . **Lindblom B, Truwit CL, Hoyt WF.** Optic nerve sheath meningioma: Definition of intraorbital, intracanalicular, and intracranial components with magnetic resonance imaging. Ophthalmology 99: 560-566, 1992.

- . **Liu D, Khan M.** Measurement and relationship of subarachnoid pressure of the optic nerve to intracranial pressure in fresh cadavers. Am. J. Ophthalmol 1993; 116: 546-556.

- . **Liu GT, Glasser JS, Schatz NJ.** High dose methylprednisolone and acetazolamide for visual loss in Pseudotumor cerebri. Am. J. Ophthalmol 1994; 118:88-96.

- . **Liu GT, Kay MD, Bienfang DC, Schatz NJ.** Pseudotumor cerebri associated with corticosteroid withdrawal in inflammatory bowel disease. Am. J. Ophthalmol 117:325-7 1994.

- . **Liu GT, Volpe NJ, Schatz NJ, Galetta SL, Farrar JT, Raps EC.** Severe sudden visual loss caused by Pseudotumor cerebri and lumbo-peritoneal shunt failure. Am. J. Ophthalmol 122: 129-31, 1996.

- . **Liu D, Michon J.** Measurement of subarachnoid pressure of optic nerve in human objects. Am. J. Ophthalmol 1995; 119(No. 1) : 81-85.

- . **Marcelis J, Silberstien SD.** Idiopathic intracranial hypertension without papilloedema. Arch. Neurol 1991; 48: 392-399.

- . **Mathews MK, Sergott RC.** Pseudotumor cerebri. Curr Opin Ophthalmol 2003; 14: 364-70.

- . **Mietz H, Prager TC, Schweitzer C, Partrinely J, Varenzuela JR, Font RL.** Effect of Mitomycin-c on 15 optic nerve in rabbits. Br. J. Ophthalmol 81: 584-9, 1997.

- . **Miller NR, editor.** Walsh and Hoyt's clinical Neurophthalmology. Vol 1 , 1982; 175-212.

- . **Minckler DS, Millam DH.** Optic nerve axonal transport. In Tasman& Jaeger (eds); Duane's Ophthalmology on CD-ROM;Foundations. Lippincott-Raven Publishers,Philadelphia-Newyork, 1:27,1998.

- . **Mitra RA, Sergott RC, Flahrty PM, Lieb WR, Savino PJ, Bosly TM, Hedgers TR.** Optic nerve decompression improves haemodynamic parameters in papilloedema. Ophthalmology 1993; 100: 987- 997.

- . **Nabih MH.** Optic nerve sheath decompression .Bull Ophthalmol Soc Egypt 1991; 34:315-320.

- . **Nithyanandam S, Manayath GJ, Battu RR.** Optic nerve sheath decompression for visual loss in intracranial hypertension: report from a tertiary care center in South India. Indian J Ophthalmol. 2008 Mar-Apr;56(2):115-2.

- . **O'Halloran.** Window in optic nerve sheath . Children specialist of San Diego. Physician-to- Physician News. No.8, 2004.

- . **Orcutt JC, Page NG, Sanders MD.** Factors affecting visual loss in benign intracranial hypertension. Ophthalmology 1984; 91: 1303-1312.

- . **Pearson PA, Baker RS, Smith TJ.** Evaluation of optic nerve sheath fenestration for Pseudotumor cerebri using automated perimetry. Ophthalmology 1991; 98:99-105.

- . **Plotnik JL, Kosmorsky GS.** Operative complication of optic nerve sheath decompression. Ophthalmology 1993; 100:683-690.

- . **Poul-Erik Paulev .** in Text book in Medical physiology and Pathology Essential clinical problems (2000) - www.mfi.ku/ppaulev/chapter3/kap.3.htm.

- . **Repka MX, Miller NR, Svino PJ.** Pseudotumor cerebri. Am. J. Ophthalmol 1984; 98: 741-746.

- . **Rhodes RH.** Development of optic nerve. In Tasman&Jaeger (eds); Duane's Ophthalmology on CD-ROM;Foundations. Lippincott-Raven Publishers, Philadelphia-New York, 1995;1:25.

- . **Rizzo JF, Lessel S.** Choroidal infarction after optic nerve sheath fenestration. Ophthalmology 1994; 101(9) 1622-1626.

-
- . **Rosenberg ML, Cobett JJ, Smith C, Goodwin J, Sergott RC, Savino P, Schatz N.** Cerebrospinal fluid diversion procedure in Pseudotumor cerebri. *Neurology* 1993; 43:1071-1072.
- . **Rottenberg DA.** Benign intracranial hypertension. In *Cecil Review of medicine*, W.B. Saunders company. 2nd ed. Philadelphia, 1988, 2235-2238.
- . **Rottman J, Stewart B, Goldberg RA.** Orbital surgery. A conceptual approach. Lippincott-Raven Publishers. Philadelphia-New York. 1st ed. 1995:79-146.
- . **Sadun AA.** The efficacy of optic nerve sheath decompression for anterior ischaemic optic neuropathy and optic other optic neuropathies. *Am. J. Ophthalmol* 1993; 115:384-388.
- . **Santos S, Lepoz Del Val LJ, Mastacero E, Tejero C, Cascadevall T, Morales F.** Pseudotumor cerebri. *Rev Neural* 2001; 33(12):1106-1111.
- . **Seiff SR, Shah L.** Model for the mechanism of optic nerve sheath fenestration. *Arch. Ophthalmol* 1990;108: 1326-1329.
- . **Sergott RC, Savino PJ, Bosly TM.** Modified optic nerve sheath decompression provides long-term visual improvement for Pseudotumor cerebri. *Arch. Ophthalmol* 1988; 106:1348-1390.
- . **Smith JL, Hoyt WF, Newton TH.** Optic nerve sheath decompression for relief of monocular choked disc. *Am. J. Ophthalmol* 1969; 68(No.4): 633-639.
- . **Snell SR, Lemp AM, editors.** The eyeball, 6: 192-194, quoted in Snell and Lemp clinical anatomy of the eye, second edition 1998, Blackwell Science.

- . **Soler D, Cox T, Bullock P, Calver DM, Robinson RO.** Diagnosis and management of *IIH*. Arch Dis Child. 1998 Jan;78(1):89-94.
- . **Spoor TC, Ramoki JM, Madion MP, Wilkinson MJ.** Treatment of Pseudotumor cerebri by primary and secondary optic nerve sheath decompression . Am. J. Ophthalmol 1992; 112:177-185.
- . **Spoor TC, McHenry JG.** Long -term effectiveness of optic nerve sheath decompression for Pseudotumor cerebri. Arch. Ophthalmol 1993; 111: 632-635.
- . **Taban M, Spoor TC, McHenry JC, Sadun AA.** Histopathology and ultrastructural examination of optic nerve sheath decompression with and without mitomycin-c. Ophthalm. Plast Reconstr Surg 2001; 17 (5): 332-337.
- . **Troost BR, Suift RL, Grand G.** Sudden monocular visual loss in Pseudotumor cerebri. Arch. Neurol 1979; 36: 440-442.
- . **Tse DT, Nerad JA, Anderson RL, Corbett JJ.** Optic nerve sheath fenestration in Pseudotumor cerebri , a lateral orbitotomy approach. Arch. Ophthalmol 1988; 106:1458-1462.
- . **Tso MO, Hayreh SS.** Optic disc oedema in raised intracranial pressure. Arch. Ophthalmol 1977; 1458-1463.
- . **Wall M.** Idiopathic intracranial hypertension. Neurol Clin 9(No.1) 1991; 73-94.
- . **Wall M.** Idiopathic intracranial hypertension. Curr Neurosci Rep. Mar 2008;(2): 87-93.
- . **Walsh TJ.** Papilloedema. Neuroophthalmology Clinical Signs and Symptoms .Baltimore, Williams& Wilkins. 4th ed., 1997, 1:19-54.

- . **Woodworth GF, McGirt MJ, Elfert P.** Frameless stereotactic ventricular shunt placement for **IIH**. Stereotact Funct. Neurosurg. 2005; 83(1): 12-6.
- . **Zaazou SH.** Benign idiopathic intracranial hypertension. Bull Ophthalmol Soc Egypt 1996; 89(No.3): 525-528.
- . **Poul-Erik Paulev** . in Text book in Medical physiology and Pathology Essential clinical problems (2000) - www.mfi.ku/ppaulev/chapter3/kap.3.htm.