

- 1- **Addicks EM, Quigley HA, Green WR, and Robin AL:** Histologic characteristic of filtering blebs in glaucomatous eyes. *Arch Ophthalmol* 1983; 101: 795-798.
- 2- **Aiello AL, Tran VT ,Rao NA:** Postnatal development of the ciliary body and pars plana .*Arch Ophthalmol* 1992;110:802-805
- 3- **Anderson M, Trahey G :** A seminar on k-space applied to medical ultrasound, Department of Biomedical Engineering, Duke University (2000)
- 4- **Avitabile T, Russo V, Ghirlanda R.:** Corneal oedema ; diagnosis and surgical planning with UBM. *Ophthalmology* 1998;212(suppl1)13-16.
- 5- **Azuara-Blanco A, Spaeth GL, Aranjó Sv, et al.:** Ultrasound Biomicroscopy in infantile glaucoma. *Ophthalmology* 1997,104:1116-9.
- 6- **Baum G.:** The effect of ultrasonic radiation upon the eye and ocular adenexa .*Am J Ophthalmol* 1956;42:696-706.
- 7- **Bronson NR** development of a simple B-scan ultrasounoscope *Trans Am Ophthaalmol Soc* 1972; 70: 365.
- 8- **Brown LF:** Ferroelectric polymers; Current and future applications. *IEEE Ultrasonics Symposium Proceedings* 1992, pp. 539-545. IEEE, New York.
- 9- **Byrne SF and Green RL..:** Ultrasound of the eye and orbit, *Physics and instrumentation: Mosby year book*,1992,pp 21-27.

- 10- **Coleman DJ:** *Reliability of ocular and orbital diagnosis with B-scan ultrasound in Ocular diagnosis* *Am J Ophthalmol* 1972; 73: 501.
- 11- **Coleman DJ, Konig WF, and Katz L:** *A hand-Operated ultrasound scan system for ophthalmic evaluation,* *Am J Ophthalmol* 1969, 68: 256.
- 12- **Coleman DJ, Lizi F, and Jack R.** *Ultrasonography of the eye and orbit* 1977 Lea & Febrger, Philadelphia.
- 13- **Cross. A. G :** *Malignant Glaucoma , Brit. J. Ophthal.* (1959) 43,57.
- 14- **Danias J, Aslanides IM, Silverman R , Coleman DJ.** *Iridoschisis: High Frequency Ultrasound Imaging evidence for a genetic defect. Br. J. Ophthalmol.* Nov 1996; 80: 1063-1067
- 15- **Deepak B :** (2002) *Ultrasound Biomicroscopy, Journal of the Bombay Ophthalmologists Association* 12 1-4
- 16- **Dietlein TS Engels BF, Jacobi PC, kring-Jstein Gk:** *Ultrasound Biomicroscopic patterns after glaucoma surgery in congenital glaucoma* *Ophthalmology*,2000 June; 107 (6): 1200-1205.
- 17- **El-Cheweikh HM, El-Helaly HM, Gawdat GI:** *Ultrasound biomioscopic finding after goniotomy and trabeculotomy in congenital glaucoma. Bull. Ophthalmol. Soc Egypt.,* 2002;95;953-959.

- 18- **Fabio N. Kanadani, Syril Dorairaj, Alan M. Langlieb, Wisam A. Shihadeh, Celso Tello, Jeffrey M. Liebmann, Robert Ritch.** *Ultrasound Biomicroscopy in Asymmetric Pigment Dispersion Syndrome and Pigmentary Glaucoma. Arch Ophthalmology* 2006. 124:1573-1576.
- 19- **Foster FS, Pavlin CJ, Lockwood GR, Ryan LK, Harasiewicz KA, Berube LR, and Rauth AM.** *Principles and applications of ultrasound backscatter microscopy IEEE Trans UFFC* 1993; 40: 608-617.
- 20- **Foster FS, Starban M, and Austin G.:** *The ultrasonic Macroscope. Ultrasonic Imaging* 1984; 6: 243-261.
- 21- **Fourman S:** *Angle closure glaucoma complicating cilio-choroidal detachment. Ophthalmology* 1989; 96: 646-653.
- 22- **Fries U, Muller HM, Heider W.:** *Imaging Resolution and quantification of corneal findings with ultrasound biomicroscopy. Ophthalmology* 1996;93:25761.
- 23- **Frieling E and Dembinsky B.** *Morphometry of the Ciliary Body using UBM. Ophthalmologie* Oct 1998; 92 (5): 745-749 (Abs)
- 24- **Gohdo T, Takahashi H, Ijima H, Tsukahara S.** *Ultrasound Biomicroscopy of Angle Closure Glaucoma with Pseudoexfoliative Syndrome, Am J Ophthalmol* 1997; 124: 242-246.

- 25- **Gohdo T, Toyooki T, Hiroyuki i, Kenji K, and Shigeo T:** *Ultrasound Biomicroscopic Study of Ciliary Body thickness in eyes with narrow angles*, *Am J Ophthalmol* 2000; 129: 342-346.
- 26- **Goss SA, Jonhoston RL, and Dunn F:** *Comprehensive compilation of empirical ultrasonic properties of mammalian tissues*. *J Acoust soc Am* 1978; 64: 423-457.
- 27- **Grant WM and Walson DS .:** *progressive changes in the angle in congenital aniridia. With development of glaucoma* .*J Ophthalmol* 1974;78:842-847.
- 28- **Hartnett ME, Gilbert MM, Hirose T:** *Glaucoma as a cause of poor vision in severe retinopathy of prematurity*. *Graefes Arch Clin Exp Ophthalmology* 1993; 231: 433-438.
- 29- **Hiroshi Ishikawa, and Joel S. Schuman:** *Anterior segment imaging: ultrasound biomicroscopy*. *Ophthalmol Clin North Am*. 2004 March ; 17(1): 7–20.
- 30- **Jampel HD, McGuigan LJB, Dunkelberger GR, L'Hernault NL, Quigley HA:** *Cellular proliferation after experimental glaucoma filtration surgery*, *Arch Ophthalmol* 1988; 106-89-94.
- 31- **Jansson F, and Sundmak E.** *Determination of the velocity of sound in ocular tissues at different temperatures* *acta ophthalmol* 1961; 39:899-911.
- 32- **Kahiry HA, HR Atta, FD Green, J van der Hoek , and A Azuara-Blancs:** *Ultrasound Biomicroscopy in deep sclerectomy*, *eye ophthalmology* 2005; 19, 555-560.
-

- 33- **Kanski JJ:** *Clinical Ophthalmology. The Glaucomas, Grading of the angle.* 5th edition 2003; 9: 202.
- 34- **Kapetansky FM.** *A new water bath for ultrasound biomicroscopy Ophthalmic surg. Lasers* 1997; 28: 605-606.
- 35- **Karnemann CF, Pavlin CJ ,Trope GE.** *UBM In Sturge-Weber-Associated glaucoma. Am.J.Ophthalmol.jan* 1998; 125(1): 119-121
- 36- **Khaw PT .;** *What is the best primary treatment for the infantile glaucomas?[edit] Br J Ophthalmol* 1996;80:495-6.*Comment on: Br J Ophthalmol* 1996;80:499-502.
- 37- **Kobayashi H, Ono H, Kiny U j, Kobayashi K, and Kondo T:** *Ultrasonic BIomicroscopy measurement of development of anterior chamber angle. Brj ophthalmol* 1999 May,83(5):559-562.
- 38- **Kunimatsu S, Atsuo T, Kouichi M, Hiroyo T, Goji T, Aiko I, and Makoto A:** *Prevalence of Appositional Angle Closure Determined by Ultrasonic BIomicroscopy in Eyes with Shallow Anterior Chambers. Ophthalmology* 2005; 112: 407-412.
- 39- **Liebmann JM.;** *Prevention of blinking alters iris configuration in pigment dispersion syndrome and in normal eyes. Ophthalmology* 1995; 102:446.
- 40- **Liebman JM, Ritch R, and Greenfield DS:** *The angle-Closure glaucomas in choplin NT and Lundy DC. Atlas of glaucoma 1st end (Martin Dunitz 1998), 133-153.*

- 41- Liebmann J, Weinreb R and Ritch R:** Angle closure glaucoma associated with occult annular ciliary body detachment. *Arch Ophthalmol* 1998; 731-735
- 42- Lizzi FL, Feleppa EL, Coleman DJ.:** Ultrasonic ocular tissue characterization. In Greenleaf JE,ed: *Tissue characterization with ultrasound, vol II, Results and applications*, Boca Raton,Fla, 1986, CRC Press.
- 43- Lowe RF:** Primary angle-closure glaucoma; a review of ocular biometry. *Aust J Ophthalmol* 1977; 5: 9-17.
- 44- Makabe R Klin Monatsbl Augenheilkd.:** Comparative studies of anterior chamber angle with Ultrasonography and gonioscopy. 1989; 194:6.
- 45- Marigo FA, Esaki K, Finger PT, et al.:** Differential diagnosis of anterior segment cysts by ultrasound biomicroscopy. *Ophthalmology* 1999; 106: 2131-2135.
- 46- Markowitz SN, and Morin JD.** Ratio of lens thickness to axial length for biometric standardization of angle-closure glaucoma. *Am J Ophthalmol* 1985; 99: 400.
- 47- Matsunaga k, Kunio I, Koji E, Kota S, Toru S, Katsuya M, Mikio S, and Yukitaka U :** Evaluation and Comparison of Indentation Ultrasound Biomicroscopy Gonioscopy in Relative Pupillary Block, Peripheral Anterior Synechia, and Plateau Iris Configuration *J Glaucoma*. Volume 13, *J Glaucoma* 2004; 13: 516-519.

- 48- **MC-Whae JA and Crichton AC.:** *The use of ultrasound biomicroscopy following trabeculectomy .Can J Ophthalmol 1996;31:187-91.*
- 49- **Mundt GH Jr, and Hugher WF Jr** *Ultrasounics in ocular diagnosis, Am J Ophthalmol 1956; 41: 488.*
- 50- **Myles WM, Flanders ME, Chitayat D, et al.,** *Peter's anomaly: a clinico pathologic study . J pediatrics Ophthalmol Strabismus 1992;29:374-81.*
- 51- **Nicholas D :** *An introduction to the theory of Acoustic Scattering by Biological Tissue, in Recent Advances in Ultrasound in Biomedicine, Forest Grove (1977).*
- 52- **Ohana E-Blumen, Hamelin N,and Nordmann JP.** *Glaucoma and ultrasound biomicroscopy J. Fr Ophtalmol. 2004May 27 (5): 469-76.*
- 53- **Okamoto F, Nakana S, Okamoto C, et al.:** *Ultrasound Biomicroscopic findings in aniridia. Am J Ophthalmol 2004;137:858-862.*
- 54- **Oksala A, Lehtinen A:** *Diagnostic of detachment of the retina by means of ultrasound , Acta Ophthalmol 1957; 35; 461.*
- 55- **Ossoining KC:** *Standardized echography. Basic principles, clinical applications and results. ed. Dallow RL. Int Ophthalmol Clin. 1979; 19: 127-210.*

- 56- **Ocular imaging center, New York: Eye and Ear Infirmary, 2000**
- 57- **Pavlin CJ, Sherar MD, and Foster FS:** Subsurface ultrasound microscopic imaging of intact eye, *Ophthalmology* 1990; 97: 244-250.
- 58- **Pavlin CJ, Harasiewicz K, Sherar MD and Foster FS:** Clinical use of ultrasound biomicroscopy. *Ophthalmology* 1991; 98: 287-295.
- 59- **Pavlin CJ, Harasiewicz K and Foster FS:** Ultrasound biomicroscopy of anterior segment structures in normal and glaucomatous eyes. *Am J Ophthalmol* 1992; 113: 381-389.
- 60- **Pavlin CJ, Ritch R and Foster FS:** Ultrasound biomicroscopy in plateau iris syndrome. *Am J Ophthalmol* 1992; 113: 390-395.
- 61- **Pavlin CJ, Easterbrook M, Harasiewicz K, Foster FS.** An Ultrasound Biomicroscopy analysis of angle-closure Glaucoma Secondary to Ciliochoroidal Effusion in IgA Nephropathy. *Am . J. Ophthalmol. Sep 1993 (A); 116 : 341-345*
- 62- **Pavlin Charles J., Sanpatna S. Rutnin, Robert Devenyi, Martin Wand, and F. Stuart Foster:** Supraciliary Effusions and Ciliary Body Thickening after Scleral Bucking Procedures, *Ophthalmology* 1997; 104: 433-438.
- 63- **Pavlin Cj, and Foster Fs:** Ultrasound biomicroscopy .High frequency Ultrasound imaging of the eye at microscopic resolution. *Radiol clin North Am.* 1998 Nov; 36(6):1047-58.
-

- 64- **Pavlin CJ and Foster FS.** : *Ultrasound biomicroscopy of the eye.*
New York : Springer-verlag (1995).
- 65- **Phelps CD:** *The pathogenesis of glaucoma in Sturge-Weber syndrome.* *Ophthalmology* 1978;85:276.
- 66- **Pollack IM and Graue EL.:** *scanning election microscopy of congenial corneal leukoma (Peter's anomaly).* *Am J Ophthalmol* 88:169,1979.
- 67- **Pothash SD, Tello C, Liebmann J and Ritch R:** *Ultrasound-biomicroscopy in the pigment dispersion syndrome.*
Ophthalmology 1994; 101: 332-339.
- 68- **Purnell EW:** *Ultrasound in ophthalmological diagnosis in*
Grossman CC (ed) : Diagnostic Ultrasound. New York, Plenum Press, 1965. P 96.
- 69- **Ritch R, and Liebmann JM:** *Argon laser peripheral iridoplasty: a review.* *Ophthalmic Surg Lasers* 1996; 27: 289-300.
- 70- **Ritch , Brian M. Chang, Jeffrey M. and Liebmann:** *Angle Closure in Younger Patients* *Trans Am ophthalmol Soc* 2002; 100: 201-214.
- 71- **Ritch R, Liebmann J, and Tello C.A:** *Construct for understanding angle-closure glaucoma; the role of ultrasound biomicroscopy.* *Ophthalmol Clin. North Am* 1995; 8: 281-293.

- 72- **Ritch R, Liebmann J, Lezzi R and Tello C:** *Practical uses of UBM in Glaucoma. In: Schuman JS: Imaging in glaucoma. 1999; 10: 188.*
- 73- **Reinstein DZ, Silverman RH, Trokel SL, Allemann N, Colemann DJ.** High Frequency Ultrasound digital signal processing for Biometry of the Cornea in Planning for Photo-therapeutic Keratectomy. *Arch. phthalmol. Apr 1993; 111: 430-431*
- 74- **Sayed S. E. H. Saif, M. Yasser S. Saif and Ahmed .T.S. Saif.** *Glaucoma is Still a Dilemma in the 21 st Century.*
- 75- **Sherar MD, Foster FS.** *The design and fabrication of high frequency polyvinylidene fluoride transducers Ultrasonic imaging 1989; 11: 79-97.*
- 76- **Sherar MD, Starkoski BG, Taylor WB and Foster FS:** *A 100 MHz B-scan ultrasound backscatter microscope. Ultrasonic Imaging; 11:95-105 (1989).*
- 77- **Shields JA. Shields CL, Lois N.,** *Iris cysts in children: classifications, incidence, and management. The 1998 Torrence A. Makley Jr Lecture. Br j Ophthalmol 1999; 83: 334-338.*
- 78- **Tane S, Ohba H, komatsu a, Iguchi T.:** *The quantative biometry of the angle of anterior chamber. Acla Soc Ophthalmol JPN 1979; 83:1319.*
- 79- **Teekhasaene C and Ritch R:** *Combined phacoemulsification and goniosynechialysis for uncontrolled chronic angle closure*

glaucoma after acute angle closure glaucoma. *Ophthalmol* 1999;106: 669-675.

80- Tello C, Chi T, Shepps G, Liebmann J, and Ritch R: *Ultrasound biomicroscopy in pseudophakic malignant glaucoma. Ophthalmology* 1993; 100: 1330-1334.

81- Tello C, Liebmann J, and Potash SD,: *Measurement of Ultrasound Biomicroscopy Images : Intraobserver and Interobserver reliability. Invest Ophthalmol Es Sci*, 1994; 35:3549-3552.

82- Tello C, Othman R, Ishikawa H, and Ritch R: *Differential diagnosis of the angle-closure glaucomas. Ophthalmology Clinics of North American Setp. 2000 Number 3, volume 13, 443-453.*

83- Thijssen MJ, Mol and Timer MR; *Acoustic parameters of ocular tissues. Ultrasound Med. Biol;* 11: 157-161 (1983).

84- Youmaran R: *Automatic Measurement of Features In Ultrasound Images Of The Eye; Thesis submitted to the Faculty of Graduate , Ottawa, Canada, 2005 ; chapter 2: 17-18.*