




---

---

## REFERENCES

- Abramson, M.J.; Barnett, A.J.; Littlejohn, G.O.; Smith, M.M. and Halls, (1991):*  
Lung function abnormalities and decline of spirometry in scleroderma : An overrated danger?.  
Postgrad. Med. J. 67 : 632 – 637.
- Airio, A.; Puklaala, E. and Isomaki, A. (1995):*  
Elevated cancer incidence in patients with dermatomyositis : A population based study.  
J. Rheumatol., 22 : 1300 – 1303.
- Aitcheston, C.T. and Tan, F. (1982):*  
Characteristics of antinuclear antibodies in rheumatic disease.  
Arch. Rheum., 26 : 562.
- Al-Sabbagh, M.R.; Steen, V.D. and Zee, B.C. (1989):*  
Pulmonary arterial histology and morphology in systemic sclerosis: A case control autopsy study.  
J. Rheumatol., 16 : 1038 – 1042.
- Altman, R.D.; Medsger, T.A.; Bloch, D.A. and Miche, B.A. (1991):*  
Predictors of survival in systemic sclerosis.  
Arthritis Rheum., 34 : 403 – 413.
- American Thoracic Society, A.T.S.; Alta Conference (1984):*  
Single breath carbon monoxide diffusing capacity. Preliminary recommendations for a standard technique.  
ATS News Quoted after Miller, 1986.
- Anaya, J.M.; Diethelm, L.; Ortiz, L.A.; Guttiriez, M.; Citera, G. and Welson, R.A. (1995):*  
Pulmonary involvement in rheumatoid arthritis.  
Semin Arthritis Rheum., 24 : 242 – 254.
- Anderson, J.B. and Jespersen, J.B. (1980):*  
Demonstration of intersegmental respiratory bronchioles in normal human lungs.  
Eur. J. Respir. Dis., 61 : 336.

- Andonopovlos, A.P.; Constanto Poulos, S.H. and Galanopoulo, S. (1988):**  
Pulmonary function of non-smoking patients with systemic lupus erythematosus.  
Chest, 94 : 312 – 315.
- Arakawa, H.; Yamada, H.; Kurihara, Y.; Nakajima, Y.; Takeda, A.; Fukushima, Y. and Fujioka, M. (2003):**  
Non – specific interstitial pneumonia associated with polymyositis and dermatomyositis : Serial high –resolution CT findings and functional correlation.  
Chest, Apr.; 123 (4) : 1096 – 1103.
- Armstrong, J.G. and Steele, R.H. (1992):**  
Localized pulmonary arteritis in rheumatic diseases.  
Thorax, 37 : 313 – 314.
- Arnalich, F.; De-Andres, S.R. and Vazquez, J. (1989):**  
Pulmonary function in systemic lupus erythematosus patients without respiratory symptoms.  
Bull. Eur. Physiopathol. Respir., 15 : 649 – 657.
- Arnett, F.C.; Edworthy, S.M.; Bloch, D.A.; Mcshane, D.J.; Fries, J.F.; Cooper, N.S.; Healy, L.A.; Kaplan, S.R.; Liang, M.H.; Luthra, H.S.(1988):**  
The American Colleague of Rheumatology 1987 revised criteria for the classification of rheumatoid arthrilis.  
Arthritis Rheum., 31, 315 – 324.
- Aronchick, J.M. and Gefter, W.B. (1991):**  
Drug-induced pulmonary disease : An-update study.  
J. Thorac. Imaging, 18 : 212 – 220.
- Arroliga, A.C.; Podell, D.N.; Matthay, R.A. (1992) :**  
Pulmonary manifestations of scleroderma.  
J. Thorac. Imaging, 7 : 30 – 45.
- Austin, J.H.M.; Muller, N.L.; Friedman, J.J.; Hansell, D.M.; Naidich, D.P. and Rémy-Jardin, M. (1996):**  
Glossary of terms of CT of the lungs: Recommendations of the Nomenclature Committee of the Fleischner Society.  
Radiology, 200 : 327 – 331.

**Bagg, L.R. and Hughes, D.T.D. (1989):**

Serial pulmonary function tests in progressive systemic sclerosis.  
Thorax, 34 : 224 – 228.

**Bamji, A. and Cooke, N. (1985):**

Rheumatoid arthritis and chronic bronchial suppuration.  
Scand J. Rheumatol., 14 : 15 – 21.

**Bates, D.V.; Macklem, P.T. and Christie, R.V. (1981):**

Respiratory function in disease, 2nd ed. Saunders W.B. Company,  
Phyladephia, PP . 144 : 160.

**Bates, D.V. (1989):**

Respiratory function in disease, 3rd ed., Saunders W.B. Company,  
Phyladelphia, PP. 33, 154 – 155, 158 – 161.

**Begin, R.; Radoux, V. and Cantin, A. (1988):**

Stiffness of the ribcage in a subset of rheumatoid patients.  
Lung, 166 : 141 – 148.

**Bell, A.C. (1996):**

Pre-existing lung disease in patients with rheumatoid arthritis may  
predispose to methotrexate lung disease.  
Arthritis Rheum., 29 (6 suppl.) Ch. 28.

**Benedek, T.G. (1993):**

Rheumatoid pneumoconiosis : Documentation of onset and  
pathologic considerations.  
Am. J. Med., 55: 515 – 524.

**Bergin, C.D.; Roggli, V.; Coblenz, C. and Chiles, C. (1988):**

The secondary pulmonary lobule, normal and abnormal CT  
appearances.  
A.J.R., 151 :21 – 25.

**Bjerke, R.D.; Tashkin, D.P.; Clments, P.J.; Chopra, S.K. and Bein, M.  
(1989):**

Small airways in progressive systemic sclerosis.  
Am. J. Med., 66 : 201 – 209.

**Black, C.M. and DuBois, R.M. (1996):**

Organ involvement (pulmonary). In: Clements P.J. and Furst, D.E. (eds): Systemic Sclerosis, Battimore, Williams and Wilkins, PP. 299 – 331.

**Blom-Bülow, B.; Jonson, B. and Brauer, K. (1995):**

Lung function in progressive systemic sclerosis is dominated by poorly complaint lungs and stiff airways.  
Eur. J. Respir. Dis., 66 : 1-8.

**Bloster, M.B. and Silver, R.M. (1993):**

Lung disease in systemic sclerosis. In :Bailliere's Clinical Rheumatology. Vol. 7 No. 1 (February): 79 – 97.

**Bookman, A.A.; Urowitz, M.B. and Mitchell, R.I. (1994):**

Alveolar cell carcinoma in progressive systemic sclerosis.  
J. Rheumatol., 1 : 466 – 472.

**Boumpas, D.T.; Austin, H.A.; Fessler, B.J.; Balow, J.E.; Klippel, J.H. and Lockshin, M.D. (1995):**

Systemic lupus erythematosus emerging concepts (Part I): Renal, neuropsychiatric, cardiovascular, Pulmonary and haematologic disease.  
Ann. Intern Med., 122 : 940 – 950.

**Braun, N.M.; Aurora, N.S. and Rochester, D.F. (1993):**

Respiratory muscle and pulmonary function in polymyositis and other proximal myopathies.  
Thorax, 38 : 616 – 623.

**Brink, J.A.; Heiken, J.P. and Balfe, D.M. (1992):**

HRCT : Decreased spatial resolution in-vivo due to broadening of section – sensitivity profile.  
Radiology, 185 : 469 – 474.

**Camiciottoli, G.; Lavorini, F.; Trapanis Facicini, F. and Pistolesi, M. (1998):**

Pulmonary function and respiratory muscle strength in juvenile dermatomyositis.  
Eur. Respir. J., 12 (Sup. 28) : S80.

***Campbel, M.J. and Machin, D. (1993):***

Statistical inference. In : Medical statistics. A common sense approach, Campbel, M.J. and Machin, D. (Eds). John Wiley, Sons Chichssler, New York, Brisbane, Toronto.

***Camus, P.; Degat, O.R.; Justrabo, E. and Jeannin, L. (1992):***

D-penicillamine – induced severe pneumonitis.  
Chest, 82 : 376 – 378.

***Caplan, A. (1953):***

Certain unusual radiologic appearances in the chest of coal miners suffering from rheumatoid arthritis.  
Thorax, 8:29-37.

***Carette, S. (1988):***

Cardiopulmonary manifestations of systemic lupus erythematosus.  
Rheum. Dis. Clin. North Am., 14 : 135 – 147.

***Carette, S.; Macher, A.M.; Mussbaum, A. and Plotz, P.H. (1994):***

Severe, acute pulmonary disease in patients with systemic lupus erythematosus, ten years of experience at the National Institutes of Health.  
Arthritis Rheum., 79 : 37 – 45.

***Carpo, R.O. and Morris, A.H. (1981):***

Standarized single breath normal values for carbon monoxide diffusing capacity.  
Am. Rev. Resp. Dis., 123 : 185 – 189.

***Carroll, G.J.; Thomas, R.; Phalouros, C.C.; Atchison, M.H.; Leslie, A.L.; Cook, N.J. and D'Souzal, L. (1994):***

Incidence, prevalence and possible risk factors for pneumonitis in patients with rheumatoid arthritis receiving methotrexate.  
J. Rheumatol., 21 : 51 – 54.

***Carson, B.R. (1987):***

Pulmonary disease during the treatment of rheumatoid arthritis with low-dose methotrexate.  
Semin Arthritis Rheum., 16 : 186.

- Carson, C.W.; Cannon, G.W. and Egger, M.J. (1997):**  
Pulmonary disease during the treatment of rheumatoid arthritis with low-dose pulse methotrexate.  
Semin Arthritis Rheum., 16:186 – 195.
- Castello, P.; Anderson, W. and Blume, D. (1991):**  
Pulmonary nodule : Evaluation with HRCT.  
Radiology, 179 : 875 – 876.
- Chakravarty, K. and Webley, M.A. (1992):**  
A longitudinal study of pulmonary function in patients with rheumatoid arthritis with gold and D-penicillamine.  
Br. J. Rheumatol., 31 : 829 – 833.
- Chausow, A.M.; Kane, T.; Levinson, D. and Szidon, J.P. (1994):**  
Reversible hypercapnic respiratory insufficiency in scleroderma caused by respiratory muscle weakness.  
Am. Rev. Respir. Dis., 130 : 142 – 144.
- Cheah, F.K.; Sheppard, M.N. and Hansell, D.M. (1993):**  
Computed tomography of diffuse pulmonary haemorrhage with pathological correlation.  
Clin. Radiol., 84 : 89 – 93.
- Cinkotai, F.F. and Thomson, M.L. (1966):**  
Diurnal variation in pulmonary diffusing capacity for carbon monoxide.  
J. Appl. Physiol., 21 : 539 – 542.
- Colby, T.V. and Carrington, C.B. (1998):**  
Infiltrative lung disease. In: Thurlbeck WM, ed. Pathology of the lungs. Stuttgart : Thieme; 434 – 462.
- Collins, R.L.; Turner, R.A.; Johnson, A.M.; Whitely, N.O. and McLean, R.L. (1986):**  
Obstructive pulmonary disease in rheumatoid arthritis.  
Arthritis Rheum., 19 : 623 – 628.

**Cortet, B.; Flipo, R.M.; Remy, J.M.; Coquerelle, P.; Duquesnoy, B. and Delcambre, B. (1995):**

Use of HRCT of the lungs in patients with rheumatoid arthritis.  
Ann. Rheum. Dis., 54 : 815 – 819.

**Cortet, B.; Perez, T.; Roux, N.; Flipo, R.M.; Duquesnoy, B.; Delcambre, B. and Remy-Jardin, M. (1997):**

Pulmonary function tests and high-resolution computed tomography of the lungs in patients with rheumatoid arthritis.  
Ann. Reum. Dis., 56 : 596 – 600.

**Cotes, J.E.; Chinn, D.J. and Qunjer ph H. (1993):**

Standarization of the measurement of transfer factor for diffusion capacity.  
Eur. Respir. J., 6 (suppl. 16) 41-52.

**Cotes, J.E. (1995):**

Lung function assessment and application. In Medicine 3rd ed., Black well Scientific Publications, Oxford, PP. 73 – 75, 119-123.

**Cronin, M.E. (1988):**

Musculo-skeletal manifestations of systemic lupus erythematosus.  
Rheum. Dis. Clin. North. Am., 14 : 99 – 116.

**Dacie, S.N. and Lewis, A. (1985):**

Practical Haematology, 3rd ed., New York, Gurne Stratton Inc.

**Dawson, J.K.; Graham, D.R.; Desmond, D.; Fewins, H.E. and Lynch, M.P. (2002):**

Investigation of chronic pulmonary effects of low – dose oral methotrexate in patients with rheumatoid arthritis : A prospective study incorporating HRCT scanning and pulmonary function tests.  
Rheumatology (Oxford), Mar.; 41 (3) : 262 – 267.

**DeClerck, L.S.; DeQuekers, J.; Francx, L. and Demedts, M. (1987):**

D-penicillamine therapy and interstitial lung disease in scleroderma. A long-term follow-up study.  
Arthritis. Rheum., 30 : 643 – 650.

- DeHortius, R.J.; Abruzzo, J.L. and Williams, R.L. (1992):**  
Immunofluorescent and immunologic studies of rheumatoid lung.  
Arch. Intern. Med., 129 : 441 – 446.
- Demaziere, A.; Maugars, Y.; Chollet, S. and Prost, A. (1993):**  
Non-fatal bronchiolitis obliterans possibly associated with  
tiopronin. A case report with long term follow up.  
Br. J. Rheumatol., 32 : 172 – 174.
- Denison, D.; Al-Hillawi, H. and Turton, C. (1994):**  
Lung function in interstitial lung disease, Seminars in Respiratory.  
Medicine, 6 : 40 – 54.
- Dickey, B.F. and Myers, A.R. (1994):**  
Pulmonary disease in polymyositis dermatomyositis.  
Semin Arthritis Rheum., 14 : 60 – 76.
- Diot, E.; Boissinot, E.; Asquier, E.; Guilmot, G.L.; Lemarie, E.; Valat, C.  
and Diot, P. (1998):**  
Relationship between abnormalities on HRCT and Pulmonary  
function in systemic sclerosis.  
Chest, Dec.; 114 (6) : 1623 – 1629.
- Dodson, W.H. and Hollingsworth, J.W. (1996):**  
Pleural effusion in rheumatoid arthritis. Impaired Transport of  
glucose.  
N. Engl. J. Med., 275 – 1337.
- Dumonde, D.C. (1996):**  
Infection and immunology in rheumatic diseases.  
Arthritis Rheum., 12 : 957 – 963.
- Duncan, P.E.; Griffin, J.P.; Carcia, A. and Kaplan, S.B. (1994):**  
Fibrosing alveolitis in polymyositis.  
Am. J. Med., 57 : 621 – 626.
- Eagen, J.W.; Memoli, V.A.; Robert, J.I.; Mathew, G.R.; Schwartz, M.M.  
and Lowis, E.J. (1998):**  
Pulmonary haemorrhage in systemic lupus erythematosus.  
Medicine, 57 : 545 – 560.

***Edelson, I.D.; Hyland, R.H. and Ramsden, M. (1995):***

Lung inflammation in scleroderma: Clinical, radiographic, physiologic and cytopathological features.  
J. Rheumatol., 12 : 957 – 963.

***Eichacker, P.Q.; Piusker, K.; Epstein, A.; Schiffenbauer, J. and Grayzel, A. (1988):***

Serial pulmonary function testing in patients with systemic lupus erythematosus.  
Chest, 94 : 129 – 132.

***Eisenberg, H.; Dubois, E.L.; Sherwin, R.P. and Balchum, O.I. (1993):***

Diffuse interstitial lung disease in systemic lupus erythematosus.  
Ann. Intern. Med., 79 : 37 – 45.

***El-Sorougi, M.K.; Sharaf El-Din, M.M.; Hassanein, R.; Abu Youssef, H. and Hatem, A.M. (1991):***

Early changes in airway functions in rheumatoid arthritis.  
Egypt. J. Chest. Dis. and Tub., 28 : 249 – 276.

***Engler, C.E.; Tashjian, G.H.; Trenkner, S.W. and Walsh, J.W. (1993):***

Ground-glass opacity of the lung parenchyma : A guide to analysis with HRCT.  
A. J. R., 160 : 249 – 251.

***Estenne, M.; Heilporn, A.; Delhez, L.; Yerncult, J.C. and De Troyer, A. (1993):***

Chest wall stiffness in patients with chronic respiratory muscle weakness.  
Am. Rev. Respir. Dis., 128 : 1002 – 1007.

***Evans, S.A.; Hopkinson, N.D.; Kin hear, W.J.; Watson, L.; Powell, R.D. and Johnston, I.D. (1992):***

Respiratory disease in systemic lupus erythematosus : Correlation with results of laboratory tests and histological appearance of muscle biopsy specimens.  
Thorax, 47 : 957 – 960.

***Fahey, P.J.; Utell, M.J.; Condemi, J.J.; Greon, R. and Hyde, R.V. (1994):***

Raynaud's phenomenon of the lung.  
Am. J. Med., 76 : 263-269.

- Fergusson, R.I.; Davidson, N.M.; Nuki, Q. and Crompton, G.R. (1993):**  
Dermatomyositis and rapidly progressive fibrosing alveolitis.  
Thorax, 38 : 71 – 72.
- Fewins, H.E.; McGown, I.; Whitehouse, G.H.; Williams, J. and Mallya, R. (1991):**  
High definition computed tomography in rheumatoid arthritis associated pulmonary disease.  
Br. J. Rheumatol., 30 : 214 : 216.
- Fisher, R.A. (1964):**  
Statistical methods of research workers. 10<sup>th</sup> ed., Edinburgh, Oliver and Boyd.
- Fishman, A.P. (1988):**  
Pulmonary manifestations of collagen vascular diseases. In Pulmonary Diseases and Disorders, 2nd ed., New York, McGraw-Hill.
- Fishman, E.K. and Federle, M.P. (1994):**  
Technique of HRCT. In : Body CT Textbook. Presented at the American Roentgen Ray Society the 94th Annual Meeting, New Orleans, Louisiana, April, 24– 29.
- Flaherty, K.R. and Martinez, F.J. (2000):**  
The role of pulmonary function testing in pulmonary fibrosis.  
Curr. Opin. Pulm. Med., Sep.; 6 (5) : 404 -- 410.
- Foley, W.D. (1994):**  
Technology contrast : Current stage of body CT categorical course syllabus American Rontegen Ray Society, the 94th Annual Meeting, New Orleans, Louisiana, April, 36 – 42.
- Forster, R.E. (1996):**  
The lung clinical physiology and pulmonary function tests, 3rd ed., Chicago, Year Book of Medical Publisher.
- Frank, S.T.; Weg, J.G.; Hark Leroad, L.E. and Fitch, R.F. (1993):**  
Pulmonary dysfunction in rheumatoid disease.  
Chest, 63 : 27 – 34.

**Frazier, A.R. and Miller, R.D. (1994):**

Interstitial pneumonitis in association with polymyositis and dermatomyositis.

Chest, 65 : 403 – 407.

**Fry, D.L.; Elbert, R.V.; Stead, W.W. and Brown, C.C. (1954):**

The mechanics of pulmonary ventilation in normal subjects and in patients with emphysema.

Am. J. Med., 16 : 80.

**Fuji, M.; Adachi, S.; Shimizu, T.; Hirota, S.; Sako, M. and Kono, M. (1993):**

Interstitial lung disease in rheumatoid arthritis : Assessment with high-resolution computed tomography.

J. Thorac. Imaging, 8 : 54 – 62.

**Gabazza, E.; Taguchi, O.; Yamarami, T.; Machishi, M.; Ibala, H. and Suzuki, S. (1993):**

The usefulness of lung diffusion capacity for the early diagnosis of pulmonary involvement in connective tissue diseases. Nihon – Kyobu – Shikkan – Gakkai-Zassh Apr., 31 : 480 -- 485.

**Gammon, R.B.; Bridges, T.A.; Al-Nazir, T.H.; Alexander, C.B. and Kennedy, J.J. (1992):**

Bronchiolitis obliterans organizing pneumonia associated with systemic lupus erythematosus.

Chest, 102 : 1171 – 1174.

**Gamsu, G. (1992):**

Radiographic manifestations of thoracic involvement by collagen vascular diseases.

J. Thorac. Imaging, 7 : 1-12.

**Garcia, J.G.N.; Parhami, N.; Killam, D.; Garcia, P.L. and Keogh, B.A. (1996):**

Bronchoalveolar lavage fluid evaluation in rheumatoid arthritis.

Am. Rev. Respir Dis., 129 : 871 – 873.

- Geddes, D.; Webley, H. and Emerson, P. (1997):**  
Airway obstruction in rheumatoid arthritis.  
Ann. Rheum. Dis., 38 : 222 – 225.
- Geddes, D.M.; Corrin, B.; Brewerton, D.A.; Davis, R.J.; Turner- Warwic, M. (1997):**  
Progressive airways obliteration in adults and its association with rheumatoid arthritis.  
Ann.Rheum.Dis.,23:45-49
- Gharavi, A.E. and Moutsopoulos, H.M. (1987):**  
Pulmonary involvement in systemic sclerosis : Association with anti-Scl. 70. antibody and digital pitting.  
Chest, 92 : 509 – 513.
- Gibson, G.J. (1993):**  
Muscle disorders and the lungs. In : Bailliere's Clinical Rheumatology, Vol. 7, No. 1. (Feb.) : 112 – 125.
- Gibson, G.J.; Edmonds, J. and Hughes, G.R. (1997):**  
Diaphragm function and lung involvement in systemic lupus erythematosus.  
Am. J. Med., 63 : 926 – 932.
- Goldman, M.H. and Backlake, M.R. (1959):**  
Respiratory function tests, normal values at median altitude and the prediction of normal results.  
Am. Rev. Tuberc., 79 : 457 – 467.
- Grant, W.C. (1993):**  
Antirheumatic drug reactions in the lung. Lung disease in rheumatic disorders. In : Bailliere's Clinical Rheumatology, 7 – 1; PP. 147 – 171.
- Greenbury, C.L. and Wood, P.H.N. (1993):**  
The significance of auto-antibodies in the population of an English Country Towns. International Congress of Rheumatology, No. 299. Exrpta Medica, Amesterdam PP. 20.

- Grennan, D.M.; Howie, A.D.; Moran, F. and Buchanan, W.W. (1988):**  
Pulmonary involvement in systemic lupus erythematosus.  
Ann. Rheum. Dis., 37 : 121 – 128.
- Grigor, R.; Edmonds, J.; LewKonia, R.; Breshnihan, B. and Hughes, G.R.V. (1988):**  
Systemic lupus erythematosus.  
Am. Rev. Respir. Dis., 105 : 572 – 577.
- Groen, H.; TerBorg, E.J.; Postma, D.S.; Wouda, A.A.; VanDerMark, T.W. and Kallenberg, C.G.M. (1992):**  
Pulmonary function in systemic lupus erythematosus : Is related to distinct clinical, serologic and nail fold capillary patterns.  
Am. J. Med., 93 : 619 – 627.
- Hacking, J.C. and Flower, C.D.R. (1995):**  
Causes and investigations of increasing dyspnea in connective tissue diseases.  
Ann. Rheum. Dis., 54 : 17 – 19.
- Halla, J.T.; Schronhenloher, R.E. and Volankis, J.E. (1990):**  
Immune complexes and other laboratory features.  
Ann. Intern. Med., 92 : 745 – 752.
- Hansell, D.M. and Kerr, I.H. (1991):**  
The role of HRCT in the diagnosis of interstitial lung disease.  
Thorax, 46 : 77 – 84.
- Hargreaves, M.R.; Mowat, A.G. and Benson, M.K. (1992):**  
Acute pneumonitis associated with low dose methotrexate treatment for rheumatoid arthritis.  
Br. J. Rheumatol., 36 : 220- 31.
- Harrison, N.K.; Myers, A.R. and Corrin, B. (1991):**  
Structural features of interstitial lung disease in systemic sclerosis.  
Am. Rev. Respir. Dis., 144 : 706 – 713.

- Hassan, W.U.; Keane, N.P.; Holland, C.D. and Kelly, C.A. (1994):**  
Bronchial reactivity and airflow obstruction in rheumatoid arthritis.  
Ann. Rheum. Dis., 53 : 511 - 514.
- Hassan, W.U.; Keoney, N.P.; Holland, C.D. and Kelley, C.A. (1995):**  
HRCT of the lungs in life-long non-smoking patients with  
rheumatoid arthritis.  
Ann. Reum. Dis., 54 : 308 – 310.
- Haupt, H.M.; Moore, G.W. and Hutchins, G.M. (1991):**  
The lung in systemic lupus erythematosus : Analysis of the  
pathologic changes in 120 patients.  
Am. J. Med., 71 : 791 – 798.
- Hills, E.A.; Davies, D. and Geary, M. (1989):**  
Frequency dependence of dynamic compliance in patients with  
rheumatoid arthritis.  
Thorax, 34 : 755 - 761.
- Hills, E.A. and Geary, M. (1990):**  
Membrane diffusing capacity and pulmonary capillary volume in  
rheumatic diseases.  
Thorax, 35 : 851 – 855.
- Hruban, R.H.; Meziane, M.A. and Zerhouni, E.A. (1997):**  
HRCT of inflation- fixed lungs.  
Am. Rev. Respir. Dis., 136 : 935 – 940.
- Hughes, G.R.V. (1999):**  
Connective tissue diseases. In : Oxford Textbook of Rheumatology,  
Black well, Scientific Publications.
- Hunningha Ke, G.W. and Fauci, A.S. (1989):**  
Pulmonary involvement in the collagen vascular diseases.  
Ann. Rev. Respir. Dis., 119 : 471 – 503.
- Hutas, I.; Urai, L.; Boszormenyi-Nagy, G. and Grosz, A. (1993):**  
Pulmonary function in progressive systemic sclerosis.  
Respiration, 30 : 141 – 152.

- Inoue, T.; Ranayama, T.; Ohe, A.; Kato, N.; Noriguchi, T.; Ishii, M. and Shiota, K. (1979):**  
Immunopathologic studies of pneumonitis in systemic lupus erythematosus.  
Ann. Intern. Med., 91:30 – 34.
- James, D.W.; Whimster, W.F. and Hamiton, E.B.D. (1988):**  
Gold Lung.  
Br. Med. J., 1: 1523 – 1524.
- Johkoh, T.; Ikezoe, J.; Kohno, N.; Kido, S.H.; Kozuka, T. and Yamayami, H. (1994):**  
High-resolution CT and Pulmonary function tests in collagen vascular disease: Comparison with idiopathic pulmonary fibrosis.  
Eur. J. Radiol., 18 : 113 – 121.
- Jonsson, H.; Nived, O.; Sturfelt, G.; Valind, and Jonson, B. (1989):**  
Lung function in patients with systemic lupus erythematosus and persistent chest symptoms.  
Br. J. Rheumatol., 28 : 492 – 499.
- Julian, D.G.; Camm, A.J.; Fox, K.S.; Hall, R.J. and Poole- Wilson, P.A. — (1995):**  
NewYork Heart Association ,functional and theraputic classification applied to dyspnea. In : Textbook of Clinical Medicine, 4th (ed). Edited by : Kumar P, Chark M, Saunders WB company, Philadelphia, PP. 560.
- Kalender, W.A. and Seissler Wand, K.Z. (1990):**  
Spiral volumetric CT with single-breath hold technique, continous transport, and continous scanner rotation.  
Radiology, 176 : 181 – 183.
- Kallenberg, C.G.M.; Borg, E.J. and Jaarsma, D. (1990):**  
Detection of autoantibodies to ribonucleoproteins by counter immunoelectrophoresis, immunoblotting and RNA immunoprecipitaiton : Comparison of results.
- Kannar, R.E. and Crapo, J.A. (1986):**  
The clinical pulmonary function testing 2nd ed., Saltlake City, Intermountain, Thoracic Society.

- Kaplan, D.J. and Waite, W.P. (1998):**  
Progressive interstitial lung disease from prolonged methotrexate therapy.  
Arch. Dermatol., 114 : 1800.
- Kelly, C.A. (1993):**  
Rheumatoid arthritis: Rheumatoid lung problems, lung disease in rheumatic disorders. In: Baillier's clinical rheumatology, 7 (1) PP. 7 - 29.
- Kelly, C.A.; Ruddy, s.; Harris, E.D. and sledge, C.B. (2001):**  
Rheumatoid arthritis : Rheumatoid lung problems, lung disease in rheumatic disorders. In : Textbook of Rheumabology. Edited by : Kelley WN, Ruddy S, Harris ED and Sledge CB, Saunders WB Company, Philadilphia.
- Keogh, B. and Crystal, R.G. (1980):**  
Clinical significance of pulmonary function tests : Pulmonary function tests in interstitial lung diseases : What does it tell us? Chest, 78 : 856 - 865.
- Kerr, H.D. (1973):**  
Diurnal variation of respiratory function independent of air quality. Experience with an environmentally controlled exposure chamber for human subjects.  
Arch. Environ. Health, 26 : 144.
- Khadadah, M.E.; Jayakrishnan, B.; Al-Gorair, S.R.; Al-Mutairi, M.; Al-Maradni, N.; Onadeko, B. and Malariya, A.N. (2002):**  
Effect of methotrexate on pulmonary function in patients with rheumatoid arthritis, a prospective study.  
Rheumatol. Int., Sep.; (22) 5 : 204 - 7.
- Kim, J.S.; Lee, K.S.; Koh, E.M. and Chung, M.P. (2000):**  
The racic involvement of systemic lupus erythematosus : Clinical, pathologic and radiologic findings.  
J. Comput. Asist. Tomogr., 24 : 9 - 18.

- Kim, J.S.; Lee, K.S.; Koh, E.M.; Kim, S.Y.; Chung, M.P. and Han, J. (2000):**  
Thoracic involvement of systemic lupus erythematosus : Clinical, pathological, functional and radiologic findings.  
J. Compu. Assist. Tomogr., Jan-Feb.; 24 (1) : 9 – 18.
- Kim, E.A.; Johkoh, T.; Lee, R.S.; Ichikado, K.; Koh, E.M.; Kim, T.S. and Kim, E.Y. (2001):**  
Interstitial pneumonia in progressive systemic sclerosis : Serial high – resolution CT findings with functional correlation.  
J. Comput. Assist. Tomogr., Sep. Oct.; 25 (5) : 757 – 763.
- Kinsella, W.W.; Smith, E.A.; Miller, K.S.; Lekoy, E.C. and Silver, R.M. (1989):**  
Spontaneous production of fibronectin by alveolar macrophages in patients with scleroderma.  
Arthritis Rheum., 23 : 577 – 583.
- Klemperer, C.A. (1942):**  
Quoted after Dieppe et al., (eds) Connective Tissue Diseases, Rheumatological Medicine, London, Chirchill Living stone.
- Klippel, J.H.; Weyand, C.M. and Wortmann, R.L. (1997):**  
History of rheumatic diseases. In: Primer on the Rheumatic Diseases, 11th ed., Atlanta, Arthritis Foundation, PP. 28 – 38.
- Konig, G.; Hammer, C.; Braun-Falco, U. and Fruhmman, G. (1994):**  
Lung involvement in scleroderma.  
Chest, 85 : 318 – 324.
- Korobkim, M.C. (1994):**  
HRCT : principles, techniques and clinical applications.  
Radiographics, 14 : 885 – 886.
- Lahdensuo, A.; Mattila, J. and Vilppula, (1994):**  
Bronchiolitis in rheumatoid arthritis.  
Chest, 85 : 705 – 708.

***Lahita, R.G. (1997):***

Clinical presentation of systemic lupus erythematosus. Quoted from : Textbook of Rheumatology. Edited by : Kelley WN, Ruddy S, Harris ED and Sledge CB, Saunders WB Company, Philadelphia, PP. 1028 – 1029.

***Laitinen, O.; Nissila, M.; Salorinne, Y. and Aalto, P. (1985):***

Pulmonary involvement in patients with rheumatoid arthritis. Scand J. Respir Dis., 56 : 297 – 304.

***Lakhanpal, S.; Lie, J.; Conn, D. and Martin, W. (1987):***

Pulmonary disease in polymyositis / dermatomyositis: A clinicopathological analysis of 65 cases. Ann. Rheum. Dis., 46 : 23 – 29.

***Lawrence, E.C. (1987):***

Systemic lupus erythematosus and the lung. In : Lahita RG (ed.) Systemic lupus erythematosus, New York, John Wiley and Sons.

***Lawry, G.V.; Finerman, M.L. and Hanafee, W.N. (1994):***

Laryngeal involvement in rheumatoid arthritis : A clinical laryngoscopic and computerized tomographic study. Arthritis Rheum., 27 : 973 – 882.

***Lee, J.S.; Im, J.G.; Ahn, J.M.; Kim, Y.M. and Han, M.C. (1992):***

Fibrosing alveolitis : Prognostic implication of ground – glass attenuation at high- resolution CT. Radiology, 184 : 451 – 454.

***Leff, R.L.; Miller, F.W. and Hicks, J. (1993):***

The treatment of inclusion body myositis : A retrospective review and a randomized prospective trial of immuno – suppressive therapy. Medicine, 72 : 225 – 235.

***Lekkin, J.E.; Arof, H.M. and Pearlman, L.M. (1996):***

Acute lupus pneumonitis in the post-partum period : A case history and review of the literature. Obstet. Gynecol., 68 : 295 – 31.

**Lemley, D.E. and Katz, P. (1996):**

Rheumatoid – like arthritis presenting as idiopathic pulmonary hemosiderosis. A report and review of the literature.  
J. Rheumatol., 13 : 954 – 957.

**Leroy, E.C.; Black, C. and Fleischmajor, R. (1988):**

Scleroderma (systemic sclerosis) : Classification, subsets and pathogenesis.  
J. Rheumatol., 15 : 202 – 205.

**Lipscomb, D.I.; Patel, K. and Hughes (1988):**

Interpretation of increases in the transfer coefficient for carbon monoxide.  
Thorax, 33 : 728 – 733.

**Ludwicka, A.; Trojanowska, M. and Smith, E.A. (1992):**

Growth and characterization of fibroblasts obtained from bronchoalveolar lavage of scleroderma patients.  
J. Rheumatol., 19 : 1716 – 1723.

**Lukainen, R.; Saltyshev, M.; Pakkasela, R. and Hakala, M. (1995):**

Relationship of rheumatoid factor to lung diffusion capacity in smoking and non-smoking patients with rheumatoid arthritis.  
Scand J. Rheumatol., 24 (2) : 119 – 120.

**Lunn, W.W. and Sheller, J.R. (1995):**

Flow-volume loops in the evaluation of upper airway obstruction.  
Otolaryng. Clin. North Am., 28 : 721.

**Lynch, D.A. (1993):**

Imaging of small airways diseases.  
Clin. Ches. Med., 14 : 623 – 634.

**Maddison, P.J.; Isennerg, D.A.; Woo, P. and Glass, D.N. (1998):**

Clinical presentation of rheumatic diseases. In : Oxford Textbook of Rheumatology, Oxford University Press, 2nd ed. PP. 240 – 254.

**Make, B.; Miller, A.; Epler, G. and Gee, L. (1982):**

Single breath diffusing capacity in the industrial setting.  
Chest, 82 : 251 – 356.

**Mallya, R.K. and Mace, B.W. (1981):**

The assessment of disease activity in rheumatoid arthritis using a multivariate analysis.

Rheumatol. Rehabil., 20 : 14 – 17.

**Manoussakis, M.N.; Constantopoulos, S.H.; Gharavi, A.E. and Moutsopoulos, H.M. (1997):**

Pulmonary involvement in systemic sclerosis : Association with anti-scl 70 antibody and digital pitting.

Chest, 92 : 509 – 513.

**Marie, I.; Dominique, S.; Remy-Jardin, M.; Hatron, P.Y. and Hachulla, E. (2001):**

Interstitial lung disease in polymyositis and dermatomyositis.

Rev. Med. Intern., Nov.; 22 (11) : 1083 – 1096.

**Martens, J.; Demedts, M. and Vanmeenen, M.T. (1993):**

Respiratory muscle dysfunction in systemic lupus erythematosus.

Chest, 84 : 170 – 175.

**Masi, A.T.; Rodnan, G. and Medsger, T.A. (1980):**

Preliminary criteria for the classification of systemic sclerosis.

Arthritis Rheum., 23 : 581 – 590.

**Mathieson, J.R.; Mayo, J.R.; Staples, C.A. and Muller, N.L. (1999):**

Chronic diffuse infiltrative lung disease : Comparison of diagnostic accuracy of CT and chest radiography.

Radiology, 171 : 111 – 116.

**Matthay, R.A.; Schwarz, M.I.; Petty, T.L.; Stanford, R.E.; Gupta, R.C.; Shan, S. A. and Steigerwald, I. C. (1985):**

Pulmonary manifestations of systemic lupus erythematosus.

Medicine, 54 : 397 – 409.

**Matthay, R.A. and Petty, T.L. (1994):**

Treatment of acute lupus pneumonitis with azathioprine.

Chest, 66 : 219 – 220.

**Mayo, J.R.; Müller, N.L. and Hen Kelman, R.M. (1997):**

The double fissure sign : A motion artifact on thin-section CT scans.

Radiology, 165 : 580 – 581.

**Mayo, J.R.; Webb, W.R.; Gould, R. (1998):**

HRCT of the lungs : An optimal approach.

Radiology, 163 : 507 – 510.

**McCann, B.G.; Hart, G.J.; Stokes, T.C. and Harrison, B.D.W. (1993):**

Obliterative bronchiolitis and upper-zone pulmonary consolidation in rheumatoid arthritis.

Thorax, 38 : 73 – 74.

**McCormick, J.; Cole, S.; Lahirir, B.; Knauf, F.; Cohen, S. and Yoshida, T. (1990):**

Pneumonitis caused by gold salt therapy : evidence for the role of cell-mediated immunity in its pathogenesis.

Am. Rev. Respir. Dis., 122 : 145 – 152.

**McDonagh, J.; Greaves, M.; Wright, A.; Heycock, C.; Owen, J. and Kelley, B.C. (1994):**

HRCT of the lungs in patients with systemic connective tissue disease and interstitial lung diseases.

Br. J. Rheum., 33 : 118 – 122.

**Mead, J.; Turner, J.M. and Macklem, P.T. (1997):**

Significance of the relationship between lung recoil and maximal expiratory flow.

J. Appl. Physiol., 22 : 95 – 108.

**Michalski, J.P.; McCombs, C.C. and Scopelitis, E. (1996):**

Alpha 1-antitrypsin phenotypes, including M subtypes, in pulmonary disease associated with rheumatoid arthritis and systemic sclerosis.

Arthritis Rheum., 29 : 586 – 591.

**Miller, A.; Thornton, J.C.; Warshaw, R.; Anderson, H.; Teirstein, A.S. and Selikoff, I.J. (1983):**

Single-breath diffusing capacity in a representative sample of the population of Michigan, a large industrial state : predicted values, lower limits of normal, and frequencies of abnormality by smoking history.

Am. Rev. Respir Dis., 127 : 270 – 277.

**Miller, A. (1986):**

Pulmonary function test in clinical and occupational lung diseases. Grune and Stratton, Orlando, PP, 20 – 29, 135 – 139.

**Mills, E.S. and Mathews, W.H. (1956):**

Interstitial pneumonitis in dermatomyositis.

JAMA, 160 : 1467 – 1470.

**Morgan, I.M.; Griffiths, M.; DeBois, R.M. and Evans, T.W. (1991):**

Hypoxic pulmonary vasoconstriction in systemic sclerosis and primary pulmonary hypertension.

Chest, 99 : 551 – 556.

**Morris, J.F.; Koski, A. and Johnson, L.C. (1971):**

Spirometry standards for healthy non-smoking adults.

Am. Rev. Respir. Dis., 103 : 57 – 61.

**Mulherin, D. and Bresnahan, B. (1993):**

Systemic lupus erythematosus. In :Bailliere's Clinical Rheumatology, 7 : 31 – 57.

**Müller, N.L. and Miller, R.R. (1990):**

Computed tomography of chronic diffuse infiltrative lung disease (Part I).

Am. Rev. Respir. Dis., 142 : 1206 – 1215.

**Müller, N.L. and Miller, R.R. (1990):**

Computed tomography of chronic diffuse infiltrative lung disease (Part II).

Am. Respir. Dis., 142 : 1440 – 1448.

**Müller, N.L. (1991):**

Clinical value of HRCT in chronic diffuse lung disease.  
A.J.R., 157 : 1163 – 1170.

**Munk, P.L.; Müller, N.L.; Miller, R.R. and Ostrow, D.N. (1988):**

Pulmonary lymphangitic carcinomatosis : CT and pathologic findings.  
Radiology, 166 : 705 – 709.

**Murata, K.; Itoh, H. and Todo, G. (1986):**

Centri-lobular lesions of the lung : Demonstration by HRCT and pathologic correlation.  
Radiology, 161 : 641 – 645.

**Murata, K.; Khan, A.; Rojas, K.A. and Herman, P.G. (1988):**

Optimization of CT technique to demonstrate the fine structure of the lung.  
Invest. Radiol. 23 : 170 – 175.

**Murata, K.; Khan, A. and Herman, P.G. (1989):**

Pulmonary parenchymal disease : Evaluation with HRCT.  
Radiology, 170 : 629 – 635.

**Murch, C.R. and Carr, D.H. (1989):**

Computed tomography appearances of pulmonary alveolar proteinosis.  
Clin. Radiol., 40 : 240 – 243.

**Murphy, D.M.F.; Fairman, R.P.; Lapp, N.L. and Morgan, W.K.C. (1986):**

Severe airway disease due to inhalation of fumes from cleansing agents.  
Chest, 69 : 372 – 376.

**Naidich, D.P.; Marshall, C.H.; Gribbin. C.; Arms, R.S. and McCauley, D.I. (1990):**

Low-dose CT of the lungs: Preliminary observations.  
Radiology, 175 : 729 – 731.

- Nakano, M.; Hasegawa, H.; Takada, T.; Ito, S.; Muramatsu, Y.; Satoh, M.; Suzuki, E. and Gejyo, F. (2000):**  
Pulmonary diffusion capacity in patients with systemic lupus erythematosus.  
Respirology, Mar.; 7 (1) : 45 – 49.
- Oddis, C.V. (1994):**  
Therapy of inflammatory myopathy.  
Rheum. Dis. Clin. North Am., 20 : 899 – 918.
- O'duffy, J.D.; Luthra, H.S. and Unnikk, B.R. (1986):**  
Bronchiolitis in a rheumatoid arthritis patient receiving auranofin.  
Arthritis Rheum., 29 : 556 – 559.
- Ogilvie, C.M.; Forster, R.E. and Blakemore, W.S. (1957):**  
A standardized breath holding technique for the clinical measurement of the diffusing capacity of the lung for carbon monoxide.  
J. Clin. Invest., 36 : 1-17.
- Okuda, Y.; Takasugi, K.; Imai, A.; Oyama, T.; Oyama, H. and Kawamura, S. (1993):**  
Clinical study of rheumatoid interstitial lung disease evaluated by HRCT.  
Ryumachi, 33 (1) : 12-9 (Abstract).
- Olseen, G.N. and Swenson, E.W. (1982):**  
Polymyositis and interstitial lung disease.  
Am. Rev. Respir. Dis., 105 : 611 – 617.
- Owens, G.R.; Paradis, I.L.; Gryzan, S.; Medsger, T.A.; Follenbee, W.P.; Klein, H.A. and Dauber, J.H. (1996):**  
Role of inflammation in the lung disease of systemic sclerosis: Comparison with idiopathic pulmonary fibrosis.  
J. Lab. Clin. Med., 107 : 253 – 260.
- Pakas, I.; Ioannidis, J.P.; Malagari, K.; Skopouli, F.N.; Moutsopoulos, H.M. and Vlachoyiannopoulos, P.G. (2002):**  
Cyclophosphamide with low or high dose prednisolone for systemic sclerosis lung disease.  
J. Rheumatol., Feb.; 29 (2) : 298 – 304.

- Partanen, J.; Van Assendelft, A.H. and Koskimies, S. (1997):**  
Patients with rheumatoid arthritis and gold-induced pneumonitis express two high-risk major histocompatibility complex patterns.  
Chest, 92 : 277 – 281.
- Payne, C.R. (1994):**  
Pulmonary manifestations of rheumatoid arthritis.  
Br. J. Hosp. Med., 32 : 192 – 197.
- Perez, T.; Remy-Jardin, M. and Cortet B. (1998):**  
Airways involvement in rheumatoid arthritis : Clinical, functional, and HRCT findings.  
Am. J. Respir. Crit. Care Med., 157 : 1658 – 1665.
- Permutt, S. and Menkes, H.A. (1989):**  
Analysis of forced expiration with the lime domain. In : Macklem PT, Permutt S (eds), The lung in the transition between health and disease. New York, Marcel Dekker, PP. 113 – 152.
- Plopper, C.G. (1994):**  
Anatomical and histological classification of the bronchioles. In: Epler GR (ed.), Diseases of the bronchioles. Raven Press, New York, PP. 15 – 25.
- Pump, K.K. (1964):**  
The morphology of the finer branches of the bronchial tree of the human lung.  
Dis. Chest, 46 : 379.
- Pump, K.K. (1969):**  
Morphology of the acinus of the human lung.  
Dis. Chest, 56 : 126.
- Quanjer, P.; Tammeling, G.J. and Cotes, J.E. (1993):**  
Lung volumes and forced ventilatory flows.  
Eur. Respir. J., 6 (supp 16) : 41 – 52.
- Quismorio, F.P.; Sharma, O. and Koss, M. (1991):**  
Immunopathologic and clinical studies in pulmonary hypertension associated with systemic lupus erythematosus.  
Semin Arthritis Rheum., 13 : 349 – 359.

***Radoux, V.; Menard, H.A.; Begin, R.; Decary, F. and Roopman, W.J. (1987):***

Airways disease in rheumatoid arthritis patients.  
Arthritis Rheum. ,Vol. 30, No. 3, March.

***Reichlin, M. (1991):***

Current perspectives on serological reactions in systemic lupus erythematosus patients, clinical and experimental.  
Immunology, 44 : 1 – 10.

***Reid, L. (1959):***

The connective tissue septa in the adult human lung.  
Thorax, 14 : 138.

***Remy-Jardin, M.; Remy, J. and Wallaert, B. (1993):***

Pulmonary involvement in progressive systemic sclerosis :  
Sequential evaluation with CT, pulmonary function tests and  
bronchoalveolar lavage.  
Radiology, 188 : 499 – 506.

***Remy-Jardin, M.; Cortet, B.; Mauri, F. and Delcambre, B. (1994):***

Lung changes in connective tissue diseases : CT findings.  
Radiology, 193 : 375 – 382.

***Remy- Jardin, M.; Fribourg, M.; Remy, J.; Artaud, D.; Bonnel, F.;  
Copin, M.C. and Gosselin, B. (2001):***

HRCT- pathologic correlation in chronic diffuse infiltrative lung  
disease.  
Eur. Radiol., 11 (Supp. 2); S 49 – S 57.

***Ritchie ,D.M. ;Boyle, J.A .;McInnes, J.M.;Jasani, K.M. Dalakas, T.G. and  
Buchanan, W.(1968):***

Clinical studies with an articular index for the assessment of joint  
tenderness in patients with rheumatoid arthritis.  
Quart. J. Med. ,37 : 393 – 406.

***Roenigh, H.H.; Averbach, H.I. and Weinstein, G.D. (1992):***

Methotrexate guidelines.  
Am. J. Dermatol., 6 : 145 – 155.

**Rook, A.H.; Freundlich, B. and Jegasothy, B.V. (1992):**

Treatment of systemic sclerosis with extracorporeal photochemotherapy results of a multi-center trial.  
Arch. Dermatol., 128 : 337 – 346.

**Roschmann, R.A. and Rothenberg, R.J. (1997):**

Pulmonary fibrosis in rheumatoid arthritis: A review of clinical features and therapy.  
Semin Arthritis Rheum., 16 : 174 – 185.

**Rossi, G.A.; Bitterman, P.B.; Rennard, S.I.; Ferrans, V.D. and Crystal, R.G. (1995):**

Evidence for chronic inflammation as a component of interstitial lung disease associated with progressive systemic sclerosis.  
Am. Rev. Respir. Dis., 131 : 612 – 617.

**Roughton, F.J.W. and Forster, R.E. (1957):**

Relative importance of diffusion and chemical reaction rates in determining rates of exchange of gases in the human lung, with special reference to true diffusing capacity of pulmonary membrane and volume of blood in lung capillaries.  
J. Appl. Physiol., 11 : 290 – 302.

**Rubin, Z.A. and Urowitz, M.B. (1993):**

Shrinking lung syndrome in systemic lupus erythematosus.  
J. Rheumatol., 10 : 973 – 976.

**Rupple, G.L. (1998):**

Spirometry and related tests. In : Manual of Pulmonary Function Testing. 7th ed. Edited by Rupple GL. Mosby, PP. 27 – 66.

**Russell, D.C.; Maloney, A. and Muir, A.L. (1991):**

Progressive generalized scleroderma, respiratory failure from primary chest wall involvement.  
Thorax, 36 : 219 – 220.

**Saag, K.G.; Kolluri, S.; Koehenke, R.K.; Georgou, T.A.; Rachow, J.W.; Hunninghake, G.W. and Schwartz, D.A. (1996):**

Rheumatoid arthritis lung disease; determinants of radiographic and physiological abnormalities.  
Arthritis Rheum., 39 (10) : 1711-1719.

**Sagel, S.S. (1994):**

CT of vascular mediastinal lesions : Body CT categorical course syllabus. American Rontegen Ray Scociety, 94th Annual Meeting, New Orleans, Luisiana, 29 – 35.

**Sahn, S.A. (1995):**

Immunologic disease of the pleura.  
Clin. Chest Med., 6 : 83 – 102.

**Salaffi, F.; Carotti, M.; Baldelli, S.; Bichi – Secchi, E. and Manganelli, P. (1999):**

Sub-clinical interstitial lung involvement in rheumatic diseases, correlation of high-resolution computed tomography and functional and cytologic findings.  
Radiol. Med. Torino, Jan.; 97 : 33 – 41.

**Salerni, R.; Rodnan, G.P.; Leon, D.F. and Shaver, J.A. (1997):**

Pulmonary hypertension in the CREST syndrome variant of progressive systemic sclerosis.  
Ann. Intern. Med., 86 : 394.

**Scherak, O.; Schern Thaner, G.; Hofner, W.; Kolarz, G. and Kummer, F.(1987):**

Lung in progressive chronic polyarthritis.  
Respiration, 34 : 162 – 170.

**Scherak, O. and Kolarz, G. (1991):**

Systemic lupus erythematosus and pulmonary hypertension.  
J. Rheumatol., 40 : 131 – 134.

**Schernthaner, G.; Kummer, F.; Schera, O. and Kolarz, G. (1985):**

Respiratory function in rheumatoid arthritis.  
Br. Med. J., 4 : 43.

**Schiavi, E.A.; Roncoroni, A.J. and Puy, R.J.M. (1994):**

Isolated bilateral diaphragmatic paresis with interstitial lung disease : An unusual presentation of dermatomyositis.  
Am. Rev. Respir. Dis., 129 : 337 – 339.

- Schumacher, H.R.; Schimmer, B. and Gordon, G.V. (1979):**  
Articular manifestations of polymyositis and dermatomyositis.  
Am. J. Med., 67: 287 – 292.
- Schur, P.H. (1989):**  
Clinical features of systemic lupus erythematosus. In : Textbook of Rheumatology. Edited by Kelly, W, Harris, ER, Ruddy E, Sledge, C, 3rd ed., Saunders WB Company, Philadelphia.
- Schurawitzki, H.; Sliglbauer, R. and Graninger, W. (1990):**  
Interstitial lung disease in progressive systemic sclerosis : High-resolution CT versus radiography.  
Radiology, 176 : 755 – 759.
- Schwartz, M.I.; Matthay, R.A. and Sahn, S.A. (1986):**  
Interstitial lung disease in polymyositis and dermatomyositis.  
Medicine, 55 : 89 – 104.
- Schwarz, M.I. (1988):**  
The lung in polymyositis.  
Clin. Chest Med., 19 : 701 – 712.
- Scott, D.L.; Brady, G.V.H.; Aitman, T.J.; Zaphiropoulos, G.C. and Hawkins, C.F. (1991):**  
Relationship of gold and D-penicillamine therapy to diffuse interstitial lung disease.  
Ann. Rheum. Dis., 40 : 136 – 141.
- Season, C.S.H.; McAlpine, S.W.; Tashkin, D.P.; Baydur, A.; Quismorio, F.P. and Mongan, E.S. (1994):**  
Small air ways function in non-smokers with rheumatoid arthritis.  
Arthritis. Rheum., 27 : 1218.
- Segal, A.M.; Calabrese, L.H.; Ahmed, M.; Tubbs, R.R. and White, C.S. (1995):**  
The pulmonary manifestations of systemic lupus erythematosus.  
Semin. Arthritis. Rheum., 14 : 202 – 224.

- Seibold, J.R.; Molony, R.R.; Turkevich, D.; Ruddy, M.C. and Rostis, J.B. (1987):**  
Acute hemodynamic effects of ketanserin in pulmonary hypertension secondary to systemic sclerosis.  
J. Rheumatol., 14 : 519 – 521.
- Seyer, J.M. and Kang, A.H. (1989):**  
Collagen and elastin. In : Textbook of Rheumatology. Edited by : Kelley WN, Harris ED and Ruddy CB, Saunders WB Company, Philadelphia.
- Seyer, J.M. and Kang, A.H. (1991):**  
Covalent structure of collagen, amino acid sequence of CB9 from type III collagen of human liver.  
Biochemistry, 20 : 2621.
- Shabara, H. A. (1994):**  
Functional disorders of the respiratory system in different collagen diseases.  
M.D Thesis in Rheumatology and Rehabilitation, Faculty of Medicine, Cairo University.
- Shadick, N.A.; Fanta, C.H.; Weinblatt, M.E.; O'Donnel, W. and Coblyn, J.S. (1994):**  
Bronchiectasis. A late feature of severe rheumatoid arthritis.  
Medicine, 73 : 161 – 170.
- Shahin, A.A.; Sabri, Y.Y.; Mostafa, H.A.; Sabry, E.Y.; Hamid, M.A.; Gamal, H. and Shahin, H.A. (2001):**  
Pulmonary function tests, high- resolution computerized tomography, alpha 1- antitrypsin measurement, and early detection of pulmonary involvement in patients with systemic sclerosis.  
Rheumatol. Int., Apr.; 20 (3) : 95 – 100.
- Shannon, T.M. and Gale, M.E. (1992):**  
Non-Cardiac manifestations of rheumatoid arthritis in the thorax.  
J. Thorac. Imaging, 7 : 19.

**Shiel, W.C. and Prete, P.F. (1994):**

Pleuropulmonary manifestations of rheumatoid arthritis.  
Semin Arthritis Rheum., 13 : 235 – 243.

**Silberstein, S.L.; Barland, P. and Grayzel, A.L. (1990):**

Pulmonary dysfunction in systemic lupus erythematosus :  
Prevalence, classification and correlation with other organ  
involvement.  
J. Rheumatol., 7 : 179 – 185.

**Silver, R.M. and Miller, K.S. (1990):**

Lung involvement in systemic sclerosis.  
Rheum. Dis. Clin. North Am., 16 : 199 – 215.

**Solanki, T. and Neville, E. (1992):**

Bronchiectasis and rheumatoid disease : Is there an association?.  
Br. J. Rheumatol., 31 : 691 – 693.

**Sostman, H.D.; Matthay, R.A.; Putman, C.E. and Smith, G.J. (1996):**

Methotrexate - induced pneumonitis.  
Medicine, 55 : 371.

**Spiro, S.G. and Isenberg, D.A. (1998):**

The respiratory system : Clinical manifestation of rheumatic  
disease In : Oxford Textbook of Rheumatology. Edited by :  
Maddison, P.J.; Isenberg, A.D.; Woo, P. and Glass, D.N. 2<sup>nd</sup> ed.,  
Oxford, New York, Tokyo. Oxford University Press.

**Stahl, J.I.; Lippel, J.H. and Decker, J.L. (1989):**

Fever in systemic lupus erythematosus.  
Am. J. Med., 67 : 935 – 937.

**Stclair, E.V.; Rice, J.R. and Synderman, R. (1995):**

Pneumonitis complicating low-dose methotrexate therapy in  
rheumatoid arthritis.  
Arch. Intern. Med., 145 : 2035 – 2038.

**Steen, V.D.; Conte, C.; Owens, G. and Medsger, T.A. (1990):**

Natural history of severe pulmonary fibrosis in systemic sclerosis.  
Arthritis Rheum., 33 : 5137 – 5162.

- Steen, V.D.; Graham, G.; Conte, C.; Owens, G. and Medsger, T.A. (1992):**  
Isolated diffusing capacity reduction in systemic sclerosis.  
*Arthritis Rheuma.*, 35 : 765 – 770.
- Steen, V.D.; Owens, G.R.; Redmond, C.; Radnan, G.P. and Medsger, T.A.(1995):**  
The effect of D-penicillamine on pulmonary findings in systemic sclerosis.  
*Arthritis Rheum.*, 28 : 882 – 888.
- Stephen, G.; Spiro and David, A.; Isenberg, (1998):**  
The respiratory system as clinical presentation of rheumatic diseases. In : *Oxford Textbook of Rheumatology* 2nd ed., Oxford University Press, PP. 240 – 254.
- Stover, D.E.; Zaman, M.B.; Hajdu, S.J.; Lange, M.; Gold, J. and Armstrong, D. (1984):**  
Bronchoalveolar lavage in the diagnosis of diffuse pulmonary infiltrates in the immuno-suppressed host.  
*Ann. Intern. Med.*, 101 : 1-7.
- Strickland, B. and Strickland, N.H. (1988):**  
The value of high definition narrow section computed tomography in fibrosing alveolitis.  
*Clin. Radiol.*, 39 : 589 – 594.
- Stupie, A.M.; Steen, V.D.; Owens, G.R.; Barnes, E.L.; Rodnan, G.P. and Medsger, T.A. (1986):**  
Pulmonary hypertension in CREST syndrome variant of systemic sclerosis.  
*Arthritis Rheum.*, 29 : 515 – 524.
- Swensen, S.J.; Aughen Baugh, G.L. and Brown, L.R. (1996):**  
HRCT of the lung.  
*Mayo Clin. Proc.*, 64 : 1284 – 1294.
- Tan, E.M.; Cohen, M.A.; Fries, J.F.; Masi, A.T.; McShane, D.J.; Roth Aeld, N.; Schaller, J.S.; Talal, N. and Winchester, R.J. (1982):**  
ACR (1982) revised criteria for the classification of SLE.  
*Arthritis Rheum.*, 25 : 1271 – 77.

- Tazelear, H.D.; Viggiano, R.W.; Pickersyll, J. and Colby, T.V. (1990):**  
Interstitial lung disease in polymyositis and dermatomyositis :  
clinical features and prognosis as correlated with histologic  
diagnosis.  
Am. Rev. Respir. Dis., 141 : 727-733.
- Thomson, P.I.; Dhillon, D.P.; Edingham, J. and Turner, M. (1985):**  
Shrinking lungs, diaphragmatic dysfunction, and systemic lupus  
erythematosus.  
Am. Rev. Respir. Dis., 132 : 926 – 928.
- Thurlbeck, W.M.; Henderson, J.A. and Fraser, R.G. (1978):**  
Chronic obstructive lung disease : A comparison between clinical,  
functional, roentgenologic and morphological criteria in chronic  
bronchiolitis, emphysema and asthma.  
Medicine, 49 : 81 – 145.
- Toarmina, V.I.; Miller, W.T.; Gefter, W.B. and Epstein, R.S. (1981):**  
Progressive systemic sclerosis subgroups: Variable pulmonary  
features.  
Am. I. Roentgen, 137 : 277 – 285.
- Trapani, S.; Camiciottoli, G.; Vierucci, A.; Pistolesi, M. and Falcini, F.  
(2001):**  
Pulmonary involvement in Juvenile dermatomyositis : A  
longitudinal study.  
Rheumatology, 40 : 216 – 220.
- Turner-Stokes, L. and Turner-Warwick, M. (1992):**  
Intra-thoracic manifestations of systemic lupus erythematosus.  
Clin. Rheum. Dis., 8 : 229 – 242.
- Vergneregre, A.; Pugnere, N.; Antonini, M.T.; Arnaud, M.; Melloni, B.;  
Treves, R. and Bonnaud, F. (1997):**  
Airway obstruction and rheumatoid arthritis.  
Eur. Respir. J., 10 : 1072 – 1078.
- Vincken, W.; Elleker, G. and Cosio, M.G. (1996):**  
Detection of upper airway muscle involvement in neuromuscular  
disorders using the flow-volume loop.  
Chest, 90 : 52 – 57.

- Walden, P.A.; Mitchell-Hegges, P.F. and Copping, C. (1997):**  
Pleurisy and methotrexate treatment.  
Br. Med. J., 2 : 876.
- Walters, E.H. (1993):**  
Investigation of lung disease in rheumatic disorders. In : Bailliere's  
Clinical Rheumatology, 7 (1) : 183 – 186.
- Walz-Leblanc, B.; Gladman, D.D.; Urowitz, M.B. and Goodman, P.J. (1994):**  
Serologically active, clinically quiescent systemic lupus  
erythematosus.  
J. Rheumatol., 21 : 2239 – 2241.
- Warrick, J.H.; Bhalla, M.; Schabel, S.I. and Silver, R.M. (1991):**  
High resolution computed tomography in early scleroderma  
disease.  
J. Rheumatol., 18 : 1520 – 1528.
- Wasiack, C.A.; Reichlin, M.; Montes, M. and Raghu, G. (1994):**  
Polymyositis and interstitial lung disease in a patient with anti-jo,  
prototype.  
Am. J. Med., 76 : 538 – 544.
- Waston, R.G. (1965) :**  
A more specific method for detecting and quantitating rheumatoid  
factors using a simple modification of the rheumatoid factor test.  
Am. J. Clin. Path., 43 : 152.
- Weaver, A.L.; Divertie, M.B. and Titus, J.L. (1987):**  
The lung is scleroderma.  
Mayo clinic proceedings, 42 : 754 – 766.
- Webb, W.R. (1989):**  
High-resolution CT of the lung parenchyma.  
Radiol. Clin. North Am., 27 : 1085 – 1097.
- Webb, W.R. (1991):**  
HRCT : Normal anatomic and pathologic findings.  
Radiol. Clin. North Am., 29 : 1051 – 1063.

- Webb, W.R.; Muller, N.L. and Naidich, D.P. (1992):**  
HRCT and findings in lung diseases. In : HRCT of the lung.  
Raven Press, New York, PP. 4-16 & 24 – 51.
- Webb, W.R.; Stein, E.J. and Kanth, (1993):**  
Dynamic pulmonary CT, findings in healthy adultmen.  
Radiology, 186 : 117 – 124.
- Webb, W.R. (1994):**  
HRCT of obstructive lung disease.  
Radiol. Clin. North Am., 32 : 745 – 757.
- Weibel, E.R. (1963):**  
Morphometry of the human lung.  
New York Academic Press.
- Weidemann, H.P. and Matthay, R.A. (1992):**  
Pulmonary manifestations of systemic lupus erythematosus.  
J. Thorac. Imaging, 7 : 1- 18.
- Wells, A.U.; Hansell, D.M. and Corrin, B. (1992):**  
High-resolution computed tomography as a predictor of lung  
histology in systemic sclerosis.  
Thorax, 47 : 508 – 512.
- Wells, A.U.; Hansell, D.M. and Rubens, M.B. (1993):**  
The predictive value of appearances on thin-section computed  
tomography in fibrosing alveolitis.  
Am. Rev. Respir. Dis., 148 : 1076 – 1082.
- Wiedemann, H.P. and Mtthay, K.H. (1989):**  
Pulmonary manifestations of the collagen vascular diseases.  
Clinics in Chest Medicine, 10 : 677 – 722.
- Wilson, T.A.; Roarte, J.R. and Butler, J.R. (1996):**  
Wave-speed and viscous flow limitation. In : Macklem, P.T and  
Mead, J. (eds) Handbook of physiology, section 3, vol. 3, (Part 1)  
American Physiology Society, Bethesda, MD.

**Wolfe, F.; Schurle, D.R. and Lin, J.J. (1993):**

Upper and lower airway disease with D-penicillamine treatment in rheumatoid arthritis.

J. Rheumatol., 10 : 400 – 410.

**Wood, P.H.N. (1998):**

Nomenclature and classification in rheumatology. In : Copeman's Textbook of the Rheumatic Disease, 5th ed., Scott JT, Churchill LE (eds).

**Worth, H.; Grahn, S.; Lakomek, H.J.; Bremer, G. and Goeckenjan, G. (1988):**

Lung function disturbances versus respiratory muscle fatigue in patients with systemic lupus erythematosus.

Respiration, 53 : 81 – 90.

**Wortman, R.L. (1996):**

Inflammatory diseases of muscle and other myopathies. In : Text book of Rheumatology. Edited by : Kelley WN, Ruddy S, Harris ED and Sledge CB, 5th ed., Saunders WB Company, Philadelphia, PP. 1226 – 1234.

**Wright, J.L.; Sosio, M.; Wiggs, B. and Hogg, J.C. (1985):**

A morphologic grading scheme for membranous and respiratory bronchioles.

Arch. Pathol. Lab. Med., 109 : 163.

**Yo Shida, S.; Akizuki, M. and Mimori, T. (1983):**

The precipitating antibody to an acidic nuclear protein antigen, the Jo-1, in connective tissue disease : A marker for a subset of polymyositis with interstitial pulmonary fibrosis.

Arthritis Rheum., 26 : 604 – 611.

**Yousem, S.A.; Colby, T.V. and Carrington, C.B. (1995):**

Lung biopsy in rheumatoid arthritis.

Am. Rev. Respir. Dis., 131 : 770 – 777.

**Zerhouni, E. (1989):**

Computed tomography of the lung parenchyma : An overview.

Chest, 95 : 901 – 907.

*Zerhouni, E.A.; Naidich, D.P.; Stitik, F.P.; Khouri, N.F. and Siegelman, S.S. (1995):*

Computed tomography of the pulmonary parenchyma Part III :  
Interstitial disease.

J. Thorac. Imaging, 1 : 54 – 64.

*Zwirewich, C.V.; Terriff, B. and Muller, N.L. (1989):*

High-spatial-frequency (bone) algorithm improves quality of  
standard CT of the thorax.

A. J. R., 153 : 1169 – 1173.