

# References

1- **Akat T, Murakami J, Yoshinaga (1999):** A: Life-threaening haemorrhage following obturator artery injury during transurethral bladder surgery: a sequel of an unsuccessful obturator nerve block. *Acta anaesthesiol Scand.* 43:784-8.

2- **Allen HW, Liu SS, Ware PD, Nairn CS, Owens BD (1998):** Peripheral nerve blocks improve analgesia after total knee replacement surgery. *Anesth Analg* 87:93-7.

3- **Avinash Sinha, Vincent W. S. Chan (2004):** Ultrasound Imaging for Popliteal Sciatic Nerve Block *Regional Anesthesia and Pain Medicine*, Vol 29, No 2 (March–April).

4. **Ball CM, Steger T, Galatz LM and Yamaguchi K (2003).** The posterior branch of the axillary nerve: an anatomic study. *J Bone Joint Surg*; 85: 1497-1501.

5. **Barash Paul G, Stoelting Robert K and Bruce F. Cullen (2006).** Barash's clinical anesthesia. Lippincott Williams & Wilkins 5<sup>th</sup> ed.

6- **Bailey SL, Parkinson SK, Little WL, Simmerman SR (1994):** Sciatic nerve block: A comparison of single versus double injection technique. *Reg Anesth* 19:9-13.

7-**Bigeleisen P and Wilson M (2006).** A comparison of two techniques for ultrasound guided infraclavicular block. *Br J Anaesth*; 96: 502-7.

8- **Benzon HT, Kim C, Benzon HP, et al (1997):** Correlation between evoked motor response of the sciatic nerve and sensory blockade. *Anesthesiology* 87:548-52.

9- **Brey, B.B. Basic I/O Interface. In (1997):** Brey, B.B.: The Intel Microprocessors 8086/8088, 80186/80188, 80286, 80386, 80486, Pentium, and Pentium Pro Processor:

Architecture, Programming, and Interfacing, Fourth Edition, Prentice Hall, Upper Saddle River, NJ; 362-429.

**10- Bridenbaugh PO., Wedel DJ (1998):** The Lower Extremity. Somatic Blockade . In Cousins, M.J., and Bridenbaugh PO (eds): Neuronal Blockade in Clinical Anesthesia and Management of Pain, 3rd edition. Philadelphia, Lippincott - Raven Publishers, , pp 375-94.

**11-Burnstein R, Buckland R and Pickett JA (1999).** A survey of epidural analgesia for labour in the United Kingdom. Anaesthesia; 54: 634–640.

**12-Bogduk N, Lau P, Mercer S and Govind J (1997).** Clinical Anatomy of the lumbar spine and sacrum, 3<sup>rd</sup> edn. Edinburgh Churchill Livingstone: 345-371.

**13-Brown DL and Bridenbaugh LD (1998).** The upper extremity: Somatic block. In: Cousins MJ, Bridenbaugh PO, eds. Neural blockade in clinical anesthesia and management of pain, 3<sup>rd</sup> ed. Philadelphia, PA: Lippincott-Raven: 345-371.

**14-Carmichael SW and Gloviczki P (1999).** Anatomy of the blood supply to the spinal cord: the artery of Adamkiewicz revisited. Perspect Vasc Surg; 12: 113-22.

**15-Chakraverty R (2007).** Which spinal levels are identified by palpation of the iliac crests and the posterior superior iliac spines?. J Anat; 210(2): 232-6.

**16-Chan VW, Perlas A, Rawson R and Odukoya O (2003).** Ultrasound-guided supraclavicular brachial plexus block. Anesth Analg; 97(5): 1514–1517.

**17-Chelly JE (2004):** Continuous Peripheral Nerve block. An illustrated guide. Chapter 5: Equipments. 37-42

**18-Chui , Kwok W. H., Karmakar M. K., A. M. Ho, K. Tsang, P. T. and T. Gin (2007)** Ultrasound-guided sciatic nerve block: description of a new approach at the subgluteal space British Journal of Anaesthesia 2007 98(3):390-395; doi:10.1093/bja/ael364

**19-Crock HV (1996).** An atlas of vascular anatomy of the skeleton and spinal cord. London: Martin Dunitz: 271-2.

**20-Dean NA and Mitchell BS (2002).**

Anatomic relation between the nuchal ligament (ligamentum nuchae) and the spinal dura mater in the craniocervical region. Clin Anat; 15: 182-5.

**21- Ebraheim NA, Mekhail AO (2006):** The infrapatellar branch of the saphenous nerve: an anatomic study. J Orthop Trauma 11: 195–9.

**22- Fujiwara Y, Sato Y, Kitayama M, Shibata Y, Komatsu T, Hirota K (2007):** Obturator nerve block using ultrasound guidance. Anesth Analg. Sep;105(3):888-9.

**23- Gouverneur JM (1985):** Sciatic nerve block in the popliteal fossa with atraumatic needles and nerve stimulation. Acta Anaesthesiol Belg; 36:391-9.

**24-Grau T, Leipold R, Conradi R, Martin E and Motsch J (2001).<sup>(a)</sup>**

Ultrasound imaging facilitates localization of the epidural space during combined spinal and epidural anesthesia. Reg Anesth; 26: 64–67.

**25-Grau T, Leipold R, Conradi R, Martin E and Motsch J (2001).<sup>(b)</sup>**

Ultrasonography and epidural anaesthesia: technical possibilities and boundaries of ultrasonic examination of the epidural space. Anesthesist; 50: 94–101.

**26-Grau T, Leipold R, Conradi R and Martin E (2001).**<sup>(c)</sup> Ultrasound control for presumed difficult epidural puncture. *Acta Anaesthesiol Scand*; 45: 766-771

**27-Greher M, Retzel G, Niel P, Kamholz L, Marhofer P and Kapral S (2002).** Ultrasonographic assessment of topographic anatomy in volunteers suggests a modification of the infraclavicular brachial block. *Br J Anaesth*; 88: 632-6.

**28-Hatfield A, Bodenham A (1999):** Portable ultrasound for difficult central venous access. *Br J Anaesth* 82(6): 822-6.

**29-Helayel PE, da Conceicao DB, Pavei P, Knaesel JA, de Oliveira Filho GR (2007):** Ultrasound-guided obturator nerve block: a preliminary report of a case series. *Reg Anesth Pain Med*. May-Jun;32(3):221-6.

**30-Horner G, Dellon AL (1994):** Innervation of the human knee joint and implications for surgery. *Clin Orthop Relat Res*; 301: 221–6.

**31-Jones R, De Jong M, Smith B (1992):** Voltage fields surrounding needles used in regional anesthesia. *Anesth Analg*; 84: 570.

**32-Kapral S, Lundblad M, Marhofer P and P.A. Lonnqvist (2006):** Ultrasound-guided infrapatellar nerve block in human volunteers: description of a novel technique *British Journal of Anaesthesia* 97 (5): 710–14.

**33- Karmakar M. K., A. M.-H. Ho, X. Li, W. H. Kwok, K. Tsang and W. D. Ngan Kee (2008):** Ultrasound-guided lumbar plexus block through the acoustic window of the lumbar ultrasound trident *British Journal of Anaesthesia* 2008 100(4):533-537; doi:10.1093/bja/aen026

**34- Karmakar M. K., W. H. Kwok, A. M. Ho, K. Tsang, P. T. Chui and T. Gin (2007)** Ultrasound-guided sciatic nerve block: description of a new approach at the subgluteal space *British Journal of Anaesthesia* 2007 98(3):390-395; doi:10.1093/bja/ael364

- 35- **Katz JA, (1999):** Use of nerve stimulators for peripheral nerve blocks. In: Bewnzon, Raja, Borsook, Molloy, Strichartz; Essentials of pain medicine and regional anesthesia. Churchill Livingstone, Philadelphia; 395-397.
- 36- **Kim PS, Ferrante FM: Cryoanalgesia (1998):** A novel treatment for hip adductor spasticity and obturator neuralgia. *Anesthesiology* 89: 534-536.
- 37- **Klaus Schrogendorfer, Wallner T, Koinig H, Marhofer P, Mayer N, Kapral S (1998):** Ultrasonographic guidance reduces the amount of local anesthetic for 3-in-1 blocks. *Reg Anesth Pain Med* 23:584-588.
- 38- **Koomen E, Janssen S, Anderson BJ (2002):** Use of ultrasound bladder monitoring in children after caudal anaesthesia *Paediatr Anaesth* 12(8): 738-41.
- 39- **Kwok W. H., Karmakar M. K., A. M. Ho, K. Tsang, P. T. Chui and T. Gin(2007)** Ultrasound-guided sciatic nerve block: description of a new approach at the subgluteal space *British Journal of Anaesthesia* 2007 98(3):390-395; doi:10.1093/bja/ael364
- 40- **Lang SA, Yip RW, Chang PC (1993):** The femoral 3-in-1 block revisited. *J Clin Anesth* 5:292-296.
- 41- **Levin KH, Covington EC, Devereaux MW, et al (2001).** Neck and low back pain. *Continuum (NY)*; 7: 9.
- 42- **Lundblad M., S. Kapral, P. Marhofer and P.A. Lonnqvist (2006):** Ultrasound-guided infrapatellar nerve block in human volunteers: description of a novel technique *British Journal of Anaesthesia* 97 (5): 710–14.
- 43- **Madej TH, Ellis FR, Halsall PJ (1989):** Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy. *Br J Anaesth* 62:515-7.
- 44- **Manfred Muhm (2002):** Ultrasound guided central venous access (Editorial) *BMJ* 325: 1373-4.

- 45- Marhofer P, Greher M, Kapral S (2005):** Ultrasound guidance in regional anaesthesia. *Br J Anaesth* 94: 7–17.
- 46-Marvin R Leventhal (2003):** Campbell's Operative Orthopaedics: Spinal Anatomy and Surgical Approaches, 10th ed. Mosby, Inc.: Chapter 34.
- 47-Maurer K, Ekatodramis G, Rentsch K and Borgeat A (2002).**  
Interscalene and infraclavicular block for bilateral distal radius fracture. *Anesth Analg*; 94: 450-2.
- 48-Miller Ronald D, Roy F Cucchiara, Edward D Miller Jr, J Gerald Reves, Michael F Roizen and John J Savarese (2005).** Miller's Anesthesia, 6<sup>th</sup> ed. Elsevier, Churchill Livingstone.
- 49- Mulroy MF (1996):** Brachial plexus block. In: Nancy Megaley, Richard L Pub; Regional Anesthesia. Little, Brown, and Company, 2<sup>nd</sup> edition. New York, Tokyo, London: 159-179.
- 50- Mulroy M and Mitchell B (2002):** Unsolicited paresthesia with nerve stimulator: Case reports of four patients. *Anesth Analg*; 95:762-3.
- 51-Newell RLM (1999).** The spinal epidural space. *Clin Anat*; 12: 375-9.
- 52- Oberndorfer U. , P. Marhofer A., H. Willschke , M. Felfernig, M. Weintraud, S. Kapral and S. C. Kettner (2007)** Ultrasonographic guidance for sciatic and femoral nerve blocks in children *British Journal of Anaesthesia*, doi:10.1093/bja/aem092
- 53-Ootaki C, Hayashi H and Amano M (2000).** Ultrasound guided infraclavicular brachial plexus block: an alternative technique to anatomical landmark-guided approaches. *Reg Anesth Pain Med*; 25: 600-4.
- 54- Papastergiou SG, Voulgaropoulos H, Mikalef P, Ziogas E, Pappis G, Giannakopoulos I (2005):** Injuries to the infrapatellar branch(es) of the saphenous

nerve in anterior cruciate ligament reconstruction with four-strand hamstring tendon autograft: vertical versus horizontal incision for harvest. *Knee Surg Sports Traumatol Arthrosc* 23: 1–5.

**55-Peer S, kovacs P and Harpf C (2002).** High resolution sonography of lower extremity peripheral nerves: anatomic correlation and spectrum of disease. *J Ultrasound Med*; 21: 315-22.

**56-Perlas A and Chan VWS (2004).** Ultrasound guided interscalene brachial plexus block. *Techniques in Regional Anesthesia and Pain Management*; 8: 143-8.

**57-Pollock JE (2002).** Transient neurological symptoms: etiology, risk factors, and management. *Reg Anesth Pain Med*: 27; 581-86.

**58-Purves, Dale, Augustine and George J (2001).** Neuroscience. 2nd ed. Sunderland (MA): Sinauer Associates, Inc.

**59-Raj PP (1997).** Infraclavicular approaches to brachial plexus Anesthesia. *Techniques in Reg Anesth and Pain Management*; 1: 169-77.

**60-Reina MA, Lopez A, Badorrey V, De Andres JA and Martin S (2000).** An in vitro study of dural lesions produced by 25-gauge Quincke and Whitacre needles evaluated by scanning electron microscope. *Reg Anesth Pain Med*; 25: 393-402.

**61-Reynolds F (2001).** Damage to the conus medularis following spinal anesthesia. *Anaesthesia*; 56: 238-47.

**62-Roberts S, Evans H and Trivedi J (2006).** History and pathology of the human intervertebral disc. *J Bone Joint Surg Am*; 88(2): 10-14.

**63- Sandhu NS, Capan LM (2002):** Ultrasound-guided infraclavicular brachial plexus block. *Br J Anaesth* 89: 254-259.

**64- Schupfer G, Jöhr M (2005):** Psoas compartment block in children: Part I- description of the technique. *Pediatric Anesth* 15:461-64.

**65- Shiozawa H (2002):** A new transurethral resection system: operating in saline environment precludes obturator nerve reflex. J Urol 168:2665-7.

**66-Sandhu NS and Capan LM (2002).** Ultrasound-guided infraclavicular brachial plexus block. Br J Anaesth; 89: 254–9.

**67-Standring S, Lawrence H Bannister, Martin M Berry, Patricia Collins, Julian E Dussek and Mary Dyson (2005).** Gray's Anatomy: The Anatomical Basis of Clinical Practice, macroscopic anatomy of the spinal cord and spinal nerves, 37<sup>th</sup> ed. Elsevier: Churchill Livingstone: 775-787.

**68-Taylor GI and Razaboni Michael Salmon (1994).** Anatomic Studies. Book 1, Arteries of the muscles of the trunk. Book 2, Arterial anastomotic pathways of the extremities. St Louis: Quality Medical Publishing: 846-849.

**69- Tsang , Karmakar M. K., A. M.-H. Ho, X. Li, W. H. Kwok, K and W. D. Ngan Kee (2008):** Ultrasound-guided lumbar plexus block through the acoustic window of the lumbar ultrasound trident British Journal of Anaesthesia 2008 100(4):533-537; doi:10.1093/bja/aen026

**70- Tulchinsky A, Weller RS, Rosenblum M, Gross JB (1994):** Nerve stimulator polarity and brachial plexus block Anesth Analg; 77: 100.

**71-Williams A and Newell RLM (2005).** Back and macroscopic anatomy of the spinal cord. In: Standing S., ed. Gray's anatomy, 39th edition Elsevier Churchill Livingstone New York: 727-787.

**72- Whiteside JL, Walters MD (2004):** Anatomy of the obturator region: relations to a trans-obturator sling. Int Urogynecol J Pelvis Floor Dysfunct 15:223-6.