

REFERENCES

- Allen,B.L.Jr. and Ferguson, R.L. (1985). Topics of interest in pediatric orthopedics. *Ped. Clin.*, 32:1333-1345.
- Axer,A. and Aner,A. (1984). A new technique for greater trochanter hip arthroplasty. *J. Bone and Joint Surg.*, 66-B: 331-3.
- Babcock,D.S. (1989). Neonatal and pediatric ultrasonography. ed. by Diane,S.,Babcock, pp:234-235., Churchill livingstone.
- Badgley,C.E., Luis Yglesias, Perham,W.S. and Snyder,C.H. (1936). Study of the end results in 113 cases of septic hips. *J. of Bone and Joint Surg.*, Vol. XVIII, No. 4, pp:1047-1061.
- Bickerstaff,D.E., Neal,L.M., Boath,A.J., Breennan,P.O. and Bell, M.J. (1990). Ultrasound examination of the irritable hip. *J. Bone and Joint Surg.*, 72-B, 549-553.
- Betz,R.R., Cooperman,D.R., Wopperer,J.M, Sutherland,R.D. and Schaaf,H.W (1990). Late sequelae of septic arthritis hip in infancy and childhood. *J. Ped. Orthop.*, 10:365-372.
- Bowyer,S.L. and Hollister,J.R. (1984). Limb pain in childhood. *Ped. Clinic.*, 31:1049-1079.
- Broderick,P.A., Corvese,N., Plerik,M.G., Pike,R.F. and Mariorenzi,A.L. (1967). Exfoliative cytology interpretation of synovial fluid in joint disease. *J. Bone and Joint Surg.*, 58-A:396-399.

- Chacha,P.B. (1971). Suppurative arthritis of the hip joint in infancy. J. Bone and Joint surg., 53-A(3):538-544.
- Chang,M.J., Contyoni,G. and Rodriquez,W. (1981). Ampcillin resistant Haemophilus influenzae type B. in septic arthritis in children. Clin. Pediatr., 20:139-141.
- Choi,I.H., Pizzutillo,P.D., Bowen,R., Dragann,R. and Malhis, T. (1990). Sequelae and reconstruction after septic arthritis of the hip in infants. J. Bone and Joint Surg., 72-A:1150-1165.
- Chung,S.M.K. (1976). The arterial supply of the developing proximal end of the human femur. J. Bone and Joint Surg., 58-A:961-970.
- Clauson,D.K. and Dunn,A.W. (1967). Management of common bacterial infections of bone and joints. J. Bone and Joint Surg., 49-A(1):164-182.
- Compere,E.L., Metzger,W.I. and Mitra,R.N. (1967). The treatment of pyogenic bone and joint infection by closed irrigation (circulation) with a non toxic detergent and one or more antibiotics. J Bone and Joint surg. (Am). 49-A:614-624.
- Curtis,P.H.Jr (1964). Changes produced in the synovial membrane and synovial fluid by disease. J. Bone and Joint Surg., 46-A:873-888.
- Curtis, P.H. and Clein, L. (1963). Destruction of articular cartilage in septic arthritis, In vitro study. J. Bone and Joint sur. 45-A:757-800.

- Curits, P.H. and Clein, L. (1965). Destruction of articular cartilage in septic arthritis, In vivo study. J. Bone and Joint Surg., 48-A:1595-1604.
- Dan, M. (1984). Septic arthritis in young infants. Clinical and microbiologic correlations and therapeutic implications. Rev. Infect. Dis. 6:147-155. (Quated by Sharrard W.J.W (ed): Pediatric orthopedic and fractures., 3rd edition, Published by Blackwell Scientific Publications (1993).
- Dias,L., Tachdjian,N.O. and Schroder,K.E. (1980). Premature closure of the triradiate cartilage. Report of a case. J. Bone and Joint Surg., 62-B: 46-48.
- Draves, D.J. (1986). Anatomy of the lower extremity text. pp. 33-64. Published by William and Wilkins.
- Drutz,D.J., Schaffner,W., Hillman,H. and Koenig, M.G. (1967). The penetration of pencillin and other antimicrobiols into joint fluid. J. Bone and Joint Surg., 49-A:1415-1421.
- Edwards,M.S., Baker,C.J., Wagner,M.L., Taber, L.H. and Barret, F.F. (1978). An etiologic shift in infantile osteomyelitis: The emergence of the group B Streptococcus. J. Peditrics., 93(4):578-583.
- Egund,N., Wingstrand,H., Forsberg,L., Pettersson,H. and Swden,G. (1986). Hip joint effusion in children. Acta Orthop. Scand., 57-B:175-179.
- Evans,R.P., Nilson,C.L. and Lange,T.A. (1990). Pathophysiology of osteomyelitis. In C.M., Collister (ed.) surgery of the musculoskeletal system (Evart), 2nd edition. Churchil livingstone ince., PP. 4301-4312.

- Eyre-Book, A.L. (1960). Septic arthritis of the hip and osteomyelitis of the upper end of the femur in infants. *J. Bone and Joint Surg.*, 42-B:11-20.
- Finsterbusch, A. and Weingerg, H. (1972). Venous perfusion of the limb with antibiotics for osteomyelitis and other chronic infections. *J. Bone and Joint Surg.*, 54-A:1227-1234.
- Finsterbsch, A., Argman, M. and Sacks, T. (1970). Bone and joint perfusion with antibiotics in the treatment of staphylococcal infection in rabbits. *J. Bone and Joint Surg.*, 52-A:1424-1432.
- Hall, B.B., Rosenblatt, J.E. and Fitzgerald, R.H. (1984). Anaerobic septic arthritis and osteomyelitis. *Orthop., Clin.*, 15(3):505-535.
- Hallel, T.L. and Savati, E.A. (1978). Septic arthritis of the hip in infancy, end result study. *Clin. Orthop.*, 132:477-482. (Quoted by Sharrard W.J.W (ed): *Pediatric orthopedic and fractures*, 3rd. edition; Published by Blackwell Scientific Publications (1993).
- Harmon, P.H. (1942). Surgical treatment of the residual deformity from suppurative arthritis of the hip occurring in young children. *J. Bone and Joint Surg.*, 24:576-585. (Quoted by Campbell's operative orthopaedics 8th ed. pp:170-171, edited by A.H.Crenshaw Mosby- Year book, Inc. 1992).
- Harris, N.H. (1983). Bone and joint infection. In Nigel H. Harris (ed): *Postgraduate text book of clinical orthopedics*, William and Wilkins, pp:339-363.

- Harty, M. (198?). The anatomy of the hip joint; In Tranzo R.G. (ed): Surgery of the hip joint (Vol. 1). Springer verlag, pp:45.
- Heberling, J.A. (1941). A review of two hundred and one cases of suppurative arthritis. J. Bone and Joint Surg., Vol. XXIII, 917-921.
- Herndon, W.A., Knauers, S., Sullivan, A. and Gross, R.H. (1986). Management of septic arthritis in children. J. Ped. Orthop., 6:576.
- Hoe, W.W., Lacey, T. and Plato, R.S. (1950). A study of the gross anatomy of the arteries supplying the proximal portion of the femur and acetabulum. J. Bone and Joint Surg., 32-A: 856-866.
- Hollinshead, W.H. and Rosse, C. (1985). Text book of anatomy, 4th ed., pp:352-360. Published by Harper and Row.
- Hunka, L., Said, S.E., MacKenize, D.A., Rogala, J. and Cruess, R.L. (1982). Classification and surgical management of the sever sequelae of septic hips in children. Clin. Orthop., 171:30-36.
- Hunter, W. (1743). Of the structure and diseases of the articulating cartilages. Philosoph. Trans. Roy. Soc. London, 42:514-522. (Quoted by Morrisy R.T(ed): Lovells and Winter's pediatric orthopedics, 3rd edition. J.B Lippincot. pp:539-561; 1990).
- Gilday, D.L., Eng, B., Paul, D.J. and Paterson, J. (1975). Diagnosis of osteomyelitis in children by combined blood pool and bone imaging. Radiolog., 117:331-335.

- Green, N.E. and Edwards, K. (1987). Bone and joint infections in children. *Orthop. Clin.*, 18(4):553-576.
- Griffin, P.P. (1967). Bone and joint infection in children. *Ped. Clin.*, 14:533-548.
- Kanale, S.T. and King, R.E. (1984). Fractures of the hip. In Charles A. Rockwood Jr.; Kay, E. Wilkins and R.E. King (ed): *Fractures in children*, J.B. Lippicott, pp:782-783.
- Kelly, P.J. (1968). Anatomy, physiology and pathology of the blood supply of bones. *J. Bone and Joint Surg.*, 50-A(4): 766-783.
- Kleinman, P.K. and Spenak, M.R. (1990). Advanced pediatric joint imaging. *Rad. Clin.*, 28:1073-1109.
- Kloiber, R., Povlosky, W. and Pronter, O. (1983). Bone scintigraphy of hip joint effusion in children. *A.J.R.*, 140:995-998.
- Knudsen, C.J.M. and Hoffmen, E.B. (1990). Neonatal osteomyelitis. *J. Bone and Joint Surg.*, 72-B:846-851.
- Lack, C.H. (1959). Chondrolysis in arthritis. *J. Bone and Joint Surg.*, 41-B:384-387.
- Langman, J. and Woerdeman, M.W. (1982). *Atlas of medical anatomy*, pp:306-309, Published by Saunders press.
- Lavinia Fox and Katherine, S. (1978). Neonatal osteomyelitis. *Pediatrics*, 62(4):535-542.

- Lisbona, R. and Rosenthal, L. (1977). Observation of the sequential use of Tc."99m" phosphonate complex and gallium "67" imaging in osteomyelitis, cellulitis and septic arthritis. Radiolog., 123:123-129.
- Lloyd-Roberts, G.C. (1960). Suppurative arthritis of infancy, some observations upon prognosis and management. J. Bone and Joint Surg., 42-B: 706-720.
- Luneth, P.A. and Heiple, K.G. (1979). Prognosis in septic arthritis of the hip in children, Clin. Orthop., 139:81-85 (Quoted by Sydney Nade: Acute septic arthritis in infancy and childhood. J. Bone and Joint Surg., 65-B: 234-241: 1983)
- Mader, J.T. and Calhoun, J. (1990). Antimicrobial treatment of musculoskeletal infections. In C. Mc. Collister(ed): Surgery of musculoskeletal system (Evart) 2nd edition, Churchill livingston Inc., pp:4323-4336.
- Merkel, L.D., Fitzgerald, R.H. and Brown, M.L. (1984). Scintigraphic evaluation in musculoskeletal sepsis. Orthop. Clin., 15:401-416.
- Merritt, K., Poyle, W.E., Dye, S.K. and Porter, R.E. (1976). Counterimmune electrophoresis in the diagnosis of septic arthritis caused by Hemophilus influenzae. J. Bone and Joint Surg., 58-A:414-415.
- Mitchell, G.P. (1980). Management of acquired dislocation of the hip in septic arthritis. Orthop. Clin., 11:51-64.

- Morrey, D.F. and Bianco, A.J. and Rhodes, K.H. (1975) Septic arthritis in children. *Orthop. Clin.*, 6:923. (Quoted by Morrisy R.T(ed): *Lovells and Winter's pediatric orthopedics*, 3rd edition. J.B Lippincot. pp:539-561; 1990)
- Morrey, B.F., Bianco, A.J. and Thodes, K.H. (1976). Suppurative arthritis of the hip in children. *J. Bone and Joint Surg.*, 58-A:388-392.
- Morrisy, R.T. (1990). *Lovell's and Winter pediatric orthopedics*. 3rd edition, pp:539-561.
- Morrisy, R.T. (1992). *Atlas of pediatric orthopedic*. Lippincott, pp:131-136.
- Murray, P.R., Kobayashi, G.S., Pfaller, M.A. and Rosenthal, K.S. (1994). *Medical microbiology* (2nd ed.), edited by Robert Forrel, pp: 166-192.
- Nade, S. (1983). Acute septic arthritis in infancy and childhood. *J. Bone and Joint Surg.*, 65-B:234-241.
- Nade, S. (1993). Personal communication.
- Nade, S., Robertson, F.W. and Taylor, T.K.F. (1974). Antibiotic in the treatment of acute osteomyelitis and acute septic arthritis in children. *Med. of Aust.*, 2:703-705. (Quoted by Sydney Nade: Acute septic arthritis in infancy and childhood. *J. Bone and Joint Surg.*, 65-B: 234-241; 1983).
- Nelson, J.D. and Koontz, W.C. (1966). Septic arthritis in infants and children: A review of 117 cases. *Pediatrics*, 38(6):966-971.

- Nelson, J.D., Haward, J.B. and Sharon, S. (1978). Oral antibiotic therapy for skeletal infection of children. I- antibiotic concentration in suppurative synovial fluid. *J. Pediatrics*, 92:131-134
- Nichols, G.W., Schwentker, E.P., And Boal, D.K. (1986). Correlation of anatomy and ultrasonographic images in the infant hip: An experimental cadaver study: *Ped. Orthop.*, 6:410-415.
- Niels, E., Hons, M., Lillernor, F., Hoger, P.R. and Goran, S. (1986). Computed tomography and ultrasonography for diagnosis of hip joint effusion in children. *Acta. Orthop., Scand.*, 57-B:211-215.
- Nichols, G.W., Schwentker, E.P. and Boal, D.K. (1986). Ultrasonographic anatomy of the infant hip. *J. Pediatric Orthop.*, 6:410-415.
- Novick, G.S. (1988). Sonography in pediatric hip disorders. *Rad. Clinic.*, 26:29-53.
- Obletz, B.E. (1960). Acute suppurative arthritis of the hip in the neonatal period. *J. Bone and Joint Surg.*, 42-A(1):23-30.
- Ogden, A.J. (1974). Changing patterns of proximal femoral vascularity. *J. Bone and Joint Surg.*, 56-A:941-950.
- Paterson, D.C. (1970). Acute suppurative arthritis in infancy and childhood. *J. Bone and Joint Surg.*, 52-B:474-482.
- Peltola, H., Vahvanen, V. and Aalto, K. (1984). Fever, C reactive protein and erythrocyte sedimentation rate in monitoring recovery from septic arthritis: A preliminary study. *J. Pediatr. Orthop.*, 4:170-174.

- Petty, W. and Fajgenbaum, M.C. (1990). Infection of synovial joints. In C. Mc. Collister(ed): Surgery of musculoskeletal system (Evart) 2nd edition, Churchill livingston Inc., pp: 4399-4427).
- Phemister, D.B. (1924). The effect of pressure on articular surfaces in pyogenic and tuberculus artheritis and its bearing on the treatment. Ann. Surg.80:481-500. (Quoted by Sydney Nade: Acute septic arthritis in infancy and childhood. J. Bone and Joint Surg., 65-B: 234-241; 1983).
- Salter, R.B., Bell, R.S. and Keeley, F.W. (1981). The protective effect of ontinuous possive motion on living articular cartilage in acute septic arthritis. An experimental investigation in rabbit. Clin. Orthop. and Related Research, 159:223-247.
- Salvati, E.A. (1984). Neonatal and infantile septic arthritis. In Tranzo, R.G. (ed): Surgery of the hip joint (Vol. 1) Springer verlog, pp:387-403).
- Samilson, F.R., Bersonif, A. and Watkins, M.B. (1958). Acute suppurative arthritis in infants and children: the importane of early diagnosis and surgical drainge. Pediatrics, 21:789.
- Sevitt, S. and Thompson, R.G. (1969). Ongoing assesment of therapy in septic arthritis. Arthritis Rheum, 12:529-534.
- Sharrard, W.J.W. (1993). Pediatric orthopedics and fractures. 3rd edition, Vol. 3-pp: 1236-1246. Bckwell Scientific Publications.
- Suzuki, S. (1993). (Personal communication).

- Tachdjian, M.O. (1972). Pediatric orthopedics text. Vol. 1, PP:673, Saunders company.
- Tetzlaff, T.R., McGracken, G.H. and Nelson, J.P. (1978). Oral antibiotic therapy for skeletal infections of children. II- Therapy of osteomyelitis and suppurative arthritis. J. Pediatrics, 92:485-490.
- Thompson, R.L. and Wrigh, A.L. (1984). Antimicrobial therapy in musculoskeletal surgery. Orthop. Clin., 15:547-565.
- Treuta, J. (1957). The normal vascular anatomy of the human femoral head during growth. J. Bone and Joint Surg., 39-B: 358-394.
- Treuta, J.D. and Harrison, M.H. (1953). The normal vascular anatomy of the femoral head in adults. J. Bone and Joint Surg., 35-B:442-461.
- Tucker, F.R. (1949). Arterial supply to the femoral head and its clinical importance. J. Bone and Joint Surg., 31-B:87-93.
- Ward, J., Cohen, A.S. and Bauer, W. (1960). The diagnosis and therapy of acute suppurative arthritis. Arthritis Rheum, 3:522-535. (Quoted by Sydney Nade: Acute septic arthritis in infancy and childhood. J. Bone and Joint Surg., 65-B: 234-241; 1983).
- Weintroub, S. Lloyd-Roberts, G.C. and Fraser, N. (1981). The prognostic significance of the triradiate cartilage in suppurative arthritis of the hip in infancy and early childhood. J. Bone and Joint Surg., 63-B:190-193.
- Weisman, S.L. (1967). Transplantation of the Trochantric epiphyses into the acetabulum after septic arthritis of the hip. J. Bone and Joint Surg., 49-A:1647-1651.