

REFERENCES

Aage,D.; Lars,T.; Mogens,K.J. and Paul,R. (1977) :

"Bone changes during prednisone treatment".

Acta Med. Scand. 202 : 253 - 255.

Adachi, J.D.; Bensen, W.G.; Graig, G.L.; Prayer, K.; Pack, W.W.;

Guyatt,G.H.; Hirsh,J. and Tugwell,P.X. (1987) :

"A randomized control trail of vitamin D. and calcium
in steroid-induced osteoporosis".

Arthritis Rheum. 30 - 528.

Adams,J.C. (1981) :

"Rheumatoid arthritis of the shoulder" In outline of
orthopedics, edited by Adams,J.C. 9th Ed. Churchill,
Livingston London, P. 232.

Als,O.S.; Gotfredsen,A. and Christiansen,C. (1983) :

"Relationship between local and total bone mineral in
patients with rheumatoid arthritis and normal subjects".

Clin. Rheumatol, 2 : 265 - 71.

Als,O.S.; Christiansen,C. and Hellesen,C. (1984) :

"Prevalence of decreased bone mass in rheumatoid arthritis :
relation to anti-inflammatory treatment".

Clin. Rheum. 3, 201 - 208.

Als, O.S.; Gotfredsen, A. and Christiansen, C. (1985-b) :

"The effect of glucocorticoids on bone mass in rheumatoid arthritis, Influence of menopausal state".

Arthritis Rheum. 28 : 361.

Als, O.S.; Godfredson, A.; Riis, B.J. and Christiansen, C. (1985) : (a)

"Are disease duration and degree of functional impairment determinants of bone loss in rheumatoid arthritis".

Ann. Rheum. Dis., 44, 406 - 411.

Als, O.S.; Riis, B.J.; Gotfredsen, A.; Christiansen, C. and Deftos, J. (1986) :

"Biochemical markers of bone turnover in rheumatoid arthritis, relation to anti-inflammatory treatment, sex and menopause".

Acta. Med. Scand. 219 : 209 - 13.

Ansell, B.M. (1983) :

"Osteoporosis the clinical spectrum-joint disease, In : Osteoporosis, a Multidisciplinary Problem, PP. 137 - 139. Ed. Dixon, A.St.J.; Russell, R.G.G. and Stamp, T.C. B. Royal Society of Medicine, London.

Arnett, F.C. (1988) :

The 1987 revised ARA criteria for classification of rheumatoid arthritis.

Rheuma. 31 : 315.

Avioli, L.V. (1987) :

"Osteoporosis in rheumatoid arthritis".

Arthritis Rheum. 30 : 830.

Barnes, C.G. and Mason, M. (1975) :

Rheumatoid arthritis. In "An introduction to clinical rheumatology" Ed. by Mason, G.M. and Currey, H.L.F., Pitman Medical, P. 24.

Baron, D.N.; Whicher, J.T. and Lee, K.E. (1989) :

"Calcium, phosphorus and the bone". Quoted from "A new short Textbook of Chemical Pathology" edited by Baron, D.N. (1989) 1st. Ed., Published by English Language Book Society, London P. 176.

Baum, J. (1982) :

"Mediators of inflammation", Panayi, G.S. (ed.) : The scientific basis of rheumatology. Churchill Livingstone, Edinburgh, PP. 260 - 271. Quoted Copeman's text book of the Rheumatic Disease, ed. by J.T. Scott, 6th ed. (1986) P. 601.

Bax,D.E. and Amos,R.S. (1985) :

"Sulphasalazine, a safe, effective agent for prolonged control of rheumatoid arthritis. A comparison with sodium aurothiomalate.

Ann. Rheum. Dis. 44 : 194.

Bedi,S.S.; Ellis,W. (1970) :

"Spontaneous rupture of the calcaneal tendon in rheumatoid arthritis after steroid injection".

Ann. of the Rheumatic Disease, 29 : 494.

Beutler,B. and Cerami,A. (1987) :

"Cachectin : More than a tumor necrosis factor".

N. Engl. J. Med. 316 : 379.

Bijlsma, J.W.J.; Duursma, S.A.; Bosch, R.; Raymakers, J.A. and Huber-Bruning,O. (1988) :

"Acute changes in calcium and bone metabolism during methylprednisolone pulse therapy in rheumatoid arthritis".

British Journal of Rheumatology 27 : 215 - 19.

Bjelle,A.O. and Nilsson,B.E. (1970) :

"Osteoporosis in rheumatoid arthritis".

Calcified Tissue Research, 5 : 327 - 32.

Bland, J.H. (1974) :

"Articular manifestation of rheumatoid arthritis".

J. Rheum., 1 : 1314.

Bland, J.H.; Van Buns Kirk, F.W.; Tampas, J.P.; Brown, E. and Clayton, E. (1965) :

"A study roentgenologic criteria for rheumatoid arthritis of the cervical spine".

Am J. of Roentgenology, Radium and Nuclear Medicine, 95 : 949.

Brewerton, D.A. (1957) :

"Hand deformities in rheumatoid arthritis".

Ann. Rheum., 16 : 183.

Brod, J. (1948) :

"Estimation of creatinine".

J. Clin. Invest. 27, 645 - 654.

Bromley, M.; Fisher, W.D. and Woolley, D.E. (1984) :

"Mast cells at sites of cartilage erosion in the rheumatoid joint".

Ann. Rheum. Dis. 4 : 76.

Bromley, M. and Woolley, D.E. (1984-a) :

"Histopathology of the rheumatoid lesion".

Arthritis Rheum. 27 : 857.

Bromley, M. and Woolley, D.E. (1984-b) :

"Chondroclasts and osteoclasts at subchondral sites of erosion in the rheumatoid joint".

Arthritis Rheum. 27 : 968.

Buchanan, W.W. (1978) :

"Clinical features of rheumatoid arthritis". Copeman's text book of the rheumatic diseases ed. by Scott, J.T., 8th Ed. Livingston, London and New York, P. 318.

Buchanan, W.W. and Kean, W.F. (1986) :

"Articular and systemic manifestation of rheumatoid arthritis" Quoted from "Copeman's Text book of rheumatic Dis" Edd. by Scott, J.T. 6th Edd. Churchill Livingston, Edinburgh London, Melbourne and New York, P. 348.

Bywater, E.G.L. (1960) :

"The early radiological signs of rheumatoid arthritis".
Bulletin on the Rheum. Dis. 11, 231 - 234.

Centrella, M. and Canalis, E. (1987) :

"Isolation of E.G.F. dependent transforming growth factor (TGF B-like) activity from culture medium conditioned by fetal rat Calvariae".

J. of Bone and Mineral Research, 2, 29 - 36.

Chambers, T.J. (1985) :

"The pathobiology of osteoclast.

J. Clin. Pathol. 38 : 241.

Charles, P.; Poser, J.W.; Mosekilde, L. and Jensen, F.T. (1985) :

"Estimation of bone turnover evaluated by ⁴⁷Ca kinetics. Efficiency of serum bone gamma-carboxyglutamic acid containing protein, serum alkaline phosphatase and urinary hydroxyproline excretion".

J. Clin. Invest., 76, 2254 - 2258.

Cohen, B.J.; Buckley, M.M.; Clewley, J.P.; Jones, V.E.; Pattick, A.H. and Jacoby, R.K. (1986) :

"Human parvovirus infection in early rheumatoid and inflammatory arthritis".

Ann. of Rheum. Dis., 45 : 832 - 838.

Colton, C. and Darby, A. (1970) :

"Giant granulomatous lesions of the femoral head and neck in rheumatoid arthritis".

Ann. Rheum. Dis., 29 : 626.

Crisp, A.J.; Chapman, C.M.; Kirkham, S.E.; Schiller, A.L. and Kranne, S.M. (1984-a) :

"Articular mastocytosis in rheumatoid arthritis".

Arthritis Rheum. 27 : 845.

Crisp,A.J.; Roelke,M.S.; Goldring,S.R. and Krane,S.M. (1984-b) :

"Heparin modulates intra cellular cyclic AMP in human trabecular bone cells and adherent rheumatoid synovial cells".

Ann. Rheum. Dis. 43 : 628.

Cromartie, W.J.; Craddock, J.G.; Schwab, J.H.; Anderle, S.K. and Yang,C.H. (1977) :

"Arthritis in rats after systemic injection of streptococcal cells or cell walls".

J. Exp. Med. 146 : 1585.

Currey,H. (1978) :

"Aetiology and pathogenesis of rheumatoid arthritis".

"Copeman's text book of the rheumatic diseases" Fifth edited by J.T. Scott, Livingston, London, P. 261.

D'Angleo,A.; Fabris,A. and Sartori,L. (1985) :

"Mineral metabolism and bone mineral content in rheumatoid arthritis. Effect of corticosteroids".

Clin. Exp. Rheumatol. 3 : 143- 6.

Decker,J.L. (1974) :

"Extra - articular rheumatoid disease". In Arthritis and Allied conditions" 8th Ed. by Hollander,J. and McCarty,D., Lea Febiger, Philadelphia. P. 342.

Dewhirst, F.E.; Stashenko, P.P.; Mole, J.E. and Tsurumachi, T.
(1985) :

"Purification and partial sequence of human osteoclast-activating factor identity with interleukin-1B".

J. Immun. 135, 2562 - 2568.

Dijkman, T.R.; Gluck, O.S.; Murphy, W.A.; Hahn, T.J. and Hahn, B.H.
(1985) :

"Evaluation of factors associated with glucocorticoid-induced osteopenia in patients with rheumatic diseases".

Arthritis Rheum. 28 : 361 - 8.

Dinarello, C. (1985) :

"An update on Human interleukin-1 : from molecular biology to clinical relevance".

J. Clin. Immunol, 5 : 287.

Dixon, A.; St., J. (1971) :

Quoted Harris, E.D.Jr. (1981). Rheumatoid arthritis. The clinical spectrum. In "Textbook of rheumatology". edited by Kelley, W.N.; Harris, E.D.Jr., Ruddy, S. and Sledge, C.B. Saunders Co., Vol. I, P. 928.

Duke, O.; Panayi, G.S.; Janossy, G. and Poulter, L.W. (1982) :

"An immunohistological analysis of lymphocytes subpopulations and their microenvironment in the synovial

membranes of patients with rheumatoid arthritis using monoclonal antibodies".

Clinical and Experimental Immunology, 49 : 22 - 30.

Duncan,H. (1972) :

"Osteoporosis in rheumatoid arthritis and corticosteroid induced osteoporosis".

Orthop. Clin. North Amer. 3, 571 - 583.

Duncan,H.; Frost,H.M. and Villaneuva,A.R. (1965) :

"The osteoporosis in rheumatoid arthritis".

Arthritis Rheum. 8 : 943.

Dykman,T.R.; Gluck,O.S.; Murphy,W.A.; Hahn,T.J. and Hahn,B.H. (1985) :

"Evaluation of factors associated with glucocorticoid-induced osteopenia in patients with rheumatic diseases".

Arthritis Rheum. 28 : 361.

Edward,D.; Harris,Jr. (1989) :

"The clinical features of rheumatoid arthritis" Quoted from "Text book of rheumatology". Ed. by William N. Kelley, et al. (1989) 3rd Edition W.B. Saunders company, Philadelphia, London, Toronto, Montreal, Sydney and Tokyo P. 943 : 974.

El-Badawy, S.A.; El-Hewala, A.; Mekawi, S.A.; Mahmoud, A.H. and

El-Badawy, A.A. (1987) :

"Epidemiological aspects of various rheumatic diseases
in an Egyptian population (Sharkia Governorate).

Arth. and Rheum., 9 : 25.

**Farr, M.; Scott, D.L.; Constable, T.J.; Hawker, R.J.; Hawkins, C.F.
and Stuart, J. (1983) :**

"Thrombocytosis of active rheumatoid arthritis".

Ann. Rheum. Dis. 42 : 545.

Fassbender, H.G. and Simmiching, Annefeld, M. (1983) :

"The potential aggressiveness of synovial tissue in rhe-
umatoid arthritis".

J. Pathol. 139 : 399.

Fisher, M.; Mielke, H.; Glafefke, S. and Deicher, H. (1984) :

"Generalized vasculopathy and finger blood flow abno-
rmalities in rheumatoid arthritis".

J. Rheumatol. 11 : 33.

Fishman, W.H. (1974) :

"Alkaline phosphatase isoenzymes".

Am. J. Med. 56 : 617 - 50.

Fishman, W.H. and Ghosh, W.K. (1971) :

"Isoenzymes of human alkaline phosphatase".

Adv. Clin. Chem. 10 : 255.

Fritsche, H.A. and Adams-Park, H.R. (1972) :

"Determination of isoenzymes of alkaline phosphatase by electrophoresis".

Clin. Chem. 18 (5) : 417 - 421.

Fujikawa, K. (1981) :

"Arthrographic study of the rheumatoid knee. Part 1 synovial proliferation".

Ann. Rheum. Dis. 40 : 332.

Fujikawa, K.; Tanaka, Y.; Matsubayashi, T. and Iseki, F. (1981) :

"Arthrographic study of the rheumatoid knee. Part 2. Articular cartilage and menisci".

Ann. Rheum. Dis. 40 : 344.

Fye, K.H.; Moutsopoulos, H.M. and Talat, N. (1982) :

"Rheumatic disease". In "Basic and clinical immunology". Ed Fundenberg, H.H., Stites, D.P. Caldwell, J.L. and Wells, J. 3rd Ed. Los Altos, California, Lange, P. 422.

Gardner,D. (1978) :

"Pathology of rheumatoid arthritis". In Copeman's text book of the rheumatic diseases" Fifth edition, edited by J.T. Scott, Livingston, London, P. 273.

Geirsson,A.J.; Sturfelt,G. and Truedsson,L. (1987) :

"Clinical and serological features of sever vasculitis in rheumatoid arthritis : prognostic implications".
Ann. Rheum. Dis. 46 : 727.

Gevers,G.; Devos,P.; DeRoo,M. and Dequeker,J. (1986) :

"Increased levels of osteocalcin (serum GLA-protein) in rheumatoid arthritis".
British Journal of Rheumatology, 25 , 260 - 262.

Gluck,O.S.; Murphy,W.A.; Hahn,T.J. and Hahn,B.H. (1981) :

"Bone loss in adults receiving alternate day glucocorticoid therapy : a Comparison with daily therapy".
Arthritis Rheum. 24 : 892.

Golding,D.N. (1989) :

Rheumatoid arthritis. In "Synopsis of rheumatic diseases" 4th Ed. Wright, P.S.G., Bristol, London Boston, P. 52.

Goldenberg,H. (1966) :

"Estimation of phosphorus".

Clin. Chem. 12, 871.

Goldring,S.R.; Roekle,M.S.; Petrison,K.K. and Krane,S.M.(1986):

"Interleukin-1 mediates effects of soluble monocyte - macrophage products on responses to prostaglandin E2 a potential mechanism for regulating cellular activity at sites of inflammation".

J. Bone and Mineral Research, 1, 55 A.

Gowen,M. and Mundy,G.R. (1986) :

"Actions of recombinant interleukin-1, interleukin-2 and interferon- γ on bone resorption in vitro".

J. Immun. 136, 2478 - 2482.

Gray,R.G. and Gottlieb,N.L. (1977) :

"Hand flexor teno-synovitis in rheumatoid arthritis".

Arth. and Rheum., 20 : 1003.

Greenwald,M.; Yamaguchi,D. and Hahn,T. (1986) :

"Potential intracellular mechanisms for biological effects of interleukin-1 on bone cells".

Clin. Res. 34 : 683.

Griffin, J.A.; Woolen, P.; Panayi, S.G. and Bakchelor, R.J. (1984) :

"HLA DR antigens and disease expression in rheumatoid arthritis".

Ann. Rh. Dis., 43 : 218 - 221.

Gupta, P.J. (1970) :

Physical examination of the arthritic patients.

Ann. Rheum. Dis., 20 : 596.

Hahn, T.J. (1980) :

"Drug - induced disorders of vitamin D and mineral metabolism".

Clin. Endocrinol Metab. 9 : 107.

Hahn, T.J.; Boisseau, V.C. and Avioli, L.V. (1974) :

"Effect of chronic corticosteroid administration on diaphyseal and metaphyseal bone mass".

J. Clin. Endocrinol. Metab., 39 : 274 - 82.

Hahn, T.J.; Halstead, L.R. and Baran, D.T. (1981) :

"Effects of short - term glucocorticoid administration on intestinal calcium absorption and circulating vitamin D metabolite concentration in man".

J. Clin. Endocrinol Metab. 52 : 111.

Hahn, T.J.; Halstead, L.R.; Teitelbaum, S.L. and Hahn, B.H. (1979) :

"Altered mineral metabolism glucocorticoid induced osteopenia : Effect of 25-hydroxy-vitamin D administration".

J. Clin. Invest. 64 : 655.

Hahn, T.J.; Westbrook, S.L. and Halstead, L.R. (1984) :

"Cortisol modulation of osteoblast metabolic activity cultured neonatal rat bone".

Endocrinology, 114 : 1864.

Hajiroussou, V.J. and Webley, D.M. (1984) :

"Prolonged low-dose corticosteroid therapy and osteoporosis in rheumatoid arthritis".

Ann. Rheum. Dis. 43 : 42 - 7.

Hancock, D.A.; Asledu-Offel, S. and Atkinson, P.J. (1978) :

"Femoral bone mass in patients with rheumatoid arthritis and osteoarthritis".

Rheumatology and Rehabilitation, 17 : 65 - 71.

Hardin, J.S. and Kirk, A. (1978) :

"Comparative effectiveness of five analgesic for the pain of rheumatoid arthritis".

Arth. and Rheum. 21 : 564.

Harris,E.D.Jr. (1981-a) :

Pathogenesis of rheumatoid arthritis. In "Text book of rheumatology" edited by Kelley,W.N.; Harris,E.D.Jr., Ruddy,S. and Sledge,C.B. Saunders Co., Vol. L. P. 896.

Harris,E.D.Jr. (1981-b) :

Rheumatoid arthritis. The clinical spectrum In Text book of rheumatology" ed. by Kelley,W.N. Harris, E.D. Jr. Ruddy,S. and Sledge,C.B. Saunders Co., Vol. L, P. 986.

Harris,E.D.Jr. (1989) :

"The heterogenous pathology of rheumatoid synovitis". Quoted from Text book of rheumatology edited by Kelley, Harris, Ruddy, Sledge, 3rd Ed. Vol. II, P. 932. W.B. Saunders Company, Philadelphia, London, Toronto, Tokyo.

Harris,E.D.Jr.; Di Bona,D.R. and Krane,S.M. (1970) :

"A mechanism for cartilage destruction in rheumatoid arthritis". Tran. Assoc. Am. Physicians 83 : 267. Quoted from Text book of rheumatology edited by : Kelley, Harris, Ruddy and Sledge volume II (1989) 3rd Edit. page 942 W.B. Saunders Company Philadelphia. London. Toronto. Montreal Sydney. Tokyo.

Harris,E.D.Jr.; Dibona,D.R. and Krane,S.M. (1971) :

Quoted by Harris,E.D.Jr. (1981). Pathogenesis of rheumatoid arthritis. In "Text book of rheumatology" ed. by Kelley,W.N. Harris,E.D.Jr. Ruddy,S. and Sledge,C.B. Saunders Co., Vol. L, p. 986.

Harris,E.D.Jr.; Emekey,R.D.; Nichols,J.E. and Newbury,A. (1983):

"Low dose prednisone therapy in rheumatoid arthritis: A double blind study".
J. Rheumatol. 10 : 713.

Harris,W.H. and Heany,R.P. (1969) :

"Skeletal renewal and metabolic bone disease".
N. Engl. J. Med. 280 : 193.

Harris,E.D.; Parker,H.G.; Radin,E.L. and Krane,S.M. (1972) :

"Effects of proteolytic enzymes on structural and mechanical properties of cartilage".
Arthritis Rheum. 15 : 497.

Haskard,D.O.; Higgins,C.S. and Temple,L.N. (1983) :

"Spontaneous rupture of the spleen in rheumatoid arthritis".
Ann. Rheum. Dis. 42 : 411.

Hoayman, J.R.; Melton, L.J.; Nelson, A.M.; O'Fallon, W.M. and Riggs, B.L. (1984):

"Fractures after rheumatoid arthritis". A population-based study".

Arthritis Rheum. 27 : 1353.

Hohmann, E.L.; Elde, R.P.; Rysavy, J.A.; Einzig, S. and Gebherd, R.L. (1986) :

"Innervation of periosteum and bone by sympathetic vasoactive intestinal peptide - containing nerve fibers".

Science, 232 : 868 - 871.

Holborow, E.J. (1978) :

"Rheumatoid factors and antinuclear antibodies". In Copeman text book of the rheumatic disease" ed. by Scott, J.T., 5th Ed. Livingston, London and New York, P. 167.

Hordon, L.D. (1989) :

"Osteomalacia and rheumatoid arthritis".

British Journal of Rheumatology. Vol. XX VIII. No. 1., 84.

Horton, J.F.; Oppenheim, J.J. and Megenhagen, S.E. (1974) :

"Macrophage lymphocyte synergy in the production of osteoclast activating factor.

J. Immunol., 113 : 1278.

Hunder,D. and McDuffie,F. (1973) :

"Hypocomplementaemia in rheumatoid arthritis".

Amer. J. Med., 54 : 461.

Hurd,E.R. (1979) :

"Immunosuppressive and anti-inflammatory properties of cyclophamide, azathioprine and methotrexate".

Arth. and Rheum., 16 : 84.

Huskisson,E.G.; Woitulewski,J.A. and Bayl,H. (1976) :

"Treatment of rheumatoid arthritis with fenoprofen in comparison with aspirin".

Br. Med. J. 1 : 176.

Hutchinson,R.M.; Davis,P. and Jayson,M.I.V. (1976) :

"Thrombocytosis in rheumatoid arthritis".

Ann. Rheum. Dis. 35 : 138.

Insogna,K.L. and Broadus,A.E. (1987) :

"Hypercalcaemia of malignancy".

Annu. Rev. Med., 38 : 241 - 56.

Jamieson,M.J. (1985) :

"Hypercalcaemia".

Br. Med. J. 290 : 378 - 82.

Jaun,D. (1981) :

"The causes and consequence of hypophosphatemia".
Surg. Gynaecol. Obstet. 153 : 589.

Kennedy,A.C.; Allarn,D.F. and Rooney,P.J. (1979) :

"Hypercalcaemia in rheumatoid arthritis. Investigations of its causes and implication".
Ann. Rheum. Dis. 38 : 401.

Kennedy,A.C.; Boddy,K. and Williams,E.D. (1979) :

"Whole body elemental composition during drug treatment of rheumatoid arthritis : a preliminary study.
Ann. Rheum. Dis., 38 : 137 - 40.

Kennedy,A.C.; Fell,G.S.; Booney,P.J.; Stevens,W.; Dick,W.C. and Buchanan,W.W. (1975) :

Quoted by Buchanan,W.W. (1978) : "Clinical features of rheumatoid arthritis". In "Copeman's text book of the diseases" edited by Scott,J.T/ 5th Ed. Livingston, London and New York, P. 318.

Kennedy,A.C. and Lindsay,R. (1977) :

"Bone involvement in rheumatoid arthritis".
Clin. Rheum. Dis., 3 : 403 - 20.

REFERENCES

Kennedy,A.C.; Smith,D.A.; Buchanan,W.W.; Anderson,J.D. and

Samuels,B.B. (1974) :

"Osteoporosis in rheumatoid arthritis".

Rheumatology 4 : 25 - 35.

Khong,T.K. and Rooney,P.J. (1982) :

"Manubrio-sternal joint subluxation in rheumatoid arthritis".

J. of Rheumatology., 9 : 712 - 715.

Kind,P.R.N. and King,E.G. (1954) :

J. Clin. Path. 7, 322.

Kingsley-Mills,W.M. (1970) :

"Pathology of the knee joint in rheumatoid arthritis.

J. Bone Joint Surg. 52 : 746.

Kobayashi,I. and Ziff,M. (1975) :

"Electron microscopic studies of the cartilage pannus junction in rheumatoid arthritis".

Arthritis Rheum. 18 : 475.

Korin,H. and Tobis,J.S. (1971) :

"Kinesthetic perceptual disturbance in musculo-skeletal diseases".

J. Chronic Dis., 24 : 209.

Kowayashi, L. and Ziff, M. (1975) :

"Electron microscopic studies of the cartilage pannus junction in rheumatoid arthritis".

Arth. and Rheum., 18 : 475.

Krane, S.M. (1974) :

"Joint erosions in rheumatoid arthritis".

Arthritis and Rheum., 17 : 306.

Lerner, U.H.; Jones, I.L. and Gustafson, G.T. (1987) :

"Bradykinin, a potential mediator of inflammation induced bone resorption".

Arthritis Rheum. 30 : 530 - 540.

Leung, K. and Munck, A. (1975):

"Peripheral actions and glucocorticoid".

Annu. Rev. Physiol. 37 : 123.

Levy, J.; Haidar, M.; Park, H.; Tar, L. and Levenson, I. (1986) :

"Bacterial peptidoglycan induces in vitro rheumatoid factor production by lymphocytes of healthy subjects".

J. Exp. Immunol. 64 : 311.

Littler, J.W. and Eaton, R.G. (1967) :

"Redistribution of forces in the correction of boutonniere deformity".

J. Bone Joint Surg. 490 : 1267.

Lowthian, P.J. and Calin, A. (1985) :

"Geode development and multiple fractures in rheumatoid arthritis".

Ann. Rheum. Dis. 44 : 130.

Lutwak, L. (1975) :

"Metabolic and biochemical considerations of bone".

Ann. Clin. Lab. Sci. 5 : 185.

Maddison, P.J. and Bacon, P.A. (1974) :

"Vitamin D deficiency, spontaneous fractures and osteopenia in rheumatoid arthritis".

Br. Med. J. 2 : 433.

Majno, G. and Rouillier, G. (1951) :

"Alkaline phosphatase in biological activity".

Arch. Path. Anat. 32 : 1.

Maldyk, E. (1969) :

"Periarticular changes in bone of R.A.". .

Rheum. 7, 273 - 287.

Malone, D.G.; Wilder, R.L.; Saavedra-Delgado, A.M. and Metcalfe, D.D. (1987) :

"Mast cell numbers in rheumatoid synovial tissues".

Arthritis Rheum. 30 : 130.

Marko, J.S. and Sharp, J. (1981) :

Cervical myelopathy.

Ann. Rheum. Dis., 39 : 607.

Marks, S.C.Jr. (1984) :

"Congenital osteopetrotic mutations as probes of the origin, structure and function of osteoclasts".

Clin. Orthop. 189 : 239.

Marshall, R.W. (1976) :

"Plasma fraction". In Nordin, B.E.C. (ed.) Calcium, Phosphate and Magnesium metabolism. Edinburgh, Churchill Livingstone, P. 16.

Mayer, J.W.; Massner, R.P. and Kaplan, T.J. (1976) :

"Brain stem compression in rheumatoid arthritis".

J.A.M.A., 236 : 2094.

Mbuyi, J.M.; Dequeker, J.; Teblich, M. and Merlevede, M. (1982) :

"Relevance of urinary excretion of alcian blue glucose-amino-glycans complexes and hydroxyproline to disease activity in rheumatoid arthritis".

J. Rheum. 9, 579 - 583.

McComb, R.B.; Bowers, G.N. and Posen, S. (1979) :

"Alkaline phosphatase". Quoted from text book of rheumatology edited by Kelley, et al 3rd Ed. (1989). W.B.

Saunders Company, Philadelphia, London, Toronto, Montreal, Sydney and Tokyo, Vol. III P. 1746.

McRae, R. (1983) :

Clinical orthopedic examination, 2nd Ed. The English Language Book Society and Churchill Livingstone, P. 69.

Mills, K.W. (1970) :

"Pathology of knee joint in rheumatoid arthritis".
J. Bone joint Surg., 520 : 746.

Mills, M.B.; Millender, L.H. and Nallebuff, E. (1976) :

"Stiffness of the proximal inter - phalangeal joints in rheumatoid arthritis".
J. Bone joint Surgery, 58 : 801.

Mizel, S.B.; Daver, J.M.; Krane, S.M. and Mergenhagen, S.E. (1981):

"Stimulation of rheumatoid synovial cell collagenase and prostaglandin production by partially purified lymphocyte- activating factor". Proceedings of the National Academy of Sciences U.S.A., 78 , 2474 - 2477.

Mohr, W. and Wessinghage, D. (1978) :

"The relationship between polymorphnuclear granulocytes and cartilage destruction in rheumatoid arthritis".
J. Rheumatol. 37 : 81.

Morales-Piga,A.; Elena-Ibanez,A. and Zea-Mendoza,A.C. (1986) :

"Rheumatoid nodulosis : Report of a case with evidence of intra osseous rheumatoid granuloma".

Arthritis Rheum. 29 : 1278.

Moss,D. (1977) :

"Enzyme tests in diseases of bone". In Enzymes in Health and Disease Textbook. Ed. David, M. Greenberg, Charles C., Thomas, P. 394 : 422.

Mowat,A.G. (1971) :

"Hematologic abnormalities in R.A.".

Arthritis Rheum. 1 : 195.

Mueller,M.N. (1976) :

"Effects of corticosteroid on bone mineral in rheumatoid arthritis and asthma".

Am. J. Rontgenol, 126 : 1300.

Muller,M.N. and Jrist,J.M. (1974) :

"Skeletal status in rheumatoid arthritis".

Arth and Rheum., 16 : 66.

Mundy,G.R. (1987) :

"The hypercalcemia of malignancy".

Kidney Int. 31 : 142.

Myles,A.B.; Sciller,L.F.G.; Glass,D. and Daly,J.R. (1976) :

"Single daily dose corticosteroid treatment".

Ann. Rheum. Dis. 35 : 73.

Nagant de Deuxchaisnes,C.; Devogelaer,J.P.; Essrlinckx,W.; Bouchez,B.; Defnesseux,G.; Rombouts-Lindemans,C. and Huaux,J.P. (1984) :

"The effect of low dosage glucocorticoids on bone mass in rheumatoid arthritis : A cross-sectional and a longitudinal study using single photon absorptiomerty".

Adv. Exp. Med. Biol. 171 : 209.

Need,A.G.; Guerin,M.D.; Pain,R.W.; Hartly,T.F. and Nordin,B.E.C. (1985) :

"The tubular maximum for calcium reabsorption : Normal range and correction for sodium excretion".

Clin. Chim. Acta, 150 : 87.

Need,A.G.; Philcox,J.C.; Hartly,R.F. and Nordin,B.E.C. (1986) :

"Calcium metabolism and osteoporosis in corticosteroid-treated postmenopausal women" Aust N.Z.J. Med. 16 : 341. Quoted from Text book of rheumatology edited Kelly et al., 1989 3rd Ed. V III, P. 1746. W.B. Saunders company, Philadelphia, London, Toronto, Montreal, Sydney and Tokyo.

Neer,R.M.; Berman,L.; Fisher,L. and Rosengerg,L.E. (1967) :

"Multicompartmentaly analysis of calcium kinetics in normal adult males".

J. Clin. Invest. 46 : 1364.

Neuman,W.F. and Neuman,M.W. (1958) :

"The chemical dynamics of bone mineral".

University of Chicago press, Chicago.

Ng,K.C.; Revell,P.A.; Beer,M.; Boucher,B.J.; Cohen,R.D. and Currey,H.L.F. (1984) :

"Incidence of metabolic bone disease in rheumatoid arthritis and osteoarthritis".

Ann. Rheum. Dis. 43 : 370.

Nordin,B.E.C. (1978) :

"Diagnostic procedures in disorders of calcium".

Clin. Endocrinol. 8 : 55 - 67.

Norman,O.R.; Ronald,W.; Anne,C.B.; Seth,M.K. (1985)' :

"Management of rheumatoid arthritis" In "Rheumatoid arthritis" Ed. by Norman,O. Grune and Stratton. In Orlando. P. 150.

Ohlsson,K. (1975) :

Quoted by Harris,E.D.Jr. (1981). "Pathogenesis of rheumatoid arthritis" In Text book of Rheumatology edited

by Kelley, W.N., Harris, E.D. Jr. Saunders Co. Vol. I. P. 896.

Oka, M.; Rekonen, A.; Kuika, J. and Anttinen, J. (1975) :

"Bone mineral density in rheumatoid arthritis measured by the gamma transmission method".

Scand. J. Rheumatol., 4 : 28 - 32.

Okada, Y.; Nagase, H. and Harris, E.D. (1986) :

"A metallo proteinase from human rheumatoid synovial fibroblasts that digests connective tissue matrix components".

J. Biol. Chem. 261 : 14245.

Orla, S.; Als, Andres Gotfredsen; Bente, J. Riss and Claus Christiansen (1985) :

"Are disease duration and degree of functional impairment determinants of bone loss in rheumatoid arthritis".

Ann. Rheum. Dis. 44, 406 - 411.

Oskar, S.G.; William, A.M.; Theodore, J.H. and Bevera, H. (1981) :

"Bone loss in adults receiving alternate day glucocorticoid therapy, a comparison with daily therapy".

Arthritis and Rheumatism Vol. 24, No 7, P. 892 - 98.

**Pacifici,R.; Rifas,L.; Teitelbaum,S.; Slatopolsky,E.; McCrackeen,
R.; Bergfeld,M.; Lee,W.; Avoioli,L.V. and Peck,W.A.
(1987) :**

"Spontaneous release of interleukin-1 like activity
from human blood monocytes reflects bone turnover in
idiopathic osteoporosis".

Natl. Aca. Sci. USA 84 : 4616.

Paget,S. and Bryan,W. (1981) :

"Rheumatoid arthritis. In "Manual of Rheumatology
and out- patient orthopedic disorders" edited by Beary,
J.F., Christian,C.L. and Sculco,T.P. 1st Ed. Little Brown
and Co. Boston, P. 247.

Panayi,G.S. and David,C. (1983) :

"Clinical immunology 1 : Immunogenetics". Quoted
from Copeman's Text book of the Rheumatic Disease.
Edited by Scott,J.T. (1986) : 6th Ed. Chruchill Living-
ston. Edinburgh, London, Metabourne and New York,
P. 598.

Panayi,G.S.; Wooley,P.; Batchelor,J.R. (1979) :

"Genetic basis of rheumatoid disease : HLA antigens
disease manifestations and toxic reactions to drugs".
British, J. 2 : 1326 - 1328.

Papuet, G.M.; Auvint, M.; Raffin, T.; Girard, P.; Bouvier, M.; Lejeune, E. and Monier, C.J. (1987) :

"IgM RF, IgA RF, IgE RF and IgG RF detected by ELISA in rheumatoid arthritis".

Ann. Rh. Dis., 65 - 71.

Paul, A.D.; Doberty, M.; Macfarlane, D. and Maddison, P. (1985) ;

"Rheumatoid arthritis". Quoted from rheumatology Medicine (1985), Churchill Livingstone, Edinburgh, London, Melbourne New York, P. 54.

Perez, S.D. and Weissman, G. (1981) :

"Lysosomes as mediators of inflammation". In Text book of Rheumatology" edited by Kelley, W.N., Harris, E.D.Jr. Saunders Co. Vol. I, P. 179.

Peterson, L.F.A. and James, J.M. (1971) :

"Surgery of the rheumatoid elbow".

Orth. Clin. North. Am., 2 : 667.

Pfeilschifter, J.; D'Souza, S. and Mundy, G.R. (1986) :

"Transforming growth factor B is released from resorbing bone and simulates osteoblast activity".

J. Bone and Mineral research, 1, 294 A.

Pocock,N.A.; Eisman,J.A.; Dunstan,C.R.; Evans,R.A.; Thomas,
D.H. and Huq,N.L. (1987) :

"Recovery from steroid induced osteoporosis".
Ann. Intern. Med." 107 : 319.

Pocock,N.A.; Eisman,J.A.; Yeates,M.G.; Sambrook,P.N. and Eberl,
S. (1986) :

"Physical activity is a major determinant of femoral
neck and lumbar spine bone mineral density".
J. Clin. Invest. 78, 618 - 621.

Posen,S. (1967):

"Alkaline phosphatase".
Ann. Intern. Med. 67 : 183.

Poulter,L.W.; Duke,O.; Hobbs,S. et al. (1983) :

The involvement of interdigitating (antigen - present-
ing) Cells in the pathogenesis of rheumatoid arthritis.
Clinical and Experimental Immunology, 51 : 247 - 254.

Radoux,V.; Menard,H.A.; Begin,R.; Decary,F. and Koopman,W.J.
(1987) :

"Airways diseases in rheumatoid arthritis patients one
element of a general exocrine dysfunction".
Arthritis Rheum. 30 : 249.

Raisz, L.G. (1977) :

"Bone metabolism and calcium regulation". Quoted from "Metabolic Bone Disease" Vol1 edited by Avioli, L. and Krane, S.M., New York, Academic press.

Raisz, L.G.; Sandberg, A.L.; Goodson, J.M.; Simmons, H.A. and Mergenhagen, S.E. (1974) :

"Complement - dependent stimulation of prostaglandin synthesis and bone resorption".

Science, 185 , 789 - 791.

Rajapakse, C.; Thompson, R.; Grennan, D.M.; Winston, B.M. and Weiss, J.B. (1983) :

"Increased bone metabolism in rheumatoid arthritis as measured by the whole body retention of 99 Tc methylene diphosphonate".

Ann. Rheum. Dis., 42 , 138 - 141.

Rapaport, R.J.; Kozin, F.; Mackel, S.E. and Jordon, R.E. (1980) :

"Cutaneous vascular immunofluorescence in rheumatoid arthritis".

Am. J. Med. 68 : 325.

Rask, M.A. (1978) :

"Achilles tendon rupture owing to rheumatoid diseases".

J. of Amer. Association, 239 : 435 - 436.

Raven, R.W.; Behr, F.P. and Price, L.W. (1948) :

"The necrobiotic nodules of R.A. case in which the scalp, abdominal wall, Larynx, pericardium, pleura and peritoneum were affected".

Ann. Rheum. Dis. 7 : 63.

Reid, K.B.M.; Lowe, D.M. and Porter, R.R. (1972) :

"Isolation and characterization of C1q a subcomponent of the first component of complement from human and rabbit sera".

Biochemical Journal, 130, 749 - 763.

Reid, D.M.; Kennedy, N.S.J. and Smith, M.A. (1982) :

"Total body calcium in rheumatoid arthritis : effect of disease activity and corticosteroid treatment".

Br. Med. J. 285 : 330 - 2.

Reid, I.R., Chapman, G.E.; Fraser, T.R.C.; Davies, A.D.; Surus, A.S.;

Meyer, J.; Hug, N.L., and Ibbertson, H.K. (1986) :

"Low serum osteocalcin level in glucocorticoid treated asthmatics".

J. Clin. Endocrinol. Metab. 62 : 379.

Ridolof, A.S.; Rubin, A.; Crabtree, R.E. and Gruber, C.M. (1973) :

"Effects of fenoprofen and aspirin on gastrointestinal microbleeding in man".

Clin. Pharmacol. Ther. 14 : 226.

Ritchie,D.; Boyle,J.; McInnes,J.; Jasani,M.; Dalakas,T.; Grieveson,P. and Buchanan,W. (1968) :

"Clinical studies with an articular index for the assessment of joint tenderness in patients with rheumatoid arthritis".

J. of Med., 37 : 393.

Robertson,G. (1968) :

Clin. Chim. Acta, 20 - 315.

Robertson,W.G. (1976) :

"Urinary excretion. In Nordin, B.E.C. (ed.) Calcium, phosphate, and Magnesium metabolism". Edinburgh, Churchill Livingston P. 113.

Robinson,D.R.; Tashjian,A.M. and Levine,L. (1975) :

"Prostaglandin stimulated bone resorption by rheumatoid synovia".

J. of Clin. Inves. 56, 1181 - 1188.

Robison,R. (1932) :

"The role of phosphoric esters in metabolism".

New York University press. New York.

Ropes, M.W.; Bennet, E.C.A.; Cobb, S.; Jacox, R. and Jessar, A.R.
(1959) :

"Proposed diagnostic criteria for rheumatoid arthritis".
Ann. Rheum. Dis. 18, 49 - 53.

Rosenspire, K.C.; Kennedy, A.C.; Steinbach, J.; Bleu, M. and Green,
F.A. (1980):

"Investigation of the metabolic activity of bone in rheumatoid arthritis".
Journal of Rheumatology, 7, 469 - 473.

Salisbury, M.D. and Nottage, W.M., (1985) :

"A new evaluation of gross pathologic changes and concepts of rheumatoid articular cartilage degeneration".
"Clin. Orthop. Rel. Res., Quoted from "Text book of rheumatology" edited by Kelley, Harris, Ruddy and Sledge, 3rd Ed. Volume II, (1989) page 942. W.B. Saunders Company, Philadelphia, London, Toronto, Tokyo, Sydney.

Sambrook, P.N.; Ansell, B.M.; Foster, S. and Gumble, J.M. (1985-a):

"Bone turnover in early rheumatoid arthritis. II longitudinal bone density studies".
Ann. Rheum. Dis. 44, 580 - 584.

**Sambrook, P.N.; Ansell, B.M.; Foster, S.; Gumble, J.M.; Hesp, R.;
Reeve, J. and Zanelli, J.M. (1985-b) :**

"Bone turnover in early rheumatoid arthritis biochemical and kinetic indexes".

Ann. Rheum. Dis. 44 : 575 - 579.

Sambrook, P.N.; Eisman, J.A.; Champion, G.D. and Ebert, S. (1986):

"Osteoporosis in rheumatoid arthritis safety of low dose corticosteroids".

Ann. Rheum. Dis. 45, 950 - 953.

Sambrook, P.N.; Eisman, J.A. and Brett, S. (1987-b) :

"1,25-Dihydroxy vitamin D receptors in synovial cells in rheumatoid arthritis".

Australian and Zealand journal of Medicine, 17 , 120.

**Sambrook, P.N.; Eisman, J.A.; Champion, G.D.; Pocock, N.A.; Eberl
and Yeates, M.G. (1987-a) :**

"Determinants of axial bone loss in rheumatoid arthritis".

Arthritis and rheumatism, 30, 721 - 728.

Sambrook, P.N. and Reeve, J. (1988) :

"Bone disease in rheumatoid arthritis".

Clinical Science, 74, 225 - 230.

Samson,D.; Holliday,D. and Gumpel,J.M. (1977) :

"Role of ineffective erythropoiesis in the anaemia of rheumatoid arthritis".

Ann. Rheum. Dis. 36 : 181.

Scheneider,R. and Kaye,J.J. (1975) :

"Insufficiency and stress fractures of the long bones occurring in patients with rheumatoid arthritis".

Diag. Radiol. 116 : 595.

Schumacher,H.R. and Kitridou,R.C. (1972) :

"Synovitis of recent onset. A clinicopathologic study during the first month of disease".

Arthritis Rheum. 15 : 465.

Seltzer,S.E.; Weissman,B.N. and Braunstein,E.M. (1985) :

"Computed tomography of the hind foot with rheumatoid arthritis".

Arth. Rheum. 28 : 1234.

Shapiro,J.S. (1970) :

"A new factor in the aetiology of ulnar drift".

Clin. Orthop. 68 : 32.

Sheagren, J.N.; Jowzey, J. and Bird, D.C. (1977) :

"Effect on bone growth of daily versus alternate day corticosteroid administration. An experimental study".
J. Lab. Clin. Med. 89 : 120.

Shih, M.S. and Norrdin, R.W. (1986) :

"Prostaglandin induces regional remodeling changes in haversian envelopes : a histomorphometric study of fractured ribs in Beagles".
Bone and Mineral 1, 227 - 234.

Shimizu, S.; Shiozawa, S.; Shiozawa, K.; Imura, S. and Fujita, T. (1985) :

"Quantitative histologic studies on the pathogenesis of particular osteoporosis in rheumatoid arthritis".
Arthritis and Rheumatism, 28, 25 - 31.

Shiozawa, S.; Shiozawa, K. and Fujita, T. (1983) :

"Morphologic observations in the early phase of the cartilage-pannus junction".
Arthritis Rheum. 26 : 472.

Sigler, J.W.; Blunm, G.B.; Duncan, M.D.; Sharp, J.T.; Ensign, D.C. and McCrum, W.R. (1974) :

"Gold salts in the treatment of rheumatoid arthritis".
Ann. Intern. Med., 80 : 21.

Skjodt, H.; Gowen, M.; Dobson, P.R.M. and Brown, B.L. (1986) :

"Immune cells and bone turnover".

Calcified tissue International 39, A 14.

Slovik, D.M.; Gundberg, C.M.; Neer, R.M. and Lian, J.B. (1984) :

"Clinical evaluation of bone turnover by serum osteocalcin measurements in a hospital setting".

J. Clin. Endocrinol. Metab. 59 : 228.

Smith, D.; Gowen, M. and Mundy, G.R. (1986) :

"Inhibitory effects of α -interferon in the presence of other cytokines on collagen and non collagen protein synthesis in fetal rat calvaria".

J. Bone and Mineral Research, 1, 103 A.

Smolen, J.S.; Menzies, E.J. and Scherak, O. (1980) :

"Lymphocyte transformation to denatured type I collagen and B lymphocyte alloantigens in rheumatoid arthritis".

Arthritis and Rheumatism, 23 : 424 - 431.

Soila, P. (1963) :

"The causal relations of rheumatoid disintegration of juxta-articular bone trabeculae".

Acta Rheum. Scand. 9, 231 - 236.

Sokoloff,L. (1974) :

"The pathology of rheumatoid arthritis and allied disorders. In "Arthritis and allied conditions". Eighth edition, edited by Hollander, J.; McCarty, D.; Lea and Febiger, New York, P. 309.

Sokoloff,L. (1979) :

Pathology of rheumatoid arthritis and arthritis and allied disorders. In "Arthritis and Allied conditions" Ed. by McCarty, D.J. and Hollander, J. 9th ed. Lea and Febiger, Philadelphia, P. 429.

Straub,L.R. (1959) :

Quoted by Buchanan,W.W. (1978). "Clinical features of rheumatoid arthritis" In Copeman's Text book of the rheumatic diseases" edited by Scott,J.T. 5th Ed. Livingston, London and New York, P. 318.

Suzuki,Y.; Ichikawa,Y. and Homma,M. (1983) :

"Importance of increased urinary calcium excretion in the development of secondary hyperparathyroidism patients under glucocorticoid therapy".

Metabolism 32 : 151 - 6.

Tail,G.B.W.; Bach,F. and Dixon,A.St.J. (1965) :

"Acute synovial rupture".

Ann. Rheum. Dis., 24 : 273.

Takahashi,N.; Mundy,G.R. and Roodman,G.D. (1986) :

"Recombinant human interferon - 6 inhibits formation of human osteoclast - like cells".

J. Immunol. 137 : 3544.

Theodore,J.H. (1989) :

"Metabolic Bone Diseases".

Quoted from "Text book of Rheumatology" edited by Kelly, Harris, Ruddy and Sledge, 3rd Ed. Vol. III, P. 1420. pep. by W.B. Saunders Company Philadelphia, London, Toronto and Tokyo.

Thompson,B.M.; Mundy,G.R. and Chambers,T.J. (1986) :

"Tumors necrosis factors a and b stimulate osteoclastic bone resorption through a primary effect on osteoblastic cells".

J. of bone and mineral research, 1,296 A.

Thomson,B.M.; Mundy,G.R. and Chambers,T.J. (1987) :

"Tumor necrosis factors A and B induce osteoblastic cells to stimulate osteoclastic bone resorption".

J. Immunol. 138 : 775.

Thomson,B.M.; Saklatkala,J. and Chambers,J. (1986-a) :

"Osteoblasts mediate interleukin I stimulation of bone resorption by rat osteoclast".

J. Exp. Med. 164 : 104.

Vernon-Roberts, B. (1975) :

"Applied anatomy of joints" In "An introduction to clinical rheumatology" edited by Mason, M. and Currey, H. L.F. 2nd Ed. P.1.

Verstraeten, A.; and Dequeker, J. (1986) :

"Vertebral and peripheral bone mineral content and fracture incidence in post menopausal patients with rheumatoid arthritis : Effect of low dose corticosteroids".

Ann. Rheum. Dis. 45 : 852.

Verstraeten, A.; Guesens, P.; Dequeker, J. and Bouillon, R. (1983) :

"Bone metabolism in rheumatoid arthritis".

Calcif. Tissue Int. 35 : 235.

Vidigal, E.; Jacoby, R.; Dixon, A.St.J.; Rattiff, A.H. and Kirkup, J. (1975) :

"The foot in chronic rheumatoid arthritis".

Ann. Rheum. Dis. 34 : 292.

Virtama, P.; Helela, T. and Kalliomaski, J.L. (1968) :

"Osteoporosis in rheumatoid arthritis".

Acta Rheumatol. Scand. 14 : 276 - 84.

Wahl, S.M.; Malone, D.G. and Wilder, R.L. (1985) :

"Spontaneous production of fibroblast - activating factors by synovial inflammatory cells".

J. Exp. Med. 161 : 210.

Webb, J. and Payne, W.H. (1972) :

"Rheumatoid nodules of the vocalcords".

Ann. Rheum. Dis. 31 : 122.

Webb, J.; Whaley, K.; MacSween, R.N.M.; Nuki, G.; Dick, W.C. and Buchanan, W.W. (1975) :

"Liver disease in rheumatoid arthritis and Sjogren's Syndrome".

Ann. Rheum. Dis. 34 : 70 - 81.

Weisman, M.H.; Orth, R.W.; Catherwood, B.D.; Manolagas, S.C. and Deftos, I.G. (1986) :

"Measurement of bone loss in rheumatoid arthritis".

Archives of Internal Medicine, 146, 701 - 704.

Wilkinson, M. and Meikle, J.A.K. (1966) :

"Tpmography of the sacro-iliac joints".

Ann. of Rheum. Dis., 25 : 433.

Williams, R.A.; Samson, D.; Tikerpae, J.; Crowne, J. and Gumble, J.M. (1982) :

"In-vitro studies of ineffective erythropoiesis in rheumatoid arthritis".

Am. J. Rheum. Dis. 41 : 502.

Winchester, R.J.; Litwin, S.D.; Koffler, D. and Kunkel, H.G. (1971) :

"Observations on the eosinophilia of certain patients with rheumatoid arthritis".

Arthritis Rheum. 14 : 640.

Wiseman, M.J. (1981) :

"Dislocation of the manubrosternal joint in rheumatoid arthritis".

Ann. of Rheum. Dis., 40 : 307 - 308.

Yates, D.B. and Scott, J.T. (1975) :

"Rheumatoid synovitis and joint diseases".

Ann. Rheum. Dis. 34 : 1.

Yoffe, J.R.; Taylor, D.J. and Woolley, D.E. (1984) :

"Mast cell products stimulate collagenase and prostaglandin E production by cultures of adherent rheumatoid synovial cells".

Biochem. Biophys. Res. Commun. 122 : 270.

Zanzi, I. Roginsky, M.S.; Ells, K.J.; Blau, S. and Cohn, S.H. (1976) :

"Skeletal mass in rheumatoid arthritis a comparison with forearm bone mineral content".

Amer. J. of Roentology, Radium therapy and Nuclear Medicine, 126 : 1305 - 6.

Zvaifler, N.J. (1974) :

"Rheumatoid synovitis. An extravascular immune complex disease".

Arth. and Rheum. , 17 : 297.

Zvaifler, N.J. (1979) :

Aetiology and pathogenesis of rheumatoid arthritis In
"Arthritis and allied conditions" ed. by McCarty, D.J.
and Hollander, J. 9th ed. Lea and Febiger, Philadelphia, P. 417.