



References

REFERENCES

- * Axer, A. (1965) : Subtrochantric osteotomy in the treatment of Perthes' disease. J. Bone and Joint Surg., 47-B : 498 - 499.
- * Axer, A. (1978) : Q. from Canale (1992), personal communication.
- * Axer, A. ; Schiller, M. G. (1972) : The pathogenesis of the early deformity of the capital femoral epiphysis in Legg - Calvé - Perthes' syndrome : An arthrographic study. Clin. Orthop., 84 : 100.
- * Axer, A.; Schiller, M. G., Segal D., Rzetelny, V., and Gershuni - Gordon, D. H. (1973) : Subtrochantric osteotomy in the treatment of Perthes' disease. Acta. Orthop.Scand., 44:31.
- * Axer, A.; Gershuni, D. H.; Hendel, D.; and Mirovski, Y. (1980): Indications for femoral osteotomy in Legg - Calvé Perthes' disease. Clin. Orthop., 150 : 78 - 87.
- * Barer, M. (1978) : Role of innominate osteotomy in the treatment of children with Legg - Perthes' disease. Clin. Orthop., 135 : 82 - 89.
- * Barker, D. I. P.; Hall, A. J. (1986) : The epidemiology of Perthes' disease. Clin Orthop., 209 : 89 - 94.
- * Bates, E. H. (1977) : The modern approach to Perthes' disease. J. Bone and joint surg., 59 - B : 518.
- * Bertrams, J.; Schiersmann, P.; Ritgen, G. (1978) : HLA antigens in Perthes' disease. Tissue antigens, 12:157 - 158. Q. from Hall (1987).

- * Bickerstaff, D. R.; Neal, I. M.; Booth, A. J.; Brennan, P. O.; and Bell, M. J. (1990) : Ultrasound examination of the irritable hip. J. Bone and Joint Surg. (Br) 72-B: 549 - 553.
- * Bobechko, W. P.; McLaurin, C. A. (1968) : Toronto orthosis for Legg - Perthes' disease. Artif. limbs, 12 (2) : 36 - 41. Q. from Wenger et al. (1991).
- * Bohr, H. (1973) : Densitometry and 18 - F scintigraphy in the study of the revascularization of the femoral head in coxa plana (C- P), Acta Orthop. Scand., 44 : 417.
- * Bos, C. F. A.; Bleom, J. L.; Bleom, R. M. (1991) : Sequential magnetic resonance imaging in Perthes' disease. J. Bone and Joint Surg., 73 - B : 219 : 224.
- * Bowen, J. R.; Schreiber, F. C.; Foster, B. K.; and Wein, B. K. (1982) : Premature femoral neck physeal closure in Perthes' disease. Clin. Orthop., 171 : 24.
- * Bowen, J. R.; Foster, B. K.; and Hartzell, C. R. (1984) : Legg - Calvé - Perthes' disease. Clin. Orthop., 185 : 97-108.
- * Brighton, C. T. (1984) : The growth plate. Orthopaedic Clinics of North America - vol. 15. No.4, October. P. P. 571.
- * Brotherton, B. J.; and Mckibbin, B. (1977) : Perthes' disease treated by prolonged recumbency and femoral head containment: A long-term appraisal. J. Bone and joint surg., 59-B (1): 8-14.
- * Burwell, R. G.; Dangerfield, P. H.; Hall, D. T.; Vernon, C. L.;

- and Harrison, M. H. M. (1978) : Perthes' disease. An anthropometric study revealing impaired and disproportionate growth. J. Bone and Joint Surg., 60 - B : 461.
- * Burwell, R. G.; Vernon, C. L.; Dangerfield, P. H.; Hall, D. J.; and Kristmundsdottir, F. (1986) : Raised Somatomedin activity in the serum of young boys with Perthes' disease revealed by bioassay. A disease of growth transition ? Clin. Orthop., 209 :129.
 - * Caffey, J. (1968) : Early roentgenographic changes in essential coxa plana. Am. J. Roentgenology. Radium therap. Nucl. Med., 103 : 620 - 634. Q. from Lovell and Winter (1986).
 - * Calandruccio, R. A. (1987) : Applied biomechanics. In Campbell's Operative Orthopaedics. P. P. 1218. Edited by A. H. Crenshaw. Sixth edition. St. Louis, Mosby Company.
 - * Calver, R.; Venugopal, V.; Dorgan, J.; Bentley, G.; and Gimlette T. (1981) : Radionuclide Scanning in the early diagnosis of Perthes' disease. J. Bone and Joint Surg., 63 - B : 379 - 82.
 - * Canale, S. T. (1992) : Legg - Calvé - Perthes' disease. In osteochondrosis or epiphysitis. In " Campbell's Operative Orthopaedics " . P. P. 1964 - 74. Edited by A. H. Crenshaw. Eighth edition. The C. V. Mosby Company.
 - * Canale, S. T.; D'Anca, A. F.; Cotler, J. M.; and Snedden, H. E. (1972) : Innominate osteotomy in Legg - Calvé Perthes' disease. J. Bone and Joint Surg., 54 - A : 25.

- * Canario, A. T.; Williams, L.; Wientroub, S.; Catterall, A.; and
Lloyd - Roberts, G. C. (1980) : A controlled study of the
results of femoral osteotomy in severe Perthes' disease J.
Bone and Joint Surg., 62 - B (4) : 438 - 440.

- * Catterall, A. (1971) : The natural history of Perthes' disease J.
Bone and Joint Surg., 53 - B (1) : 37 - 53.

- * Catterall, A. (1981) : Legg - Calvé Perthes' syndrome. Clin.
Orthop., 158 : 41 - 52.

- * Catterall, A. (1982) : Legg - Calvé - Perthes' disease.
Edinburg, Churchill Livingstone, London.

- * Catterall, A.; Pringle, J.; Byers, P. D.; Fulford , G. E. and
Kemp, H. B. S. (1982) : Perthes' disease : is the epiphyseal
infarction complete. A study of the morphology in two cases.
J. Bone and Joint Surg., 64 - B (3) : 276 - 281.

- * Catterall, A.; Pringle, J.; Byers, P. D.; Fulford, G. E.; Kemp,
H. B. S. (1982) : Perthes' disease : Is the epiphyseal
infarction complete. A study of the morphology in two cases.
J. Bone and Joint Surg., 64 - B (3) : 267 - 281.

- * Catto, M. (1976) : Q. from Catterall, A. : Legg - Calvé -
Perthes' disease. Churchill Livingstone, (1982).

- * Chung, S. M. K. and Ralston, E. L. (1969) : Necrosis of femoral
head associated with sickle cell anaemia and its genetic
variants. A review of literature and study of 13 cases. J.

- Bone and Joint Surg., 51 - A : 33 - 58.
- * Chung, S. M. K. (1976) : The arterial supply of the developing proximal end of the human femur. J. Bone and Joint Surg., 58 - A : 961 - 970.
 - * Coates, G. J.; Paterson, J. M. H.; Woods, K. P.; Catterall, A. and Fixsen, J. A. (1990) : Femoral osteotomy in Perthes' disease. J. Bone and Joint Surg., 72 - B: 581 - 585.
 - * Cordeiro, E. N. (1980) : Femoral osteotomy in Legg - Calvé - Perthes' disease. Clin. Orthop., 150 : 69 - 72.
 - * Cotler, J. M., and Donahue, J. (1980) : Innominate osteotomy in the treatment of Legg - Calvé - Perthes' disease. Clin. Orthop., 150: 95 - 102.
 - * Crock, H. V. (1967) : The blood supply of the lower limb bones in man (Descriptive and Applied) . Edinburgh, E. and S. livingstone. Q. from Chung (1976).
 - * Crutcher, J. P.; and Saheli, L. T. (1992) : Combined osteotomy as a salvage procedure for severe Legg - Calvé Perthes' disease. J. Pediatr. Orthop. vol.12, No. 2: 151 - 156.
 - * Curtis, B. H.; Gunther, S. F.; Gossling, H. R.; and Paul, S.W. (1974) : Treatment for Legg - Perthes' disease with the Newington Ambulation - Abduction brace. J. Bone and Joint Surg., 56 - A: 1135.
 - * Daughaday, W. H. Hall, K., Raben, M. S., Salmon, W. D., Jr.; Van Den Brande, J. L.; and Van Wyk, J. J. (1972) : Somatomedin

proposed designation for sulphation factor. Nature 235:107. Q.
from Kitsugi et al. (1989).

- * Denton, J. R. (1980) : Experience with Legg - Calvé Perthes' disease (LCPD) 1968 - 1974 at the New York Orthopaedic Hospital. Clin. Orthop., 150: 36 - 42.
- * Dickens, D. R. V.; and Menelaus, M. B. (1978) : The assessment of prognosis in Perthes' disease. J. Bone and Joint Surg., 60-B : 189.
- * Dolman, C. L.; and Bell, H. M. (1973) : The pathology of Legg - Calvé - Perthes' disease. J. Bone and Joint Surg., 55-A:184.
- * Draves, D. J. (1986) : Osteology and arthrology of the pelvis and thigh. In " Anatomy of the lower extremity ". P. P. 52. Edited by D. J. Draves. Williams and Wilkins.
- * Dreyer, J.; and Schafer, S. (1974) : Actual problems in the treatment of Perthes' disease, Z. Kinderchir., 15 : 106. Q. from Axer et al. (1980).
- * Dunlap, K.; Shands, A. R; Hollister, L. C.; Ganl, Y. S.; and Streit, H. A. (1953) : A new method for determination of torsion of the femur. J. Bone and Joint Surg., 35 - A: 289.
- * Edgren, W. (1965) : Coxa plana: A clinical and radiological investigation with particular reference to the importance of the metaphyseal changes for the final shape of the proximal part of the femur. Acta Orthop. Scand., 84 (suppl.) : 94.
- * Eyre - Brook, A. I. (1936) : Osteochondritis Deformans Coxae

Juvenililis or Perthes' disease : The result of treatment by traction in recumbency. British J. Surg., 24 : 166 - 182. Q. from Wenger et al. (1991).

- * Fasting, O. J.; Langeland, N.; Bjerkreim, I.; Hertzenberg, L.; and Nakken, K. (1978) : Bone scintigraphy in early diagnosis of Perthes' disease. Acta Orthop. Scand., 49 : 169.
- * Ferguson, A. B. (1975) : Orthopaedic Surgery In Infancy And Childhood. Fourth edition. Baltimore; Williams and Wilkins Company. P. P. 242 - 261.
- * Fisher, R. L.; Roderique, J. W.; Brown, D. C.; Danigelis, J. A.; Ozonoff, M. B.; and Sziklas, J. J. (1980) : The relationship of isotopic bone imaging findings to prognosis in Legg - Perthes' disease. Clin. Orthop., 150 : 23.
- * Fixsen, J.A. (1991) : Symposium on Perthes' disease. Indications for treatment. Paper given at the Cambridge Meeting of the British Orthopaedic Association. Q. from Sharrad (1993).
- * Futami, T.; Kasahara, Y.; Suzuki, Sh.; Ushikubo, Sh.; and Tsuchiya, T. (1991) : Ultrasonography in transient synovitis and early Perthes' disease. J. Bone and Joint Surg., 73 - B : 635 - 639.
- * Gage, H. C. (1933) : A possible early sign of Perthes' disease. British Journal of Radiology, 6 : 295. Q. from Catterall (1971).

- * Gallacher, J. M.; Weiner, D. S.; and Cook, A. J. (1983) : When is arthrography indicated in Legg - Calvé - Perthes' disease? J. Bone and Joint Surg., 65 - A: 900 - 905.
- * Garceau C. J. (1964) : Surgical treatment of coxa plana . J. Bone and Joint Surg., 46 - B : 779.
- * Garceau, G.; Rapp, G.; and Lidge, R. T. (1973) : Coxa plana (A surgical approach). In " Proceeding of the American Academy of Orthopaedic Surgeons " . J. Bone and Joint Surg., 55 - A : 1313.
- * Gershuni, D. H. (1980) : Preliminary evaluation and prognosis in Legg - Calvé - Perthes' disease. Clin. Orthop., 150 : 16.
- * Gershuni, D. H.; Axer, A.; and Hendel, D. (1978) : Arthrographic findings in Legg - Calvé - Perthes' disease and transient synovitis of the hip. J. Bone and Joint Surg., 60 - A:457- 64.
- * Gershuni, D. H. Hargens, A. R., Lee, Y. F.; Greenberg, E. N.; Zapt, R.; and Akeson, W. R. (1983) : The questionable significance of hip Joint tamponade in producing osteonecrosis in Legg - Calvé - Perthes' Syndrome. J. of Paediatric Orthopaedics, 3 : 280 - 286. Q. from Hall (1987).
- * Goldman, A. B. (1981) : Hip arthrography. Radiologic Clin. of North America, 19 : 343 - 347.
- * Gower, W. E.; and Johnston, R. C. (1971) : Legg - Perthes' disease. Long - term follow up of thirty - six patients. J. Bone and Joint Surg., 53. A : 759 - 768.

- * **Gray's Anatomy (1989)** : In " the hip joint " P. P. 518. Edited by P. L. Williams; R. Warwick; M. Dyson; and L. H. Bannister. Thirty seventh edition. Churchill Livingstone.
- * **Grech, P. (1977)** : Hip arthrography. London - P. P. 82 - 90. Champan and Hall.
- * **Greene, W. B. (1974)** : Legg - Calvé - Perthes' disease. In " Surgery Of The Hip Joint " . Volume 1. P.P. 225 - 245. Second edition. Edited by Raymond G. Tronzo. Springer - Verlag.
- * **Green, N. E.; Beauchamp, R. D.; and Griffin, P. P. (1981)** : Epiphyseal extrusion as a prognostic index in Perthes' disease. J. Bone and Joint Surg., 63 - A : 900 - 905.
- * **Hall, A. J. (1987)** : Perthes' disease: Progress in aetiological research. Recent advances in orthopaedics, 5 : 187.
- * **Hall, D. J.; Harrison, M. H. M.; and Burwell, R. G. (1979)** : Congenital abnormalities and Perthes' disease. J. Bone and Joint Surg., 61 - B : 18 - 25.
- * **Hall, A. J.; and Barker, D. J. P. (1989)** : Perthes' disease in Yorkshire. J. Bone and Joint Surg., 71 - B : 229 - 233.
- * **Hall, A. J.; Margetts, B. M.; Barker, D. J. P.; Walsh, H. P. J.; Redfern, T. R. Taylor, J. F; Delves, H. T.; and Shuttler, I. L. (1989)** : Low blood manganese levels in liverpool children with Perthes' disease. Paediatric and Perinatal epidemiology. Q. from Hall and Barker (1989).

- * Hardcastle, P. H.; Ross, R.; Hamalainen, M.; and Mata, A. (1980):
Catterall grouping of Perthes' disease. An assessment of
observer error and prognosis using the Catterall
classification. J. Bone and Joint Surg., 62 - B(4): 428 - 431.
- * Harrison, M. H. M.; Turner, M. H.; and Nicholson, F, J. (1969):
Coxa plana. Results of a new form of splinting. J. Bone and
Joint Surg., 51 - A : 1057 - 1069.
- * Harrison, M. H. M.; and Blackmore, M. E. (1980) : A study of the
normal hip in children with unilateral Perthes' disease. J.
Bone and Joint Surg., 62 - B : 31 - 36.
- * Harrison, M. H. M.; and Burwell, R. G. (1981) : Perthes' disease:
A concept of pathogenesis. Clin. Orthop., 156 : 115.
- * Harrison, M. H. M.; Turner, M. H.; and Smith, D. N. (1982) :
Perthes' disease. Treatment with the Brimingham splint J. Bone
and Joint Surg., 64 - B (1): 3 - 11.
- * Harry, J. D.; and Gross, R. H. (1987) : A quantitative method
for evaluating results of treating Legg - Perthes' syndrome.
J. Pediat. Orthop., 7 : 671-676. Q. from Wenger et al. (1991).
- * Harty, M. (1973) : Anatomy of the hip joint. In "Surgery of the
hip joint". Edited by R.G.Tronzo. Philadelphia, Lea and
Febiger.
- * Heikkinen, E.; Puranen, J.; and Suramo, I. (1976) : The effect
of intertrochantric osteotomy on the venous drainage of the
femoral neck in Perthes' disease. Acta Orthop. Scand., 47: 89.

- * Heikkinen, E.; and Puranen (1980) : Evaluation of femoral osteotomy in the treatment of Legg - Calvé - Perthes' disease. Clin. Orthop., 150 : 60 - 68.
- * Holdsworth, F. W. (1966) : Epiphyseal growth : Speculations on the nature of Perthes' disease. Annals of the Royal College of Surgeons of England, 39:1-16. Q. from Jensen and Lauritzen (1976).
- * Howorth, M. P. (1948) : Coxa plana. J. Bone and Joint Surg., 30 - A : 601 - 620.
- * Hunter, W. (1743) : Of the structures and diseases of articulating cartilage. Philos. Trans. Roy. Soc., London, 42 : 514 - 521. Q. from Chung (1976).
- * Inoue, A.; Freeman, M. A. R.; and Veron - Roberts, B. (1976) : The pathogenesis of Perthes' disease. J. Bone and Joint Surg., 58 - B : 453 - 461.
- * Ippolito, E; Tudisco, C.; and Farsetti, P. (1987) : The long - term prognosis of unilateral Perthes' disease. J. Bone and Joint Surg., 69 - B (2) : 243 - 250.
- * Jani, L. F. H.; and Dick, W. (1980) : Results of three different therapeutic groups in Perthes' disease. Clin. Orthop., 150:88-94.
- * Jensen, O. M.; and Lauritzen, J. (1976) : Legg - Calvé - Perthes' disease: Morphological studies in two cases examined at necropsy. J. Bone and Joint Surg., 58 - B : 332 - 338.
- * Jonsäter, S. (1953) : Coxa plana. A histo-pathologic and arthrographic study. Acta Orthop. Scandinavica, Suppl -12. Q. from Jensen and Lauritzen (1976).

- * Joseph, B. (1991) : Serum immunoglobulin in Perthes' disease. J. Bone and Joint Surg., 73 - B : 509 - 510.
- * Kamegaya, M.; Moriya, H.; Tsuchiya, K.; Akita, T.; Ogata, S.; and Somega, M. (1989) : Arthrography of early Perthes' disease. J. Bone and Joint Surg., 71 - B : 413 - 417.
- * Kamhi, E; and Mac Ewen, G. D. (1975) : Treatment of Legg - Calvé - Perthes' disease. Prognostic value of Catterall's classification. J. Bone and Joint Surg., 57 - A : 651 - 654.
- * Karpinski. M. R. K.; Newton, G.; and Henry, A. P. J. (1986) : The results and morbidity of varus osteotomy for Perthes' disease. Clin. Orthop., 209 : 30 - 40.
- * Katz, J. F. (1968) : Femoral torsion in Legg - Calvé - Perthes' disease. J. Bone and Joint Surg., 50 - A : 473 - 475 .
- * Katz, J. F. (1980) : Late modelling changes in Legg - Calvé - Perthes' disease (LCPD) with continuing growth to maturity. Clin. Orthop., 150 : 115 - 124.
- * Katz, J. F.; and Siffert, R. S. (1975) : Capital necrosis, . Metaphyseal cysts and subluxation in coxa plana. Clin. Orthop., 106 : 75 - 85.
- * Kelly, F. B., J. R.; Canale, S. T.; and Jones, R. R. (1980) : Legg - Calvé - Perthes' disease. Long term evaluation of non - containment treatment. J. Bone and Joint Surg., 62-A: 400-407.
- * Kemp, H. B. S. (1981) : Perthes' disease : The influence of intracapsular tamponade on the circulation in the hip joint of the dog. Clin. Orthop. 156 : 114.

- * King, E. W.; Fisher, R. L.; Gage, J. R.; and Gossling, H. R.
(1980) : Ambulation - Abduction treatment in Legg - Calvé -
Perthes' disease (LCPD). Clin. Orthop. 150 : 43 - 48.
- * Kitsugi, T.; Kasahara, Y.; Seto, Y.; and Komai, S. (1989) :
Normal somatomedin - C activity measured by radioimmunoassay
in Perthes' disease. Clin. Orthop. 244 : 217 - 221.
- * Klisic, P. J. (1983) : Treatment of Perthes' disease in older
children. J. Bone and Joint Surg., 65 - B (4) : 419 - 427.
- * Klisic, P.; Blazeric, V.; Seferovic, O.; Djoric, I.; Stefanovic,
J.; and Randojcic, O. (1977) : Surgical treatment of Legg -
Calvé - Perthes' disease, final report, Project No. 02 - 484 -
2, Belgrade, Banjica Hospital. Q. from Klisic et al. (1980).
- * Klisic, P.; Blazevic, U.; and Seferovic, O. (1980) : Approach to
treatment of Legg - Calvé - Perthes' disease. Clin Orthop.,
150 : 54 - 59.
- * La Mont, R. L., Muz, J., Heilbronner, D.; and Bouwhuis, J. A.
(1981) : Quantitative assessment of femoral head involvement
in Legg - Calvé - Perthes' disease. J. Bone and Joint Surg.,
63 - A : 746 - 752.
- * Lang, P., Jergesen, H. F.; Moseley, M. E.; Block, J. E.;
Chafetz, N. L.; and Genant, H. K. (1988) : Avascular necrosis
of the femoral head : High - Field strength MR imaging with
histologic correlation. Radiology; 169 : 517 - 524.
- * Last, R. G. (1978) : Anatomy : Regional and applied, P. P. 150
and 197 - 198. Sixth edition - Churchill Livingstone.

- * Laurent, L. E.; Poussa, M. (1980) : Intertrochanteric varus osteotomy in the treatment of Perthes' disease. Clin Orthop., 150 : 73 - 77.
- * Lauritzen, J. (1975) : Legg - Calvé - Perthes' disease. A comparative study. Acta Orthopaedica Scandinavica, Supplement, 159 : 23 - 25.
- * Legg, A. T. (1910) : An obscure affection of the hip joint. Bosten Med. Surg. J., 162 : 202. Q. from Petrie (1973).
- * Leitch, J. M.; Paterson, D. C.; and Foster, B. K. (1991) : Growth disturbance in Legg - Calvé - Perthes' disease and the consequences of surgical treatment. Clin. Orthop., 262:178-184.
- * Lindstrom, J. R.; Ponseti, I. V.; and Wenger, D. R. (1979) : Acetabular development after reduction in congenital dislocation of the hip. J. Bone and Joint Surg., 61-A:112-118.
- * Linnenbaum, F. J.; Woltering, H.; Karbowski, A.; and Häle, A. (1989) : Ultrasonography of the hip for Perthes' disease. Arch. Orthop. Trauma Surg., 108: 166 - 172. Q. from Futami et al. (1991).
- * Lloyd - Roberts, G. C. (1978) : Hip disorders in children. Edited by G. C. Lloyd - Roberts and A. H. C. Ratliff. London, Boston: Butterworth.
- * Lloyd - Roberts, G. C. (1982) : The management of Perthes' disease. J. Bone and Joint Surg., 64 - B(1) : 1 - 2.

- * Lloyd - Roberts, G. C.; Catterall, A.; and Salamon, P. B. (1976):
A controlled study of the indications for and the results of
femoral osteotomy in Perthes'disease. J. Bone and Joint Surg.,
58 - B (1) : 31 - 36.
- * Lovell, W. W.; and Winter, R. B. (1986) : Perthes'disease: In
paediatric orthopaedics. Volume 2. P. P. 753. J. B. Lippincott
Company Philadelphia.
- * Mac Ewen, G. D.; and Ramsey, P. L. (1978) : The hip in : Lovell,
W. W.; and Winter, R. B., Paediatric Orthopaedics, Philadelphia,
J. B. Lippincott Co. Q. from Cotler and Danhaue (1980).
- * Marklund, T.; and Tillberg, B. (1976) : Coxa plana : A
radiological comparison of the rate of healing with
conservative measures and after osteotomy. J. Bone and Joint
Surg., 58-B:25.
- * Maxted, M. J.; and Jackson, P. K. (1985) : Innominate osteotomy
in Perthes'disease: A radiological survey of results. J. Bone
and Joint Surg., 67 - B : 399 - 401.
- * Mc Andrew, M. P.; and Weinstein, S. L. (1984) : A long term
follow - up of Legg - Calvé - Perthes' disease. J. Bone and
Joint Surg., 66 - A : 860 - 869.
- * Mckay, D. W. (1980) : Cheilectomy of the hip. Orthop. Clin. of
North Am. 11 : 141 - 160.

- * Mckibbin, B. (1975) : Recent development in Perthes' disease.
Recent advances in orthopaedics. Edinburg, London and New
York. Churchill, Livingstone. 2 : 173 - 195.
- * Mckibbin, B.; and Holdsworth, F. W. (1966) : The nutrition of
immature joint cartilage in the lamb. J. Bone and Joint Surg.,
48 - B : 793 - 803 .
- * Mckibbin, B.; and Ralis, Z. (1974) : Pathological changes in a
case of Perthes' disease. J. Bone and Joint Surg., 56 - B :
438 - 447.
- * Menelaus, M. B. (1986) : Lessons learned in the management of
Legg - Calvé - Perthes' disease. Clin. Orthop., 209 : 41 - 48.
- * Mirosky, Y.; Axer, A.; and Hendel, D. (1984) : Residual
shortening after osteotomy for Perthes' disease. J. Bone and
Joint Surg., 66 - B : 184.
- * Mitchell, D. G.; Steinberg, M. E.; Dalinka, M. K.; Rao, V. M.;
Fallon, M.; and Kressel, H. Y. (1989) : Magnetic resonance
imaging of the ischemic hip : alterations within the
osteonecrotic, viable, and reactive zones. Clin. Orthop. 244:
60 - 77.
- * Molloy, M. K.; and Mac Mahon, B. (1967) : Birth weight and Legg
- Calvé - Perthes' disease. J. Bone and Joint Surg., 49 - A :
498 - 506.

- * Mose, K. (1964) : Legg - Calvé - Perthes' disease, a comparison among three methods of conservative treatment. Arthus, universitets Forlaget. Q. from Mose (1980).
- * Mose, K. (1980) : Methods of measuring in Legg-Calvé -Perthes' disease with special regard to the prognosis. Clin. Orthop., 150 : 103 - 109.
- * Mose, K; Hjorth, L.; Ulfeldt, M.; Christensen, E., R.; and Jensen, A. (1977) : Legg-Calvé -Perthes' disease. The late occurrence of coxarthrosis. Acta Orthop. Scandivica, Supp. 169.
- * Moseley, C. F. (1980) : The biomechanics of the paediatric hip. Orthop. Clin. North America, Vol. 11 : 3 - 16.
- * Muirhead - Allwood, W. and Catterall, A. (1982) : The treatment of Perthes' disease. The results of a trial of management. J. Bone and Joint Surg., 64. B: 282 - 285.
- * Murphy, R. P.; and Marsh, H. O. (1978) : Incidence and natural history of " Head at risk " factors in Perthes'disease. Clin. Orthop., 132 : 102 - 107.
- * Nevelos, A. B. (1980) : Aetiology of Perthes'disease. Ph. D. thesis, Leeds University, Q. from Hall (1987).
- * Ogden, J. A. (1974) : Changing patterns of proximal femoral vascularity. J. Bone and Joint Surg., 56 - A : 941 - 950.

- Paediatric (Paris), 40 : 355 - 358. Q. from Hall (1987).
- * Ponseti, I. V. (1956) : Legg - Perthes' disease : Observations on pathological changes in two cases. J. Bone and Joint Surg., 38 - A : 739 - 750.
 - * Ponseti, I. V.; Maynard, J. A.; Weinstein, S. L.; Ippolito, E. G.; and Pous, J. G. (1983) : Legg - Calvé - Perthes' disease: Histochemical and ultrastructural observations of the epiphyseal cartilage and physis. J. Bone and Joint Surg., 64 - A : 797 - 807.
 - * Puranen, J.; and Heikkinen, E. (1976) : Intertrochanteric osteotomy with treatment of Perthes' disease. Acta Orthop. Scand., 47: 79.
 - * Purvis, J. M.; Diamon; J. M.; Meehan, P. L.; and Lovell, W. W. (1980) : Preliminary experience with the Scottish Rite Hospital abduction orthosis for Legg - Perthes' disease. Clin. Orthop., 150 : 49 - 53.
 - * Rab, G. T. (1978) : Biomechanical aspects of Salter osteotomy. Clin. Orthop., 132 : 82 - 87.
 - * Rab, G. T. (1981) : Containment of the hip. A theoretical comparison of osteotomies. Clin. Orthop., 154 : 191 - 196.
 - * Rab, G. T.; Wyatt, M.; Sutherland, D. H.; and Simon, S. R. (1985) : A technique for determining femoral head containment during gait. J. pediat. Orthop., 5 : 8 - 12.

- * Rab, G. T.; Hoffinger, S. A.; and Salamon, P. B. (1990) :
Metaphyseal " cysts " in Legg - Calvé - Perthes' disease. Read
at the Annual Meeting of the Paediatric Orthopaedic Society of
North America, San Francisco., California, May, 7. Q. from
Wenger et al. 1991.
- * Ratliff., A. H. C. (1956) : Pseudocoxalgia. A study of late
results in the adult. J. Bone and Joint Surg., 38 -B: 498-512.
- * Rayner, P. H. W., Schwable, S. L.; and Hall, D. J. (1986) : An
assessment of endocrine function in boys with Perthes'disease.
Clin. Orthop., 209 : 124.
- * Richards, B. S.; and Coleman, S. S. (1987) : Subluxation of the
femoral head in coxa plana. J. Bone and Joint Surg., 69 - A:
1312 - 1318.
- * Salter, R. B., (1966) : Experimental and clinical aspects of
Perthes' disease. J. Bone and Joint Surg., 48 - B : 393 - 394.
- * Salter, R. B., (1973) : Clinical and laboratory research studies
on Legg - Perthes' disease. The hip proceeding of the first
open scientific meeting of the hip society. Saint Louise. The
C. V. Mosby company. P. P. 4 - 15.
- * Salter, R. B. (1980): Legg-Calvé-Perthes'disease: The scientific
basis for the methods of treatment and their indications.
Clin. Orthop., 150 : 8 - 11.

- * Salter, R. B. (1984) : Current concepts review : The present status of surgical treatment for Legg - Perthes' disease. J. Bone and Joint Surg., 66 - A : 961 - 966.
- * Salter, R. B.; and Bell, M. (1968) : The pathogenesis of deformity in Legg - Perthes' disease. An experimental investigation. In proceeding of the Canadian Orthopaedic Association. J. Bone and Joint Surg., 50 - B : 436.
- * Salter, R. B.; Rang, M.; and Bell, M. (1972) : The scientific basis for innominate osteotomy in the treatment of Legg - Perthes' disease (abstract). Ann. Roy. Coll. Phys. and Surg. Canada, 5 : 62. Q. from Salter (1984).
- * Salter, R. B.; Rang, M.; Blackstone, I. W. Mc Arthur, R. C.; Weighill, F. J.; Gygi, A. C.; and Stulberg, S. D. (1977) : Perthes' disease : The scientific basis of methods of management and their indications. In proceeding of the sixth combined meeting of the American, British, Canadian, Australia, New Zealand, and South Africa Orthop. Association. J. Bone and Joint Surg., 59 - B : 127.
- * Salter, R. B., Willis, R. B.; and Malcolm, B. W. (1978) : The treatment of residual subluxation and coxa vara by combined innominate osteotomy and abduction femoral osteotomy (abstract). Ann. Roy. Coll. Phys. and Surg., Canada, 11 : 63. Q. from Salter (1984).

- * Salter, R. B.; Thompson, G. H. (1984) : Legg - Calvé - Perthes' disease : The prognostic significance of the subchondral fracture and the two - group classification of the femoral head involvement. J. Bone and Joint Surg., 66 - A : 479 - 489.
- * Salter, R. B.; and Brown, L. W. (1986) : Q. from Thompson G. H. and Salter, R. B. (1987) : Legg - Calvé - Perthes' disease. Current concepts and controversies. Clin. Orthop. of North. Am. vol.18, No. 4.
- * Sanchis, M.; Zahir, A.; and Freeman, M.A.R. (1973): The experimental stimulation of Perthes' disease by consecutive interruptions of the blood supply to the capital femoral epiphysis in the puppy. J. Bone and Joint Surg., 55 - A : 335 - 342.
- * Scoles, P.V.; Yoon; Y. S.; Makley, J.T.; and Kalamchi, A. (1984): Nuclear magnetic resonance imaging in Legg - Calvé - Perthes' disease. J. Bone and Joint Surg., 66 - A : 1357 - 63.
- * Serlo, W.; Heikkinen, E.; and Puranen, J. (1987) : Preoperative Russell traction in Legg - Calvé - Perthes' disease. Pediat. Orthop., 7 : 288 - 290.
- * Shands, A. R.; and Steele, M. K. (1958) : Torsion of the femur. J. Bone and Joint Surg., 40 - A : 803 - 815..
- * Sharrard, W, J. W. (1993) : "Osteochondritis of the upper femoralepiphysis" and "Congenital and developmental abnormalities of the hip". In Paediatric Orthopaedics and Fractures. P. P .719, 343. Volume II. Third edition. Blackwell

Scientific Publications.

- * Shim, S. S.; Brian Day; and Leung, G. (1981) : Circulatory and vascular changes in the hip following innominate osteotomy. An experimental study. Clin Orthop., 160 : 258 - 267.
- * Sjövall, H. (1942) : Zur Frage der Behandlung der coxa plana : Mit besonderer Berücksichtigung der primäre folge bei konsequenter Ruhingstellung. Acta Orthop. Scandinavica, 13 : 324 - 353. Q. from Wenger et al. (1991).
- * Snyder, C. R. (1975) : Legg - Perthes' disease in the young hip- Does it necessarily do well? J. Bone and Joint Surg., 57 - A: 751 - 759.
- * Somerville, E. W. (1971) : Perthes' disease of the hip. J. Bone and Joint Surg., 53 - B (4) : 639 - 649.
- * Sponseller, P. D.; Desal, S. S.; and Millis, M. B. (1988) : Comparison of femoral and innominate osteotomies for the treatment of Legg - Calvé - Perthes' disease. J. Bone and Joint Surg., 70 - A : 1131 - 39.
- * Steel, H. H. (1973) : Triple osteotomy of the innominate bone. J. Bone and Joint Surg., 55 - A : 343.
- * Stulberg, S. D.; and Salter, R. B. (1977) : The natural course of Legg - Perthes' disease and its relationship to degenerative arthritis of the hip : A long - term follow - up study. Orthop. trans., 1 : 105 - 106. Q. from Salter (1984).

- * Stulberg, S. D.; Cooperman, D. R.; and Wallensten, R. (1981) :
The natural history of Legg - Calvé - Perthes' disease. J.
Bone and Joint Surg., 63 - A : 1095 - 1108.
- * Suramo, I; Puranen, J.; Heikkinen, E; and Vuorinen, P. (1974) :
Disturbed patterns of venous drainage of the femoral neck in
Perthes' disease. J. Bone and Joint Surg., 56 - B : 448 - 453.
- * Sutherland, A. D.; Savage, J. P.; Paterson, D. C.; and Foster,
B. K.(1980) : The nuclide bone scan in the diagnosis and
management of Perthes' disease. J. Bone and Joint Surg., 62 -
B: 300-306.
- * Tachdjian, M. O. (1984) : Legg - Perthes' disease. Bone imaging,
diagnostic and prognostic value. The twelfth paediatric
orthopaedic international seminar, San Francisco. Q. from
Paterson and Savage (1986).
- * Tachdjian, M. O. (1990) : Pediatric Orthopedics 2nd edition., Vol.2.
WB Saunders, Philadelphia. Q. from Sharrard (1993).
- * Tanaka, H.; Tamura, K.; Takano, K.; Inoue, N.; Yoshioka, H.;
Odera, K.; Takaya, Y.; Ono, T.; Ando, H.; and Taguchi, Y.
(1984) : Serum somatomedin A in Perthes' disease. Acta Orthop.
Scand., 55 : 135.
- * Thompson, S. K.; and Woodrow, J. C. (1981) : HLA antigens in
Perthes' disease. J. Bone and Joint Surg., 63 - B : 278 - 279.
- * Thompson, G. H.; and Salter, R., B. (1987) : Legg-Calvé-Perthes.
Current concepts and controversies. Clin. Orthop. of North

Am., Vol. 18. No. 4, 617 - 635. October.

- * Toby, E. B.; Koman, L. A.; and Bechtold, R. E. (1985) : Magnetic resonance imaging of paediatric hip disease. J. Pediatr. Orthop., 5 : 665 - 71. Q. from Bos et al. (1991).
- * Trueta, Joseph (1957) : The normal vascular anatomy of the femoral head during growth. J. Bone and Joint Surg., 39 -B : 358 - 393.
- * Trueta, J.; and Harrison, M. H., M. (1953) : The normal vascular anatomy of the femoral head in adult man. J. Bone and Joint Surg., 35 -B : 442 - 461.
- * Turek, S. L. (1984) : " Mechanics of the hip joint " and " Coxa plana". In "Orthopaedics Principles and Their Application " . Volume 2. P. P. 1123, 1219. Fourth edition. Edited by S. L. Turek. J. B. Lippincott Company, Philadelphia.
- * Wagner, H. (1978) : Operative lengthening of the femur. Clin. Orthop., 136 : 125.
- * Waldenstrom, H. (1923) : On coxa plana. Osteochondritis deformans coxa juveniles. Legg's disease, Maladie de Calvé, Perthes' Krankheit. Acta Chir. Scandinavica. 55 : 577 - 590. Q. from Wenger et al. (1991).
- * Weiner, S. D.; Weiner, D. S.; and Riley, P. M. (1991) : Pit falls in treatment of Legg - Calvé - Perthes' disease using proximal femoral varus osteotomy. J. Pediatr. Orthop. 11:20-34. Q. from Sharrard (1993).

- * Wenger, D. R.; Ward, W. T.; and Herring, J. A. (1991) : Current concepts review. Legg - Calvé - Perthes' disease. J. Bone and Joint Surg., 73 - A : 778 - 788.
- * Wiberg, Gunnar (1939) : Studies on dysplastic acetabula and congenital subluxation of the hip joint with special reference to the complication of osteoarthritis. Acta Chir. Scandinavica, Supplementum, 58. P. P. 7 - 38. Q. from Wenger et al. (1991).
- * Wingstrand H., Bauer, G.; Brismar, J.; Carlin, N.; and Goran, S. (1984) : Transient ischaemia of the proximal femoral epiphysis in the child. Acta Orthop. Scand., 55 : 683-684.
- * Wynne - Davis, R. and Gormley, J. (1978) : The aetiology of Perthes' disease. J. Bone and Joint Surg., 60 - B : 6 - 14.
- * Zahir, A.; and Freeman, M. A. R. (1972) : Cartilage changes following a single episode of infarction of the capital femoral epiphysis in the dog. J. Bone and Joint Surg., 54 - A; 125 - 136.
- * Zervas, J.; Theodorou, S.; Constantopoulos, C.; Mandle, C.; and Fessas, P. (1982) : HLA - A1 probable association with Perthes' disease. Tissue antigens, 20 : 159 - 160. Q. From Hall (1987) .