

REFERENCES

REFERENCES

- * Abdel-Meteal, M.M.; El-Meligy, M.R. and El-Badawy, S.A. (1981):
Involvement of the cervical vertebrae in rheumatoid arthritis. *Egyptian Rheumatologist*; 3 : 25-35.
- * Adelson, G.; Saypol, D. and Walker, N. (1982):
Ureteral stenosis secondary to retroperitoneal rheumatoid nodules. *Journal of Urology* 127 : 124.
- * Ahern, M.; Lever, J. and Cosh, J. (1983):
Complete heart block in rheumatoid arthritis. *Ann. Rheum. Dis.* 42 : 389.
- * Ansell, B.M. and Lowe, G. (1977):
Rheumatoid arthritis. General features. *Clinics in Rheumatic Diseases*; 3 : 385-401.
- * Arnett, F.; Edworthy, S.; Bloch, D.; McShane, D. and Fries, J. (1988):
The American Rheumatism Association 1987 revised criteria for the classification of rheumatoid arthritis. *Arth. & Rheum.*, 31 : 315.
- * Bagg, L.; Hansen, D.; Lewis, C. and Houba, V. (1979):
Rheumatoid arthritis in Kenya. *Ann. Rheum. Dis.*, 38 : 23.
- * Baker, D.G.; Dayer, J.M.; Roelke, M.; Schumacher, H.R. and Krane, S.M. (1983):
Rheumatoid synovial cell morphologic changes induced by a mononuclear cell factor in culture. *Arthritis and Rheumatism* 26 : 8-14.
- * Barnes, C.G. and Mason, M. (1975):
Rheumatoid arthritis. In "An introduction to clinical rheumatology". Ed. by Mason, M. and Currey, H.L. 2nd Ed. P. 24 Philadelphia: Pitman.

- * Beighton, P.; Solomon, L. and Valkenburg, H. (1975):
"Rheumatoid arthritis in a rural South African
Negro population". Ann. Rheum. Dis., 34 : 136-41.

- * Bernes, D.; Lockie, L. and Norcross, B. (1964):
Roentgen changes in early rheumatoid arthritis in
wrists, Hands and feet. Radiology, 82 : 645.

- * Bilka, P.J. (1968):
Physical signs in rheumatoid arthritis. Med. Clin.
N. Amer.; 52 : 493.

- * Bland, J.H. (1974):
Rheumatoid arthritis of the cervical spine. J.
Rheum.; 2 : 319.

- * Brewerton, D.A. (1957):
Hand deformities in rheumatoid disease. Ann.
Rheum. Dis., 16 : 183.

- * Bridger, M.; Jahn, A. and Vannostrand, A. (1980):
Laryngeal rheumatoid arthritis. The Laryngoscope.
90 : 296.

- * Bromley, M.; Fisher, W. and Wooley, D. (1984):
Mast cells at sites of cartilage erosion in the
rheumatoid joint. Ann. Rheum. Dis. 43 : 76.

- * Brook, A.; Fleming, A. and Corbett, M. (1977):
Relationship of radiological changes to clinical
outcome in rheumatoid arthritis. Ann. Rheum. Dis.;
36 : 274-275.

- * Brown, R.; Tomlinson, I.; Hill, C.; Weiss, J.; Phillips,
P. and Kumar, S. (1983):
Relationship of angiogenesis factor in synovial
fluid to various joint diseases. Ann. Rheum. Dis.
42 : 301.

- * Brunk, J.; Brash, E. and Swineford, O. (1966):
Rheumatoid pleuritis successfully treated with
decortication. American Journal of Medical

Sciences. 251 : 546.

- * Buchanan, W.; Crooks, J.; Alexander, W.; Kourtras, D.; Wayne, E. and Gray, K. (1961):
Association of Hashimoto's thyroiditis and
rheumatoid arthritis. Lancet I : 245.

- * Buchanan, W.W. and Kean, W.F. (1986):
Articular and systemic manifestations of
rheumatoid arthritis. In "Copeman's textbook of
the rheumatic diseases", ed. by Scott, J.T., 6th
edition, Churchill Livingstone, London and New
York, PP. 653-705.

- * Buchanan, R.C. and Kraag, G. (1980):
Is there a lower incidence of deep venous
thrombosis after joint replacement in rheumatoid
arthritis? Journal of Rheumatology, 7 : 551-554.

- * Caplan, A. (1953):
Certain unusual radiological appearances in the
chest in coalminers suffering from rheumatoid
arthritis. Thorax, 8 : 29.

- * Cecil, R. and Kammerer, W. (1951):
Rheumatoid arthritis in the aged. Am. J. Med., 10
: 439.

- * Cecil, R.L.; Nichols, E.E. and Stainsby, W.J. (1931):
The aetiology of rheumatoid arthritis. Am. J.
Med.; 181 : 12.

- * Clemmensen, I.; Holund, B. and Andersen, R.B. (1983):
Fibrin and fibronectin in rheumatoid synovial
membrane and rheumatoid synovial fluid. Arthritis
and Rheumatism 26 : 479-485.

- * Cochrane, W.; Davies, D.; Dorling, J. and Bywaters, E.
(1964):
Ultramicroscopic structure of rheumatoid nodule.
Ann. Rheum. Dis. 25 : 345.

- * Collins, D. (1949):
The pathology of articular and spinal diseases.
Edward Arnold, London.

- * Collins, L.C.; Lidsky, M.D.; Sharp, J.T. and Moreland, L. (1972):
Malposition of carpal bones in rheumatoid arthritis. Diagnostic radiology; 103 : 95-98.

- * Cooney, T. (1981):
Interrelationship of chronic eosinophilic pneumonia, bronchiolitis obliterans and rheumatoid disease. Journal of Clinical Pathology, 12 : 314.

- * Corbett, A.J.; Zizic, T.M. and Stevens, M.B. (1983):
Adult-onset Still's disease with an associated severe restrictive pulmonary defect. Annals of the Rheumatic Diseases; 42 : 452-454.

- * Crisp, A.J.; Armstrong, R.D.; Grahame, R. and Dussek, J.E. (1982):
Rheumatoid lung disease, pneumothorax and eosinophilia. Annals of the Rheumatic Diseases; 41 : 137-140.

- * Croft, J.D. and Jacox, R.F. (1968):
Rheumatoid "ganglion" as an unusual presenting sign of rheumatoid arthritis. JAMA; 203 : 144.

- * Davis, J.S. (1986):
Rheumatoid factors. In: "Rheumatology and Immunology". Ed. by Cohen, A. and Bennett, J. 2nd edition pp. 81-84. New York, San Diego, London, Tokyo: Grune and Stratton, Inc.

- * Davis, P.; Stein, M.; Ley, H. and Johnston, C. (1989):
Serological profiles in the connective tissue diseases in Zimbabwean patients. Ann. Rheum. Dis., 48 : 73.

- * Deal, C.; Meenan, R.; Goldenberg, D.; Anderson, J.; Sack, B.; Pastan, R. and Cohen, A. (1985):
The clinical features of elderly onset rheumatoid

arthritis. Arth. & Rheum., 28 : 987.

- * DeCarvalho, A. and Graudal, H. (1980):
Relationship between radiologic and clinical
findings in rheumatoid arthritis. Acta
Radiologica; 21 : 797-802.

- * Dessureault, M. and Carette, S. (1989):
Aetiology and pathogenesis of rheumatoid
arthritis. Triangle; 28 : 5-15.

- * Douglas, W. (1965):
The digital artery lesion of rheumatoid arthritis.
Annals of the Rheumatic Diseases; 24 : 40.

- * Duthie, J.; Thompson, M.; Weir, M. and Fletcher, W.
(1955):
Medical and social aspects of treatment of
rheumatoid arthritis. Ann. Rheum. Dis., 14 : 133.

- * Edward, D. and Harris, J.R. (1989):
The clinical features of Rheumatoid Arthritis. In
"Textbook of Rheumatology". Ed. by Kelly, W.N.;
Harris, E.D.; Ruddy, S. and Sledge, C.B. 3rd Ed.
pp. 943-981. Philadelphia, London, Toronto,
Saunders.

- * El-Badawy, S. (1979):
"Pattern of Rheumatoid arthritis in EGYPT". The
Egyptian Rheumatologist, 1, 3.

- * Ericson, S. (1968):
The parotid gland in subjects with and without
rheumatoid arthritis. Acta Radiologica 275 : 7.

- * Fam, A.; Shuckett, R.; McGillivray, D. and Little, A.
(1983):
Stress fractures in rheumatoid arthritis. Journal
of Rheumatology 10 : 722.

- * Fassbender, H.G. (1983):
Histomorphological basis of articular cartilage

destruction in rheumatoid arthritis. Collagen and Related Research 3 : 141-156.

- * Fell, H. and Jubb, R. (1977):
The effect of synovial tissue on the breakdown of articular cartilage in organ culture. Arth. & Rheum. 20 : 1359.

- * Ferguson, G. (1966):
Cholesterol pleural effusion in rheumatoid lung disease. Thorax; 21 : 577.

- * Fogelman, I. (1986):
Rheumatoid arthritis and osteoporosis. British Journal of Rheumatology; 25 : 240-241.

- * Forman, M.; Zuri, S.; Gear, A. and Wing, J. (1982):
Severe airway obstruction associated with rheumatoid arthritis and syögrens syndrome. South African Medical Journal; 61 : 674.

- * Franco, A.E. and Schur, P.H. (1971):
Hypocomplementaemia in rheumatoid arthritis. Arthritis and Rheumatism; 14 : 231.

- * Fye, K.H.; Moustsopoulos, H.M. and Talat, N. (1982):
Rheumatic diseases. In "Basic and clinical Immunology" Ed. by Fudenberg, H.; Stites, D. and Wells, J. 3rd ed. p. 422, California : Hange.

- * Ganda, O.P. and Caplan, H.I. (1974):
Rheumatoid disease without joint involvement. JAMA; 228 : 338.

- * Gardner, D. (1972):
The pathology of rheumatoid arthritis. Edward Arnold, London.

- * Gardner, D. (1983):
The nature and causes of osteoarthrosis. Br. Med. J. 286 : 418.

- * Gardener, D.L. (1986):
Pathology of rheumatoid arthritis. In "Compan's textbook of the rheumatic diseases", ed. by Scott, J.E., 6th Ed., Churchill Livingstone London and New York, pp. 604-652.

- * Gear, J.A.; Edward, J.M.; Maini, R.N. and Ansell, B.M. (1986):
Rheumatoid arthritis, Juvenile arthritis, Iridocyclitis and the Epstein-Barr virus. Ann. Rheum. Dis.; 45 : 6-8.

- * Geddes, D.; Corrin, B.; Brewerton, D.; Davis, R. and Turner, M. (1977):
Progressive airway obliteration in adults and in association with rheumatoid disease. Quarterly Journal of Medicine, 46 : 427.

- * Genant, H.K. (1979):
Radiology of rheumatic disease. In "Arthritis and allied diseases". Edited by McCarty, D.J. 9th Ed. pp. 70-130. Philadelphia : Lea and Febiger.

- * Gevers, G.; Devos, P.; De Roo, M. and Dequeker, J. (1986):
Increased levels of osteocalcin (Serum bone GLA-protein) in rheumatoid arthritis. British Journal of Rheumatology; 25 : 260-262.

- * Giesecking, R. (1969):
Das feinmikroskopische Bild des Rheumatismus nodosus. Beiträge zur Pathologischen Anatomie und Allgemeinen Pathologie. 138 : 292.

- * Glynn, L.E. (1972):
Pathology, pathogenesis and aetiology of rheumatoid arthritis. Annals of the Rheumatic dis. 31 : 412-420.

- * Gordon, D.; Stein, J. and Border, I. (1973):
The extra-articular features of rheumatoid arthritis. American Journal of Medicine; 54 : 445-452.

- * Greenwood, B. (1969):
Polyarthrititis in Western Nigeria. Ann. Rheum. Dis.
28, 488.

- * Hadidi, T.; El-Garf, A.; Zaki, S.; Hadidi, K. and Bach,
G. (1987):
The pattern of rheumatoid arthritis in Egypt.
Arthritis & Rheuma., 9, 21.

- * Halla, J.; Fallahi, S. and Hardin, J. (1986):
Small joints involvement in rheumatoid arthritis.
Ann. Rheum. Dis., 45 : 327.

- * Halla, S.; Ginsberg, W.W.; Vollertsen, R.S. and Hunder,
G.G. (1983):
The coexistence of rheumatoid arthritis and giant
cell arteritis. Journal of Rheumatology, 10 : 995-
997.

- * Harris, E.D. (1970):
Rheumatoid heart disease with complete heart
block. Journal of Clinical Pathology. 23 : 623.

- * Harris, E.D. (1981):
R.A., The clinical spectrum. In "Textbook of
Rheumatology" by Kelly, W.N.; Harris, E.D.; Ruddy,
S. and Sledge, C.B.; 1st Ed. pp. 928-963.
Philadelphia, London, Toronto : Saunders.

- * Harris, E.D. (1989):
Pathogenesis of Rheumatoid arthritis. In:
"Textbook of Rheumatology". Ed. by Kelly, W.N.;
Harris, E.D.; Ruddy, S. and Sledge, C.B. 3rd Ed.
pp. 905-943. Philadelphia, London, Toronto,
Saunders.

- * Harrison, M.O.; Freiburger, R.H. and Ranawat, C.S.
(1971):
Arthrography of the rheumatoid wrist joint.
American Journal of Roentgenology; 112 : 480.

- * Haskard, D.D.; Higgins, C.S.; Temple, C.N. and Currey, H.L. (1983):
Spontaneous rupture of the spleen in rheumatoid arthritis. *Annals of the Rheumatic Diseases*; 42 : 411-414.

- * Hastings, D.E. and Evans, J.A. (1975):
Rheumatoid wrist deformities and their relation to ulnar drift. *Journal of Bone and Joint Surgery*, 57A : 930.

- * Hazelman, B. and Watson, P. (1977):
Ocular complications of rheumatoid arthritis. In: Bluestone, R.; Bacon, P.A. (eds.). *Clinics in rheumatic diseases, Vol. 3 Extra articular manifestations of rheumatoid arthritis*. Saunders, Philadelphia, P. 501-526.

- * Hedberg, H. (1961):
The latex fixation titre in remissions of rheumatoid arthritis. *Acta. Rheum. Scand.*; 7 : 43.

- * Hellems, S.; Kanner, R. and Renzetti, A. (1983):
Bronchocentric granulomatosis associated with rheumatoid arthritis. *Chest* 83 : 831.

- * Hickling, D. and Golding, J.R. (1984):
An outline of Rheumatology. 1st Ed., pp. 48-75. Bristol; John Wright and Sons.

- * Holland, C.D.; Rennie, J.A.; Hassan, I.F.; Jasani, M.K. and Jayson, M.I. (1982):
Extravascular fibrin in rheumatoid arthritis. *Annals of the Rheumatic dis.* 41 : 311.

- * Hollywell, C.; Morris, C.J.; Farr, M. and Walton, K.W. (1983):
Ultrastructure of synovial changes in rheumatoid disease. *Virchows Archiv.* 400 : 345-355.

- * Hughes, G.R. and Currey, H.L. (1975):
Laboratory investigations. In: "An introduction to clinical rheumatology". Ed. by Mason, M. and

Currey, H.L. 2nd Ed. p. 348 Philadelphia : Pitman.

- * Hurd, E.R. (1979):
Extra-articular manifestations of Rheumatoid arthritis. Semin. Rheum. Dis. 8 : 151.

- * Iveson, J. and Pomerance, A. (1977):
Cardiac involvement in rheumatoid disease. In: Bluestone R. and Bacon, P. (eds.). Clinics in rheumatic diseases, Vol. 3. Extra articular manifestations of rheumatoid arthritis. Saunders, Philadelphia, p. 467-500.

- * Iveson, J.M.; Thadani, V. and Wright, V. (1975):
Aortic valve incompetence and replacement in rheumatoid arthritis. Ann. Rheum. Dis.; 34 : 312.

- * Jacoby, R.; Jayson, M. and Cosh, J. (1973):
"Onset, early stages and prognosis of Rheumatoid arthritis". Br. Med. J.; 2 : 96.

- * Jayson, M.I. and Dixon, A.S. (1970):
Valvular mechanisms in Juxta. Articular cysts. Ann. Rheum. Dis. 29 : 415.

- * Johnston, T.; White, D.; Weiss, S.; Weiss, W. and Weinberger, S. (1982):
Endobronchial necrobiotic nodule antedating rheumatoid arthritis. Chest, 2 : 199.

- * Jones, F. and Blodgett, R. (1971):
Empyema in rheumatoid pleuropulmonary disease. Annals of Internal Medicine 74 : 665.

- * Kampner, S.L. and Kuzell, W. (1976):
Intra articular rheumatoid nodule of the knee joint. Clinical Orthopaedics and Related Research, 114 : 243-247.

- * Kanyerezi, B.; Baddeley, H. and Kisumba, D. (1970):
Rheumatoid arthritis in Ugandan Africans. Ann. Rheum. Dis., 29 : 617.

- * Kanyerezi, B. and Lutalo, S. (1980):
Some aspects of rheumatoid disease in Uganda. The
East African Medical Journal 57, 39.

- * Kean, W.F.; Lock, C.J.; Rooney, P.J. and Nablo, L.
(1984):
A biological effect on platelets by the minor
component of gold sodium thiomalate. Clinical and
Experimental Rheumatology; 2 : 321-328.

- * Khong, T.K. and Rooney, P.J. (1982):
Manubrio - sternal joint subluxation in rheumatoid
arthritis. Journal of Rheumatology; 9 : 712-715.

- * Kim, R. (1980):
Rheumatoid disease with encephalopathy. Annals of
Neurology, 7 : 86.

- * Kim, R. and Collins, C. (1981):
The neuropathology of rheumatoid disease. Human
Pathology, 12 : 5.

- * Kim, R.; Collins, C. and Parisi, J. (1982):
Rheumatoid nodule formation within choroid plexus.
Archives of Pathology and Laboratory Medicine, 106
: 83.

- * Korin, H. and Tobis, J.S. (1971):
Kinesthetic perceptual disturbance in
musculoskeletal disease. Journal of Chronic
Disease; 24 : 209.

- * Kraag, G.R. (1989):
Clinical aspects in rheumatoid arthritis.
Triangle; 28 : 15-25.

- * Lawrence, J.S.; Behrend, T.; Bennett, P.H.; Bremno, J.M.;
Burch, T.A.; Gofter, J.O.; Brich, W. and Robinson,
H. (1966):
Geographical studies on rheumatoid arthritis.
Annals of the Rheum. Dis., 36 : 425, 432.

- * Lawrence, J.; Bremner, J.; Ball, J. and Bruch, T. (1966):
Rheumatoid arthritis in subtropical population.
Ann. Rheum. Dis. 25, 59.

- * Lebowitz, W.B. (1963):
The heart in rheumatoid arthritis. Ann. Intern.
Med.; 58 : 102.

- * Lebowitz, W. (1966):
The heart in rheumatoid disease. Geriatrics, 21 :
194.

- * Lindsay, M.K.; Tavadia, H.B.; Whyte, A.S.; Lee, P. and
Webb, J. (1973):
Acute abdomen in rheumatoid arthritis. British
Medical Journal; 11 : 592.

- * Linos, A.; John, W.; Michael, W. and Kurland, L. (1980):
"The epidemiology of rheumatoid arthritis in
Rochester, Minnesota" Am. J. of Epi., 3 : 87.

- * Linos, A.; Worthington, J.; Plumbo, P.; O'Fallon, W. and
Kurland, L. (1980):
Occurrence of Hashimoto's thyroiditis and diabetes
mellitus in patients with rheumatoid arthritis.
Journal of Chronic Diseases, 33 : 73.

- * Littler, J.W. and Eaton, R.G. (1967):
Redistribution of forces in the correction of the
boutonniere deformity. Journal of Bone and Joint
Surgery; 49A-1267.

- * Macfarlane, J.D. and Var Der Linden, S.J. (1981):
Leaking rheumatoid olecranon bursitis as a cause
of forearm swelling. Ann. Rheum. Dis.; 40 : 309-
311.

- * Mackay, J.M.; Sim, A.K. and Gardner, D.L. (1983):
Aetiology of Rheumatoid Arthritis. 42 : 443-447.

- * Mall, J.C.; Genant, H.K.; Silcox, D.C. and McCarty, D.J. (1974):
The efficiency of fine-details radiography in the evaluation of patients with rheumatoid arthritis. Radiology; 112 : 37.
- * Marshall, R.N.; Myers, D.B. and Palmer, D.G. (1980):
Disturbance of gait due to rheumatoid arthritis. Journal of Rheumatology; 7 : 617-623.
- * Martel, W. (1977):
Pathogenesis of cervical discovertebral destruction in rheumatoid arthritis. Arthritis Rheum. 20 : 1217.
- * McGill, P. (1991):
Rheumatoid arthritis in sub-Saharan Africa. Ann. Rheum. Dis. (Accepted for publication 23 April 1991) in press.
- * McGuire, M.K.; Murphy, G.; Reynolds, J.J. and Russell, R.G. (1982):
Messenger function of prostaglandins in cell to cell interactions. International Journal of Immunopharmacology 4 : 91-102.
- * Méndez, A.; Paul, W. and Alarcón, G. (1989):
"Rheumatoid arthritis in American blacks". J. of Rheum., 16 : 9-1197.
- * Miller, B.; Markheim, H. and Towbin, N. (1967):
Multiple stress fractures in rheumatoid arthritis. Journal of Bone and Joint Surgery. 49A : 1408.
- * Mody, G. and Meyers, O. (1989):
Rheumatoid arthritis in blacks in South Africa. Ann. Rheum. Dis., 48 : 69.
- * Mohr, W. (1980):
Pathogenesis of inflammatory cartilage destruction in chronic polyarthritis. Deutsche Medizinische Wochenschrift, 105 : 868-872.

- * Montgomery, W. and Goodman, M. (1980):
Rheumatoid cricoarytenoid arthritis complicated by upper oesophageal ulcerations. *Annals of Otolaryngology, Rhinology and Laryngology* 89 : 6.

- * Moolenburgh, J.; Valkenburg, H. and Fourie, P. (1986):
A population study on rheumatoid arthritis in Lesotho, Southern Africa. *Ann. Rheum. Dis.*, 45 : 691.

- * Moore, C. and Wilkens, R. (1977):
The subcutaneous nodules: its significance in the diagnosis of the rheumatic diseases. *Seminars in Arthritis and Rheumatism*, 7 : 63.

- * Muriden, K.D. (1966):
Ferritin in synovial cells in patients with rheumatoid arthritis. *Annals of the Rheumatic Dis.* 25 : 387-401.

- * Nakata, H. and Russell, W. (1970):
Chest roentgenograms in rheumatoid arthritis. *American Journal of Roentgenology*; 108 : 819.

- * Neumark, T.; Dombay, M. and Gaspard, G. (1979):
Ultrastructural studies in rheumatoid polyneuropathy. *Acta Morphologica*, 27 : 205.

- * Ohno, O. and Cooke, T.D. (1978):
Electron microscopic morphology of immunoglobulin aggregates and their interactions in rheumatoid articular collagenous tissues. *Arthritis and Rheumatism*; 21 : 516-527.

- * Penny, W.J.; Knight, R.K.; Rees, A.M.; Thomas, A.L. and Smith, A.P. (1982):
Obliterative bronchiolitis in rheumatoid arthritis. *Annals of the Rheumatic Diseases*; 41 : 469-472.

- * Pisko, E.; Turner, R.; Veatts, P.; Bruch, P.; McKinley, P. and Collins, R. (1982):
Ocular pathology, tear production and tear

lysozyme in rheumatoid arthritis. Journal of Rheumatology, 9 : 708.

- * Popert, A.J.; Scott, D.L.; Walton, K.W.; Williamson, N. and Chapman, J.H. (1982):
Frequency of occurrence, mode of development and significance of rice bodies in rheumatoid joints. Annals of the Rheumatic Dis. 41 : 109-117.

- * Querol, R. and Roig, E. (1968):
"Debut de L'arthrite rhumatoide". Rev. Rheum., 35, 21.

- * Rajapakse, C.; Thompson, R.; Grennan, D.; Wintson, B.; Patel, P. et al. (1983):
Increase bone metabolism in rheumatoid arthritis. Ann. Rheum. Dis. 42 : 138.

- * Raman, D. and Haslock, I. (1982):
Trochanteric bursitis - a frequent cause of hip pain in rheumatoid arthritis. Ann. Rheum. Dis. 41 : 602.

- * Rask, M.R. (1978):
Achilles tendon rupture owing to rheumatoid disease. JAMA; 239 : 435.

- * Read, G.O.; Solomon, L. and Biddulph, M. (1983):
Relationship between finger and wrist deformities in rheumatoid arthritis. Ann. Rheum. Dis., 42 : 619-625.

- * Reid, D.M.; Kennedy, N.S. and Smith, M.A. (1986):
Bone loss in rheumatoid arthritis and primary generalized osteoporosis. British Journal of Rheumatology; 25 : 253-259.

- * Reimer, K.A.; Rodgers, R.F. and Oyasu, R. (1976):
Rheumatoid arthritis with rheumatoid heart disease and granulomatous aortitis. JAMA; 235 : 2510.

- * Ritchie, D.M.; Boyle, J.A.; McInnes, J.M.; Jasani, M.K. and Buchanan, W. (1968):
Clinical studies with an articular index for the assessment of joint tenderness in patients with rheumatoid arthritis. Quarterly Journal of Medicine; 37 : 393-406.

- * Roberts, W.; Kehoe, J.; Carpenter, D. and Golden, A. (1968):
Cardiac valvular lesions in rheumatoid arthritis. Archives of Internal Medicine. 122 : 141.

- * Ropes, M.W.; Bennett, G.A.; Cobb, S.; Jacox, R. and Jessar, R.A. (1959):
Revision of diagnostic criteria in rheumatoid arthritis. Bulletin of the Rheumatic Diseases; 9 : 175.

- * Roses, H.M.; Rangan, C.; Peance, E. and Lipman, M.O. (1948):
Differential agglutination of normal and sensitized sheep erythrocytes by sera of patients with rheumatoid arthritis. Proc. Soc. Exp. Biol.; 68 : 1.

- * Rothermich, N.O. and Whisler, R.L. (1965):
Theories of causation and pathogenesis of rheumatoid synovitis. In "Rheumatoid Arthritis". pp. 3-23, Grune & Stratton, Inc. New York.

- * Rowley, D.A. and Halliwell, B. (1983):
Formation of hydroxyl radicle from hydrogen peroxide and iron salts by superoxide - Clinical Science; 64 : 649-653.

- * Rubin, E.H.; Gordon, M. and Thelmo, W. (1967):
Nodular pleuropulmonary rheumatoid disease. American Journal of Medicine; 42 : 567.

- * Sambrook, P.N.; Ansell, B.M. and Foster, S. (1985):
Bone turnover in early rheumatoid arthritis. Ann. Rheum. Dis., 44 : 575-579.

- * Samuels, B.; Lee, J.; Engleman, E. and Hopper, J. (1978):
Membranous nephropathy in patients with rheumatoid
arthritis: relationship to gold therapy. Medicine,
57 : 319.

- * Scott, D.; Bacon, P. and Tribe, C. (1981):
Systemic rheumatoid vasculitides. Medicine, 60 :
288.

- * Scott, D.L.; Grindulis, K.A.; Coulton, B.L.; Popert, A.I.
and Bacon, P.A. (1984):
Progression of radiological changes in rheumatoid
arthritis. Ann. Rheum. Dis.; 43 : 8-17.

- * Scott, J.T.; Porter, J.H.; Lewis, S.M. and Dixon, A.S.
(1961):
Studies of Gastrointestinal bleeding caused by
corticosteroids, salicylates, and other
analgesics. Quarterly Journal of Medicine, 30 :
167.

- * Sharp, J.T.; Young, D.; Brook, A. and Brower, A.C.
(1985):
How many joints in the hands and wrists should be
included in a score of radiologic abnormalities
used to assess rheumatoid arthritis. Arthritis and
Rheumatism; 28 : 1326-1335.

- * Sheppeard, H. (1983):
An update on mechanisms of cartilage destruction
in rheumatoid arthritis. Australian and Newzeland
Journal of Medicine, 13 : 195-200.

- * Shiozawa, S. and Ziff, M. (1983):
Immunoelectron microscopic demonstration of
fibronectin in rheumatoid pannus junction.
Arthritis and Rheumatism 26 : 472-478.

- * Sigal, L.H.; Steere, A.C. and Niderman, J.C. (1983):
Symmetrical polyarthritis associated with
heterophile - negative infectious mononucleosis.
Arthritis and Rheumatism; 26 : 553-556.

- * Silberberg, R. (1985):
Diseases of joints. In "Anderson's Pathology"
edit. Kisane, J.M.; Vol. II, 8th ed., pp. 1828-
1863, The C.V. Mosby Comp. St. Louis.

- * Singer, J.M. and Plotz, C.M. (1956):
The latex fixation test. Application to the
serologic diagnosis of rheumatoid arthritis.
American Journal of Medicine; 21 : 888.

- * Skrifvars, B. (1979):
Immunofluorescence study of renal biopsies in
chronic rheumatoid arthritis. Scandinavian Journal
of Rheumatology, 8 : 241.

- * Smith, H.; Challa, V. and Alexander, E. (1980):
Odontoid compression of the brain stem in a
patient with rheumatoid arthritis. J. of
Neurosurgery 53 : 841.

- * Sokoloff, L. (1966):
The pathology of rheumatoid arthritis and allied
disorders. In: Hollander J.L. (ed.) Arthritis and
allied conditions, 7th Ed. Lea & Febiger,
Philadelphia, p. 187-210.

- * Spurlock, R. and Richman, A. (1983):
Rheumatoid meningitis. Archives of Pathology and
Laboratory Medicine, 107 : 129.

- * Stein, M. and Davis, P. (1990):
Rheumatic disorders in Zimbabwe. Ann. Rheum. Dis.
49 : 400.

- * Steinbrocker, O.; Traeger, C.H. and Batterman, R.C.
(1949):
Therapeutic criteria in rheumatoid arthritis.
JAMA; 140 : 659-662.

- * Sturrock, R.D.; Cowden, E.A.; Howie, E.; Gernnan, D.M.
and Buchanan, W.W. (1975):
The forgotten nodules. British Medical Journal; 20
: 92.

- * Sukoff, M.H.; Kadin, M.M. and Moran, T. (1972):
Transoral decompression for myelopathy caused by
rheumatoid arthritis of the cervical spine.
Journal of Neurosurgery, 37 : 493.

- * Sullivan, S.; Hamilton, E.B. and Williams, R. (1978):
Rheumatoid arthritis and liver involvement.
Journal of the Royal College of Physicians; 12 :
416-422.

- * Susmano, A.; Muenster, J. Javid, H. and Carlton, R.
(1973):
Coronary arteritis in rheumatoid arthritis.
Archives of Internal Medicine, 312 : 241.

- * Sutton, P.P.; Kadir, H.; Pavia, D.; Sheahan, N.F. and
Clarke, S.W. (1983):
Lung mucociliary clearance in rheumatoid disease.
Annals of the Rheumatic Diseases; 14 : 47-51.

- * Swezey, R.L. (1967):
Myocardial infarction due to rheumatoid arthritis.
JAMA; 199 : 191.

- * Talbott, J.A. and Calkins, E. (1964):
Pulmonary involvement in rheumatoid arthritis.
Journal of the American Medical Association; 189 :
911.

- * Teitsson, I.; Seifert, M.H. and Valdinarsson, H. (1984):
Prospective study of early rheumatoid arthritis.
Ann. Rheum. Dis.; 43 : 673.

- * Thadani, U.; Iverson, J. and Wright, V. (1975):
Cardiac tamponade, constrictive pericarditis and
pericardial restriction in rheumatoid arthritis.
Medicine, 54 : 261.

- * Thompson, M. (1965):
The clinical features of rheumatoid disease, in
progress in clinical rheumatology. Ed. A.S.J.
Dixon, P. 10 Churchill, London.

- * Thurtle, O.A. and Cawley, I.D. (1983):
The frequency of leg ulceration in rheumatoid arthritis. Journal of Rheumatology; 10 : 507-509.

- * Tiger, L.; Gordon, M.; Ehrlich, G. and Shapiro, B.:
(1976):
Liver enlargement demonstrated by scintigraphy in rheumatoid arthritis. J. Rheum.; 3 : 15.

- * Waaler, E. (1940):
On the occurrence of a factor in human serum activating the specific agglutination of sheep blood corpuscles. Acta Path. Microb. Scand.; 17 : 172.

- * Walker, W.C. and Wright, V. (1968):
Pulmonary lesions in rheumatoid arthritis. Medicine, 47 : 501.

- * Walker, W. and Wright, V. (1969):
Diffuse interstitial pulmonary fibrosis and rheumatoid arthritis. Ann. Rheum. Dis.; 28 : 252.

- * Ward, R. (1961):
Pleural effusion and rheumatoid disease. Lancet; ii : 1336.

- * Watson, P. (1979):
Intracranial haemorrhage with vasculitis in rheumatoid arthritis. Archives of Neurology; 36 : 58.

- * Watson, R.G. (1965):
A more specific method for detecting and quantitating rheumatoid factors using a simple modification. Am. J. Clin. Path.; 43 : 152.

- * Weiss, J.J.; Thompson, G.R.; Doust, V. and Burgener, E. (1975):
Rotator cuff tears in rheumatoid arthritis. Arch. Int. Med., 135 : 521.

- * Whaley, K.; Williamson, J. and Mason, D. (1973):
Sjogren's syndrome. Quarterly Journal of Medicine,
42 : 279.

- * Williams, R.C. (1974):
Rheumatoid factors and other serum components
associated with rheumatoid arthritis. In
"rheumatoid arthritis as a systemic disease". 2nd
ed. p. 154, Philadelphia. London, Toronto:
Saunders.

- * Wisnieski, J. and Askari, A. (1981):
Rheumatoid nodulosis. Archives of Internal
Medicine, 141 : 615.

- * Withrington, R.; Teitsson, I.; Valdimarsson, H. and
Seifert, M. (1984):
Prospective study of early rheumatoid arthritis.
Ann. Rheum. Dis., 43 : 679.

- * Woessner, J. and Howell, D. (1980):
The enzymatic degradation of connective tissue
matrices. In: Scientific foundations of
Orthopaedics and traumatology P. 232-241,
Churchill Livingstone, Edinburgh.

- * Woodrow, J.C. (1988):
Aetiology of rheumatoid arthritis. J.
Rheumatology, 15 : 1.

- * Woolley, D. and Evanson, J. (1977):
Collagenase and its natural inhibitors in relation
to the rheumatoid joint. Connective Tissue
Research, 5 : 31.
