

REFERENCES

- Abd El-Naby, H., and Frisch, W., 2006: Geochemical constraints from the Hafafit Metamorphic complex (HMC): Evidence of Neoproterozoic back-arc basin development in the central Eastern Desert of Egypt. *J. African Earth Sci.*, v. 45, pp. 173-186.
- Akaad, M. K and Moustafa, G. A., 1963: The Shait granite: A cataclastic mylonitic granodiorite. *Geol. Surv. Egypt. Paper No. 19.*
- Bakhit, B. R. 2001: Geology, mineralogy and genesis of some gold occurrences, Eastern Desert, Egypt. Ph.D Thesis, Cairo Univ., Cairo, 405 p.
- Barker, F. 1979: Trondhjemite: definition, environment and hypotheses of origin. In: Barker, F. (ed.), *Trondhjemites, dacites and related rocks*. Elsevier, Amsterdam, pp. 1-12.
- Basta, E.Z., Church, W. R., Hafez, A.M.A., and Basta, F.F.1983: Proterozoic ophiolitic mélange and associated rocks of Gebel Ghadir area, Eastern Desert, Egypt. In *Proceedings of the Fifth International Conference on Basement Tectonics (Oct. 16–18, Cairo)*, p. 115–124.
- Basta, E.Z; Kotb, H. and Awadallah, M.F., 1980: Petrochemical and geochemical characteristics of the Dokhan Formation at the type locality, Gabal Dokhan, Eastern Desert, Egypt. In: Al Shanti, A.M.S., et al., (eds.): "Evolution and mineralization of the Arabian-Nubian Shield", v.3, New York Pergamon pres, pp. 122-140.
- Chappell, B. W., and white, A.J. R., 1974: Two contrasting granite types. *Pacific Geol.*, v. 8: pp. 173-174.

- Chazen, I. L., Vogel, T.A., 1974: Distribution of Ti and P in oceanic basalts as a test of origin. *Contrib. Mineral. Petrol.*, v. 43, pp.307-316.
- Coleman, R.J., 1977: *Ophiolite*, Springer, New York, 229 p.
- Cox, K. G. Bell J.D., and Pankhurst, R. J., 1979: The interpretation of igneous rocks. London Allen and Unwin. 450 p.
- El Gaby, S. 1975: Petrochemistry of some granites from Egypt. *J. Mineral. Abh.*, v. 124, pp. 147-189.
- El-Gaby, S., and El-Aref, M., 1977: Geological, petrochemical and geochemical studies on the Shait granite at Wadi Shait, Eastern Desert Egypt. *Fac. Sci. Bull., Assiut Univ.*, v. 6, pp. 307-339.
- El Gaby, S., List, F.K., and Tehrani, R., 1988: Geology, evolution and metallogenesis of the Pan-African belt in Egypt. In: El Gaby, S. and Greiling, R.O. (eds.). *The Pan-African belts of northeast Africa and adjacent areas. International Monograph Series on Interdisciplinary Earth Science and Applications*. Wiesbaden, Germany, Biewegn, pp. 17-68.
- El-Kaluobi, B. A. and El-Ramly, M. F., 1991: Nomenclature, origin and tectonic setup of the granite suite at Wadi Shait, South Eastern Desert, Egypt. *Ann. Geol. Surv. Egypt*, v. XVII, pp. 1-17.
- El Mahallawi, M. M., 1995, Rare earth elements geochemistry and petrogenesis of the Shaitian granitoid rocks, Wadi Shait area, Eastern Desert, Egypt.: *El Minia Sci. Bull., Fac. Sci., Minia Univ.*, v. 8 (1), pp. 79-96.
- El Mansi, M.M. 1996: Petrology, radioactivity and mineralization of Samut-Atud area, Central Eastern Desert, Egypt. Ph.D. Thesis, Cairo Univ., 320 p.
- El Ramly, M.F., and Akaad, M.K., 1960: The basement complex in the Central Eastern of Egypt. *Geo. Surv., Egypt*, pp. 8-35.

- El Ramly, M.F; Greiling, R.D.; Kroner, A. and Rashwan, A.A. 1983: On the tectonic evolution of the Wadi Hafafit area and environs, Eastern Desert of Egypt". Bull Fac. Earth Sci., King Abdelaziz Univ., Jeddah, v.6, pp. 113-126.
- El Shazly, E.M., 1964 : On the classification of the Precambrian and other rocks of magmatic affiliation in Egypt, U.A.R. 22nd Int. Geol. Congr., New Delhi, Sec.,v.10, pp. 88-101.
- Garson, M.S. and Shalaby, I.M., 1976: Precambrian Lower Paleozoic plate tectonics and metallogenesis in the Red Sea region. In Geol. Assoc. Canada, Spec. Publ., v.14, pp. 573-596.
- Greiling, R. O., 1987: Direction of Pan-African thrusting in the Eastern Desert of Egypt derived from lineation and strain data. In: Current Research in African Earth Science, G. Matheis and H. Schandeimeier (eds.), Balkema, Rotterdam. pp. 83-86.
- Greiling, R. O., El-Ramly, M. F., El Akkad, H. and Stern, R. J., 1988a: Tectonic evolution of the northwestern Red Sea margin as related to basement structure. In: The Gulf of Suez and Red Sea Rifting. X. Le Pichon and J. R. Cochran (eds.). Tectonophysics, v. 153, pp. 179-191.
- Gulacar, O. F., and Delalaye, M., 1976: Geochemistry of nikel, cobalt and copper in Alpine-type ultramafic rocks: J. Chem. Geol., v. 17, pp. 269-280.
- Harding, T. P., and J. D. Lowell. 1979: Structural styles, their plate-tectonic habitats, and hydrocarbon traps in petroleum provinces. Am. Assoc. Petrol. Geol. Bull., v. 63, pp.1016-1058.
- Hashad, A. H., Sayyah, T. and El-Kholy, S., 1972: Rb/Sr isotopic age determination of some basement Egyptian granites. Egypt. J. Geol., v. 16 (2), pp. 269-281.

- Hassanen, M. A., and El Sayed, M. M., 1997: Petrogenesis and tectonic environment of Hamash Dokhan volcanics, Southeastern Desert, Egypt. *Egypt J. Geol.*, Cairo, v. 41 (1), pp. 153-173.
- Higazy, R. A. and El-Ramly, M.F., 1960: Potassium-Argon ages of some rocks from the Eastern Desert of Egypt. *Geol. Surv. Egypt, Paper No. 7*.
- Hilmy, H.M. and Osman, A., 1989: Remobilization of gold from a chalcopyrite-pyrite mineralization Hammash gold mine, Southeastern Desert, Egypt, *Mineral. Deposita*, v. 24, pp. 244-249.
- Hume, W. F., 1935: *Geology of Egypt*, v. II, Part II. The later plutonic and minor intrusive rocks. *Geol. Surv. Egypt, Cairo*.
- Hume, W.F., 1937: *Geology of Egypt*. v. II, Part III, The Minerals of Economic value. *Geol. Surv. Egypt, Cairo*.
- Hunter, D. R., Barker, F., and Millard, H. T., 1978: The geochemical nature of the Archean ancient gneiss complex and granodiorite suite, Swaizland: A preliminary study: *Precamb. Res.*, v. 7, pp. 105-127.
- Hussein, A. A., Ali, M. M. and El-Ramly, M. F., 1982: A proposed new classification of the granites of Egypt. *J. Volcan. and Geoth. Res.*, v. 14, pp. 187-198.
- Irvine, T. N., and Barager, W.R.A., 1971: A guide to chemical classification of the common volcanic rocks. *Canada. J. Earth Sci.*, v. 8, pp. 523-548.
- Ivanove, T., Shalaby I., Hussein, A., 1972: "Metallogenic characteristics of South Eastern Desert of Egypt," *Ann. of Geol. Surv. of Egypt*, v. 6, pp.1-18.

- Jake P. and White A. J. R. 1972. Major and trace elements abundance in volcanic rocks of orogenic arcs. *Bull. Geol. Soc. Amer.*, v.83, pp 29-40.
- Kenndy, W. Q. 1964: The structural differentiation of Africa tectonic episode. *Res.Inst.Afr.Geol., Leeds, Ann. Rep.*, v. 8, pp. 48-49.
- Kleeman, G. J. and Twist D. 1989: The compositionally-zoned sheet-like granite pluton of the Bushveld Complex: Evidence bearing on the nature of A-type magmatism. *J. of Petro.*, v.30, pp 1383-1414.
- Kröner, A., 1984: Late-Precambrian plate tectonics and orogeny: A need to redefine the term Pan- African in: J. Klerkx & Michot (eds), *Geologie Africaine*, Tervuren, pp 23-28.
- Küster, D., and Harms, U., 1998: Post-collisional potassic granitoids from the southern and northern parts of the late Neoproterozoic East Africa Orogen. A review-*Lithos*, v. 45, pp. 177-195.
- Le Bas, M. J. 1973: A norm for feldspathoidal and melilitic igneous rocks *J. Geol.* 81, pp. 89-96.
- Liegeois, J. P., and Black, R., 1987, Alkaline magmatism subsequent to collision in the Pan-African belt of the Adrar des Iforase. In: Fitton, J.G., Upton, B.G.J. (Eds.), *Alkaline Igneous Rocks*, v.30, *Geol. Soci. Spec. Pub.* 381-401.
- Lowell, R.P., 1990: Thermoelasticity and the formation of black smokers. *Geophys. Res. Letters*, v.17, pp. 709-712.
- Mac Donald, G. A., 1968: Composition and origin of Hawaiian lavas: *Mem. Geol. Soc, Amer.*, v. 116, pp. 477-522.
- Maniar, P. D., and Piccoli, P. M., 1989: Tectonic discrimination of granitoids. *Geol. Soc. Amer. Bull.*, v. 101, pp. 635-643.

- Meschede, M., 1986: A method of discriminating between different types of mid-oceanic ridge basalts and continental tholeiites with the Nb-Zr-Y diagram. *Chem. Geol.*, v. 56 pp. 207-218.
- Miyashero, A., 1974: Volcanic rock series in island arcs and active continental margins. *Am. J. Sci.*, v. 274, pp. 321-355.
- Miyashiro, A. 1978: Nature of alkalic volcanic rocks series. *Contrib. J. Mineral. Petro.* v. 66 , pp. 91-104
- Miyashiro, A. and Shido, F. 1975: Tholeiitic and calc-alkalic series in relation to the behaviors of titanium, vanadium, chromium and nickel. *Amer. J. Sci.*, v. 275, pp. 265-277.
- Miyashiro, A., Shido, F. and Ewing, M. 1970: Crystallization and differentiation in abyssal tholeiites and gabbros from the Mid-Atlantic Ridge, *Earth Planet. Sci. Lett.*, 7, 361
- Moustafa, G.A. and Abdallah, A. 1957: The Hammash copper deposits, their geology and mineralization. *Geol. Surv. Egypt, Internal Report*
- Moustafa, G.A. and Hilmy, M.Ez. 1958: Contribution to the geology and mineralogy of the Hammash copper deposits ,S.E.D. Egypt, *Geol. Surv. Egypt*, paper No.5.
- Moustafa, G. A. and Akaad, M. K., 1962: Geology of Hammash-Sufra district. *Geol. Surv. Egypt. Paper No. 12.*
- Mullen, E.D., 1983: MnO-TiO₂-P₂O₅: Aminer element discriminates for basaltic rocks of oceanic environments and its implications for petrogenesis. *Earth Planet. Sci. Lett.*, v. 62, pp. 53-62.
- Pearce, J.A., 1975: Basalt geochemistry used to investigate post-tectonic environments on Cyprus: *Tectonophysics*, v. 25, pp. 41-67.

- Pearce, J.A and Cann, J. R 1973: Tectonic setting of basic volcanic rocks determined using trace element analysis. *Earth planet. Sci.*, v. 19, pp. 290 – 300.
- Pearce, J. A., and Gale, G.M., 1977: Identification of ore deposition environment from trace element geochemistry of associated igneous rocks. In: *Volcanic processes in ore genesis*. Inst.Min. and metal. , Geol. Soc. London, Spec. publ., v. 7, pp. 14-24.
- Pearce, T. H. and Norry, M.J., 1979: Petrogenetic implications of Ti, Zr, Y and Nb variation in volcanic rocks. *Contr. Mineral. Petrol.*, v. 69, pp. 33-47.
- Pearce, J.A.; Alabaster, T., Shakiton, A.W., and Searle, M.P., 1981: The Oman ophiolite as Cretaceous arc-basin Complex: evidence and implications. *Phill. Trans. R. Soc. London*, v. A300, pp. 299-317.
- Pearce, J. A., Harris, N. B. W and Tindle, A. G., 1984: Trace element discrimination diagrams for the tectonic interpretation of granitic rocks. *J. Petrol.*, v. 25, pp. 956-983.
- Pearce, J.A., Lippard, S. J., and Roberts, S., 1984: Characteristics and tectonic significance of supra-subduction zone ophiolites. In Kokelaar, B. P., and Howeis, M. F. (eds). *Geology of marginal basins*. Spec. Publ. Geol. Soc. London, v. 16, pp. 77-94.
- Peccerillo, A., and Taylor, S. R 1976: Geochemistry of upper Cretaceous volcanic rocks from the Pontic Chain, Northern Turkey. *Bull. Volcano.* v. 39, pp. 557-569.
- Rashwan, A. A., 1988: Petrology, geochemistry and petrogenesis of the Migif-Hafafit gneisses at Hafafit mine area, South Eastern Desert, Egypt. Ph. D Thesis, Faculty of Science, Ain Shams Univ., Cairo p. 359.

- Schurmann, H. M. E., 1953: The Precambrian of the Gulf of Suez area: 19th Int. Geol. Congress, Algeria, C. R. Sec. 1 Fasc., v.1: pp. 115-135.
- Shackleton, R. M. 1986: Precambrian collision tectonics. In Coward, M. P. and Ries, A.C. (eds.) Collision Tectonics. Geol. Soci. Spec. Publ., London, 329– 349.
- Shand, S. J., 1927: Eruptive Rocks: Thomas Murby and Co., London, p. 488.
- Shervais, J.W., 1982: Ti-V plots and the petrogenesis of modern and ophiolite lavas. Earth Planet. Sci. Lett., v. 59: pp. 101-118.
- Stern, R.J., 1981: Petrogenesis and tectonic setting of Late Precambrian ensimatic volcanic rocks, Central Eastern Desert of Egypt. Precambrian Res., v. 16, pp.195-230.
- Streckeisen, A., 1976: To each plutonic rock its proper name. Earth Science Review, v. 12, pp. 1-33.
- Takla, M. A. and Hussein, A.A. 1995: Shield rocks and related mineralizations in Egypt. 11th Sympo. Precamb. Develop., Cairo, Abst., pp. 6-7.
- Takla, M.A., Abdel Monem A. A., Dietrich V. J., Trommsdorff V. and Gad Shahin, M. 1997: Contribution to the geology, geochemistry and petrogenesis of Egyptian Proterozoic volcanics. 35th Ann. Meet. Geol. Soc. Egypt.
- Taylor, S. R., White, A. J.R. 1965: Geochemistry of andesites and the growth of continents. Nature, v. 208, pp. 271-273.
- Whalen, J. B., Currie, K. L., and Chappell, B. W., 1987: A-type granites: geochemical characteristics, discrimination and petrogenesis. Contrib. Min. Petro., v. 95, pp. 407-419.

- Wilson, M., 1989: *Igneous Petrogenesis*. Unwin Hyman, London, and p. 466.
- Winchester, J. A. and Floyd, P. A. 1977: Geological discrimination of different magma series and their differentiation products using immobile elements. *Chem. Geol.*, v. 20, pp. 325-343.
- Woodhead, J., Eggins, S., and Gamble, J., 1993: High field strength and transition element systematic in island arc and back-arc basin basalts: evidence for multiphase extraction and a depleted mantle wedge: *Earth Planet. Sci. Lett.*, v. 114, pp. 491-504.
- Youssef, T. F. N., 2000: Petrographic, geochemical and isotopic characterization of granitoid rocks in Wadi Shawab area, south Wadi El Gemal, Eastern Desert, Egypt. Ph. D. Thesis, Faculty of Science, Ain Shams University, Cairo. 202 p.