

REFERENCES

- Abdelghany, E.A. (1993):** Food and feeding habits of Nile tilapia from the Nile River at Cairo, Egypt. Proceeding of the First International Conference on Fish Farm Technology, Trondheim, Norway, 9–12 August 1993.
- Abdel-Hameid, N.A.H. (1994):** Effect of some pollutants on biological aspects of *Oreochromis niloticus*. M.Sc. Thesis, Faculty of Science, Zagazig Univ., Benha Branch, pp., 198.
- Abdel-Tawwab, M. (2000):** Food and feeding habits of *Oreochromis niloticus* under the effect of inorganic fertilizer with different N:P:K ratios in Abbassa fish ponds. Egypt. J. of Agricul. Res., 78 (1), 437–448.
- Abdel-Tawwab, M., and El-Marakby, H.I. (2004):** Length–weight relationship, natural food and feeding selectivity of Nile tilapia; *Oreochromis niloticus* (L.) in fertilized earthen ponds. In: Bolivar, R., Mair, G., Fitzsimmons, K. (Eds.), The 6th International Symposium of Tilapia in Aquacul. ISTA 6, 14–16 September 2004, Manila, Philippines, pp. 500–509.
- Abdel-Tawwab, M., Ousa, M.A.A; Ahmed, M.H., and Sakr, S.F.M. (2007):** The use of calcium pre-exposure as a protective agent against environmental copper toxicity for juvenile Nile tilapia, *Oreochromis niloticus* (L.), aquaculture (264) pp. 236–246.

- Abo-Hegab, S.; Marie, M.A. and Kandil, A. (1990):** Changes in the plasma lipid and total protein of grass carp *Cytopharyngodon idella* during environmental pollutant toxicity. Bull. Zool Soc. Egypt, 39: 211-222.
- Abo-Salem, E.M.; Edress, A.M.; El-Shawarby, M.R. and Ashoub, M.M. (1992):** Water pollution and implication in the accumulation of heavy metals in fish, Alex, J. Vet. Sci., 8(1): 13-16.
- Achanzar, W.E.; Achanza, K.B.; Lewis, J.G.; Webber, M.M., and Waalkes, M.P. (2000):** Cadmium induced c-myc, p53, and c-jun expression in normal human prostate epithelial cells as a prelude to apoptosis. Toxicol. and Applied Pharmacol., 164, 291-300.
- Adham, K.G.; Hasan, I.F.; Taha, N. and Amin, Th. (1999):** Impact of hazardous exposure to metals in the Nile and Delta Lakes on the Catfish, *Clarias lazera*. Environ. Monit. Asses., 54(1):107-124
- Aiyar J.; Buerkovits H.J.; Floyd R.A. and Borges K. (1991):** Reaction of chromium (VI) with glutathione or with hydrogen peroxide: Identification of reactive intermediates and their role in chromium (VI) -induced DNA damage. Environ. Health Perspective 92, 53–62.
- Akaishi, F.M.; Silva de Assis, H.C.; Jakobi, S.C.G.; StJean, S.; Couternay, S.C.; Lima, E.; Wagner, A.L.R.; Scofield, A. and Oliveira Ribeiro, C.A., (2004):** Morphological and neurotoxicological findings in tropical freshwater fish (*Astyanax* sp.) after waterborne

and acute exposure to water soluble fraction (WSF) of crude oil. Arch. Environ. Contam. Toxicol., 46, 244–253.

Alberts, B. (1983): Molecular Biology of cell, Garland publishing, 1983, p., 491-495.

Alekseyev, Y.O. and Romano, L.J. (2000): In vitro replication of primertemplate containing benzo(a)pyrene adducts by exonucleasedeficient *Escherichia coli* DNA polymerase I (Klenow fragment): effect of sequence context on lesion bypass, Biochem., 39, 10431–10438.

Alink, G.M.; Frederix-Walters, E.M.; Vander Gaag, M.A.,; Vasderkerkhoff, J.F.J. and Poels, C.L. M. (1980):
Induction of sister chromatid exchanges in fish exposed to Rhine water. Mut. Res., 78:369-374.

Al-Sabti, K. (1985): Frequency of chromosomal aberration in the rainbow trout, *Salmo gairdneri* Rich, exposed to five pollutants. J. Fish, Biol., 26: 13-16.

Al-Sabti, K.; Fijan, N. and Kurelec, B. (1983): Frequency of chromosomal aberrations in the rainbow trout, (*salmo gridneri*, Rich) exposed to detergent and benzene, Vet. Arh. 54, 83-89.

Al-Sabti, K. and Kurelec, B. (1985): Induction of chromosomal aberration in the muscle *Mytilus galloprovincialis* watch. Bull. Environ. Contam Toxicol., 35: 660-665.

- Amer, S.M. (1965):** Cytological effects of pesticides I Meiotic effects of N-methyl-1-naphthyl carbamate "sevin". *Cytologia*, 30: 175-181.
- Amer S.M. and Farah, O.R. (1968):** Cytological effects of pesticides II. Meiotic effects of N-methyl-1-naphthyl carbamate "sevin". *Cytologia*, 33: 337-344.
- Amer, S.M. and Farah, O.R. (1980):** Cytological effects of pesticides X. Meiotic effects of "phosvel". *Cytologia*, 45: 241-245.
- Anees, M. (1974):** Changes in starch gel electrophoresis pattern of serum protein of fresh water teleost, *Channa punctatus* (Block), exposed to sublethal and chronic levels of three organophosphorus insecticides. *Ceylon J. Sci.*, 11: 53-58.
- Andrew, P.L.; Cheung, H.-J. and Lam, K.M. (2004):** Regulation of *Tilapia* metallothionein gene expression by heavy metal ions. *Marine Environ. Res.*, 58, 389–394.
- Andrews, A.T. (1986):** Electrophoresis, theory, techniques and biochemical clinical application. 2nd Ed. New York: Academic press, pp., 161-135.
- Arai, R. and Koike, A. (1980):** A karyotype study on two species of fresh water fishes transplanted into Japan. *Bull.Nat.Sci.Mus.*, (Tokyo), 6: 275-278.
- Araragi, S.; Kondoh, M.; Kawase, M.; Saito, S.; Higashimoto, M. and Sato, M., (2003):** Mercuric chloride induces apoptosis via a mitochondrial-dependent pathway in human leukaemia cells. *Toxicol.*, 184, 1–9.
- Atli,G.; Alptekin,O.; Tükel, S. and Canli.M. (2006):** Response of catalase activity to Ag⁺, Cd²⁺, Cr⁶⁺, Cu²⁺ and Zn²⁺ in five tissues of freshwater fish *Oreochromis niloticus*. *Comparative*

Biochem. and Physiol., Part C 143, 218–224.

Atta M. B.; El-Sebaie L. A.; Noaman M. A. and Kassab H. E. (1993): The effect of cooking on the content of heavy metals in fish (*Tilapia nilotica*). Food Chemistry, Vol. 58, No. I-2, pp., 14, 1997.

ATSDR(1999): Toxicologic Profile for Cadmium. Agency for Toxic Substances and Disease Registry. Atlanta, GA.

ATSDR (2003): Agency for Toxic Substances and Disease Registry. Atlanta, GA.

Avci, A.; Ka`amaz, M. and Durak, I., (2005): Peroxidation in muscle and liver tissues from fish in a contaminated river due to a petroleum refinery industry. Ecotoxicol. Environ. Saf., 60, 101–105.

Avers, C.J. (1980): Genetics, chapter 11, P. 477-478, D. Van Nastrand and Campany, New York.

Awdallah R.M.; Mohamed A.E. and Gaber S.A.(1985): Determination of trace elements in fish by instrumental neutron activation analysis. J.Radioanal. Nucl.Chem. Lett. 95(3), 145-154.

Awwad, A.M. (1991): Effect of pollution on haemopoietic cells of fresh water fishes in qalyobia province. M.Sc. Thesis Zoology, Zagazig Univ., Faculty of Science, Benha Branch, 129.

Awwad., H. M. (2002): Mitochondrial NADH dehydrogenase gene

- (mtND2) phylogeny of Egyptian Tilapia species. Egyptian J. of Hospital Medicine, Vol., 6:15-26.
- Ayala, F.J. and Kiger, J.A. (1984):** Modern Genetics. 2nd Edition, the Benjamin/Cummings, London. Chapter 21, pp. 688-729.
- Azzalis, L.A.; Junqueira, V.B.C. and Simon, K., (1995):** Prooxidant and antioxidant hepatic factors in rats chronically fed an ethanol regimen and treated with an acute dose of lindane. Free Radic. Biol. Med., 19, 147–159.
- Badaway, E.A. and El-Serafy, S.S. (1998):** Comparative biochemical genetic studies on *Claris gariepinus* from different polluted localities, Menofiya J. Agric. Res., 23(6): 1705-1715.
- Badr, E.A. and El-Dib, S.I. (1978):** Effect of water pollution on the cell division cycle and chromosome behavior in tilapia spp., Egypt J. Genet. Cytol., 7: 193-200.
- Bagchi D.; Joshi S.S.; Bagchi M.; Balmoori J.; Benner E.J. and Kuszynski C.A. (2000b):** Cadmium- and chromium-induced oxidative stress, DNA damage, and apoptotic cell death in cultured human chronic myelogenous leukemic K562 cell, promyelocytic leukemic HL-60 cells, and normal human peripheral blood mononuclear cells. J. of Biochem. and Molec. Toxicol., 14, 33–41.
- Bagchi, D.; Bagchi, M.; Tang, L. and Stohs, S.J., (2000):** Comparative in vitro and in vivo protein kinase C

activation by selected pesticides and transition metal salts.
Toxicol., Letters 91 (1), 31–37.x

Baker, and Jenny (1988): *Simply Fish*. Faber & Faber, London.

Barbier, O.; Jacquillet,G.; Tauc,M.; Cougnon, M. and Poujeol, P., (2005): Effect of heavy metals on, and handling by, the kidney. *Nephron Physiol.*, 99 (4), 105–110.

Barker, C.J. and Rackman, B.D. (1979): The Induction of sister-chromatid exchanges in cultured fish cells (*Amecaplenens*) by carcinogenic mutagens. *Mutat. Res.*, 68, 381-387.

Bartholomew, R.J. and Delaney, A.M. (1964): *Proc Australian Assoc. Clin. Biochem.*, 1:64.

Basha, P.S. and Rani, A.U., (2003): Cadmium-induced antioxidant defense mechanism in freshwater teleost *Oreochromis mossambicus* (Tilapia). *Ecotoxicol. Environ. Saf.*, 56, 218–221.

Becerril, C.; Ferrero, M.; Sanz, F. and Castaño, A. (1999): Detection of mitomycin C-induced genetic damage in fish cells by use of RAPD, *Mutagén.*, 14 449–456.

Bernard, A. and Lauwerys, R., (1984): Cadmium in human

population. *Experientia.*, 40 (2), 143–152.

Bernier, J.; Brousseau, P.; Krzystyniak, K.; Tryphonas, H., and Fournier, M. (1995): Immunotoxicity of heavy metals in relation to Great Lakes. *Environ. Health Perspect.* 103(Suppl. 9), 23-34.

Bertello, L.A.C. (1978): Estudo citogeneticos negenero Hoplias Grill, 1903 (Pisces Erythrinidae). Tese de doutorado., Universidade de sao Paulo, Faculdade demedicina de Ribeideivao perto., 164p.

Beyersmann, D. and Hechtenberg, S., (1997): Cadmium, gene regulation, and cellular signaling in mammalian cells. *Toxicol. and Applied Pharmacol.*, 144, 247-261.

Bittell J.E.; Koeppe D.E. and Miller R.J. (1974): Sorption of heavy metal cations by corn mitochondria and the effects on electron and energy transfer reactions. *Physiologia Plantarum* 30, 226–230.

Bodar, C.W.M.; Van Der Sluis, I.; Voogt, P.A. and Zandee, D.I., (1988): Effects of cadmium on the consumption, assimilation and biochemical parameters of *Daphnia magna*: possible implications for reproduction. *Comp. Biochem. Physiol.*, C 90, 341–346.

Bondy, G.; Armstrong, C.; Coady, L.; Doucet, J.; Robertson, P.; Feeley, M. and Barker, M., (2003): Toxicity of the chlordan metabolite oxychlordan in female rats: clinical

and histopathological changes. Food Chem. Toxicol., 41, 291–301.

Bonne, N.A. and Vijayan, M.M. (2002): Constitutive heat shock protein 70 (HSC70) expression in rainbow trout hepatocytes: effect of heat shock and heavy metal exposure. Compar. Biochem. and Physiol., Part C 132, 223–233.

Booth, N.H. and Mc Donald (1982): Veterinary pharmacology and therapeutics, 5th Ed., P. 1106, The Iowa state Univ. Press Ames.

Borgmann, U. and Ralph, K.M., (1986): Effects of cadmium, 2,4-dichlorophenol and pentachlorophenol on feeding, growth and particle-size-conversion efficiency of white sucker larvae and young common shiners. Arch. Environ. Cont. Toxicol., 15, 473–480.

Bouck, G.R. (1972): Effects of diurnal hypoxia on electrophoretic protein on electrophoretic protein fraction and other health parameters of rock bass (*Ambloplites rupestris*). Trans. Amer. Fish Soc., 3: 488–493.

Bovero, S.; Hankeln, T.; Michailova, P.; Schmidt, E. and Sella, G. (2002): Nonrandom chromosomal distribution of spontaneous breakpoints and satellite DNA clusters in two geographically distant populations of *Chironomus riparius*. Genetica, 115 (3): 273–281.

- Boyd, C.E., (1990):** Water Quality in Ponds for Aquaculture. Birmingham Publishing Co, Birmingham, Alabama, USA.
- Bridges, C.C. and Zalups, R.K., (2005):** Molecular and ionic mimicry and the transport of toxic metals. *Toxicol. and Applied Pharmacol.*, 204 (3), 274–308.
- Brogger, A. (1974):** Chromosome damage in human mitotic cells after invivo and invitro exposure to mutagens. *Mutation Res.*23: 353
- Brown, J.S. and Steinert, S.A., (2004):** DNA damage and biliary PAH metabolites in flatfish from Southern California bays and harbors, and the Channel Islands. *Ecol. Ind.*, 3, 263–274.
- Bruggeman, I.M.; Temmink, J.H. and Van Bladeren, P.J., (1992):** Effect of glutathione and cysteine on apical and basolateral uptake and toxicity of CdCl₂ in kidney cells (LLC-PK1). *Toxicol. Invitro* 6, 195–200.
- Bryan, G.W., (1976):** Some aspects of heavy metal tolerance in aquatic organisms. In: Lockwood, A.P.M. (Ed.), *Effects of Pollutants on Aquatic Organisms*. Cambridge University Press, Cambridge, pp., 7–34.
- Bryan, M.D.; Atchison, G.J. and Sandheinrich, M.B., (1995):** Effects of cadmium on the foraging behavior and growth of juvenile bluegill, *Lepomis macrochirus*. *Can. J. Fish. Aquat. Sci.* 52, 1630–1638.
- Burtis, C.A. and Ashwood, E.R. (1999):**Text book of clinical

chemistry. Edition W.B.Saunders Co, P: 523-ISBN 0-7216-5610-2.

Carragher, J.F.; Sumpter, J.P.; Pottinger, T.G. and Pickering, A.D., (1989): The deleterious effects of cortisol implantation on reproductive function in two species of trout, *Salmo trutta* L. and *Salmo gairdneri* Richardson. Gen. Comp. Endocrinol., 76, 310–321.

Carragher, J.F. and Sumpter, J.P., (1990): The effect of cortisol on the secretion of sex steroids from cultured ovarian follicles of rainbow trout. Gen. Comp. Endocrinol., 77, 403–407.

Castano,A. and Becerril,C. (2004): In vitro assessment of DNA damage after short- and long-term exposure to benzo(a)pyrene using RAPD and the RTG-2 fish cell line. Mutation Res., 552 , 141–151.

Causeret, J. (1962): Fish as a source of mineral nutrition. In: Fish as Food, Vol. 11, ed. Borgstrom. pp. 205-228. Coombs, T. L. & George, S. G. (1978). The effect of chelating agent on the uptake and accumulation of Cd by *Mytilus edulis*. Mar. Biol., 39, 261-268.

Chan, H.M. and Cherian, M.G., (1992): Protective roles of metallothionein and glutathione in hepatotoxicity of cadmium. Toxicol., 72 (3), 281–290.

Chan, K. M. (1994): Biochem. Biophysic. Res. Communic., 205(1), 368–374.

- Chan, K. M. (1995):** Marine Pollution Bulletin, 31(4–12), 411–415.
- Chandra, P. and Khuda-Bukhsh, A.R. (2004):** Genotoxic effects of cadmium chloride and azadirachtin treated singly and in combination in fish, *Ectotoxicology and Environmental Safety*, 58(2): 194-201.
- Cherian, M.G.; Goyer, R.A. and Delaquerriere-Richardson, L., (1976):** Cadmium–metallothionein-induced nephropathy. *Toxicol. and Applied Pharmacol.*, 38 (2); 399–408.
- Clark, J.M. (1989):** Marine pollution. Oxford Science, Publication, 2nd Ed. Clarendon Press. Oxford.
- Clearwater, S.J.; Farag, A.M. and Meyer, J.S. (2002):** Bioavailability and toxicity of dietborne copper and zinc to fish. *Comp. Biochem. Physiol.*, 132C; 269–313.
- Collvin, L., (1985):** The effects of copper on growth, food consumption and food conversion of perch *Perca fluviatilis* L. Offered maximal food rations. *Aquat. Toxicol.*, 6, 105–113.
- Commission of the European communities (1978):** Criteria (dose effects relationships) for cadmium, Oxford, Pergmon Press.
- Couture, P., P., R. and Kumar (2003):** Impairment of metabolic capacities in copper and cadmium contaminated wild yellow perch (*Perca flavescens*). *Aquat. Toxicol.* 64, 107-120.
- Costello, L.C.; Liu, Y.; Franklin, R.B. and Kennedy, M.C. (1997):** Zinc inhibition of mitochondrial aconitase and its importance in citrate metabolism of prostate epithelial cells. *J. Biol.*

Chem. 272: 28875–28881.

Crosetti, S.; Brunner, P. and Cataudella, S. (1988): Cytological characterization of *Oreochromis niloticus* and *Oreochromis mossambicus* and their hybrids proceedings: The second internal symposium on Tilapia in aquaculture Bangkok, Thailand 16-20 March, pp. 256-260.

Damek-Proprawa, M. and Sawicka-Kapusta, K., (2003): Damage to the liver; kidney and testis with reference to burden of heavy metals in yellow-necked mice from areas around steelworks and zinc smelters in Poland. *Toxicol.*, 186, 1–10.

Darlington, C.D. and Mcleish, L. (1951): Action of maleic hydrazide on the cell. *Nature*, 167: 407-408.

Darrance, D.L.; Taniger O. and Teplitz, R.L. (1975): Effect of peyote on human chromosomes. Cytogenetic study on the Huichol Indians of Northern Mexico. *JAMA* 234: 299-302.

Das, K.; Debacker, V. and Bouquegneau, J. M. (2000): Metallothioneins in marine mammals. *Cell. Mol. Biol. (Noisy-le-Grand)* 46, 283-294.

Dautremepuits, C.; Betoulle, S. and Vernet, G., (2002): Antioxidant response modulated by copper in healthy or parasitized carp (*Cyprinus carpio* L.) by *Ptychobothrium* sp. (Cestoda). *Biochim. Biophys.*, 1573, 4–8.

Davis, B.J. (1964): Disc electrophoresis . Method and application to

human serum proteins. Ann. N. Y. Acad. Sci., 121: 404-427.

De Flora, S.; Bagnasco, M. and Znacchi (1993): Genotoxic, Carcinogenic and teratogenic hazards in the marine environment, with special reference to the Mediterranean sea, Mutation Res., 258: 285-320.

Dietz, R.; Nergaard, J. and Hansen, J. C. (1998): Have arctic mammals adapted to high cadmium levels? Mar. Pollut. Bull., 36, 490-492.

Dorian, C.; Gattone, V.H. and Klaasen, C.D., (1992): Renal cadmium deposition and injury as a result of accumulation of cadmium–metallothionein (CdMT) by the proximal convoluted tubules a light microscopic autoradiography study with 109CdMT. Toxicol. and Applied Pharmacol., 114 (2), 173–181.

Dudley, R.E., Svoboda, D.J., Klaassen, C.D., (1984): Time course of cadmium induced ultrastructural changes in rat liver. Toxicol. and Applied Pharmacol., 76 (1), 150–160.

Dutta, H.M.; Dogra, J. V.V.; Singh, N.K.; Roy, P.K.; Nasar, S.S.T.; Adhikari, S.; Munshi, J.S.D. and Richmonds, C. (1992): Malathion induced changes in serum proteins and hematological parameters of an Indian Catfish Hetero-pneustes Fassilis (Bloch). Bull. Environ. Contam. Toxicol., 49:91-97.

El-Ezaby, M. M. (1994): Certain studies on the effect of some pollutants on fresh – water fish. Ph.D thesis, Zagazig Univ. Benha branch. pp., 213.

El-Gamal, M. (1993): An environmental evaluation of industrial

wastewater as a source of irrigation. Proc. 3th International Conf on Environ. Protect. is a Must, April 13- 15, Alexandria, Egypt, pp., 207-219.

Elinder, C.G. and Kajellstorm, T. (1977): Cadmium concentration in samples of human kidney cortex from the 19th century, *Ambio* 6, 270-272.

Elinder, C.G., (1986): Cadmium uses occurence and intake. In: Friberg, L., Elinder, C.G., Kjellstrom, T., Nordberg, G.F. (Eds.), *Cadmium and Health: A Toxicological and Epidemiological Appraisal*. CRC Press, Boca Raton, FL, pp., 23–63.

Ellis, K.J.; Vartsky, D.; Zanzi, I.; Cohn, S.H. and Yasumura, S., (1979): Cadmium: in vivo measurement in smokers and nonsmokers. *Scien.*, 205 (4403), 323–325.

El-Nabawi, A.; Heinzow,B. and Kiruse,H.(1987): As, Cd, Cu, Pb, Hg and Zn in fish from Alexandria region, *Egypt.Bull.Environ.Contam.Toxicol.*, 39,889-897.

El-Sadek, L.M. (1972): Mitotic inhibition and chromosomal aberrations induced by some arylarsonic acids and its components in root tips of maize. *Egypt. J. of Genet. And Cytol.*, (1): 210-224.

El-Sayed, A.F.M. (2006): *Tilapia Culture*. CABI publishing, CABI International Willingford, Oxfordshire, United Kingdom.

El-Serafy, S.S; Abdel-Hameid, N.H; Awwad, M.H and Azab, M.S (2007a):Comparative study on electrophoretic protein pattern

of Tilapia species in the river Nile, Egypt. The proceedings of the 7th international symposium on tilapia in aquaculture, Arizona, USA, 281-292.

El-Serafy, S.S; Abdel-Hameid, N.H; Awwad, M.H and Azab, M.S (2007b):DNA riboprinting analysis of Tilapia species and their hybrids using restriction fragments length polymorphisms (RFLPs) of the small sub unit ribosomal DNA. *Aquacul.Res.*, 38, 295-303.

Erickson, R.J.; Bernoit, D.A.; Mattson, V.R.; Nelson Jr. and Leonard, E.N., (1996): The effects of water chemistry on the toxicity of copper to fathead minnows. *Environmen. Toxicol. and Chem.*, 15, 181–193.

Evans, H.J. (1977): Molecular mechanisms in the induction of chromosome aberration. Scott, D. Bridges, B.A. and Sobierj North Holland, Amsterdam, 57-74.

Evans, H.J. (1983): Effects on chromosomes of carcinogenic rays and chemicals. In *Chromosome mutation and neoplasia*, PP. 253-279 Liss, New York.

Evans, H.J. and Scott, D. (1964): Influence of DNA synthesis on the production of chromatid aberrations by X-rays and maleic hydrazide in *Vicia faba*. *Genet.*, 49: 17-38.

Falk, T.M.; Abban, E.K.; Oberst, S.; Villwock, W.; Pullin, R.S.V. and Renwrantz, L.(1996): A Biochemical laboratory manual for species characterization of some Tilapiine fishes. ICLARM Educ. Ser., 17:93 p.

Fan,T.W.; Teh, S.J. ; Hinton, D.E. and Higashi, R.M.

(2002):Selenium biotransformations into proteinaceous forms by foodweb organisms of selenium laden drainage waters in california.Aquat.Toxicol., 57,65-84.

FAO Fishery Information, Data and Statistics Service (1993): Aquaculture production (1985-1991). FAO Fisheries Circular 815: 20-21.

Feng,Q.; Boone,A.N. and Vijayan,M.M.,(2003): Copper impact on heat shock protein 70 expression and apoptosis in rainbow trout hepatocytes. Compar. Biochem. and Physiol., Part C 135, 345–355.

Fernie, AR; Carrari F and Sweetlove LJ. (2004): Respiratory metabolism: glycolysis, the TCA cycle and mitochondrial electron transport. Curr.Opin. Plant Biol., 7: 254–261.

Fleischer, M.; Sarof, A.F.; Fassett, D.W.; Hammond, P.; Shacklette, H.; Nisbet, I.C.T. and Epstein, S. (1974):Cited by Abo-Salem, E.M. (1991): "Some toxicological Studies on Some Environmental Pollutants" Ph.D. Thesis, Dept. Anim. Med., Fac. Vet. Med. Zagazig Univ. Benha Branch.

Flick, D.F., Kraybill, H.F. and Dimitroff, J.M. (1971): Cited by Abo-Salem E.M. (1991).

- Ford, C.E. (1974):** General mammalian cytogenetics. In: The cell in medical science, Vol.2, Edited by Beck, F. and Loyed, J.B.L., pp. 53-117. Academic Press, London, New York, San Francisco.
- Forstner, N. and Wittmann, G.T.W. (1979):** Metal pollution in aquatic environment. Springer verlog, Berlin, Heidelberg, pp. 486.
- Forstner, U. and Wittman, G. T. (1983):** Metal Pollution in the Aquatic Environ., 2nd edn. Springer, New York, 486 pp.
- Foulkes, E.C., (1978):** Renal tubular transport of cadmium–metallothionein. Toxicol. and Applied Pharmacol., 45 (2), 505–512.
- Foulkes, E.C., (1986):** Cadmium. Handbook Experimental Pharmacology. Springer-Verlag, New York.
- Foulkes, E.C. and Blanck, S., (1990):** Acute cadmium uptake by rabbit kidneys: mechanism and effects. Toxicol. and Applied Pharmacol., 102 (3), 464–473.
- Foulkes, E.C., (2000):** Transport of toxic heavy metals across cell membranes. Proceedings of the Society for Experimen. Biol. and Med. 223 (3), 234–240.
- Fountulakies, M.; Juranville, J.F; Roder, D.; Evers, S.; Peter, B. and Langen, H. (1998):** Reference map of the low molecular mass proteins of *Haemophilus influenzae*. Electrophoresis, 19:1819-1827.
- Fuhr, B.J. and Rabenstein, D.L., (1973):** Nuclear magnetic resonance studies of the solution chemistry of metal complexes. IX. The binding of cadmium, zinc, lead, and mercury by glutathione. Journal of the American Chemical Society 95 (21), 6944–

6950.

Friberg, L.T.; Piscator, M.; Norberg, G. and Kjellstorm, T. (1986):

Handbook on the toxicology of metal., Vol. II. Amsterdam.

Gallagher, S.R. and Leonard, R.T. (1987): Electrophoretic characterization of a detergent- treated plasma membrane fraction from corn roots. *Plant. Physio.*, 83: 265-271.

Gautam, D.C. and Kapoor L.C. (1991): Genotoxic effects of diithane M-45 on the bone marrow cells of mice in vivo. *Experientia* 47: 280-282.

Gelfant, S. (1963): Induction of cell division, a critical and experimental analysis *Int. Rev. Cytol.*, 14: 1-39.

Glover, J. W. (1979): Concentration of arsenic, selenium and ten heavy metals in school shark, *Galeorhinus australis* (Macleay) and gumeny shark, *Mustelus antarcticus* cunther, from south eastern Australian waters. *Aust. J. Mar. Fresh. Water Res.*, 30, 505.

Gulati, R.D.; Bodar, C.W.M.; Schuurmans, A.L.G.; Faber, J.A.J., and Zandee, D.I., (1988): Effects of cadmium exposure on feeding of freshwater planktonic crustaceans. *Comp. Biochem. Physiol.*, C 90, 335–340.

Habeebu, S.S.; Liu, J. and Klaassen, CD. (1998): Cadmium-induced apoptosis in mouse liver. *Toxicol. and Applied Pharmacol.* 149, 203-209.

Haig, M.S. (1998): Molecular contributions to conservation, *Mol. Tech. Ecotoxicol.*, 79 413–425.

- Haggag A.M.; Marie, M.A.S. and Zaghloul, K.H. (1999):** Seasonal effects of the industrial effluents on the Nile catfish, *Clarias gariepinus*. J. Egypt Ger. Soc. Zool., 28(A): 365-391.
- Halliwell B. and Gutteridge M.C. (1984):** Oxygen toxicity, oxygen radicals, transition metals and disease. Biochem., J. 219, 1–14.
- Hames,B.D. and Rickwood,D.(1986):** Gel electrophoresis of proteins. A practical approach.Oxford Univ.Press, New York.
- Handy, R.D., (1992a):** The assessment of episodic metal pollution. I. Uses and limitations of tissue contaminant analysis in rainbow trout (*Oncorhynchus mykiss*) after short water-borne exposure to cadmium or copper. Arch. Environ. Contam. Toxicol., 22, 74–81.
- Handy, R.D., (1992b):** The assessment of episodic metal pollution.II. The effects of cadmium and copper enriched diets on tissue contaminant analysis in rainbow trout (*Oncorhynchus mykiss*). Arch. Environ. Contam. Toxicol., 22, 82–87.
- Handy, R.D., (1993):** The effect of acute exposure to dietary Cd and Cu on organ toxicant concentrations in rainbow trout, *Oncorhynchus mykiss*. Aquat. Toxicol., 27, 1–14.
- Handy, R.D., (1996):** Dietary exposure to toxic metals in fish. In: Taylor, E.W. (Ed.), Toxicology of Aquatic Pollution: Physiological, Cellular and Molecular Approaches. Cambridge University Press, Cambridge, England, pp. 29–60.

- Harrison, H.H. and Levitt, M.H. (1987):** Serum protein electrophoresis : basic principles, interpretations and practical considerations. Check sample (ASCP), 7:1-16.
- Harstad, E.B. and Klaassen, C.D., (2002):** Tumor necrosis factor- α -null mice are not resistant to cadmium chloride-induced hepatotoxicity. *Toxicol. and Applied Pharmacol.*, 179, 155-162.
- Hart, B.A.; Lee, C.H.; Shukla, A.; Osier, M.; Eneman, J.D. and Chiu, J.F. (1999):** Characterization of cadmium-induced apoptosis in rat lung epithelial cells: evidence for the participation of oxidant stress. *Toxicol.*, 133, 43-58.
- Hartikainen, H. and Xue, V. (2000):** Selenium as antioxidant and pro-oxidant in ryegrass. *plant soil*. 225, 193-200.
- Henry, R.J (1964):** Principles and Technics Ed. Harper & Row, New york- Chap.II: Proteinsa Determination on protein by the bunit reaction, P 182-188.
- Hidalgo, M.C.; Exposito, A.; Palma, J.M. and Higuera, M. (2002):** Oxidative stress generated by dietary Zn-deficiency: studies in rainbow trout (*Oncorhynchus mykiss*). *Int. J. Biochem. Cell Biol.*, 34, 183–193.
- Hodson, P.V.; Whittle, D.M.; Wong, P.T.S.; Borgmann, U.; Thomas, R.H.; Chan, T.K.; Nriagu, J.D. and Bullett, D.J. (1984):** Toxic contaminants in the great lakes. Niragh J.O. and Simmone M.S. (eds). John Wiley and Sons, New York, pp. 335-340.
- Hondt, H.A.; El-Laithy, A.F. and AH, S.M. (1981):** Biochemical and chromosomal studies on rats injected with captan. *Egypt J.*

Genet. Cytol., 11: 245-253.

Hose, J.E.; Cross, J.N.; Smith, S.G. and Diehl, D. (1987): Elevated circulating erythrocyte micronuclei in fishes from contaminated pits of southern California. *Marine Environ. Res.*, 22: 167-176.

Hugo, E.R; Stewart, V.J.; Gast, R.J. and Byres, T.J. (1992): Purification of amoeba mtDNA using UNSET procedure. In (protocols in protozoology), J.J.Lee & A.T.Soldo, eds.Soc. Protozoologists, Lawrence, KA., D 7.1-D7.2.

Hussein, Y.S.; El-Nasser, A.M. and Ahmed, M.S. (1996): Comparative studies on the effect of Herbicide Atrazine on Fresh water fish *Oreochromis niloticus* and *Chrysichthyes auratus* at Assiut, Egypt *Bull. Environ Contain Toxicol.*, 57: 503-510.

Jaakkola, T.; Takahashi, H. and Miettinen, J. (1973): Cadmium content in sea water, bottom sediment, fish, lichen and elk in Finland. In *Environmental Quality and Safety, Global Aspects of Chemistry, Toxicology and Technology as Applied to the Environment*, eds. F. Coulston and F. Korte. Academic Press, New York, pp. 230-333.

Jenkins,M.A. and Guerin.M.D.(1997):High resolution gel electrophoresis. *J. Chromato. B*, 669:258-266.

Jimi, S.; Uchiyama, M.; Takaki, A.; Suzumiya, J. and Hara, S., (2004): Mechanisms of cell death induced by cadmium and arsenic. *Annals of the New York Academy of Scien.*, 1011, 325–331.

Jolif, C.R. (1992): Analysis of the plasma proteins. *J.Clin.Immunol.*, 15:151-161.

Jones, C. and Kortenkamp, A., (2000): RAPD library fingerprinting of bacterial and human DNA applications in mutation detection *Carcinog. Mutagen.*, 20, 49–63.

Julshamn, K.; Andersen, K.-J.; Ringdal, O. and Brenna, J., (1988): Effect of dietary copper on the hepatic concentration and subcellular distribution of copper and zinc in the rainbow trout (*Salmo gairdneri*). *Aquacul.*, 73, 143–155.

Kalfakakon,V. and Akrida-Demertai, K.(2000): Transfer factors of heavy metals in aquatic organisms of different trophic level.

Karima, M. and Halima, A. (2002): Cytogentical studies on some Nile Fish. *J. Egypt. Ger. Soc. Zool.*, Vol. 36 (c). Histology, Histochem., and Genetic., 133-144.

Karima, M. S. and Iman, D. (2002): Chromosomal Damage in kidney cells of fresh water teleost catfish, *clarias Gariepinus* in response to heavy metal pollution. *J. Egypt, Ger. Soc., Zool.*, Vol. 39 C: Histol. and Histochem., 203-221.

Keppler, D.; Leier, I. and Jedlitschky, G., (1997): Transport of glutathione conjugates and glucuronides by the multidrug resistance proteins MRP1 and MRP2. *Biol. Chem.*, 378, 787–791.

Kessler A. and Brand M.D. (1995): The mechanism of the stimulation of state 4 respirations by cadmium in potato

tuber (*Solanum tuberosum*) mitochondria. *Plant Physiology and Biochemistry* 33, 519–528.

Khalaf-Allah, S.S. (1998): Screening the effect of water pollution with some pesticides on the immune response in *Oreochromis niloticus* fish. *Med. J. Giza* Vol. 46, No. 4B: 883-893.

Khanna, S. and Brter J.D., (2001): Evidence for rectus extraocular muscle pulleys in rodents. *Invest. Ophthalmol. Vis. Sci.*, 42, 1986-1992.

Khuda-Bukhsh, A.R. and Barat, A. (1987): Chromosomes in Fifteen species of Indian Teleosts (pisces). *Caryologia.*, 40: 131-144.

Kihlman, B.A. (1966a): Deoxyribonucleotide synthesis and chromosome breakage. *Chromosome today*, 1: 108-117.

Kihlman, B.A. (1966b): Action of chemicals on dividing cells (prentice Hall, Englewood cliffs, N.Y., P.260.

Kim, M.S.; Kim, B.J.; Woo, H.N.; Kim, K.W.; Kim, K.B.; Kim, I.K. and Jung, Y.K., (2000): Cadmium-induced caspase-mediated cell death: suppression by Bcl-2. *Toxicol.*, 145, 27–37.

Klasterska, L.; Natarjan, A.T. and Ronnel, C. (1976): An interpretation of the origin of subchromatid aberrations and chromosome stickiness as a category of chromatid aberration. *Hereditas*, 83: 153.

Kocher, T.D; Lee, W.J.; Sobolewska, H.; Penman, D. and McAndrew, B.(1998): A Genetic Linkage Map of a cichlid Fish, the Tilapia (*Oreochromis niloticus*). *Genetics*, 148(3):

1225-1232.

Kondoh, M.; Araragi, S.; Sato, K.; Higashimoto, M.; Takiguchi, M. and Sato, M. (2002): Cadmium induces apoptosis partly via caspase-9 activation in HL-60 cells. *Toxicol.*, 170, 111–117.

Kotsonis, F.N. and Klaassen, C.D., (1978): The relationship of metallothionein to the toxicity of cadmium after prolonged oral administration to rats. *Toxicol. and Applied Pharmacol.*, 46 (1), 39–54.

Kralj-Klobucar.Nada and Margita group (2004): Histochemical investigations of NADPH and NADH-tetrazolium reductase activity in the liver of selenium and copper treated carp (*Cyprinus carpio*). *Vet.arhiv.*, 74(5), 331-340.

Krane, D.E.; Sternberg, D.C. and Burton, G.A. (1998): Randomly amplified polymorphic DNA profile-based measures of genetic diversity in crayfish correlated with environmental impacts, *Environ. Toxicol. Chem.*, 18 504–508.

Krishna, G. and Gupta, N. (2001): Effect of Aflatoxin B₁ on the chromosomal morphology of *Labeo rohita* and *Catla*. *Appl. Fish. Aquac.* 2001 Vol. 1, no. 1, pp.53-55.

Krishna, G. and Gupta, N. (2002): Effect of heavy metals and fungal toxins on the chromosomal structure of carp. *Journal of Ecophysiology and occupational (J. Ecophysiol. occup Health)* 2002, vol.2, no. 1-2, pp. 65-72.

Kubota, Y.; Shimada, A. and Shima, A. (1992): Detection of Gamma

ray-induced DNA damages in malformed dominant lethal embryos of the Japanese medaka (*Oryzias latipes*) using APPC fingerprinting, *Mutat. Res.*, 283 263–270.

Kurbanova, L.K.; Isuev, A.R. and Gabibov, M.M. (2004): The effect of oil pollution of water on some parameters of protein metabolism in black sea Roach Juveniles *Rutilus Frisii* Kutum (Cyprinidae). *Journal-of-Ichthyology; Voprosy-Lkhtiologii* (J. Ichthyol; Vopr-Lkhtioli) Vol. 44, no.8, pp., 655-663.

Kuester, R.K.; Waalkes, M.P.; Goering, P.L.; Fisher, B.L.; McCuskey, R.S. and Sipes, I.G., (2002): Differential hepatotoxicity induced by cadmium in Fischer 344 and Sprague–Dawley rats. *Toxicol. Sci.*, 65 (1), 151–159.

Laas, T. (1998): Electrophoresis of gels in "proteins purification, principles, High Resolution, Methods and Application" Janson, J.C. 2nd ed. John Wiley and sons Inc. New York and London, pp.: 450-463.

La-Cour, L.E. and Rutishauser, A. (1954): X-rays breakage experiments with endosperm I-Subchromatid breakage. *Chromosoma*, 6(8): 696-709.

Lam, K. L.; Ko, P. W.; Wong, J. K.-Y., and Chan, K. M. (1998): *Marine Environ. Res.*, 46, 563–566.

Laemmli, U.K.(1970): Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *nat.*, 227: 680-685.

Landolt, M.L. and Kocan, R.M.(1983): Fish cell cytogenetic : A

measure of the genotoxic effects of environmental pollutants. In Aqua. Toxicol. (J.O. Nriagu, ed.), 335-352. John. Wiley and sons Ins.

Lanno, R.P.; Slinger, S.J. and Hilton, J.W. (1985b): Maximum tolerable and toxicity levels of dietary copper in rainbow trout (*Salmo gairdneri* Richardson). Aquacul. 49, 257–268.

Laurén, D.J. and McDonald, D.G. (1986): Influence of water hardness, pH, and alkalinity on the mechanisms of copper toxicity in juvenile rainbow trout; *Salmo gairdneri*. Canadian J. of Fisher. and Aqua. Sci., 43, 1488–1496.

Lehninger, AL(1970): Biochem.,Worth publisher Inc.1970.

Lemire, J.; Mailloux, R. and Appanna,V.D.(2008): Zinc toxicity alters mitochondrial metabolism and leads to decreased ATP production in hepatocytes. J. Appl. Toxicol., 2008; 28: 175–182.

Li, M.; Kondo, T.; Zhao, Q.L.; Li, F.J.; Tanabe, K.; Arai, Y.; Zhou, Z.C. and Kasuya, M. (2000): Apoptosis induced by cadmium in human lymphoma U937 cells through Ca²⁺-calpain and caspase-mitochondria-dependent pathway. J.of Biol.Chem., 275, 39702– 39709.

Li, Q.; Yeo, M.H. and Tan, B.K. (2000): Lipid peroxidation in small and large phospholipid unilamellar vesicles induced by water soluble free radical sources. Biochem. Biophys. Res. Commun., 273, 72–76.

- Lillo, S.A. (1976):** The determination of some heavy metals in some Egyptian foods and the effect of processing and cooking operation. M.Sc. Thesis, Fac. of Agriculture, Alex. Univ., Egypt.
- Lösch, R. and Köhl, K.I. (1999):** Plant respiration under the influence of heavy metals. In Heavy Metal Stress in Plants (eds M. N. V. Prasad & J. Hagemeyer), pp. 139–155. Springer-Verlag, Berlin, Germany.
- Lowley, P.D. and Brooks, P. (1963):** Further studies on the alkylation of nucleic acids and their constituent nucleotides Biochem. J., 89: 137-138.
- Luizo, J.P. and Thompson, R.J. (1990):** Molecular medical biochemistry. Cambridge University Press, pp. 17-53
- Mahmoud, A.A. (2006):** Effect of water pollution on genetic structure of a fresh water fish in qalubia Governorate. Ph.D thesis, Faculty of Sci., Benha Univ. pp:144.
- Malik, s., H.; Sudoyo, S. and Marzuki (2000):** Microphotometric analysis of NADH-tetrazolium reductase deficiency in fibroblast of patients with laber hereditary optic neuropathy. J. Inheridit. Metab. Dis., 23, 730-744.
- Manev H; Kharlamov E; Uz T; Mason RP and Cagnoli CM. (1997):** Characterization of zinc-induced neuronal death in primary cultures of rat cerebellar granule cells. Exp. Neurol. 146: 171–178.

- Manna, G.K. and Mukherjee, P.K. (1986):** Effect of an organophosphate insecticide, malation on chromosome, cell division and total muscle protein of the cichlid fish, Tilapia, Cytol. and Genetic., 5: 225-236.
- Manna, G.K. and Mukherjee, P.K. (1989):** A study of the Genotoxic potentiality of the inorganic weedicide, sodium arsenite in the experimentally treated Tilapia. Fish Fresh Water Biol., 1(2): 147-159.
- Manna, G.K. and Sadhukhan, A. (1992):** Cytogenetical assays of fish, *Oreochromis mossambicus* treated with organochlorine insecticide. Aldrex 30, L. a kromosoma, 11 (65): 2173-2182.
- Margulies, M.M. and Tiffany, H.L.(1984):** Importance of sodium dodecyl sulfate source to electrophoretic separations of thylakoid polypeptides. Anal. Biochem. 136: 309-313.
- Masuda, K. and Boyd, C.E. (1993):** Comparative evaluation of the solubility and algal toxicity of copper sulfate and chelated copper. Aquacul., 117, 287–302.
- Mathew, N.P.A. and Jahageerdar, S. (2003):** Effect of mercuric nitrate on the chromosomes of *Channa punctatus*. Fishery-technology-society of fisheries-Technologists-India (Fish-Technol. Soc. Fish. Technol. India) 2003, Vol. 40, no.2, pp. 77-82.
- Matter, F.E.; El-Serafy, S.S.; Zawail, M.E.M. and Awwad, M.H. (1992):** Genotoxic effect of the carbaryl insecticide (Sevin) on the Grass carp *Ctenopharyngodon idella* (VAL). Egypt J.Histol., 15(1): 9-17.
- Mazon, A.F.; Cerqueira. C.C.C. and Fernandes. M.N. (2002):** Gill

cellular changes induced by copper exposure in the south American tropical fresh water *Prochilodus scrofa*. *environ.Res.Sec.*, A88, 52-63.

Mazon, A.F. and Fernandes, M.N. (1999): Toxicity and differential tissue accumulation of copper in the tropical freshwater fish, *Prochilodus scrofa* (Prochilodontidae). *Bulletin of Environmental Contamination and Toxicol.*, 63, 797–804.

McAndrew, B.J. and Majumdar, K.C.(1984): Evolutionary relationships within three Tilapiine genera (pisces: Cichlidae). *Zool.J.Linn.Soc.*, 80: 421-435.

McCrea, R.C. and Fischer, J. D. (1986): Heavy metal and organochlorine contaminants in the five major Ontario rivers of the Hudson bay lowland. *Water Poll. Res. J. Can.*, 21, 225-234.

McGeer, J.C.; Szebedinszky, C.; McDonald, D.G. and Wood, C.M., (2000): Effects of chronic sublethal exposure to waterborne Cu, Cd or Zn in rainbow trout. 1: Ionoregulatory disturbance and metabolic costs. *Aquat. Toxicol.*, 50, 231–243.

Mcpherson, R.A.(1996): Specific proteins. In "Clinical Diagnosis and Management by Laboratory Methods". Henry, J.B 19th ed. W.B.Saunders Co., pp., 237-259.

Menzel, B.W. (1991). An electrophoretic analysis of the blood proteins of the subgenus *luxilus* (*Notropis cyprinoides*). Ph.D. Thesis, Cornell Univ., Ithaca, New York.

- Mesna, O. J.; Steffensen, I. L.; Hjertholm, H. and Andersen, R. A. (1995):** Accumulation of metallothionein and its multiple forms by zinc, cadmium and dexamethasone in human peripheral T and B lymphocytes and monocytes. *Chem—Biol. Interact.*, 94, 225-242.
- Metcalf, C.D. (1988):** Induction of micronuclei and nuclear abnormalities in the erythrocytes of mud minnows (*Umbro limi*) and brown bullheads (*Lctalurus nebulosus*). *Bull. Environ. Contam. Toxicol.*, 40: 489-495.
- Meyer, T.S. and Lamberts, B.L. (1965):** Use of comassie brilliant blue R250 for electrophoresis of microgram quantities of parotid saliva proteins on acrylamide gel strips. *Biochim. Biophys. Acta.*, 107: 144-145.
- Meyer.W.; Kretschmer.A.; Hoffmann, G. and Harisch (1991):** Biochemical and histochemical observations on effects of low level heavy load) lead, cadmium) in different organ systems of the fresh water cray fish. *Actatcus astacus*. Crustacea:Decapoda), *Ecotox. Environ. saf.*, 21, 137-156.
- Mitchison, J.M. (1977):** The timing of cell cycles events "Mitosis facts and questions". Edt. Little, M., Poweltz, N., Petzett, C., Postingle, M., Schroeder, D., Zimmermann, H.P., Springer- Verlag, Berlin, Heidelberg, New York, 14-19.
- Miller, P.A.; Lanno, R.P.; McMaster, M.E. and Dixon, D.G. (1993):** Relative contributions of dietary and waterborne copper to tissue copper burdens and waterborne-copper tolerance in rainbow trout (*Oncorhynchus mykiss*). *Can. J. Fish. Aquat. Sci.*, 50, 1683–1689.

- Mitus, W.J. and Coleman W. (1970):** In vitro effect of chloramphenicol on chromosomes. *Blood* 35: 689-694.
- Mohamed, A.E.; Awadallah,R.M. and Gaber,S.A. (1990):** Chemical and ecological studies on *Tilapia nilotica*, *J. Water SA.*,16(2) ,131-134.
- Munshi, J.D.; Dutta, H.M.; Singh N.K.; Roy P.K.; Adhikari. S.; Dogra, J.V. and Ali M.M. (1999):** Effect of malathion, an organophosphorus pesticide, on serum proteins of *heteropneustes fossilis* (Bloch) *J. Environ Pathol. Toxicol. Oncol.*, 18(1): 79-83.
- Natarajan, A.T. and Obe, G. (1978):** Molecular mechanisms involved in the production of chromosomal aberrations. *Mutat. Res.*, 52, 137-149.
- Nishihara, T.; Shimamoto, T.; Wen, K. C. and Kondo, M. (1985):** Accumulation of lead, cadmium and chromium in several organs and tissues of carp. *J. Hygienic Chem.*, 31, 119-123.
- Nordberg, G.F. (1976):** Effects and dose response relationships of toxic metals. *Elsevier, Amsterdam*, pp., 64-72.
- Nordberg, G.F.; Kjellstrom, T. and Nordberg, G. (1986):** Kinetics and metabolism. In: Friberg, L., Elinder, C.G., Kjellstrom, T., Nordberg, G.F. (Eds.), *Cadmium and Health: A Toxicological and Epidemiological Appraisal*. CRC Press, Boca Raton, FL, pp., 103–178.
- Norman, J.A.; Noritz, C. and Limpus, C.J. (1994):** Mitochondrial DNA control region polymorphisms: genetic markers for ecological studies of marine turtles, *Mol. Ecol.*, 363–373.

- Nriagu, J.O. (1989):** Aglobal assessment of natural sources of atmospheric trace metal-Nature, London, 338: 47-49.
- Nriagu, J.O.; Wong, H.K.T. and Lawson, G. (1998):** Saturation of ecosystems with toxic metals in Sudbery basin, Ontario. Canada Sci. Tot. Environ., 233, 99–117.
- Obe, G.; Natarajan, A.T. and Palitti, F. (1982):** Role of DNA double-strand breaks in the formation of radiation induced chromosomal aberrations. Prog. Mutat. Res., 4, 1-9.
- Olivera, C.; Almeida-Toledo, L.F.; Foresti, F.; Bristski, H.A. and Toledo-Filho, S.A. (1988):** Chromosomes formulae of neotropical fresh water fishes. Rev. Brasil. Genet., 11: 577-624.
- Oliveira Ribeiro, C.A.; Schatzmann, M.; Silva de Assis, H.C.; Silva,P.H.; Pelletier, E. and Akaishi, F.M. (2002):** Evaluation of tributyltin subchronic effects in tropical freshwater fish (*Astyanax bimaculatus*, Linnaeus, 1758). Ecotoxicol. Environ. Saf., 51, 161–167.
- Ornstin, L. (1964):** Disc electrophoresis. Back ground and theory. Ann.N.Y.Acad.Sci., 121: 321-349.
- Ostergaard, K., (1977):** The concentration of cadmium in renal tissue from smokers and non-smokers. Acta Medical Scandinavia 202 (3), 193–195.
- Padros, J.; Pelletier, E. and Oliveira Ribeiro, C.A. (2003):** Metabolic interactions between low doses of benzo[a]pyrene and tributyltin in arctic charr (*Salvelinus alpinus*): a long-term

in vivo study. Toxicol. Appl. Pharmacol., 192, 45–55.

Page, A.L.; El-Amamy, M.M. and Chang, A.C. (1986): Cadmium in the environment and its entry into terrestrial food chain crops. In: Friberg, L., Elinder, C.G. (Eds.), Cadmium Handbook Exp Pharmacol. Springer Verlag, New York, pp., 33–74.

Pai, A.C. (1985): Foundations of genetics. A science for society 2nd edition. Chapter 6. McGraw, Hill Book Company, New York, Hamburg, New Delhi.

Panda, B.B. and Sharma, C.B. (1980): Cytogenetic hazards from agricultural chemicals. 3: Monitoring the cytogenetic activity of the trichlorfon and dichlorvos in *Hordeum vulgare*. Mutat. Res., 78: 341-455.

Pandey, S.I.; Ahmed, S.; Parvez, B.; BinHafeez, R.; Haque, S. and Raisuddin (2001): Effects of endosulfan on antioxidants of fresh water fish *Channa punctatus* Bloch: Protection against lipid peroxidation in liver by copper preexposure. Arch. Environ. Contam. Toxicol., 41, 345-352.

Paripatananont, T. and Lovell, R.T., (1995a): Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*. Aqua. 133, 73–82.

Paripatananont, T. and Lovell, R.T. (1997): Comparative net absorption of chelated and inorganic trace minerals in channel catfish *Ictalurus punctatus* diets. J. World Aquacult. Soc., 28, 62–67.

Park, J.d.Y.; Liu, D. and Klassen (2001): protective effects of

metallothionein against the toxicity of cadmium and other metals. *Toxicol.*, 163, 93-100.

Patin S.A. (1984): Tilapia as a bio-assay organism in toxicological studies Biogeochemical and toxicological studies of water pollution .Moskva (USSAR): Vniro, pp.39-46.

Patterson, D.S.P. (1976): Structure, metabolism and toxicity of Aflatoxin. *Cab. Nutr. Diet*, (Supple.2): 71-78.

Peinado, M.A. ; Malkhosyan, S. ; Velásquez, A. and Perucho, M. (1992): Isolation and characterizations of allelic losses and gains in colon rectal tumours by arbitrarily primed polymerase chain reaction, *Proc. Natl. Acad. Sci., U.S.A.* 89 10065–10069.

Peraja, M.A.; Ayala-Fierro, F.; Barber, D.; Casarez, R. and Rael, L.T. (1998): Effects of micro nutrients on metal toxicity. *Environ. Health. Perspect.* 106 (1), 203–216.

Perschbacher, P. and Wurts, W. (1999): Effects of calcium and magnesium hardness on acute copper toxicity to juvenile channel catfish, *Ictalurus punctatus*. *Aquacul.*, 172, 275–280.

Pinto, E.; Sigaud-Kutner, T.C.S.; Leitao, M.A.S.; Okamoto, O.K.;Morse, D. and Colepicolo, P. (2003): Heavy metal-induced oxidative stress in algae. *J. Phycol.*, 39, 1008–1018.

Pham T.N.D.; Marion M.; Denizeau F. and Jumarie C. (2006): Cadmium-induced apoptosis in rat hepatocytes does not necessarily involve caspase-dependent pathways. *Toxicol., in Vitro* 20, 1331–1342

Price, E. E.; Stauffer, Jr., and Swift, M. C. (1985): *Environ. Biol. of Fishes* 13, 149–152.

- Pruell, R.J. and Engelhardt, F.R. (1980):** Liver cadmium uptake, catalase inhibition and cadmium thionein production in the killifish (*Fundulus heteroclitus*) induced by experimental cadmium exposure. *Mar. Environ. Res.*, 3, 101–111.
- Pullin, P.S.U. and Meconnell, R.H. (1982):** The biology and culture of Tilapias. Iclorm, Mcc. Makati, Metro. Mannila, Philippines, 389.
- Purves, D. (1985):** Trace element evaluation of the environment, Elsevier, Amsterdam.
- Rabenstein, D.L. (1989):** Metal complexes of glutathione and their biological significance. In: Dolphin, D., Auromovie, O., Poulson, R. (Eds.), *Glutathione: Chemical, Biochemical and Medical Aspects*. Wiley, New York, pp. 147–186.
- Radi, A.A.R. and Matkovics, B. (1988):** Effects of metal ions on the antioxidant enzyme activities, protein contents and lipid peroxidation of carp tissues. *Comp. Biochem. Physiol.*, C 90, 69–72.
- Rai, R. (1987):** Responses of serum protein in a freshwater fish to experimental mercury poisoning. *J. Environ. Biol.*, 8(2): 225-228.
- Rashed M.N. (2001a):** Cadmium and lead levels in fish (*Tilapia nilotica*) tissues as biological indicator for lake water pollution. *Environ.Monito.Assess.*, 68, 75-89.
- Rashed M.N. (2001b):** Monitoring of environmental heavy metals in fish from Nasser Lake *Environ. Intern.*, 27-33.

- Rashed M.N. (2004):** Review, Biomarkers as indicator for water pollution with heavy metals in rivers, seas and oceans.
- Reardon, I.S. and Harrell, R.M. (1990):** Acute toxicity of formalin and copper sulfate to stripped bass fingerlings held in varying salinities. *Aquacul.*, 87, 255–270.
- Reid, S.D. and McDonald, D.G. 1988:** Effects of cadmium, copper and low pH on ion fluxes in the rainbow trout, *Salmo gairdneri*. *Can. J. Fish. Aquat. Sci.*, 45, 244–253.
- Rhymer, J.M.; Williams, M.J. and Braun, M.J. (1994)**
:Mitochondrial analysis of gene flow between New Zealand Mallards (*Anas platyrhynchos*) and Grey Ducks (*A. superciliosa*), *The Auk* 111 970–978.
- Ribeiro, C.A.O.; Vollaie Y.; Sanchez-Chardi, A. and Roche, H. (2005):** Bioaccumulation and the effects of organochlorine pesticides, PAH and heavy metals in the Eel (*Anguilla anguilla*) at the Camargue Nature Reserve, France. *Aqua. Toxicol.*, 74, 53–69.
- Rich, P.R. and Bonner, W.D. (1978):** The sites of superoxide anion generation in higher plant mitochondria. *Arch. of Biochem. and Biophysic.*, 188, 206–213.
- Richmonds, C. (1989):** Effects of malathion on some physiological, histological and behavioural aspects of blue gill sunfish *Lepomis macrochirus*. Ph.D. Dissertation, Kent State University, Kent, Ohio, PP. 156.
- Richmonds, C. and Dutta, H.M. (1989):** Histopathological changes induced by malathion in the gills of blue gill *Lepomis macrochirus*. *Bull. Environ. Contain- Toxicol.*,

43: 123-130.

- Rikans, L.E. and Yamano, T. (2000):** Mechanisms of cadmium-mediated acute hepatotoxicity. *J. of Biochem. and Molec.Toxicol.*, 14 (2), 110–117.
- Rishi, K.K. and Grewal, S. (1995):** Chromosome aberration test for the insecticide, dichlorvos, on fish chromosomes. *Mut., Res.*, 344: 1-4.
- Roberson, J.D., and Orrenius, S., (2000):** Molecular mechanisms of apoptosis induced by cytotoxic chemicals. *Critical Reviews in Toxicology* 30, 609-627.
- Roche, H. and Boge, G. (1993):** Effects of Cu, Zn and Cr salts on antioxidant enzyme activities in vitro of red blood cells of a marine fish *Dicentrarchus labrax*. *Toxicol., In Vitro* 7, 623–629.
- Rothe, G.M. and Maurer, W.D. (1986):** SDS gel electrophoresis. In "Gel Electrophoresis of proteins" Dunn, M.J. ed. Wright Bristol press, pp.108-112.
- Rothe,F.P.L. and Huanng,G.W. (1999):** Ultrastructural localization of neuronal nitric oxide synthase in the laterodorsal tegmental nucleus of wild type and Konckout mice. *Neurosci.*, 94, 193-201.
- Roy,S. and Bhattacharya,S.(2006):** Arsenic induced histopathology and synthesis of stress proteins in liver and Kidney of *Channa punctatus*, *Exotoxicol. and Environmen. Saf.*, (65) 218-229.
- Saianki, J.; Katahne, V. B. and Erzsebet, B. (1982):** Heavy metals in animals of lake Balaton. *Water Res.*, 16, 1147-1 152.

- Salama, M.A.M. (2001):** Experimental studies on the cytogenetic of a certain fresh water fish, Ph.D. Thesis, Zagazig Univ., Sci., 162pp.
- Sanchez,W.; Palluel, O.; Meunier, L.; Coquery, M.; Porcher, J.M., and Ait-Aissa, S. (2005):** Copper-induced oxidative stress in three-spined stickleback: relationship with hepatic metal levels. *Environ. Toxicol. Pharmacol.*,19, 177–183.
- Sauberlich, H.E.(1987):** Nutritional Aspects of pyridine nucleotides, in DolphinD, Poulson R, Avramovic (editors): Pyridine neucleotide coenzymes (part B), John Wiley& Sons, Inc.1987,P.599-626.
- Satarug, S. and Moore, M.R. (2004):** Adverse health effects of chronic exposure to low-level cadmium in foodstuffs and cigarette smoke. *Environmental Health Perspectives* 112 (10), 1099–1103.
- Sawyer, M.D.J.; Reader, J.P. and Morris, R. (1989):** The effect of calcium concentration on the toxicity of copper, lead and zinc to yolk-sac fry of brown trout, *Salmo trutta* L., in soft, acid water. *J. of Fish Biol.*, 35, 33–332.
- Scandalios, J.G. (1993):** Oxygen stress and superoxide dismutases. *Plant Physiol.*, 101, 7–12.
- Scherer, G. and Barkemeyer, H. (1983):** Cadmium concentrations in tobacco and tobacco smoke. *Ecotoxicol. and Environmen. Saf.*, 7 (1), 71–78.
- Scherer, E.; McNicol, R.E. and Evans, R.E. (1997):** Impairment of lake trout foraging by chronic exposure to cadmium: a black-

box experiment. *Aquat. Toxicol.*, 37, 1–7.

Schmitt, C.J; William, G.B and Thomas, W.M. (2007): Accumulation of metals in fish from lead-zinc mining areas of southeastern Missouri, USA. *Ecotoxicol. and Environ. Saf.*, 67,14-30.

Schoerder, H. A. (1965): Cadmium as a factor in hypertension. *J. Chronic Dis.*, 18, 647.

Schroeder, H.A. and Balassa, J.J. (1961): Abnormal trace metals in man cadmium. *J. Chronic Dis.*, 4: 236-258.

Scopes, R.K. and Smith, J.A. (1998): Current protocols in Molecular Biology. John Wiley and son's Inc. pp. 1-20.

Shapiro,A.L.; Vinulea, E. and Maizel, J.V.(1967): Molecular weight estimation of polypeptide chains by electrophoresis in SDS polyacrylamide gels. *Biochem. Biophys. Res. Commun.*, 28: 815-819.

Sharaf-Eldeen, K. and Abdel-Hameid, N.H., (2002): Sublethal effects of copper sulfate, malathion and paraquat on protein pattern of *Oreochromis niloticus*. *Egypt of Aquat. Biol. And Fish.*, Vol.6,No.2: 167-182.

Shaw, B. J. and Handy, R.D. (2006): Dietary copper exposure and recovery in Nile tilapia, *Oreochromis niloticus*. *Aqua. Toxicol.* 76 (2006) 111–121.

Shi, X. and Dalal, N.S. (1989): Chromium (V) and hydroxyl radical formation during the glutathione reductase-catalyzed reduction of chromium (VI). *Biochem. and Biophys. Communic.* 163, 627–634.

Shi, H.S.; Sui, Y.X.; Wang, X.R.; Luo, Y. and Ji, L.L., (2005): Hydroxyl radical production and oxidative damage induced by

- cadmium and naphthalene in liver of *Carassius auratus*. Comp. Biochem. Physiol., 140C, 115–121.
- Simon, R. D. (1977):** Public health implication of enzymes hydrolysis fish protein concentration and waste water based aquaculture. M.Sc. Thesis, University of California, Berkeley, CA, USA.
- Sittig, M. (1985):** Handbook of Toxic and Hazardous Chemical and Carcinogens, 2nd edn. Noyes, New Jersey, USA.
- Skaare, J. U.; Markussen, N. H.; Norheim, G.; Haugen, S. and Holt, G. (1990):** Levels of polychlorinated biphenyls, organochlorine pesticides, mercury, cadmium, copper, selenium, arsenic and zinc in the harbour seal, *Phoca vitulina*, in Norwegian waters. Environ. Pollut., 66, 309–324.
- Stevenson, A.C.; Bedford, J.; Hill, A.G.S. and Hill, B.F.A. (1971):** Chromosomal studies in patients taking phenylbutazone, Ann. Rheum Dis., 30: 487-500.
- Stoian, V. and Paicu, P. (1975):** Morphological characteristics and the nature of gaps (achromatic lesions) induced by 4-Aminouracil in chromosomes of *vicia faba*. Mut., Res., 217-200.
- Stohs, S.J. and Bagghi, D. (1995):** Oxidative mechanisms in the toxicity of metal ions. Free Rad. Biol. Med., 18, 321–336.
- Squibb, K.S.; Pritchard, J.B. and Fowler, B.A. (1984):** Cadmium–metallothionein nephropathy: relationships between ultrastructural/biochemical alterations and intracellular cadmium binding. J. of Pharmacol. and Experimen. Therap., 229 (1), 311–321.
- Svetlana, F., Maja, M. and Soldatovic, B. (1994):** Frequency of gap and break type changes on the chromosomes of

the fish *Perca fluviatilis* caught at some localities on the Danube. Acta Veterinaria (Beograd), Vol. 44, no.(1), 37-44.

Szczerbik, P.; Mikołajczyk, T.; Sokołowska-Mikołajczyk, M.; Socha, M.; Chyb J. and Epler P.(2006): Influence of long-term exposure to dietary cadmium maturation and reproduction of goldfish (subspecies: Prussian carp *Carassius auratus gibelio* B.). Aqua. Toxicol. 77, 126–135.

Tait, R.U. (1972): Elements of marine ecology 2nd ed. London, Butterworths.

Takasusuki, J.; Araujo, M.R.R. and Fernandes, M.N. (2004): Effect of water pH on copper toxicity in the neotropical fish, *Prochilodus scrofa* (Prochilodondidae). Bulletin of Environmen. Contamin. and Toxicol., 72, 1075–1082.

Tao, S.; Liangt, T.; Cao, J.; Dawson, R. and Liu, C.F., (1999): Synergistic effect of copper and lead uptake by fish. Ecotoxicol. and Environmen., 44, 190–195.

Theodorakis, C.W. and Shugart, L.R. (1997) :Genetic ecotoxicology II:population genetic structure in mosquitofish exposed in situ radionuclides, Ecotoxicol., 6, 335–354.

Theodorakis, C.W.; Bickman, J.M.; Elbi, T.; Shugart, L.R. and

Chesser, R.K. (1998): Genetics of radionuclide-contaminated mosquitofish populations and homology between *Gambusia affinis* and *G. holbrooki*, Environ. Toxicol. Chem., 17, 1992–1998.

Thompson,K.W.(1979): Cytotaxonomy of 41 species of neotropical cichlid.Copeia, 679-691.

- Tilton, S.C.; Foran, C.M. and Benson, W.H. (2003):** Effects of cadmium on the reproductive axis of Japanese medaka (*Oryzias latipes*). *Comp. Biochem. Physiol., C.* 136, 265–276.
- Tohyama, C.; Himeno, S.; Watanabe, C.; Suzuki, T. and Morita, M. (1986):** The relation of the increased level of metallothionein with heavy metal levels in the tissue of the harbor seal (*Phoca vitulina*). *Ecotoxicol. Environ. Saf.* 12, 85–94.
- Trisak, S.T.; Doumgdee, P. and Rode, B.M. (1990):** Binding of zinc and cadmium to human serum albumin. *Inter. J. of Biochem.*, 22 (9), 977–981.
- Tucker, C.S. and Robinson, E.H. (1990):** Channel Catfish Farming Handbook. Van-Nostrand-Reinhold, New York, USA.
- Turrens, J.F.; Alexandre, A. and Lehninger, A.L. (1985):** Ubisemiquinone is the electron donor for superoxide formation by complex III of heart mitochondria. *Arch. of Biochem. and Biophysic.*, 237, 408–414.
- Tzirogiannis, K.N.; Panoutsopoulos, G.I.; Demonakou, M.D.; Hereti, R.I.; Alexandropoulou, K.N.; Basayannis, A.C. and Mykoniatis, M.G. (2003):** Time-course of cadmium-induced acute hepatotoxicity in the rat liver: the role of apoptosis. *Arch. of Toxicol.*, 77, 694–701.
- Underwood, E. J. (1977):** Trace Elements in Human and Animal Nutrition. Academic Press, New York, pp. 196 -242.
- USEPA (1975):** United State Environmental Protection. Agency Scientific and technical assessment report on cadmium EPA-600/6-75003, Washington, DC, USA.

- USEPA (1977):** United State Environmental Protection Agency. Quality criteria for water. Office of Water and Hazardous Materials, Washington, DC, USA.
- Vandegrift, A.E.; Shannon, L.J.; Sallee, E.E.; Gorman, P.G. and Pork, W.R. (1971):** Particulate air pollution in the united states, *J. air poll. Cont. Assoc.*, 21:231:328.
- Venugopal, N.B.R.K.; Ramesh, T.V.D.D.; Reddy, D.S. and Reddy, S.L.N. (1997):** Effect of cadmium on antioxidant enzyme activities and lipid peroxidation in a freshwater field crab, *Barytelphusa guerini*. *Bull. Environ. Contam. Toxicol.*, 59, 132–138.
- Vitrengo, A. and Nott, J.A. (1993):** Mechanisms of heavy metals cation homeostasis in marine invertebrates. *Comp. Biochem. Physiol.*, 104C, 355-372.
- Wageman, R. (1989):** Comparison of heavy metals in two groups of ringed seals (*Phoca hispida*) from the Canadian Arctic. *Can. J. Fish. Aquat. Sci.*, 46, 125.
- Wanger, R.P.; Judd, B.H.; Sanders, B.G. and Richardson, R.H. (1980):** "Introduction to modern genetics " (chapter, 10)p. 279-280, John Willy and sons New York, Cichester, Brisbane Toronto. Wiley, Internal edition.
- Watanabe, T., Kiron, V., Satoh, S., (1997):** Trace minerals in fish nutrition. *Aquacul.* 151, 185–207.
- Watson, D. (1965):** IN *Advances in clinical chemistry* Vol. 8, Ed by Sobotka H, Stewart CP. Academic press, New York .p: 237-282.
- Webb, M. (1986):** Role of metallothionein in cadmium metabolism. In:

- Foulkes, E.C. (Ed.), Cadmium, Handbook Exp. Pharmacol., Springer-Verlag, New York, pp. 281–337.
- Weber, K. and Osborn, M. (1969):** The reliability of molecular weight determination by dodecyl sulfate polyacrylamide gel electrophoresis. *J. Biol. Chem.*, 244: 4406-4416.
- Welsh, J., and McClelland, M., (1990):** Fingerprinting genomes using PCR with arbitrary primers, *Nucleic Acids Res.*, 18 7213–7218.
- Wilson, K. and Walker, J.(1996):** Electrophoretic techniques. In " Practical Biochemistry : Principal and Techniques". Cambridge Univ. press. pp., 425-437.
- Wong, C. K. C.; Yeung, H. Y.; Cheung, R. Y. H.; Yung, K. K. L., and Wong, M. H. (2000):** Arch. of the Environmen.Contamin. and Toxicol., 38, 486–493.
- Wood, C.M.(2001):** Toxic responses of the gill. In: Schlenk, D., Benson, W.H. (Eds.), Target Organ Toxicity in Marine and Freshwater Teleosts, Vol. 1. Taylor and Francis, London, pp. 1–89.
- Wu, S.M.; Weng, C.F., Yu, M.J., Lin, C.C.; Chen, S.T.; Hwang, J.C.; and Hwang, P.P. (1999).** Bulletin of the Environmental Contamin. and Toxicol., 62, 758–768.
- Wurts, W.A. and Perschbacher, P.W. (1994):** Effects of bicarbonate alkalinity and calcium on the acute toxicity of copper to juvenile channel catfish (*Ictalurus punctatus*). *Aquacul.* 125, 73–79.
- Yamada, H. and Koizumi, S. (1991):** Metallothionein induction in human peripheral blood lymphocytes by heavy metals. *Chem.–Biol. Interact.*, 78, 347–354.

- Yu, R.L; Aronson, M.M. and Nichlos, W.W. (1981):** High-resolution bands in human fibroblast chromosomes induced by Ictinomycin, D.cytogenet.Cell Gent., (31): 111-114.
- Zalups, R.K. and Ahmad, S. (2003):** Molecular handling of cadmium in transporting epithelia. Toxicol. and Applied Pharmacol.,186 (3), 163–188.
- Zelikoff, J. T., and Thomas P. T. (1998):** Immunotoxicology of Environmental and Occupational metals. Taylor & Francis, London.
- Zhou, H. Y.; Cheung, R. Y. H.; Chan, K. M., and Wong, M. H. (1998):** Water Research, 32, 3331–3340. 394 A.P.L.
- Zhu, J.Y.; Huang, H.Q.; Bao, X.D.; Lin, Q.M. and Cai, Z.(2006):** Acute toxicity profile of cadmium revealed by proteomics in brain tissue of *Paralichthys olivaceus*: Potential role of transferrin in cadmium toxicity. Aqua. Toxicol., 78, 127–135.