REFERENCES

Abdel-Moneim, A.; Ahmed, O.M.; Rawi, S.W. and Zemmler, M. (2001): Studies on the hypoglycemic and hypolipidemic effects of glimepiride and some antidiabetic plants on streptozotocin diabetic rats. J. Egypt Ger. Soc. Zool., 34(A): 175-206.

Abdel-Moneim, A.; Al-Zayat, E. and Mahamoud, S. (2002): Effect of some antioxidants on streptozotocin diabetic rats. J. Egypt Ger. Soc. Zool., 38(A): 213-245.

Abdel-Wahab, Y.H.; O'Harte, F.P.; Mooney, M.H.; Barnett, C.R. and Flatt, P.R. (2002): Vitamin C supplementation decreases insulin glycation and improves glucose homeostasis in obese hyperglycemic (ob/ob) mice. Metab. Clin. Exp., 51 (4): 514-517.

Aebi, H.E. (1983): Bergmeyer HU, ed. Methods of Enzymatic Analysis. Verlag Chem., 3: 273-286.

Ahmed, R.G. (2005): The physiological and biochemical effects of diabetes on the balance between oxidative stress and antioxidant defense system. Med. J. Islamic World Acad. Sci., 15(1): 31-42.

Aksoy, N.; Vural, H.; Sabuncu, T.; Arslan, O. and Aksoy, S. (2005): Beneficial effects of vitamins C and E against oxidative stress in diabetic rats. Nutr. Res., 25: 625-630.

Alberti, K.G.M.M.; Darley, J.H.; Emerson, P.M. and Hockaday, T.D.R. (1972): 2,3-diphosphoglycerate and tissue oxygenation in uncontrolled diabetes mellitus. The lancet, 2(7774): 391-395.

Alder, V.A.; Dao, Y.V.; Er, N.S. and Cringle, S.J. (1992): Comparison of hematologic parameters in normal and streptozotocin-induced diabetic rats. Lab. Animal Sci., 42: 170-173.

Al-Shamsi, M.; Amin, A. and Adeghate, E. (2006): Effect of vitamin C on liver and kidney functions in normal and diabetic rats. Ann. N. Y. Acad. Sci., 1084: 371-390.

Al-Shamsi, M.; Amin, A. and Adeghate, E. (2007): The effect of vitamin C on the metabolic parameters of experimental diabetes mellitus. Am. J. Pharmacol. and Toxicol., 2(1):4-9.

Andrew, P.S.; Richard, C.O.; Karen, L.B. and Ian, T. (2000): Vitamin E supplementation improves endothelial function in type I diabetes mellitus. J. Am. Coll. Cardiol., 36: 94-102.

Assman, G. (1979): Current diagnosis of hyperlipidemias. Internist, 20: 559-564.

Atherton, J.C. (2006): Acid-base balance: maintenance of plasma pH. Anaethesia and Intensive Care Medicine, 7(11):427-431.

Bates, H.M. (1983): Insulinoma and pheochromocytoma. Lab. Management, 21: 11-12.

Bedwal, R.S.; Nair, N.; Sharma, M.P. and Mathur, R.S. (1983): Selenium, its biological perspectives. Med. Hypothesis., 41: 150-159.

Benjamin, M.M. (1970): Outline of veterinary pathology. (2^{nd} .Ed.) The Iowa State University Press, Ames, Iowa, USA. Pp. 85-86.

Betteridge, D.J. (1986): Lipoprotein metabolism. In: Recent advances in diabetes. 2-Nattrass, M. Editor. New York: Churchill Livingstone., pp. 91-107.

Beyer, R.E. (1994): The role of ascorbate in antioxidant protection of biomembranes: Interaction with vitamin E and coenzyme Q. J. Bioenergy Biomembr., 26: 349-358.

Brosnan, J.T.; Man, K.C.; Hall, H.E.; Clobourne, S.A. and Brosnan, M.E. (1984): Interorgan metabolism of amino acids in streptozotocin-diabetic rat. Am. J. Physiol., 244: E151-E158.

Brown, W.E.L. and Hill, A.V. (1923): The oxygen-dissociation curve of blood and its thermodynamical basis. Pro. Roy. Soc. London, 94: 297-334.

Bruyette, D.S. (1997): Diabetic ketoacidosis. Seminars veterinary Medicine and Surgery, 12(4): 239-247.

Caravaca, F.M.; Arrobas, M.M.; Pizarro, J.L. and Esparrago, J.F. (1999): Metabolic acidosis in advanced renal failure: differences between diabetic and nondiabetic patients. Am. J. Kidney Diseases, 33(5): 892-898.

Castilho, E.M.; Glass, M.L. and Manco, J.C. (2003): The effects of 2,3-diphosphoglycerate, adenosine triphosphate, and glycosylated hemoglobin on the hemoglobin-oxygen affinity of diabetic patients. Braz. J. Med. Biol. Res., 36(6): 731-737.

Çay and Naziroğiu (1999): Effect of interperitoneally – administrated vitamin E and selenium on the blood biochemical and hematological parameters in rats. Wiley InterSci., 17(2): 143-148.

Ceriello, A. (2000): Oxidative stress and glycemic regulation. Metab., 49(2): 27-29.

Chevillon, I.; Larrose, C. and Moreau, N. (1998): Conservation des échantillons de sang avant analyse des paramètres biochimiques les plus courants. Ann. Biol. Clin., 56: 200-204.

Chiasson, J.L.; Jilwan, N.A.; Bélanger, R.; Bertrand, S.; Beauregard, H.; Ekoé, J.M.; Fournier, H. And Havrankova, J. (2003): Diagnosis and treatment of diabetic ketoacidosis and the hyperglycemic hyperosmolar state. Canadian Med. Association J., 168 (7): 859-866.

Costa, V.A.V. and Vianna, L.M. (2005): Effect of α-tocopherol supplementation on blood pressure and lipidic profile in streptozotocin-induced diabetes mellitus in spontaneously hypertensive rats. Clin. Chimica. Acta., 351: 101-104.

Costagliola, C. (1991): Oxidative state of glutathione in red blood cells and plasma of diabetic patients: In: vivo and in vitro study. Clin. Physiol. Biochem., 8: 204-210.

Craven, P.A.; DeRubertis, F.R.; Kagan, V.E.; Melhem, M. and Studer, R.K. (1997): Effects of supplementation with vitamins C or E on alubuminuria, glomerular TGF-beta, and glomerular size in diabetes. J. Am. Soc. Nephrol., 8:1405-1414.

Dacie, J.V. and Lewis, M. (1991): Practical Haematology. 7th edition. Longman Singapore Publishers, pp. 45-57.

Ditzel, J. (1980): Affinity hypoxia as a pathogenic factor of microangiopathy with particular reference to diabetic retinopathy. Acta. Endocrinologica. Supplementum., 238: 39-55.

Dohi, T.; Kawamura, K.; Morita, K.; Okamoto, H. and Tsujimoto, A. (1988): Alterations of plasma selenium concentrations and the activities of tissue peroxide metabolism enzymes in streptozotocin induced diabetic rats. Horm. Metab. Res., 20: 671-675.

Dominguez, C.; Ruiz, E; Ussingye, M. and Arrascosa, A. (1998): Oxidative stress at onset and in elderly stages of type 1 diabetes in aldolescents. Diab. Care, 21(10): 1736-1742.

Dominique, L.M.; Betan, E.; Larsen, M. and Lawerence, S.P. (2003): Relationship of depression to diabetes type 1 and 2: Epidemiology, Biology, and Treatment. Biol. Psychiat., 54: 317-329.

Drabkin, D.L. (1964): Spectrophotometric studies: XIV. The crystallographic and optical properties of the hemoglobin of man in comparison with those of other species. J. Biol. Chem., 164: 703-723.

Dumas, B.T. and Biggs, H.G. (1972): In standard methods of clinical chemistry. Acad. Press. New York, 7: 175.

Durocher, L.L.; Hinchcliff, K.W.; Dibartola, S.P. and Johnson, S.E. (2008): Acid-base and hormonal abnormalities in dogs with naturally occurring diabetes mellitus. J. Am. Vet. Med. Assoc., 232(9): 1310-1320.

Edwards, M.J. and Martin, R. (1966): Mixing technique for the oxygen hemoglobin equilibrium and Bohr effect. J. Appl. Physiol., 21(6): 1898-1902.

Eissa, S.M.; Ziada, G.A.; Marie, M.S.; El-Shafey, A.A.M. and Hasheesh, W.S. (1988a): Regulation of acid-base status of

blood of two rodents in relation to the adaptation of desert habitat-Proc. Zool. Soc. A.R.E., 4th Sci. Conf., 16: 313-324.

Eissa, S.M.; Ziada, G.A.; Mohamed, H.A.; El-Shafey, A.A.M. and Hasheesh, W.S. (1988b): Factors affecting oxygen loading of blood of two Egyptian rodents inhabiting different habitats. A: Temperature and pH. Proc. Zool. Soc. A.R.E. 4th Sci. Conf., 16: 301-311.

Elalamy, I.; Chakroun, T.; Gerotziafas, G.T.; Petropoulou, A.; Robert, F.; Karroum, A.; Elgrably, F.; Samama, M.M. and Hatmi, M. (2008): Circulating platelet-Leukocyte aggregates: A marker of microvascular injury in diabetic patients. Thrombosis Res., 121(6):843-848.

Elisaf, M.S.; Tsatsoulis, A. A.; Katopodis, K.P. and Siamopoulos, K.C. (1996): Acid-base and electrolyte disturbances in patients with diabetic ketoacidosis. Diab. Res. Clin. Practice, 34:23-27.

El-Seifi, S.; Abdel-Moneim, A. and Badir, N. (1993): The effect of *Ambrosia maritime* and *Cleome droserfolia* on serum insulin and glucose concentrations in diabetic rats. J. Egypt Ger. Soc. Zool., 12(A): 305-328.

El-Shafey, A.A.M. (1990): The effect of reserpine on the respiratory function of blood of the Nile grass rat *(Arvicanthis niloticus*). Proc. Zool. Soc. A.R.E., 21: 345-360.

El-Shafey, A.A.M. (1994): Effect of praziquantel on the blood gases and oxygen equilibrium curve of the rats. J. Egypt Ger. Soc. Zool., 13(A): 141-163.

El-Shafey, A.A.M. (1998): Effect of ammonia on respiratory functions of blood of *Tilapia zillii*. Comp. Bioch. Physiol., 121 (A): 305-313.

Fakher, S.H.; Djalali, M.; Tabei, S.M.B.; Zeraati, H.; Javadi, E.; Mostafavi, E. and Fatehi, F. (2007): Effect of vitamins A, E, C and omega-3 fatty acids on lipid peroxidation in streptozotocin induced diabetic rats. Iranian. J. Publ. Health, 36(2): 58-63.

Feingold, K.R.; Zeigmond, G.; Hughes, F.M.; Lear, S.R. and Moser, A.H. (1985): The effect of diabetes on lymphatic transport of intestinal sterols. Metab., 34: 1105-1109.

Feri, B.; Stocker, R. and Ames, B.N. (1998): Antioxidant defense and lipid peroxidation in human blood plasma. Proc. Nati. Acad. Sci. U.S.A., 85: 9748-9752.

Feskens, E.J.; Virtanen, S.M.; Rasanen, L.; Tuomilehto, J.; Nissimen, A. and Kromhout, D. (1995): Dietary Factors determine diabetes and impaired glucose tolerance. A 20 years follow up of the seven countries study diabetes care. Endocrinol., 18(8): 1104-1112.

Flaim, K.E.; Hutson, S.M.; Lloyd, C.E.; Taylor, J.M.; Shiman, R. and Jefferson, L.S. (1985): Direct effect of insulin on albumin gene expression in primary cultures of rat hepatocytes. Am. J. Physiol., 249: 447-453.

Friedewald, W.T.; Levy, R.I. and Fredrickson, D.S. (1972): Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge. Clin. Chem., 18: 499-502.

Garber, A.J. (1980): The impact of streptozotocin-induced diabetes mellitus on cyclic nucleotide regulation of skeletal muscle amino acid metabolism in the rat. J. Clin. Invest., 65: 478-487.

Garg, M.C.; Chaudhary, D.P. and Bansal, D.D. (2005): Effect of vitamin E supplementation on diabetes induced oxidative stress in experimental diabetes in rats. Indian J. Exp. Biol., 43(2): 177-80.

Gavin, J.R.; Alberti, K.G.; Davidson, M.B.; Defronzo, R.A.; Drash, A.; Gabbe, S.G.; Genuth, S.; Harris, M.I.; Kahn, R.; Keen, H.; Knowler, W.C.; Lebovitz, H.; Maclaren, N.K.; Palmer, J.P.; Raskin, P.; Rizza, R.A. and Stem, M.P. (1997): Report of the expert committee on the diagnosis and classification of diabetes mellitus. Diab. Care, 20: 1183-1197.

Gayathri, M. and Kannabiran, K. (2009): Hypoglycemic effect of 2-hydroxy 4-methoxy benzoic acid isolated from the roots of *Hemidesmus Indicus* on streptozotocin-induced diabetic rats. Pharmacologyonline, 1: 144-154.

Giannopolitis, N. and Ries, S.K. (1977): Superoxide dismutase. 1. Occurrence in higher plants. Plant Physiol., 59: 309-314.

Ginter, E. (1973): Cholesterol: Vitamin C controls its transformation to bile acids. Sci., 179 (4074): 702-704.

Godin, D.V.; Wohaieb, S.A.; Garnett, M.E. and Goumeniouk, A.D. (1988): Antioxidant enzyme alternations in the experimental and clinical diabetes. Mol. Cell. Biochem., 84(2): 223-231.

Goycheva, P.; Gadjeva, V. and Popov, B. (2006): Oxidative stress and its complications in diabetes mellitus. Trakia. J. Sci., 4(1): 1-8.

Granner, K.D. (1988): Hormones of pancreas. In: Harper's Biochemistry Murray, R.K., Granner, D.K.; Mayes, P.A. and Rodwell, V.W. Editors (20^{th} edition). Lange Med. Publ., California., pp. 547-563.

Gray, L.H. and Steadman, J.M. (1964): Determination of the oxyhemoglobin dissociation curves for mouse and rat blood. J. Physiol., 175: 161-171.

Greenfield, M.; Kolterman, O.; Olefsky, J. and Reaven, G. (1980): Mechanism of hypertriglyceridemia in diabetic patients with fasting hyperglycemia. Diabetologia, 18: 441-446.

Griffith, O.W. (1980): Potent and specific inhibition of glutathione synthesis by buthionine sulfoximine CS-n butyl homocysteine sulfoximine J. Biol. Chem., 254: 7558-7560.

Grzegorzewska, A.E. and Mariak, I. (2001): Parathyroid hormone contributes to variations in blood morphology in diabetic and non-diabetic patients treated with continuous ambulatory peritoneal dialysis. Adv. Perit. Dial., 17: 5-9.

Hafez, E.S. (2001): The hypoglycemic hypolipidemic and antioxidant effect of Garlic in diabetic hypercholestero-lemic rats. J. Egypt Ger. Soc. Zool., 36(A): 217-224.

Haidara, M.A.; Yassin, H.Z.; Rateb, M.A.; Ibrahim, I.M.; El-Zorkan, M.M. and Roshd, N.K. (2006): The potential protective effects of vitamin C on glucose homeostasis and muscle function in STZ-induced diabetes rats. Thomas Peel, PP: 41-56.

Haisman, P. and Muller, B.R. (1977): Glossary of Clinical Chemistry terms Butterworth, London, p.126.

Hamden, K.; Boujbiha, M.A.; Masmoudi, H.; Ayadi, F.M.; Jamoussi, K. and Elfeki, A. (2009): Combined vitamins (C and E) and insulin improve oxidative stress and pancreatic and hepatic injury in alloxan diabetic rats. Biomedicine and Pharmacotherapy, 63(2):95-99.

Henry, R.J. (1974): Clinical chemistry, principles and techniques, 2nd Edition Harper and Row, p.525.

Hubble, S.M.A. (2004): Acid-base and blood gas analysis. Anaesthesia and intensive care Medicine, 5(11).

Kaleem, M.; Medha, P.; Ahmed, Q.U.; Asif, M. And Bano, B. (2008): Beneficial effects of Annona Squamosa extract in

streptozotocin-induced diabetic rats. Singapore. Med. J., 49(10): 800-804.

Kappus, I.T. and Diplock, A.T. (1992): Tolerance and safety of vitamin E: A toxicological position receptor. Free Rad. Biol. Med., 13: 35-47.

Karmer, W.J. (1989): Clinical enzymology. In: Clinical biochemistry of domestic animals. Kameko, J.J. 4th Ed. Acad. Press Inc., San Diego., pp. 338-361.

Katyal, T.; Sharma, M.; Sidhu, K.; Behera, D. and Budhiraja, R.D. (2009): Beneficial effects of antioxidants on oxidative stress and diabetes-induced experimental nephropathy. Pharmacologyonline, 1: 252-263.

Kihara, M.; Zollman, P.J.; Smithson, I.L.; Lagerlund, T.D. and Low, P.A. (1994): Hypoxic effect of exogenous insulin on normal and diabetic peripheral nerve. Am. J. Physio., 266: E980-E985.

Komaratat, P., Chupukcharoen, N. and Wilairat, P. (1985): Effect of vitamin E on cholesterol plasma lipoprotein distribution and metabolism in rabbit. Intern. J. Vit. Nutr. Res., 55: 167-171.

Kotze, J.P.; Matthews, M.J. and Deklerk, W.A. (1974): Effect of ascorbic acid on lipoprotein lipase activity. S. Afr. Med. J., 48: 511-514.

Loven, D.; Schedl, H. and Wilson, H. (1986): Effect of insulin and oral glutathione on glutathione levels and superoxide dismutase activities in organs of rats with streptozotocin induced diabetes. Diab., 35: 503-507.

MacDonald, R. (1977): Red Cell 2,3-diphosphoglycerate and oxygen affinity. Anaesthesia, 32: 544-553.

Malaisse, W.J. (1983): Insulin release; the fuel concept. Diab. Metab., 9: 313-320.

Mathe, D. (1995): Dyslipidemia and diabetes: animal models. Diab. Metab., 21(2): 106-111.

Morse, H.; Webb, J.L. and LeRoy, B.E. (2007): Acid-Base balance, An Overview. Vet. Vga. Edu., pp: 1-9.

Muggleston, D. and Warley, A. (1992): A diet enriched in essential fatty acids protects against the loss of lymphocytes which occurs in rats suffering from streptozotocin-induced diabetes. Experi. Physiol., 77: 185-190.

Mukherjee, B.; Mukherjee, J.R. and Chatterjee, M. (1994): Lipid Peroxidation, Glutathione levels and changes in glutathione related enzyme activities in streptozotocin induced diabetic rats. Immun Cell Biol., 72: 109-114.

Nervi, F.O.; Ganzalez, A. and Valdivieso, V.D. (1974): Studies on cholesterol metabolism in the diabetic rat. Metab., 23(6): 495-503.

Niki, E. (1991): Vitamin C as an antioxidant. World Rev. Nutr. Diet., 64: 1-30.

O'Meara, N.M; Devery, R.M.; Owens, D.; Collins, P.B.; Johnson, A.H. and Tomkin, G.H. (1990): Cholesterol metabolism in alloxan induced diabetic rabbits. Diab.,39: 626-633.

Osama, M.A. (2005): The hypoglycemic effect of curcumin and esculetin and their probable mechanisms of action in streptozotocin diabetic albino rats. J. Egypt Ger. Soc. Zool., 46(A): 1110-5321.

Ou, P.; Nourooz-Zadeh, J.; Tritschler, H.J. and Wolff, S. (1996): Activation of aldose reductase in rat lens and metal-ion chelation by aldose reductase inhibitors and lipoic acid. Free Rad. Res., 25: 337-346.

Paolisso, G. and Giugliano, D. (1996): Oxidative stress and insulin action: Is there a relationship? Diabetologia, 39: 364-366.

Paolisso, G.; D'Amore, A.; Balbi, V.; Volpe, C.; Galzerano, D.; Giugliano, D.; Sgambato, S.; Varricchio, M. and D'Onofrio, F. (1994): Plasma vitamin C affects glucose homeostasis in healthy subjects and in non-insulin-dependent diabetes. Am. J. Physiol., 266: 261-268.

Paolisso, G.; D'Amore, A.; Galzerano, D.; Balbi, V.; Giugliano, D.; Varricchio, M. and D'Onofrio, F. (1993): Daily vitamin E supplements improve metabolic control but not insulin secretion in elderly type II diabetic patients. Diab. Care, 16(11): 1433-1437.

Peavy, D.E.; Taylor, J.M. and Jefferson, L.S. (1985): Time course of changes in albumin synthesis and mRNA in diabetic and insulin treated diabetic rats. Am. J. Physiol., 248: E656-E663.

Pieper, G.M.; Langenstroer, P. and Gross, G.J. (1993): Bioassay of endothelium-derived relaxing factor in diabetic rat aorta. Am. J. Physiol., 263: H676-H680.

Qujeq, D. and Rezani, T. (2007): Catalase (antioxidant enzyme) activity in streptozotocin-induced diabetic rats. Int. J. Diab. Metab., 15: 22-24.

Rajasekaran, S.; Sivagnanam, K. and Subramanian, S. (2005): Antioxidant effect of Aloe Vera gel extract in streptozotocin-induced diabetes in rats. Pharmacol. reports, 57: 90-96.

Rawi, S.M.; Abdel-Moneim, A. And Ahmed, O.M. (1998): Studies on the effect of garlic oil and glibenclamide on alloxan diabetic rats. 2-Biochemical effects. Egypt J. Zool., 30: 211-228.

Raz, I. and Havivi, E. (1988): Influence of chronic diabetes on tissue and blood cells status of zinc copper and chromium in the rat. Diab. Res., 7: 19-23.

Reitman, S. and Frankel, S. (1957): A colourimetric method for the determinationof serum glutamic oxaloacetic and glutamic pyruvic transaminases. Am. J. Clin. Path., 28: 56-65.

Roeschlau, P.; Bernt, E. and Gurber, W.J. (1974): Enzymatic determination of total cholesterol in serum. Clin. Chem. Clin. Biochem., 12: 226-403.

Salo, D.C.; Pacifini, R.E. and Davies, K.J. (1988): Superoxide dismutase in preferentially degraded by a proteolytic system from red blood cells following oxidative modification by hydrogen peroxide. Free Rad. Biol. Med., 5: 335-339.

Sasvári, M. and Nyakas, C. (2003): Time dependent changes in oxidative metabolism during chronic diabetes in rats. Acta. Biologica, Szegediensis, 47(1-4): 153-156.

Seven, A.; Guzel, S.; Seymen, O.; Civelek, S.; Bolayirli, M.; Uncu, M. and Burcak, G. (2004): Effect of vitamin E Supplementation on oxidative Stress in streptozotocin induced diabetic rats: investigation of liver and plasma. Yonsei Med. J., 45(4): 703-710.

Shapero, C.; Exley, S. H.; Fox, I.M. and Rajput, V.J. (2000): Dibetic ketoacidosis. Harcourt. Publishers. Ltd., 10: 105-108.

Sharaf, M.A.A. (2000): Some biochemical studies on some antioxidants in blood of diabetic rats. Ph.D. Thesis, Fac. Vet. Med. Biochem. Zagazig University. Egypt. Pp.93-95.

Shin, C.Y.; Je, H.D.; Park, H.S.; Huh, I.H. and Sohn, V.D. (2001): The comparison of vitamins C and Vitamin E on the protein oxidation of diabetic rats. J. Autonomic pharmacol., 21(5): 231-236.

Siest, G. and Schielef, H.J. (1981): Interpretation des examen de laboratoire. Karger. Ed., pp.206-223.

Sinet, M.; Muffat, J.M.; Henzel, D.; Renautt, G. and Pocidal, J.J. (1984): Performance of hypothermic isolated rat heart at various levels of blood acid-base status. J. Appl. Physiol., 56(6): 1526-1532.

Snedecor, G.W. (1971): Statistical methods, 14th Ed. The Lowa State Collage press Ames, Lowa, USA.

Story, C.J.; Roberts, A. P. and Ryall, R.G. (1986): Borderline maintenance of erythrocyte 2,3-diphosphoglycerate concentrations in normaxic type 1 diabetic subjects. Clin. Sci., 70: 127-129.

Szaleczky, E.; Prechl, J.; Feher, J. and Somogyi, A. (1999): Alternations in enzymatic antioxidant defense in diabetes mellitus, a rational approach Postgrad. Med. J., 75: 13-17.

Tabatabaei, S.R.; Popahn, A.A.; Jalali, Z.M. and Rahimi, L. (2008): The effects of oral vitamin E on induction and consequence of experimental diabetes mellitus in rats-Pak. J. Biol. Sci., 11(4): 633-637.

Toborek, M.; Wasik, T.; Drozdz, M.; Klin, M.; Manger-Wrobel, M. and Kopieczna-Grzebieniak, E. (1992): Effect of hemodialysis on lipid peroxidation and antioxidant system in patients with chronic renal failure. Metab., 41(11): 1229-1232.

Torres, M.D.; Canal, J.R. and Pérez, C. (1999): Oxidative stress in normal and diabetic rats. Physiol. Res., 48: 203-208.

Wahlefeld, A.W. (1974): In methods of enzymatic analysis. Ed. Acad. Press New York, 5: 1831-1835.

Walter, R.M.; Uriu-Hare, J.H. and Olin, K.L. (1991): Copper, Zinc, Manganese and magnesium status and complications of diabetes mellitus. Diab. Care, 14: 1050-1056.

Wanke, L.E. and Wong, N.C. (1991): Diabetes mellitus decreases the activity of the albumin promoter in vitro. J. Biol. Chem., 266(10): 6068-6072.

Waring, W.S.; McKnight, J.A.; Webb, D.J. and Maxwell, S.R. (2009): Uric acid restores endothelial function in patients with type 1 diabetes and regular smokers. J. Am. Diab. Assoc., 55(11): 3127-3132.

Werner, R. (1983): Essential of modern biochemistry, 1st edition. Jones and Bart Wett Publishers. Boston Portala Valey. pp. 368-369.

William, F.G. (1993): Review of Medical Physiology, 16th edition. California University. New York. Pp. 308-312.

Wills, M.R. and Savory, J. (1981): Biochemistry of renal failure. Ann. Clin. Lab. Sci., 11(4): 292-299.

Wohaieb, S.A. and Godin, D.V. (1987): Alternations in free radical tissue defense mechanisms in streptozotocin induced diabetes in rats. Diab., 36: 1014-1018.

Yassin, M.M. and Mwafy, S.N. (2007): Protective potential of *Glimepiride* and *Nerium* oleander extract on lipid profile, body growth rate, and renal function in streptozotocin-Induced diabetic rats. Turk J. Biol., 31: 95-102.

Young, I.S.; Torney, J.J. and Trimble, E.R. (1992): The effect of ascorbate supplementation on oxidative stress in the streptozotocin diabetic rats. Free Rad. Med., 13: 41-46.

Yuvaraj, S.; Suthagar, E.; Parthasarathy, C. and Balasubramanian, K. (2009): Studies on hypoglycaemic effects of polyherbal preparation in streptozotocin – induced diabetic male albino rats. Human & Experi. Toxicol., 28 (11):679-687.

Zollner, N. and Kirsch, K.Z. (1962): Colorimetric method for determination of total lipid in serum. Z. Ges. Exp. Med., 135: 545.