

REFERENCES

Abd-ElHady, F.K. and Hegazi, A.G. (2002): Antiviral and antimicrobial activities of east Nile delta propolise. Egyptian propolise: 2. Chemical composition, Zeit. Naturforsch, 57:386-394.

Abd-Elsamea, A. (2008): Studies on the resistance and susceptibility of bacteria implicated in urinary tract infection to antimicrobial drugs. Master Degree, Zagazig University. Faculty of Science. Botany Department.

Ada, O. (2008): Honey recommended for allergies, skin care, and sore throats. Apitherapy news, Nigeria.

Adam, V. (2008): Health benefits of bee product. Article outlines, Apitherapy and bee keeping, bee venom, bee collected pollen, honey propolise. USA. news.

Adebolu, T.T. and Oladimeji, S.A. (2005): Antimicrobial activity of leaf extracts of *Ocimum gratissimum* L. on selected diarrhea causing bacteria in southwestern Nigeria. African Journal of Biotechnology, 4(7):682-684.

Agodi, A.; Jones, C.; Threlfall, E.J.; Angelo, M. and Marranzano, M. (1990): Molecular characterisitcs of trimethoprim resistance in *Shigella soneii* in Sicily. Epidemiol. Infect. 105:29-40.

Ahmed, F.M. (2004): Antimicrobial studies of some essential oils on some bacteria; Master Degree; Botany Department; Faculty of Science.

Aiello, A.E.; Marshall, B.; Levy, S.B.; Della-Latta, P.; Lin, S.X. and Larson, E. (2005): Antibacterial cleaning products and drug resistance. Emerging Infectious Diseases, 11:1565-1570.

Aliero, A.A. and Afolayan, A.J. (2006): Antimicrobial activity of *Solanum tomentosum* L. African Journal of Biotechnology, 5(4):369-372.

Alonso, J. (2004): Tratado de fitofarmacos nutraceuticos. Barcelona: Corpus; p: 927-30(633.8 ALO).

Ana, A.; James, L.; Mcevoy, Y.L.; Francisco, A. and Chein, Y. (2006): Effectiveness of two-sided UV-C treatments in inhibiting natural micro-flora and extending the shelf-life of minimally processed Red Oak Leaf lettuce. J. of Food Microbiology, 23:241-249.

Aridogan, B.C.; Baydar, H.; Kaya, S.; Demirici, M.; Ozbasar, D. and Mumeu, E. (2002): Antimicrobial activity and chemical composition of some essential oils. J. of Arch. Pharm. Res., 25:860-864.

Ayad, A. (2009): Evaluation of antibacterial efficiency of some plant extract to control urinary tract system pathogens. Benha University, Faculty of Science, Botany Department, Master Degree.

Ayoola, G.A.; Lawore, F.M.; Adlowotan, T.; Aibinu, I.E.; Adenipekun, E.; Coker, H.A.B. and Odugbemi, T.O. (2008): Chemical analysis and antimicrobial activity of the essential oil of *Syzigum aromaticum* (clove); Faculty of Pharmacy and Medicine, University of Lagos, Nigeria; vol.(2)pp. 162-166.

Bain, D.S. and Ferguson-Pell M.W. (2002): Remote monitoring of sitting behavior of people with spinal injury. Journal of Rehabilitation Research and Development, Vol. 39, 4, Pages; 513-520.

Bankova, V.S.; Popova, M.; Bogdanov, S. and Sabatini, A.G. (2002): Chemical composition of European propolise: Expected and unexpected results. *Zeit. Naturforsch*, 57:530-533.

Bansal, V.; Medhi, B. and Pandhi, P. (2005): Honey – A remedy rediscovered and its therapeutic utility. Department of Pharmacology, PGIMER, Chandigarh.

Baron, E.J. and Finegold, S.M. (1990): General microbiology; Baily and Scotts Diagnostic Microbiology. 8th. Ed. Mosby Co. St. Louis. Balitimore.

Barr, S.T. (1997): Hereditary interstitial nephritis. In: *Biology of pyelonephritis*; edited by B.I. Nas and Boston; Bittle; Browen and Marry; pp. 427-432.

Barry, L.B. and Thrnsberry, Y. (1987): Inhibition of growth and aflatoxin production by cinnamon and clove oils, cinnamic aldehyde and eugenol. *Food Sci.* 42:1107-1109.

Bassole, H.N.; Nebie, R.; Savadogo, A.; Ouattara, C.T.; Barro, N. and Traore, S.A. (2005): Composition of antimicrobial activities of the leaf and flower essential oils of *Lippia chevalieri* and *Ocimum canum* L. from Burkina Faso. *African Journal of Biotechnology*, 4(10):1156-1160.

Bauer, A.W.; Kirby, W.M.; Sherris, J.C. and Turk, M. (1986): Antibiotics susceptibility testing by a standardized single disk method *Am. J. of C₁. Pathology*, 45:493-496.

Bocian, E.; Zareba, T. and Tyski, S. (2004): Evaluation of selected alcoholic antiseptics activity against clinical bacterial strains. *J. of Med. Dosw. Microbiol.*; 56: 199-209.

Boon, E.M.; Downs, A. and Marcey, D. (2007): Catalase: H_2O_2 : H_2O_2 oxidoreductase. Catalase structural tutorial text.

Brillhart, B. (2005): Pressure sore and skin tear prevention and treatment during a 10-month program. Rehabil Nurs.; 30(3): 85-91.

Bruch, M.K. (1996): Chloroxylenol: An old-new antimicrobial. Handbook of disinfectants and antiseptics. In J. M. Ascenzi (ed), Marcel Dekker, Inc., New York, USA.; 265-294.

Bruneton, J. (1999): Pharmacognosy, phytochemistry, medicinal plants. 2nd Edition. Lavoisier publishing: Intercept. Paris.; 545-546.

Brunfitt, W.; Hamilton-Miller, J.M.T.; Franklin, I. and Miller, J.M.T. (1990): Antibiotic activity of natural of determinative bacteriology, 8th ed., 478-490.

Buffenmyer, M.; Benesuva, D. and Rossmann, P. (1986): Pathogenecity of various strains of *Escherichia coli* for the intract rabbit kidney and the effect of repeated passage of renal tissue progress in pyelonephritis Philadelphia; S.A.; Davis Co.; 155-196.

Burrows, M.O. (1963): Role of ureter in pathogenesis of ascending pyelonephritis. JAWA; 168:1983.

Burton, Y.U. and Borisova, G.N. (1978): Antibiotic 7(11): 975 (CF. Egrove; 1985; 377).

Carson, C.F.; Cookson, B.D.; Farreliy, H.D. and Riley, T.V. (1995): Susceptabilityv of methicillin-resistant *Staphylococcus aureus* to the essential oil of *Melaleuca alternifolia* L. Antimicrob. Chemother.; 35:421-424.

Castaldo, S. and Capasso, F. (2002): Propolise, an old remedy used in modern medicine. *Fitoterapia*, 73(suppl.1):SIBS6.

Charbonneau, D.L.; Ponte, J.M. and Kochanowski, B.A. (2000): A method of assessing the efficacy of hand sanitizers: use of real soil encountered in the food service industry. *J. Food Prot.*; 63(4):495501.

Chessbrough, M. (2000): Biochemical test to identify bacteria. In Cheesbrough, M. (ed). *Laboratory Practice in Tropical Countries*, Vol. 2:63-70. Cambridge University Press, UK.

Chizuru, H.; Toyomi, S. and Satsue, H. (2002): Clinical treatment of pressure ulcer, U&S Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research, *Journal of Wound care and Continence Nursing*, Vol. 29.

Coia, D. and Edwards, (2006): Guidance for the control and prevention of Meticillin-Resistant *Staphylococcus aureus* in health care facilities. *Journal of Hospital Infection*. 66. (SI) 1-44.

Cole, E.C.; Addison. R.M. and Rubino, J.R. (2003): Investigation of antibiotic and antibacterial agents' cross-resistance in target bacteria from homes of antibacterial product users and non-users. *J.Appl.Microbial*. 95:664-676.

Collee, J.G. and Marr, W. (1989): Culture containers and culture media. In practical medical microbiology 13th ed. Vol. (2). Collee, J.G.; Duguid, J.P.; Fraser, A.G. and Marmion, B.P. (eds); Churchill. Livingstone. New York.

Conte, J.E. and Barriere, S.L. (1981): A manual of antibiotics and infectious disease. 4th Ed. LEA and FEBIGER Philadelphia.

Cornelis, P. (2008): *Pseudomonas: Genomics and Molecular Biology*. 1st ed., Caister Academic Press. ISBN 978-1-904455-19-6

Cosentino, S.; Tuberoso, C.; Pisano, B.; Satta, M.; Mascia, V.; Arzedi, E. and Palmas, F. (1999): In-vitro antimicrobial activity and chemical composition of *Sardinian thymus* essential oils. *Letters in Applied Bacteria*. 29(2):130.

Cristina, D.V.; Luiz, F.; Maria, E.A.; Elizabeth, R. and Maria, A.R. (2005): New methods in the evaluation of chemical disinfectants used in health care services. *Am. J. of Infect. Control*, 33:162-169.

Dalia, A. (2005): Studies on some microorganisms causing urinary tract infection in diabetics. Master Degree, Zagazig University. Benha Branch. Faculty of Science. Botany Department.

Damien, J.; Jolley, R.W.; Sunita, M.; Mark, B. H.; Don, A.C.; Rodney, D.S. and Kenneth, C.M. (2004): School of health sciences, Deakin University, Melbourne, VIC.; 180 (7): 324-327.

Darnton, N.C.; Turner, L.; Rojevsky, S.; and Berg, H.C. (2007): On torque and tumbling in swimming *Escherichia coli*. *J. Bacteriol.*; 189(5):1756-64.

Davis, N.D. and Maston, L.T. (1994): Evaluation of Dip inoculums transport medium in diagnosis of UTI *Medical Jou. Of Cairo University*, vol.; 44; No. 3.

Diana, C. (2009): Healing Bedsores Naturally, BRIGHT HUB; 16,108 pts, published Oct 9, 2009.

Don, R.R. (2005): Jr, MD, is a member of the following medical societies: American College of Surgeons, American Medical Association, American Society for Aesthetic Plastic Surgery, and American Society of Plastic Surgeons

Don, R.R. (2006): Jr, MD, is a member of the following medical societies: American College of Surgeons, American Medical Association, American Society for Aesthetic Plastic Surgery, and American Society of Plastic Surgeons

Donnell, M.C. and Russell, A.D. (1999): Antiseptics and disinfectants activity, action and resistance. J. of Clinical Microbiology Review, 12 (1):147-179.

Duguid, D.M. and Staney, T.A. (1994): Bacteriologic localization patterns in bacterial. Prostatitis and Invest. Urol.; 5:412.

Eagle, H. and Musselman, A. (1948): The rate of bacterial action of penicillin in vitro as a function of its concentration and its paradoxically reduced activity at high concentration against certain organisms. J. Exp. Med.; 88:99.

Edmond, R.A. and Cooke, M.C. (1999): A pathological study of five cases of pyelonephritis in the newborn. Arch. Dis. Children; 31:303.

Egorov, N.S. (1985): Antibiotics a scientific approach. MIR publishers, Moscow.

Ekizoglu, M.T.; Ozalp, M.; Sultan, N. and Gur, D. (2003): An investigation of bactericidal effect of certain antiseptics and disinfectants on some hospital isolates of Grams negative bacteria. Infection Control Hosp.Epidemiol., 24:225-227.

El-Mishad, J. (1991): Microorganisms isolated from urinary tract infections and their beta lactamase production and evaluation of clinical efficacy of sulperazone. Hinyokika Kivo., 34:8:1503-1514.

Esen, M.; Grassme, H. and Riethmiiller, J. (2001): Invasion of human epithelial cells by *Pseudomonas aeruginosa* involves Src-like tyrosine kinases p60Src and p69 Fyn. *Infection and Immunity*; 69(1): 281-287.

Essawi, T. and Srour, M. (2000): Screening of some Palestinian medicinal plants for antibacterial activity. *J. of Ethanopharmacolo.*; 70:343-349.

European Pressure Ulcer Advisory Panel (1999): Pressure ulcer treatment guidelines. Oxford. EPUAP.

Ezzat, S.M.; Ghaly, M.F.; El-Sherbeny, and El-Gendy, M.K. (2003): Comparison between the effect of antibiotic and plant extracts on some opportunistic microorganisms of bed sores. *Egyptian Journal of Biotechnology*, 14:384-398.

Farag, M.C. and Juven, M.A. (2003): Spasmolytic and antimicrobial activity of essential oil from *Thymus leptophyllus* and *T. Webbii* anus. *Fitoterapia.*; 60(5): 469-473.

Farrell, D. and Qlobinson, M. (1972): Nutrient and blood agar *J. Appl. Bact.*; 25: 625-630.

Ferdous, A.J.; Islam, S.N. and Ahsan, M. (1992): In vitro antibacterial activity of the volatile oil of *Nigella sativa* L. seeds against multiple drug-resistant isolates of *Shigella spp.*, and isolates of *Vibrio cholerae* and *E. coli* *Phytother. Res.*, 6:137-140.

Feresin, G.E.; Tapia, A.; Gimenez, A.; Ravelo, A.G.; Zacchino, S.; Sortino, M. and Schmeda-Hirschmann, G.J. (2003): *Ethano-pharmacol.* 89, 73.

Firas, A. (2007): Synergistic antibacterial activity between *Thymus vulgaris* and *Pimpinella anisum* essential oils and methanol extracts. Department of

Biology, College of Education, University of Mosul, Mosul, Iraq. Vol. 116, Issue 3, 403:406.

Gales, A.C.; Jones, R.N.; Turnidge, J.; Rennie, R. and Ramphal, R. (2001): Characterization on *Pseudomonas aeruginosa* isolates: Occurrence rates, antimicrobial susceptibility patterns, and molecular typing in the global SENTRY Antimicrobial Surveillance program. *Clinical Infectious Diseases*; 32:SI46-SI55.

Gary, K. (2007): Gram stain and capsule stain. BIOL. 230 MICROBIOLOGY LABORATORY MANUAL.

Goldstein, f.w.; Dang Van, A.; Bouchaud, D.H. and Acar, J.F. (1978): Evaluation de la resistance aux antibiotiques de pneumocoques et repartition de leurs types capsulaires. *Pathol.Biol.*, 26:173.

Gordon, M.; Fergal, O. and John, P.M. (2008): Signal-mediated interaction between *Pseudomonas aeruginosa* and *Candida albicans*. Department of Microbiology.

Guentzel, M.N. (1996): *Escherichia, Klebsiella, Enterobacter, Serratia, Citrobacter, and Proteus*. In: Barron's Medical Microbiology (Barron S., eds.) (4th ed. ed.). Univ. of Texas Medical Branch. (via NCBI Bookshelf) ISBN 0-9631172-1-1.

Guilhermetti, M.; Hernandez, S.E.; Fukushigue, Y.; Garcia, L.B. and Cardoso, C.L. (2001): Effectiveness of hand-cleansing agents for removing methicillin-resistant *Staphylococcus aureus* from contaminated hands. *Infect. Control Hosp. Epidemiol.*; 22:105-108.

Haley, C.E.; Marling-Cason, M.; Smith, J.W.; Luby, J.P. and Mackowiak, P.A. (1985): Bactericidal activity of antiseptics against methicillin-resistant *Staphylococcus aureus*. J. Clin. Microbiol. 21(6): 991-992.

Hall, B.H.; Monzon, O.T.; Ory, B.M. and Brennan, J.C. (1991): The microflora of urinary tract; IH Gunn; B.L. and Kass; E.H. (eds). Biology of pyelonephritis, Henery Ford Hospital International symposium Boston; Little; Brown; p. 391.

Heba, M.S. (2008): Leukcidin production and PVL gene detection from clinical resistant *Staphylococcus aureus*, Botany Department, Faculty of Science, Zagazig University.

Holt, J.G.; Krieg, N.R.; Sneath, P.H.; Staley, J.T.; Williams, T. and Hensyl, W.R. (1994): "Bergey's manual of determination bacteriological" 9th ed Williams and Wilkins, Baltimore, Maryland.

Hsieh, J. and Liu, G.D. (1979): Isolation, purification and antibiotic activity of o-methoxy cinnamaldehyde from cinnamon. Pharma Cognosy, phyto-chemistry, Medicinal plants. 2nd Edition. Lavoisier publishing intercept. Paris pg. 545-546.

Huang, S.; Contronic, G. and Khan, W. (1999): Resistance of *Shigella* to ampicillin and other antibiotics. Clinical and epidemiological application. JAMA; 221: 45-47.

Imazato, S.; Kinomoto, Y.; Tarumi, H.; Ebisu, S. and Tay, F.R. (2003): Antibacterial activity and bonding characteristics of an adhesive resin containing antibacterial monomer MDPB. Dent Mater. 19(4):313-319.

Itsaranuwat, P.; Al-Haddad, K.H.S. and Robinson, R.K. (2003): The potential therapeutic benefits of consuming health-promoting fermented dairy products *Int. J. Dairy Tech.*; 56:203-210.

Jabes, D.; Nachman, S. and Tomasz, A. (1989): Penicillin binding protein families: Evidence for the clonal nature of penicillin resistance in clinical isolates of *pneumococci*. *Inf. Dis.*; 159:160.

Jackie, R. (2005): Oxidase test, Richland College 12800 Abrams RD Dallas, TX, 75243 US 972.238.6100.

Jacques, F.A. (1980): The disc susceptibility test in; *Antibiotic in laboratory medicine* by Victor – Lorian M.d.; Williams, E.d.; and Wilkins Baltimore/London.

Jain, S.C.; Sharmo, R.; Jain, R. and Sharmo, R.A. (1996): Antimicrobial activity of *Calotropis Procera Fitoterapia*, 67(3): 275-277.

Jane, C. Rothrock, (2007): Alexander's care of the patient in surgery. Thirteenth edition. Mosby.

Janet, C. (2001): National pressure ulcer advisory panel board of directors, "Pressure ulcers in America: Prevalence, incidence, and implications for the future," in *An Executive Summary of the National Pressure Ulcer Advisory Panel Monograph*.

Jiricka, M.K.; Ryan, P.; Carvalho, M.A. and Bukvich, J. (1995): Pressure ulcer risk factors in an ICU population. *American Journal of Critical Care*. Vol.; 4, Issue 5: 361-367.

Jones, F.A. (1996): Herbs useful plants. Their role in history and today *European J. of Gastroenterology and Hepatology*, 8:1227-1231.

Joyce, E.C.B.; Rebeca, P.M.; Lidiane, N.B.; Luiz, C. and Ary, F.J. (2006): Synergism between plant extract and antimicrobial drugs used on *Staphylococcus aureus* diseases. Mem. Inst. Oswaldo. Cruz, Rio de Janeiro, Vol. 101(4): 387-390.

Kalembe, D. and Kunicka, A. (2003): Antibacterial and antifungal properties of essential oils. J. of Curr. Med. Chem.; 813-829.

Karou, D.; Savadogo, A.; Canini, A.; Yameogo, S.; Montesano, C.; Simpore, J.; Colizzi, V. and Traore, A.S. (2006): Antibacterial activity of alkaloids from *sida acuta L.* African journal of Biotechnology, 5 (2):195-200.

Kathleen, H. (2006): Quick reference for basic SPSS procedures. Department of Psychology, Muhlenberg College.

Keblish, D.J.; Zurakowski, D.; Wilson, M.G. and Chiodo, C.P. (2005): Preoperative skin preparation of the foot and ankle: Bristles and alcohol are better. J. of Bone Joint. Surg. Am.; 87:986-992.

Kevin, B. (2007): Associate, Atlanta Center for Dermatologic Disease, Atlanta, MD, PhD,GA. Review provided by Veri. Med. Healthcare Network.

Kim, J.; Marshall, M. and Wei, C. (1995): Antibacterial activity of some essential oils components against food borne pathogens. J. agric., food chem.; 43:2839-2845.

Klein, M. and Deforest, A. (1998): Principles of viral inactivation. In S.S. Block Ed., Disinfection, sterilization and preservation, 3rd Ed. Lea and Febiger, Philadelphia, USA.; 422-434.

Koch, (1942): Mannitol salt agar. Zentralbl. Bakteriol. Parasitenkd. Abt. I Orig. 149:122.

Koneman, E.W.; Allen, S.D.; Dowell, V.R. and Cho, Y. (1983): Colour atlas and text book of diagnostic microbiology. 2th ed. J. P. Lippincott Company; N. Y.; London. Pp. 57-125.

Koo, H.; Rosalen, P.L.; Cury, J.A.; park, Y.K. and Bowen, W.H.; (2002): Effects of compounds found in propolise on *Streptococcus mutans* growth and on glucosyltransferase activity. Antimicro. Agents Chemotherapy, 46:1302B-1309.

Krieg, and Holt, (1984): Bergy's manual of systematic bacteriology, Vol. 1. Williams & Wilkins, Baltimore, Md.

Kurtz, M.J.; Van Zandt, and Burns, J.L. (1995): Comparison study of home catheter cleaning methods. Rehabilitation Nursing. 20(4):212-214.

Ladhanian, S. (2000): *Staphylococcus* toxins and the scalded skin syndriom. British J. of Dermatology. 142(1):195-196.

Larson, E.L. and Morten, H.E. (1991): Alcohols. Disinfection, sterilization and preservation. In S.S. Block Ed., 4th Edition. Lea and Febiger, Philadelphia, Pa., USA.; 191-203.

Lau, S.M.; Peng, M.Y. and Chang, F.Y. (2004): Among pathogens of both bacteremic and non-bacteremic community-acquired urinary tract infection.

Lawson, V.C. and Wood, J.C. (2003): Influence of different media and bloods on results of diffusion antibiotic susceptibility tests. Antimicrob. agents Chemother.; 1:116-122.

Lepper, F.M.; Grusa, E. and Reich, H. (2002): Consumption of imipenem correlates with B- Lactam resistance in *Pseudomonas aeruginosa*. Antimicrobial agents and chemotherapy, 46(9): 2920-2925.

Leung, A.Y. and Foster, S. (1996): Encyclopedia of common natural ingredients used in foods, drugs, and cosmetics, 2nd Edition. New York, John Wiley and Sons, USA, pp., 446-448.

Liezl, N. (2005): Wound Care (UOFS) Private Nursing Practitioner, Pretoria
Correspondence: lnaude@xsinet.co.za

Lis-Balchin, M. and Deans, S.G. (1997): Bioactivity of selected plant essential oils against *Listeria monocytogenes*. J. of Applied Microbial.; 82:759-762.

Lisin, G.; Safiyev, S. and Craker, L.E. (1999): Antimicrobial activity of some essential oils. WOCMAP congress medicinal and aromatic plants, part 2: Pharmacology, Phytomedicine, toxicology, ISHS Acta horticulture, II, 501.

Lohi, J.; Sipponen, A.; Jokinen, and Vanha, K. (2006): 3.10.

Lorian, V. (1986): Antibiotic in laboratory medicine. 2nd Ed. Williams and Wilkins. USA.; 602.

Lowry, S.J. (1975): Diarrhea disease: Current concepts and future challenges. Enterodherent *E. coli*: A heterogeneous group of *E. coli* implicated as diarrhea pathogens. Trans. R. Soc. Trop. Med. Hyg.; 87: 549-553.

Lusby, P.; Coombes, A.L. and Wilkinson, J.M. (2005): Bactericidal activity of different honey against pathogenic bacteria. Arch Med Res., 36L:464-467.

Mackie, (1978): Medical microbiology Vol.1: Microbial infection. 13th Ed. English Language Book. Society/Churchill Livingstone.

Malowany, L.; Smith, D.J. and Klavias, J.V. (1989): Renal papillary necrosis induced by heterologous serum. Arch. Pathol.; 78: 108.

Marilena, M.; Carla, B. and Giuseppe, C. (1999): Antimicrobial activity of essential oils of *Thymus vulgaris* L. measured using a biomedometric method. J. of food protection., 62:1017-1023.

Martin, K. and Ernst, E.J. (2003): Antimicrob. Chemother.; 51,241.

Mary, H. and John, K. (1969): Effectiveness of acetic acid, betadin, amphyll, polymyxin B, colistin, and gentamicin against *Pseudomonas aeruginosa*, Appl. Environ. Microbiol.; 18(5):854-855.

Maslin, M.M. and Pascule, J.V. (2000): Thiopropanal S-oxide: alachrymatory factor in onion. J. Agric. food Chern.; 19: 269-272.

Matsuyama, T.; Takagi, Y.; Nakagawa, Y.; Itoh, H.; Wakita, J. and Matsushita, M. (2000): Dynamic aspects of the structured cell population in a swarming colony of *Proteus mirabilis*". J. Bacteriol. 182 (2): 385–93. PMID 10629184. PMC: 94287.

Matthijs, S.; Tehrani, K.A.; Laus, G.; Jackson, R.W.; Cooper, R.M. and Cornelis, P. (2007): Thioquinolobactin, a *Pseudomonas siderophore* with antifungal and anti-Pythium activity". Environ. Microbiol. 9 (2): 425–34. doi:10.1111/j.1462-2920.2006.01154.x. PMID 17222140.

Meyer, J.M.; Geoffroy, V.A. and Baida, N. (2002): Siderophore typing, a powerful tool for the identification of fluorescent and nonfluorescent *Pseudomonads*". Appl. Environ. Microbiol.; 68 (6): 2745–53. doi:10.1128/AEM.68.6.2745-2753.2002.

Mishima, S.; Narita, S.; Chikamatsu, Y.; Akao, K.; Suzuki, M. and Nozawa, Y. (2005): Effects of propolise on cell growth and gene expression in Hl-60 cells. *J. Ethanopharmacol.*; 99:5-11.

Mohammed, K. (2008): Physiological studies on the opportunistic microorganisms caused bed sores. Zagazig University, Faculty of Science, Botany Department, Master Degree.

Monica, C. (1985): Medical laboratory manual for tropical countries. ELBS. Ed. English Language Book Society; tropical health. Technology. Buttrworth. Vol.; II. Enteric Gram-negative rods. Chap.; 42: 250-255.

Moreno, S.; Scheyer, T.; Romano, C.S. and Vojnov, A.A. (2006): Antioxidant and antimicrobial activities of rosemary extracts linked to their polyphenol composition. *Free Radical Research*, 40 (2): 223-231.

Muckenstrum, B.; Foechterlen, D.; Reduron, J.P.; Danton, P. and Hildenbrand, M. (1997): Phytochemical and chemotaxonomic studies of *Foeniculum vulgare*. *Biochem. Syst. Ecol.* 25, 353: 358.

Munstest, K.; and Zygmunt, M. (2001): Propolise- current and future medical uses. *Am. Bee J.*; 141:507-510.

Nathonan, T. and Chantelle B. (2006): Therapeutic properties of probiotic bacteria. *J. Biol. Sci.*; 6(1):202-208.

Navashin, S.M. and Fomina, F.P. (1968): Handbook of antibiotics. Moscow Medistina (in Russian).

NCCLS, (1998): National Committee for Clinical Laboratory Standard Recommendations.

Nelson, R. (1997): In vitro activities of five plant essential oils against MRSA and Vancomycin-resistant *E. coli*, J. Antimicrobio. Chemother.; 40:305-306.

Nelson, E.A.; Nixon. J.; Mason, S.; Barrow, H.; Phillips, A. and Cullum, N. (2003): A nurse-led randomised trial of pressure-relieving support surfaces. Professional Nurse, 18(9), 513-516.

Neu, H.C. (1989): Overview of mechanisms of bacterial resistance. DIAGM. Microbial. Inf. Dis.; 12:1095.

Niezgoda, J.A. and Susan, M. (2006): The effective management of pressure ulcers. Advances in skin & wound care: The journal for prevention and healing, volume 19, number 1 - supplement (2006): 3-15.

Nixon, J. (2004): Pressure ulcer In Morison, M.J.; Ovington, L.G.; and Wilkle, k. (Eds) Wound care: A problem- Based Learning Approach Mosby, Edinburgh.

Orsi, R.O.; Sforein, J.M.; Funari, S.R.C.; Fernandes, J.R.A.; Rodrigues, P. and Bankova, V. (2007): Effects of propolise from Brazil and Bulgaria on Salmonella serovars. J. Venom. Anim. Toxins incl. Trop. Dis. V.13,n.4,p.748-757.

Osman, S. and Musa, O. (2003): Antibacterial activity of Turkish spice hydrosols. J. of Food control. 14:141-143.

Panton, J.C. and Panton, A.W. (1998): Pathogenesis and dignosis of shiga toxin-producing *Eschericha coli* infections. Clin. Microbiol. Rev. 11(3):450-79. PMID9665978. PMC:8891.

Park, N; Juven, B.J.; Shaaya, E.; Menasherov, M.; Nitzan, R.; Weiss, H. and Ravid, U. (1984): Inhibitory effect of oregano and thyme essential oils on moulds and food borne bacteria letters in Applied Microbiology; 11 (1): 33-37.

Patra, M.; Shahi, S.K.; Midgely, G. and Dikshit, A. (2002): Utilization of essential oil as natural antifungal against nail infective fungi. *Flavour Fragr. J.* 17: 91-94.

Patricia, S. (2006): Department of cell biology and molecular genetics. University of Maryland College Park, MD 20742 USA.

Pattnaik, S.; Rath, C. and Subramanyam, V.R. (1995): Characterization of resistance of essential oils in a strain of *Pseudomonas aeruginosa* (VR-6) *Microbios.*; 81(326): 29-31.

Pattnaik, S.; Subramanyam, V.R. and Kole, C. (1996): Antibacterial and antifungal activity of essential oils in vitro. *Microbios.*; 349:237246.

Penna, T.C.V.; Mazzola, P.G. and Martins, A.M.S. (2001): The efficacy of chemical agents in cleaning and disinfection programs *BMC Infect Dis.*, 1; 16.

Peno, D. (1992): *Eucalyptus smithii*L. Essential oil and its use in aromatic medicine. *British Journal of phytotherapy*, 2(40):154-159.

Rebecca, B. (2005): Blood agar plates and hemolysis: *Streptococcus* and other catalase negative Gram-positive cocci. University of Utah, Department of Pathology, Salt Lake City, UT 84132, USA.

Richard, T.L.; Elizabeth, L. and Christina, G. (2004): Rapid control of an outbreak of *Staphylococcus aureus* on a neonatal intensive care department using standred infection control practices. *American. J. of infection control*, 32:44-47.

Robert, C.R.; Valkenburg, H.A.; Haverkorn, M.J. and Goslings, W.H. (1991): A prospective study of urinary tract infection in a Dutch general practice. *Lancet* 2: 674-7.

Rodriguet, S. (1993): A comparative study of the efficacy, saw safety and tolerance of azithromycin and different antibiotics in the treatment of children with acute skin-structure infection, *Journal of Chemotherapy*, 13 103-109.

Russell, A.D.; Furr, J.R. and Maillard, J.Y. (1997): Microbial susceptibility and resistance to biocides. *ASM News*, 63:481-487.

Ryan, K.J. and Ray, C.G. (2004): Sherris Medical Microbiology, 4th ed., McGraw Hill. ISBN 0838585299.

Sabahat, and Perween, T. (2005): Antibacterial activities of *Mentha piperita*, *Pisum sativum* and *Momordica. charantia* Pak. *J. Bot.*, 37(4): 997-1001.

Samie, A.; Obi, C.L.; Bessong, P.O. and Namrita, L. (2005): Activity profiles of fourteen selected medicinal plants from Rural Venda communities in South Africa against fifteen clinical bacterial species. *African Journal of Biotechnology*, 4(12):1443-1451.

Schnitzel, A.C.; Nolan, L.L.; Labbe, R.; Craker, L.E.; Nolas, L.L. and Shetty, K. (1996): Scheeming of medicinal and antimicrobial activity. International symposium on medicinal and aromatic plants. Amherst; Massachuchustts, USA, 27-30 Aug. (1995), *Acta Horticultrae*. 426:235-241.

Schwarz, K. and Ternes. W. (1992): Antioxidative constituents of *Rosmarinus officinalis* and *Salvia officinalis*. II. Isolation of carnosic acid and formation of other phenolic diterpenes. *ZLebensm Unters Forsch* 195(2):99-103. ISSN:0044-3026

Sharquie, K.E.; Al-Turfi, I.A. and Al-Salloum, S.M.J. (2000): Dermatol, 27,706.

Sonnenwirth, A.C. (1980): Gradwohol's clinical laboratory methods and diagnosis Vol. 2; 8th ed. Sonnenwirth, A.C.; and Jarett, L. (eds). The CV Mosby Co. London; Tornto.

Sue, C.; Chao, D.; Gary, Y. and Craig, J.; Oberg, (2000): Screening for inhibitory activity of essential oils on selected bacteria, fungi and viruses. J. Essent., Oil Res., 12:639-649.

Suslow, T.V.; Schroth, M.N. and Isaka, M. (1982): Application of a rapid method for Gram differentiation of plant pathogenic and saprophytic bacteria without staining. Phytopathology 72: 917, 918.

Tanzer, J.M.; Slee, A.M.; Kamay, and Scheer, E.R. (1977): In vitro evaluation of three iodine-compounds as antiplaque agents' antimicrobial agents and chemotherapy, 107-113.

Thomas, D.R.; Marilyn, R.; Diebold, and Linda, M. (2005): A controlled, randomized, comparative study of a radiant heat bandage on the healing of stage 3–4 pressure ulcers: A pilot study. Journal of the American Medical Directors Association, Volume 6, Issue 1, January-February 2005, 46-49.

Thomas, T.B. and Michael, G. (2006): Quorum inhibitors as anti-pathogenic drugs. Center for Biomedical Microbiology, BioCentrum-DUT, Technical University of Denemark, DK-2800Kgs. Lyngby. Denmark. Vol. 296; 149-161.

Toama, M.A.; El-Kersh, T.A. and Ahmady, A.M. (1983): Antibiotic-resistance pattern and resistance curing of *E. coli* locally isolated. Bulletin of faculty of pharmacy; Cairo University; Vol. XXII No.1:129-146.

Toshima, Y.; Ojima, M.; Yamada, H.; Mori, H.; Tonomura, M.; Hioki, Y. and Koya, E. (2001): Observation of everyday hand washing behavior of Japanese, and effects of antibacterial soap. Int. J. Food Microbiol.; 68(1 and 2): 83-91.

Trapp, S. and Croteau, R. (2001): Annu. Rev Plant. Physiol. Plant Mol. Biol. 52, 689.

Traub, S.J.; Hoffman, R.S.; and Nelson, L.S. (2002): Case report and literature review of chlorine gas toxicity. Vet Hum Toxicol, 44(4):235-239.

Vanessa, N. (2008): Textbook of Dermatology. Ed Rook A, Wilkinson, D.S.; Ebling, F.J.B.; Champion, R.H.; and Burton, J.L. Fourth edition. Blackwell Scientific Publications.

Waksman, S.A. (1945): Microbial antagonism and antibiotic substances. The Commonwealth Found. New York.

Walker, P. and Crane, E. (1987): Constituents of propolis. Apidologie, 18:327-334.

Walsh, T.J. (1993): Randomized double-blinded trial of rifampin with either novobiocin or trimethoprim-sulfamethoxazole against methicillin-resistant *Staphylococcus aureus* colonization: Prevention of antimicrobial resistance and effect of host factors on outcome. Antimicrobial agents and chemotherapy, Vol.; 37 No 6 p. 1334–1342.

Well, B. and Stood, R.J. (1989): The genus *shigella*. In Bergy's manual of systematic bacteriology. Vol.; I. 8th ed. Krieg, N.R.; Holt, J.G.; and others (eds) Wilkins. Hong Kong., 423-427.

Wilson, F.; Match, J.A.; Miller, B.R. and Minman, F. (1984): A careful study. Relation of chronic pyelonephritis with diabetes. J. Urol.; 90:96.

Wilson, J.W. (1994): Non-obstructive *Escherichia coli* pyelonephritis; in the rat. Proc. Sec. Exp. Biol. Med.; 104: 116-120.

Zahner, H. and Mass, W.K. (1972): Biology of antibiotic spring verlag, New york.

Zumla, A. (1989): Honey- a remedy discovered. J. R. Soc. Med; 82:384-385.
