

Refrances

- Ahluwalia A, Saggar K, Sandhu –P, et al.. Choledochal Cyst - A Rare Entity. Indian J Radiol Imaging 2002;12;491-492 .
- Alcaraz, M J, De la Morena EJ, Polo A, et al. A comparative study of magnetic resonance cholangiography and direct cholangiography. Rev Esp Enferm Dig. 3000 Jul;92(7):427-38.
- Alderson D. and Vickers J. H. Epithelial Neoplasms of the Oesophagus. Upper gastrointestinal surgery, Springer-Verlag; 11:155- 166,2005
- Alexander A. Aghdassi, Julia Mayerle. Matthias Kraft, et ai.(2006): Pancreatic pseudocysts- when and how to treat? HPB (Oxford).; 8(6). 432-441.
- Andren-Sandberg A, Maleckas A.(2003) Pancreatic pseudocysts. Diagnosis, treatment and results in the 2003s. A literature study aiming at evidence based surgery;;263.
- Arnott ID, Lo SK. The clinical utility of wireless capsule endoscopy. Dig Dis Sci. 2004;49:893-901.

- **Arruda PCL, Coelho ARB. Lima JFC. et al:** Cystic dilatation of the common bile duct Acta Cir Bras 2000 Oct - Det;15(4).
- **Barclay RL, Perez-Miranda M, Giovannini M.** EUS-guided treatment of a solid hepatic metastasis. Gastrointest Endosc 2002;55:266–270.
- **Baj, S, LJD and O'Donnell:** Cboledochocele Of the Cystic Duct: The Internet Journal of Gastroenfcerology. 2002,2; 263.265.
- **Baron TH. Harewood GC. Morgan DE.et al.,(2002):** Outcome differences after endoscopic drainage of pancreatic necrosis, acute pancreatic pseudocysts, and chronic pancreatic pseitdoeysts. GastromtBSt Endosc.;56:7-17.
- **Beaulieu L, Archambault L, Aubin S, et al.** The robustness of dose distributions to displacement and migration of I-125 permanent seed implants over a wide range of seed number, activity, and designs. Int J Radiat Oncol Biol Phys 2004;58: 1298–1308.

- **Belfiore A., La Rosa G. L. and La Porta G. A. (2000):** Cancer risk in patients with cold thyroid nodules: Relevance of iodine intake, sex, age, and multinodularity Am. J. Med- 93: S&5-369.
- **Berber E, Senagore A, Remzi F, et al.** Laparoscopic radiofrequency ablation of liver tumors combined with colorectal procedures. Surg Laparosc Endosc Percutan Tech 2004;14:186–190.
- **Berber E. Liver cancer and resection,** in The Cleveland Clinic Guide to Surgical Patient Management (Ponsky J, ed.), Mosby, St. Louis, MO, 2001, pp. 151–158.
- **Biggs PJ, Noyes RD, Willett CG.** Clinical physics, applicator choice, technique, and equipment for electron intraoperative radiation therapy. Surg Oncol Clin N Am 2003;12:899–924.
- **Bhatt C Shah PS. Fraiapati HJ,et al;** Comparison of diagnostic accuracy between USG and MRCP in biliary and pancreatic pathology. Indian J Radiol Imaging 3005,15:177-181.

- **Blaiiheners F. Wirth R. et al.** Computed tomography as an adjunct to ultrasound in the diagnosis of acute acalculous cholecystitis. *Gastrointest Radiol* ,3001;1&:W,30G1.
- **Brander A.. Vikikoski P., Tuhea J. (20Q2):** Clinical versus ultrasound examination of the thyroid gland in common clinical practice. *JUC J. Clin. Ultrasound*, 20: 37-42.
- **Brandwem SL. Farrell JJ.Centeno BA,et al.,(200I).** Detection and tumor staging of malignancy in cystic, intraductal, and solid tumors of me pancreas by EUS. *Gastrointest Eadose.*;55:722-7.
- **Breedis C, Young G.** The blood supply of neoplasms in the liver. *Am J Pathol* 1954;30:969–797.
- **Browder W, Cerise EJ. Litwin MS.** Impact of emergency angiography in massive lower gastri-omtestmal bleeding. *Ann Surg* 1986;204:530.
- **Brugge WR.,(2004):** Evaluation of pancreatic cystic lesions with EUS. *Gastrointest Endosc* ; 59: 698-707.

- **Brugge WR.,(2006}**: cystic pancreatic lesion.Endoscopy;38:40-47.
- **Callahan, M. J. (2001)** The drooping lily sign. Radiology, 219. 226-228.
- **Caoili, KoroBKin M, Francis IR, et al.** Adrenal masses: characterisation with combined unenhanced and delayed enhanced CT, Radiology 2002,222:629.
- **Carbognin G.,(2003):** Serous cystic tumours -Springer Verlag; New York.
- **Carcangiu M L., Bianchi S., Sanvino S. (2001)**: Follicular Hurthle cell tumors of the thyroid gland Cancer 68; 1953-1994.
- **Campbell AM, Bailey IH, Burton MA.** Tumor dosimetry in human liver following hepatic yttrium- 90 microsphere therapy. Phys Med Biol 2001;46:487–498.
- **Cass, A. S., Luxenberg, M., Gleich, P., Smith, C. S. (1986)** Clinical indications for radiographic evaluation of renal trauma. Journal of Urology, 136,370-371.

- **Cavalieri R.R., (2000):** Thyroid radioiodine uptake: Indication and interpretations- The Endocrinologist2: 341-374,
- **Chak A, (2000);** Endosonographic-guided therapy of pancreatic pseudocysts. Gastromtest Endosc. ;52:(6 Suppl):S23-S27.
- **Chang K, Senzer N, Chung T, et al.** A novel gene transfer therapy against pancreatic cancer (TNFerade(delivered by endoscopic ultrasound (EUS) and percutaneous guided fine needle injection (FNI). Gastrointest Endosc 2004;59:AB92.
- **Chans-Ping Lo (2003)** .Multiphasic dynamic MRImaging of focal nodular hyperplasia. Clin J Radiol 28;277-284 .
- **Chen CY Wu DC, Kang WY, Hsu JS.** Staging of gastric cancer with 16 Channel-MMDCT. Abdom. Imaging 2006;31:514-520 .
- **Cochlin DL Ganiltra RH, Griffiths DE.** Elastography in the detection of vascular diseases , Clin Radiol 2002;57;1014-1020
- **Curry CA. Eng J,Horton KM,et al.,(2000):**CT of primary cystic pancreatic neoplasms: can CT be used for patient triage and treatment? AJR Am J Roentgenol.;175:99-m.

- Cuschieri A, Steele RJ, Moosa AJR, (2002): Dworder of panereas .In : "Essential Of Surgical Practic", 4th edition, vol .(1) chapt 12, p477-510. ButterwoFth-HeHieinaafl Ltd, Saunders Co., Philaditphia. USA.
- Davis LP, McCarroll K (2004), Correlative Imaging of the Liver and Hepatobiliary System. Seminars in Nuclear Medicine, Vol XXIV, No 3 (July), : 208-218.
- De Baere T, Bessoud B, Dromain C, et al. Percutaneous radiofrequency ablation of hepatic tumors during temporary venous occlusion. AJR Am J Roentgenol 2002;178:53–59.
- De Ledinghen V, Beau Grand M, Kelleher TB,. Pundeetion liver fibrosis in non alcoholic scealo hepatitis (NASH):

Risk Factor and diagnostic potential of liver elasticity using fibroscan (abstr) J Hepatol 2006; 44 (suppl 2) S3gA.
- De Leusse A, Landi B, Edery J, et al. Video capsule endoscopy for investigation of obscure gastrointestinal bleeding: feasibility, results, and interobserver agreement. Endoscopy. 2005;37:617-621.

- **Demos TC, Posniak HV. Harmath C.et al,(2002):** Cystic Lesions of the Pancreas AJR , 179:1375-1388.
- **Dragojlo G, Miroslav S, Milan R,et al:** COMPLICATED CHOLEDOCHAL CYSTS IN PREGNANCY; Medicine and Biology: Vol. 13, No 1,200 pp. 90 - 93.
- **Dupuy DE, Goldberg SN. Image-guided radiofrequency tumor ablation:** challenges and opportunities part II. J Vasc Interv Radiol 2001;12:1135–1148.
- **Edwin L. Caplan. M.D., Somal(I999):** surgery of the thyroid, published by thyroid disease manager site on the world wide web, chapter 21, May.
- **Eisbruch A, Foote RL, O’Sullivan B, Beitler J, Vikram B.** Intensity-modulated radiation therapy for head and neck cancer: emphasis on the selection and delineation of the targets. Semin Radiat Oncol 2002;12:238–249s.
- **Eloubeidi MA, Wallace MB. Reed CE. et al** The utility of endoscopic ultrasound and EUS guided fine needle aspiration in detecting celiac lymph nodes metastasis in patients with

oesophageal cancer: a large single center experience.
Gastrointest Endosc; 54:714-719,2001.

- **Fernandez FG, Drebin JA, Linehan DC, Dehdashti F, Siegel BA, Strasberg SM.** Five-year survival after resection of hepatic metastases from colorectal cancer in patients screened by positron emission tomography with F-18 fluorodeoxyglucose (FDG-PET). Ann Surg 2004;240:438–447.
- **Fitt, C. J., Stevens, J. M. (1995)** Post-operative arachnoiditis diagnosed by high resolution fast spin echo MRI of the lumbar spine. euroradiology37,139-145.,
- **Foucher K , Chanteloup E, virginal J,** *Diagnosis of cirrhosis by transient elastography (fibroscan): a prospective study Gut* 2006;55:403-408.
- **Frossard JL,Amouyal P,Amouyal G.et aL(2003)**: Performance of endosonography-guided fine needle aspiration and biopsy in the diagnosis of pancreatic cystic lesions. Am J Gastroenterol.;98:1516-24.

- **Foroutani A, Garland AM, Berber E, et al.** Laparoscopic ultrasound vs triphasic computed tomography for detecting liver tumors. Arch Surg 2000;135:933–938.
- **Furio Pacini, and Eslij. De Groot. (2004):** thyroid nodules, published by thyroid disease manager site on the world wide web, chapter 18,1 May .
- **Ganne-Carrie N, Ziol M, de Ledinghen V, et al. (2096).** "Accuracy of liver stiffness measurement for the diagnosis of cirrhosis in patients with chronice liver diseases". Hepatology 44 (6): 1511-7.
- **Gay G, Delvaux M, Rey JF.** The role of video capsule endoscopy in the diagnosis of digestive diseases: a review of current possibilities. Endoscopy. 2004;36:913-920.
- **Gee D. Weaver D, Ashikaga T Elastography .** N Engl J Med 2008 ,339:941-946.
- **George Barreto, Parul J. Shukla. Mukta Ramadwar ,et al (2007):** Cystic tumours of the pancreas HPB (Oxford); 9(4); 259-266.

- Gunter E, Lingenfeller T, Eitelbach F, Muller H, Ell C. EUS-guided ethanol injection for treatment of a GI stromal tumor. Gastrointest Endosc 2003;57:113–115.
- Gupta J., Cooke S. G. and Shepherd N. A. Clinical, radiological and pathological staging of gastrointestinal cancer. Surgery, Oxford; 23:382 - 387,2005 .
- Heirshanut Y, Lerman H, Master U. Fluorine-18 fluorodeoxy glucose PET / CT patterns- inpatient with inflammatory bowel disease. Radiol clin north Am. 2007; 45 (4):697-709
- Herfarth KK, Debus J, Wannenmacher M. Stereotactic radiation therapy of liver metastases: update of the initial phase-I/II trial. Front Radiat Ther Oncol 2004;38:100–105.
- Hu KS, Enker WE, Harrison LB. High-dose rate intraoperative irradiation: current status and future directions. Semin Radiat Oncol 2002;12:62–80.
- Ichikawa;T, Fedeele;MP, Madariaga; J ,Nalesnik;M and Marsh; W (1999)Fibrolamellar hepatocellular carcinoma; imaging and pathologic findings. Radiology 1999;213:352-361.

- **Ilker B, Saniye E, Arbay C,et al;** A retrospective study of choledochal cyst: clinical presentation, diagnosis and treatment; Ann Surg, 2003, Volume 45, Number4, Page(s) 321-325.
- **Iyer R. B., Silverman P. M. Tamm E. P. et al.** Diagnosis, Staging, and Follow-Up of Oesophageal Cancer. AJR; 181:785-793, 2003.
- **Jennings N. A., Griffin S. M., Lambs P. J.. et al.** Prospective study Of bone scintigraphy as a staging investigation for oesophageal carcinoma. British Journal of Surgery; 95: 840-844, 2008.
- **John B. Hanks and W. Scott Arnold (2002)** Hepatic neoplasm. In scientific principles & practice in surgery, ed. by Lazar J. Greenfield, Biblonled textbook ,2nd ed. New York, London and Ontario, pp,956-954.
- **Johnson J, Boss T, O'Mally W, Husain S, Ahmed AR,** CT scan diagnosis of bleeding peptic ulcer after gastric bypass. Obcs surg 2007; 14 (11): 1570-1522
- **Jonathan B K and Robert AK:** Intraoperative Sonography of the Biliary System; AJR 2001; 177:395-403.

- Joseph R, Marc B. Etham R, et al. Magnetic Resonance Cholangiopancreatography: A Meta-Analysis of Test Performance in Suspected Biliary Disease. Ann Intern Med 2003;B9:547-557.
- Julie A. Gubernick, MD, Henrietta KR.et al; US Approach to Jaundice in Infants and Children; Radiographics. 2000; 20: TO-195.
- Kalapala R, Sunitha L, Negeshwer RD, Rao GV, Lakhtakia S, Tandan M, Nori VB. Virtual MR Pancreatography in the evaluation of pancreatic duct in chronic pancreatitis JOP. 2008;9 (2): 220-225.
- Kamin.PD'.Bernardino.ME and Green.B. (1999), Ultrasound examinations of Hepatocellular Carcinoma. Radiology 131:459-461 .
- Kaplan E. L. (1994): The Thyroid and parathyroid, In (Principles of surgery) 6th Ed. Edited by Schwartz, S. I. Published by McGraw – Hill ., New York. Vol. IV. Ch. 38, p. 16U-1W.

- **Kapoor V. McCook BM. Torok FS.** An introduction, to PET-CT imaging. Radiographics 2004;24(2):523-543.
- **Kawashima.A: Sueftiro,S and Muravama,S: et at (2001).** Focal fatty infiltration of the liver mimicking a tumor: sonographic and CT features .J Comput Assist Tomogr 10:329-331 .
- **Keer L (2000):** High resolution Thyroid ultrasound: the Value of Color Doppler Ultrasound- Q 12: 21-43.
- **Keisch M, Vicini F, Kuske RR, et al.** Initial clinical experience with the MammoSite breast brachytherapy applicator in women with early-stage breast cancer treated with breast-conserving therapy. Int J Radiat Oncol Biol Phys 2003;55:289–293.
- **Kelleher TB MacFarlane C De Ledinghen V,** Risk factors and hepatic elastography (fibro-scan) DDW 2006 abst .JD no 546.
- **Kim K. Park S. J., Kim B.. et al.** Evaluation of Lymph Node Metastases in Squamous Cell Carcinoma of the Esophagus with Positron Emission Tomography. Ann Thorac Surg; 71:290-294,2001.

- **Kim YH, Saini S.Sahani D. et al..(2005):** Imaging Diagnosis of Cystic Pancreatic Lesions: Pseudocyst versus Nonpseudocyst. RadioGraphics ;25:671-685.
- **Klapman JB, Logrono R, Dye CE, Waxman I.** Clinical impact of on-site cytopathology interpretation on endoscopic ultrasound-guided fine needle aspiration. Am J Gastroenterol 2003;98:1289–1294.
- **Klingenbeck-Regn K, Schaller S. Flohr T. Ohnesorge B. Kopp A, Baum U.** Sub second multi-slice computed tomography: basics and applications. Eur J Radiol 1999;31:110-124.
- **Krukowski Z. H. (2000).** The thyroid gland and the thyroglossal tract. In (Bailey & Loves short - Practice of Surgery) 23rd edition/edited by Charles V. M, K. C G, Russet and William. N.S. Pubished by Chapman & Hall Medical. London Vol. I Ch. 37, PP. 707-733,
- **Krushal JB, Kane RA.** Intraoperative ultrasonography of the liver. Crit Rev Diagn Imaging 2005;36:175 -226.

- Leighton JA, Srivathsan K, Carey EJ, et al. Safety of wireless capsule endoscopy in patients with implantable cardiac defibrillators. Am J Gastroenterol. 2005;100:1728-1731.
- Levine, E. (1995) Renal cell carcinoma: clinical aspects, imaging diagnosis and staging. Seminars in Roentgenology, 30, 128-148
- Lim SJ. Alasadi R, Wayne JD,et al.,(2005); Freoperative evaluation of pancreatic cystic lesions: cost benefit analysis and proposed management algorithm. Surgery.;138:672-80.
- Ling CC, Mitchell JB. Functional imaging and its application to adiation oncology. Semin Radiat Oncol 2001;11:1–92.
- Lorenzoni J, Deuriendt D, Massager N, et al. Radiosurgery for treatment of brain metastases: estimation of patient eligibility using three stratification systems. Int J Radiat Oncol Biol Phys 2004;60:218–224.
- Lowe. L. H., Isuani, B. H., Heller, R. M., et al (2000) Paediatric renal masses: Wilms tumour and beyond. Radiographics, 20, 1585-1603.

- **Maish M. Oesovhasus**, m Sabiston Textbook of Surgery 18th Edition, Saunders; 41:1049-1107, 2008.
- **Manq T Schafer-Prokop C, Schina W, Maier A, Schober E, Muller Manq C, Weber M, Prokope M**. comparison axial, coronal and primary 3D review in MDCT colonography for detection of small polyps, phantom study. Eur J Radiol. 2008;21.
- **Mariette C, Balon J. M., Maunourv V.. et al.** Value of endoscopic ultrasonography as a predictor of long-term survival in oesophageal carcinoma. British Journal of surgery; 90:1367-1372,2003 .
- **Matthew S, Clifton RB, Anne S et al.** Prenatal Diagnosis of Familial Type I Choledochal Cyst; Pediatrics, Vol. 117 No. 3 March 2006, pp. 596-600.
- **Michael AJ Sawyer, (2007):** Pseudocyst, Pancreatic eMedicine Specialties > Radiology > Gastrointestinal.
- **McAlinden, P., Chan, O. (2001)** Imaging of renal trauma. Imaging, 13 44-59 .

- Mcgahan J.P, Brock JM, Tesluk H, et al. Hepatic ablation with use of radiofrequency electrocautery in the animal model. J Vasc Interv Radiol 1992;3:291–297.
- Mcgahan, J. P., Richards, J. R., Jones, C. D., Gerscovich, E. O. (1999) Use of ultrasonography in the patient with acute renal trauma. Journal of Ultrasound in Medicine, 18, 207-213.
- Mcrobbie DW. Moore E. Graves MJ. Prince MR; MRI from picture to proton. Cambridge University Press, Cambridge, UK, 2003.
- Megibow AJ,Lavelle MT,Rofsky NM,.(2001): Cystic tumours of the pancreas. The radiologist. Surg Clin North Am.;81:4S9-95.
- Merrick HW, Dobelbower RR. Intraoperative radiation therapy in surgical oncology. Surg Oncol Clin N Am 2003;12:883– 899.
- Meyers MO, Sasson AR, Sigurdson ER. Locoregional strategies for colorectal hepatic metastases. Clin Colorectal Cancer 2003;3:34–44.

- Miettinen M El-Rifai W, Sobin L, Lasota J. Evaluation of malignancy and prognosis of gastrointestinal stromal tumours: a review. Hum Pathol 2002;33:478-483 .
- Mirvis. S. E. (1996) Trauma. Radiologic Clinics of North America, 34,1 225-1257.
- Murray IPC, Ell PJ (eds) Nuclear medicine in clinical diagnosis and, treatment. Churchill Livingstone,. Edinburgh, 1994.
- Murthy R, Nunez R, Szklaruk J, et al. Yttrium-90 microsphere therapy for hepatic malignancy: devices, indications, technical considerations, and potential complications. Radiographics 2005; 25(Suppl 1):S41–S55.
- Naqi B, Kochhar R, Bhasin D.et al Endoscopic retrograde cholangiopancreatography in the evaluation of anomalous Junction of the pancreaticobiliary duct and related disorders. Abdom Imaging 2003 Nov- Dec;28(6): 847-52.
- Nikken, J. J., Krestin, X. X. (2000) Magnetic resonance in the diagnosis of renal masses. British Journal of Urology International. 86(Suppl. 1), 58-69.

- Nguyen HP, Kaluza GL, Zymek PT, et al. Intracoronary brachytherapy. Catheter Cardiovasc Interv 2002;56:281–288.
- Norman,D and Korobkin,M.1999. Ultrasonography of the liver and biliary tree. Computed Tomography, 6th ed. Newton TH 77-79 .
- O",Neill, Templeton JM, Schnauffer L, et al: Recent experience with Choledochal cyst Ann Surg, 2000;205(5):533-540.
- Perdue DG and Freeman ML.. Failed biliary ERCP; a prospective multicenter study of risk factors, complications and resource utilization. Gastrointest Endosc 2004; 59(5): AB192.
- Polakow J,Ladny JR, Serwatka W,et al (2001) Percutaneous fine-needle pancreatic pseudocyst puncture guided by three-dimensional sonography. Hepatogastroenterology. ;48:1308-11.
- Prasad D, Schiff D. Malignant spinal-cord compression. Lancet Oncol 2005; 6: 15–24.
- Preston S. R., Clark G. W. B.. Martin I. G. et al. Effect of endoscopic ultrasonography on the management of 100

- consecutive patients with oesophageal and Junctional carcinoma. British Journal of surgery; 90:1220-1224,2003 .
- **Rades O, Fehlaur F, Schulte R et al.** Prognostic factors for local control and survival after radiotherapy of metastatic spinal cord compression. J Clin Oncol 2006; 24: 3388–93.
 - **Rattan KN, Maqu S, Ratan S.et al;** Choledochal cyst m children: 15- year experience; Indian J of Gastroenterology; 2005,Vol.24;p:l78-l79.
 - **Reed C. E. and Eloubeidi M. A.** New techniques for staging oesophageat cancer. Surg Clin N Am, 82:697-710,2002 .
 - **Remedios ML, Appleyard, M. Capsule endoscopy:** current indications and future prospects. Intern Med J. 2005;35:234-239.
 - **Ricke J, Wust P, Wieners G, et al.** CT-guided interstitial single-fraction brachytherapy of lung tumors: phase I results of a novel technique. Chest 2005;127:2237–2242.
 - **Ricke J, Wust P, Stohlmann A, et al.** CT-guided interstitial brachytherapy of liver malignancies alone or in combination with thermal ablation: phase I-II results of a novel technique. Int J Radiat Oncol Biol Phys 2004;58:1496–1505.

- **Rubin D, Nutting C, Jones B.** Metastatic breast cancer in a 54-year-old woman: integrative treatment with yttrium-90 radioembolization. Integr Cancer Ther. 2004;3:262–267.
- **Rumack C, (1998)** Diagnostic Ultrasound. 1:50.
- **Rummeny,E; Weissleder R; Compoton,CC;** Bennett,W; Wittenberg,J; Malt,RA and Ferrucci,JT. 1999). Primary liver tumours diagnosis by MR imaging. .Am J Roentgenol 152:63-72 .
- **Russell Woo. David Le. Craig T ,et al;** Robot assisted laparoscopic resection of type I choledochal cyst in a child. Journal of laparoscopic & advanced surgical techniques, vol. 16 number 2,2006,179-183 .
- **Sahani DV Saokar A,Brugge WR.ef al (2005):** Cystic Pancreatic Lesions: A Simple Imaging-based Classification System for Guiding Management. RadioGraphies ;25:1471-1484.
- **Sandhu I, Bhutani MS.** Gastrointestinal endoscopic ultrasonography. Med Clin N Am 2002;86: 1289–317.

- **Sgro M Rossetti S, Barozino T, et al:** Caroli's disease: prenatal diagnosis, postnatal outcome and genetic analysis. Ultrasound Obstet Gynecol 2004 Jan; 23(1): 73-76.
- **Sharma R, Gamanasatti S.** Role of MR imaging in pediatric surgery. Indian J Pediatr 2004;71;1095-1110.
- **Singh H. Khanna V, Puri B .et al: Images :** Choledochal cyst. Indian J Radiol Imaging 2005;12:225-228.
- **Siperstein AE, Berber E.** Cryoablation, percutaneous alcohol injection, and radiofrequency ablation for treatment of neuroendocrine liver metastases. World J Surg 2001;25:693–696.
- **Siperstein A E . Clark OH Braverman LE Utiger RD . a** Fundamental and clinical text . 8th ed , Philadelphia , Pa : Lippincott Williams & Wilkins , 2000 ; 898-899 .
- **Sneed PK, Sun JN, Goetsch SJ, et al.** A multi-institutional review of radiosurgery alone versus radiosurgery with whole brain radiotherapy as the initial management of brain metastases. Int J Radiat Oncol Biol Phys 2002;53:519–526.

- **Solbitli, L.; Ciffoi, V. and Ballarati ,E. (2002):** Ultrasonography of the neck. Radiol Clin North Am; 34:941-954.
- **Soulez, G., Oliva, V. L., Turpin, S., Lamhert, R., Nicolet, V., Therasse, E. (2000)** Imaging of renovascular hypertension: respective values of renal scintigraphy, renal Doppler US and MR angiography. Radiographics, 20, 1 355-1368.
- **Sperti C,Pasqualii C.Chierichetti F , et al(2001):** Value of 18-fluorodeoxyglucose positron emission tomography in the management of patients with cystic tumours of the pancreas. Ann Surg, ;234:675-80.
- **Springfield D. Orthopaedics,** in Schwartz's Principles of Surgery 8th Edition McGraw-Hill , 42:1650-1701, 2007.
- **Streeter OE, Vicini FA, Keisch M, et al.** MammoSite radiation therapy system. Breast 2003;12:491–496.
- **Sutton,D. (2002).** Normal ultrasound of the liver. in Textbook of radiology and imaging, Vol 2, Ed.by Sutton,D12th ed. Churchill Livingstone New York, St Louis, Toronto.pp. 1773-1809.

- **Taouli B, Vilgrain V, Vullierme MP, et al ., (2000):** Intraductal papillary mucinous tumors of the pancreas: helical CT with histopathologic correlation. Radiology,;217:757-64.
- **Terrier F, Grossholz M, Becker CD (ed).** Spiral CT of the abdomen, Springer, Berlin, 2002.
- **Thomas DS, Nauta RJ, Rodgers JE, et al.** Intraoperative high-dose rate interstitial irradiation of hepatic metastases from colorectal carcinoma. Results of a phase I-II trial. Cancer 1993;71:1977–1981.
- **Thomsen HS, Morcos SK, ESUR.** ESUR guidelines on contrast media. Abdom Imaging 2006;31(2);131-140.
- **Tonus C, Debertshauser D, Strassmann G, et al.** CT-based navigation systems for intraoperative radiotherapy using the afterloading-flap technique. Dig Surg 2001;18:470–474.
- **Urban, B. A., Fishman, E. K. (2000)** Renal lymphoma: CT patterns with emphasis on helical CT. Radiographics, 20, 197-212.

- Van der Hulst, V. P. M., Van Baalen, J., Kool, L. S., et al (1996)
Renal artery stenosis: endovascular flow wire study for validation of Doppler US. Radiology, 200, 165-168.
- Van Westreenen H, L., Plukker J. T. M., Cobben D. C. P., et al.
Prognostic Value of the Standardized Uptake Value in Esophageal Cancer. AJR; 185:436-440,2005.
- Vavra, Vavrova M, Dostalík J, Mortinek L, EL-Gendi A, Papaevangelou A. Virtual colonoscopy : a new promising technique . Bratisl lek listy. 2007 108 (10-11): 442-444.
- Vini, L. and Harmer , C. (2003) : Management of thyroid cancer. CME Cancer Med; 1:71-77. Q. from : Recent Advances in surgery (2004), Series 27. by : Johnson ,C. and Taylor,I; in Thyroid cancer. by: shah, B.; Fleming W.R. and Lynn, J. Pp:159-177 .
- Vogl TJ, Müller PK, Hammerstingl R, et al. Malignant liver tumors treated with MR imaging-guided laser induced thermotherapy: technique and prospective results. Radiology 1995;196:257–265

- Wallace M. B; Nietert P. J., Earle C, et al. An analysis of multiple staging management strategies for carcinoma of the esophagus: computed tomography, endoscopic ultrasound, positron emission tomography, and thoracoscopy/Laparoscopy- Ann Thorac Surg; 74:1026- 1032,2002.
- Wang R, Li XA. Dosimetric comparison of two Sr-90/Y-90 sources for intravascular brachytherapy: an EGSnrc Monte Carlo calculation. Phys Med Biol 2002;47:4259–4269.
- Watkinson AF, Yeow TN, Fraser C. Endovascular stenting to treat obstruction of the superior vena cava. Br Med J 2008; 336: 1434–7.
- William Harvey (October 2002) . Imaging techniques help diagnose previously undetected hepatic tumors. Liver & GI Review .
- Williamson R. C. N, and Bruce P. Waxman (1999): The Thyroid gland. In (Scott, Aid to Clinical Surgery) 5th ed. Published by Churchill Livingstone. (Edinburgh). Ch. 20, PP. 171-188.

- Wiseman K. Buczkowski AK, Chung SW et al: Epidemiology, presentation, diagnosis, and outcomes of choledochal cysts in adults in an urban environment. Am J Surg. 2005; 189:527-531.
- Wong AMC Cheung YC. Liu YH ,et al; Prenatal diagnosis of choledochal cyst using magnetic resonance imaging: World J Gastroenterol 2005; 11(32}: 5082-5083.
- Zeleftsky MJ, Fuks Z, Leibel SA. Intensity-modulated radiation therapy for prostate cancer. Sem Radiat Oncol 2002;12:229–237.