

REFERENCES

1. **Chao P., Zaleski G., and Patton C.:** Neonatal Hypoxic-Ischemic Encephalopathy: Multimodality Imaging Findings, *RadioGraphics* ;26:S159-S172, 2006.
2. **Richard E,** Birth injury-hypoxia ischemia IN: *Nelson text book of pediatric* (Richard E, Robert M., Hal B) edt., 16th edition, W.B. Saunders Company, London, 493-494, 2000.
3. **Thomson GD , Teele RL.** High-frequency linear array transducers for neonatal cerebral sonography.*AJR*;176:995-1001, 2001.
4. **Barnes PD:** Neuroimaging and the timing of fetal and neonatal brain injury .*J Perinatol*;21:44-60, 2001.
5. **Barkovich AJ :**The encephalopathic neonate :choosing the proper imaging technique .*AJNR Am J Neuroradiol*;18:1816-1820, 1997.
6. **Maalouf EF, Duggan PJ, Counsell SJ, et al :**Comparison of findings on cranial ultrasound and magnetic resonance imaging in preterm infants. *Pediatrics*;107:719-727, 2001.
7. **Jan Nissl.** Cranial-ultrasound, from <http://www.webmd.com/> accessed at 20/9/2007, 2007.
8. **Taylor G,** Doppler of the neonatal and infant brain. In : Rumack CM, Wilson SR, Charboneau JW, et al (eds) *Diagnostic ultrasound*, 3rd edn. Elsevier Mosby, St Louis, pp 1703-1722, 2005.
9. **Tortori-Donati P,** editor. *Pediatric neuroradiology, imaging of neonatal CNS.* Berlin: Springer; 2005.

- 10. Simbrunner J, Riccabona M,** Imaging of the neonatal CNS. *European Journal of Radiology* 60 133–151, 2006.
- 11. Barkovich AJ.** MR imaging of the neonatal brain. *Neuroimaging Clin N Am*;16(1):117–35, 2006.
- 12. Barkovich AJ, Miller SP, Bartha A, et al.** MRI, MRS, and DTI of sequential studies in neonates with encephalopathy. *AJNR Am J Neuroradiol*;27:533–47, 2006
- 13. Rayan S., McNicholas M.:** The central nervous system in : *Anatomy for diagnostic imaging* ,WB Saunders Company I., London, 45-84, 1998.
- 14. Athni SS., Churches IM. and Loftus B.:** *Clinical Neuroanatomy In Neuroscience secrets* (Rolak L.A.) ed., Hanley & Belfus, inc., Philadelphia, 13-49, 1998.
- 15. Williams P., Warwick R., and Dayson M. et al.:** *Anatomy Of The Head In Gray`S Anatomy* (Grey H., Angiology.) ed., 37th edition. Churchill Livingstone, Edinburgh, 140-45, 1998.
- 16. Alan Jackson :** Ventricular system and cerebrospinal fluid. *Neuroanatomy in : Gray`s Anatomy*, (Sausan Standring) ed, 39th ed, Elsevier Churchill Livingstone, Edinburgh , 14: 287-294, 2005.
- 17. Rose de Bruyn :** The head, neck and spine In ; *Pediatric Ultrasound How, Why and When*, 1st ed, Elsevier Churchill Livingstone, Edinburgh , 9: 255, 2005.
- 18. Tipu Aziz :** Basal ganglia. *Neuroanatomy in : Gray`s Anatomy*, (Sausan Standring) ed, 39th ed, Elsevier Churchill Livingstone, Edinburgh , 23: 419-423, 2005.
- 19. MJ Turlough Fitz Gerald:** cerebellum. *Neuroanatomy in : Gray`s Anatomy*, (Sausan Standring) ed, 39th ed, Elsevier Churchill Livingstone, Edinburgh , 20: 452, 2005.

-
20. **Stephen G.:** Cerebral hemisphere & vascular supply in: Brain anatomy (Stephen G.) ed., 25th edition. Mcgrow-Hill com. 137-88, 2003.
21. **Edward J., Trumper F. and Asma Q.:** Cerebrovascular developmental anatomy and physiology in the infant and child in: Transcranial Doppler ultrasonography (Viken L., Laurance R.) ed., 2nd edition. Butterworth Hienmann, Boston,303-54, 1999.
22. **Von Return G., Schurnacher M., Budingen H.:** Normal and abnormal anastmosis between the carotid and the vertebrobasilar arteries results of intracranial and extracranial Doppler sonography, *Ultrasound Med. Boil.*, 2:3-29, 1989.
23. **Paullus W., Pait W., Rhoton A.:** Microsurgical anatomy of the supraclinoid portion of the internal carotid artery, *J. Nreurosurg*,47:713-26, 1997.
- 24.**Gallucci M., Capoccia S., and Catalucci A.** Vascular anatomy. (Ute Heilmann) ed., *Radiographic Atlas of Skull and Brain Anatomy*. Springer-Verlag Berlin Heidelberg; 6: 337-339, 2007.
25. **Paul Griffiths:** : vascular supply of the brain ,in : Gray`s Anatomy, (Sausan Standring) ed, 39th ed, Elsevier Churchill Livingstone, Edinburgh , 17:303-305, 2005.
26. **Santalucia P. and Feldmann E.:**The basic transcranial Doppler examination technique and anatomy. In: transcranial Doppler ultrasonography (Babikian Vl., Wechsler Lr.) ed., 2nd ed., 2:13-28,1999.
27. **Martin GH.:** Vasculature of the central nervous system. In: *Neuroanatomy Text and Atlas* (Martin GH)ed., 22nd ed., Elsevier, new York, 120-2, 1989.
28. **Gerda van Wezel-Meijler:** Neonatal Cranial Ultrasonography, (Ute Heilmann) ed., 1st edition. Springer-Verlag Berlin Heidelberg, 2007
- A.** Ultrasound anatomy of neonatal brain II: 111-160.

- B.** Maturational Changes of the Neonatal Brain I-8: 97-112.
- C.** Assessing cranial ultrasound examination; I-4: 37-50.
- 29. Naidich TP et al.** The developing cerebral surface. Preliminary report on the patterns of sulcal and gyral maturation – anatomy, ultrasound, and magnetic resonance imaging. *Neuroimaging Clin N Am* 4:201–240, 1994.
- 30. Soghier LM et al.** Diffuse basal ganglia or thalamus hyperechogenicity in preterm infants. *J Perinatol* 26:230–236, 2006.
- 31. Lara M. Leijser, Linda S. de Vries , Frances M. Cowan.** Using cerebral ultrasound effectively in the newborn infant, *Early Human Development* 82, 827–835, 2006.
- 32. Campbell JD, Elford RW, Brant RF.** Case-control study of prenatal ultrasonography exposure in children with delayed speech. *CMAJ* ;149(10):1435-40, 1993.
- 33. Salvesen KA, Vatten LJ, Eik-Nes SH, Hugdahl K, Bakketeig LS.** Routine ultrasonography in utero and subsequent handedness and neurological development. *BMJ* ;307(6897):159-64, 1993.
- 34. Newnham JP, Evans SF, Michael CA, Stanley FJ, Landau LI.** Effects of frequent ultrasound during pregnancy: a randomized controlled trial. *Lancet* ;342 (8876):887-91, 1993.
- 35. Wong WS, Tsuruda JS, Liberman RL, Chirino A, Vogt JF, Gangitano E.** Color Doppler imaging of intracranial vessels in the neonate. *AJNR* ;10:425-30, 1989.
- 36. Tatsuno M, Furusho J, Ohno H, Okuyama K.** Cerebral blood flow in infants: comparison of carotid blood flow and cerebral blood flow velocity. *No To Hatasu.* 22(4):336-4, 1990.

- 37. Rubin JM.** Power Doppler. *Eur Radiol*, 5318-22, 1999.
- 38. Couture A., Veyrac C., Baud C., Saguintaah M., Ferran JL:** Advanced cranial ultrasound: transfontanellar Doppler imaging in neonates, *European Radiology*, 2001.
- 39. Rubin JM, Adler RS.** Power Doppler expands standard color capability. *Diagn Imaging*. Dec; 15(12) :66-9, 1993.
- 40. Volpe JJ.** Intracranial hemorrhage: Germinal matrix intraventricular hemorrhage of the premature infant. In: *Neurology of the newborn*. 4th edition. Philadelphia, Pa: WB Saunders Co; 428-93, 2001.
- 41. Mullart RA, Hopman JC, Rotteveel JJ, Stoelinga GB, Deltann AF, Daniels O.** Cerebral blood flow velocity and pulsation in neonatal respiratory distress syndrome and periventricular hemorrhage. *Pediatr Neurol.* ; 16(12) :118-25, 1997.
- 42. Pellicar A, Valverde E, Gaya F, Quero J, Cabanos F.** Postnatal adaptation of brain circulation in preterm infants. *Pediatr Neurol.*; Feb. 24(2) :103-9, 2001.
- 43. Brackley K., and Kilby M.:** Doppler assessment of the fetal and neonatal brain In: *Fetal and neonatal neurology and neurosurgery* (Evans D.) ed., 3rd edition, Churchill Livingstone. Inc., 9:121-137, 2001.
- 44. Eik-Nes S., Brubakk A., and Ulstein M.:** The measurement of human fetal blood flow, *BMJ.*, 283-4, 1980.
- 45. Griffin D., Bilardo K.,and Teague M.:** The measurement of human fetal blood flow with linear array pulsed Doppler duplex, *Eur. J. Obstetrics Gynecol. Reprod. Boil.*, 15 : 426-30, 1983.
- 46. Eik-Nes S., Marsal K., and Kristofferson K.:** Methodology and basic problems related to blood flow studies in human fetus, *Ultrasound Med. Boil.*, 1:329-38, 1984.

- 47. Jongeling B., Badawi N., and Kurinczuk J.:** Cranial ultrasound as a predictor of outcome in term newborn encephalopathy, *Pediatr. Neurol.*, 26:37-42, 2002.
- 48. Perlman JM.** Neonatal cerebral blood flow velocity measurements. *Clin Perinatol*; 12:179-93, 1985.
- 49. Babcock DS, Palriquin II, Lafortune M, Danzat M.** Power Doppler sonography : basic principles and clinical application in children. *Pediatr Radiol*; 26(2) :109-15, 1996.
- 50. Cowan F, Azzopardi D:** Hypoxic–ischaemic encephalopathy, *Neonatology. Paediatrics and child health* 17:2, 47-57, 2007.
- 51. Pryds O.:** Control of cerebral circulation in the high risk neonate, *Ann. Neurol.*, 30(3):321-9, 1991.
- 52. Greison G.:** Cerebral blood flow and energy metabolism in the newborn, *Clin. Perinatol.*, 24(3) :531-546, 1997.
- 53. Tyszczuk L., Meek J., Elwell C., et al;** Cerebral blood flow is dependent of mean arterial blood pressure in preterm infants undergoing intensive care, *Pediatrics*, 102(2): 337-341, 1998.
- 54. Meek J., Tyszczuk L., Elwell C., et al;** Low cerebral blood flow is a risk factor for severe intraventricular hemorrhage, *Arch. Dis. Child. Fetal. Neonatal. Ed.*, 81 : 15-18, 1998.
- 55. Germann W. and Stanfield C.:** The cardiovascular system: regulation function in: *Principles of human physiology* (Germann W., Stanfield C., et al.) edt., San Francisco, Benjamin cummings, 230-63, 2002.

- 56. Guyton A. and Hall J.:** Cerebral blood flow; the cerebrospinal fluid; and brain metabolism In: Text book of medical physiology (Guyton A., Hall J.) edt., 10th edition, Philadelphia, WB Saunders, 120-4, 2000.
- 57. Collins M., Lorenz J., Jetton J., et al;** Hypocabnia and other ventilated related risk factors for cerebral palsy in low birth weight infants, *Pediatr. Res.*, 50: 712-719, 2001.
- 58. Volpe JJ:** Brain injury in the premature infant – from pathogenesis to prevention, *Brain & Development* 19: 519–534, 1997.
- 59. Ferriero DM:** Neonatal encephalopathies, *Oski's Pediatrics: Principles & Practice*, 4th edition, 34:281-285, 2006.
- 60. Hill A, Volpe JJ:** Neurologic disorders. In: Avery GB, Fletcher MA, Macdonald MG. Neonatology. Physiology and management of the newborn. Churchill Lippincott Company, Philadelphia, 1117-1138, 1994.
- 61. Evans DJ, Levene MI:** Hypoxic ischemic injury. In: Rennie JM, Robertson NRC. Textbook of neonatology. 3rd edition, Churchill Livingstone, 1231-1251, 1999.
- 62. Alan Daneman, Monica Epelman, Susan Blaser and Jose Ricardo Jarrin:** Imaging of the brain in full-term neonates: does sonography still play a role? , *Pediatric Radiology*, 2006.
- 63. Lempert TE, Gaensler E.** Hypoxic ischemic encephalopathy, *Fundamentals of Diagnostic Radiology*, (Brant E., Helms A.)edt., 3rd edition. Lippincott Williams & Wilkins. II-8: 216-220, 2007.
- 64. Paneth N, Rudelli R, Kazam E, Monte W.** The varieties of leukomalacia. In: Paneth N, Rudelli R, Kazam E, Monte W, editors. Brain damage in the preterm infant. London7 Cambridge University Press; 119– 37, 1994.

- 65. Guzzetta F, Schackelford GD, Volpe S, Perlman JM, Volpe JJ.** Periventricular intraparenchymal echodensities in the premature newborn: critical determinant of neurologic outcome. *Pediatrics*;78:995–1006, 1986.
- 66. Paneth N, Rudelli R, Kazam E, Monte W.** Germinal matrix and intraventricular bleeding: location, extent, ultrasound imaging. In: Paneth N, Rudelli R, Kazam E, Monte W, editors. *Brain damage in the preterm infant*. London: Cambridge University Press; 71–98, 1994.
- 67. De Vries LS, Van Haastert ILC, Rademaker KJ, Koopman C, Groenendaal F.** Ultrasound abnormalities preceding cerebral palsy in high-risk preterm infants. *J Pediatr* ;144(6): 815–20, 2004.
- 68. Nwaesei CG, Allen AC, Vincer M, Brown St J, Stinson DA, Evans JR, et al.** Effect of timing of cerebral ultrasonography on the prediction of later neurodevelopmental outcome in high-risk preterm infants. *J Pediatr*;112:970–5, 1988.
- 69. Sie LT et al.** Early MR features of hypoxic-ischemic brain injury in neonates with periventricular densities on sonograms. *AJNR Am J Neuroradiol* ,21:852–861, 2000.
- 70. De Vries LS et al.** The spectrum of leukomalacia using cranial ultrasound. *Behav Brain Res* 49:1–6, 1992.
- 71. Levene MI;** Measurement of the growth of the lateral ventricles in preterm infants with real-time ultrasound. *Arch Dis Child* 56:900–904, 1981.
- 72. Davies MW et al;** Reference ranges for the linear dimensions of the intracranial ventricles in preterm neonates. *Arch Dis Child Fetal Neonatal Ed* 82: F218–F223, 2000.
- 73. Barkovich AJ.** The encephalopathic neonate: choosing the proper imaging technique. *AJNR Am J Neuroradiol* ;18:1816–1820, 1997.

- 74. Huang Y , Mauricio Castillo** : Hypoxic ischemic brain injury ": imaging finding from birth to adulthood.
- 75. Neil . J**; imaging perinatal brain injury in premature infants seminars in perinatology .28;433-443 .2004 .
- 76. Blankenberg . G** ; sonography , ct & mri imaging ; a prospective comparison of neonates with suspected intracranial ischemia & hemorrhage . AJNR Am J Neuroradiol ;21:213-218, 2000.
- 77.Barnett A, Mercuri E, Rutherford M et al.** Neurological and perceptualmotor outcome at 5–6 years of age in children with neonatal encephalopathy: relationship with neonatal brain MRI. Neuropediatrics ; 33: 242–8, 2002.
- 78.Rutherford M A, Pennock J M, Counsell S J et al.** Abnormal magnetic resonance signal in the internal capsule predicts poor neurodevelopmental outcome in infants with hypoxic–ischemic encephalopathy. Pediatrics; 102: 323–8, 1998.
- 79.Rutherford M A, Pennock J M, Schwieso J E, Cowan F M, Dubowitz L M.** Hypoxic–ischaemic encephalopathy: early magnetic resonance imaging findings and their evolution. Neuropediatrics; 26:183–91, 1995.
- 80.Cowan F, Azzopardi D:** Hypoxic–ischaemic encephalopathy, Neonatology. Paediatrics and child health 17:2, 47-57, 2007.
- 81.Battin M, Maalouf E, Counsell S et al.** Physiological stability of preterm infants during magnetic resonance imaging. Early Hum Dev ; 52: 101–10, 1998.
- 82.Van Wezel-Meijler.G et al** ,Magnetic resonance Imaging of brain in the newborn infants ; practical aspects ,early Hum dev 2009 , doi:10.1016/j.earlhumdev.2008.11.009) .

- 83.Cowan F, Rutherford M, Groenendaal F et al.** Origin and timing of brain lesions in term infants with neonatal encephalopathy. *Lancet* ; 361: 736–42, 2003.
- 84.Grant.P & David Yu .**Acute Injury to the Immature brain with Hypoxia with or without Hypoperfusion .*RCNA* 2006 ; 44 :63-75.
- 85.Huang Y , Mauricio Castillo** : Hypoxic ischemic brain injury ": imaging finding from birth to adulthood.(*Radiographics* 2008 ; 28:417-439).
- 86.Neil . J et al** ; imaging perinatal brain injury in premature infants . *seminars in perinatology* .28;433-443 .2004 .
- 87.Hunt R W, Neil J J, Coleman L T, Kean M J, Inder T E.** Apparent diffusion coefficient in the posterior limb of the internal capsule predicts outcome after perinatal asphyxia. *Pediatrics*; 114: 999–1003, 2004.
- 88.Marlow N, Rose A S, Rands C E, Draper E S.** Neuropsychological and educational problems at school age associated with neonatal encephalopathy. *Arch Dis Child Fetal Neonatal Ed* ; 90: F380–7, 2005.
- 89.Barnett A L, Guzzetta A, Mercuri E et al.** Can the Griffiths scales predict neuromotor and perceptual-motor impairment in term infants with neonatal encephalopathy? *Arch Dis Child* ; 89: 637–43, 2004.
- 90 Zarifi .k .**Prediction of Adverse Outcome with Cerebral Lactate Level and Apparent Diffusion Coefficient in Infants with Perinatal Asphyxia .*radiology* 2002 (850-870).
- 91. Boichot.**Term Neonate Prognoses after Perinatal Asphyxia. *Radiology* 2006; (839-848)