

References

REFERENCES

- Afshin Gangi, Stephane Guth, Jean-Louis Dietemann. (2001) Interventional Musculoskeletal Procedures .RadioGraphics, 21:520.
- Aliprandi A, Fausto A, Quarenghi M, et al. (2006) CT and MR arthrography of the shoulder with a mixture of iodinated and paramagnetic contrast agents using arthroscopy as a gold standard. Radiol. Med. (Torino), Feb; 111(1): 53-60.
- Andermahr J, Helling HJ, Maintz D, et al. (2000) The injury of the calcaneocuboid ligaments. Foot Ankle Int. May; 21(5): 379-84.
- Anderson SW, Lucey BC, Varghese JC, et al. (2006) Sixty-Four Multi-Detector Row Computed Tomography in Multitrauma Patient Imaging: Early Experience. Curr. Probl. Diagn Radiol. September-October, 35(5): 188-198.
- Baek SY, Sheafor DH, Keogan MT, et al. (2001) Two-dimensional multiplanar and 3D volumerendered vascular CT in pancreatic carcinoma: interobserver agreement and comparison with standard helical techniques. AJR Am J Roentgenol 176:1467–1473

- Batra P, Bigoni B, Manning J (2000) Pitfalls in the diagnosis of thoracic aortic dissection at CT angiography. *Radiographics* 20:309–320)
- Bencardino JT, Roseberg ZS, (2001) MR imaging and CT in the assessment of osseous abnormalities of the ankle and foot. *Magn Reson Imaging Clin N Am.*, 27: 191-196.
- Berg BC, Lecouvet FE, Maldague B, et al. (2004) MR appearance of cartilage defects of the knee: preliminary results of a spiral CT arthrography-guided analysis. *Eur Radiol.*, 27: 844-850.
- Binkert CA, Verdun FR, Zanetti M, et al. (2003) CT arthrography of the glenohumeral joint: CT fluoroscopy versus conventional CT and fluoroscopy, comparison of image guidance techniques. *Radiology*, Oct; 229 (1): 153-8.
- Boone JM, Geraghty EM, Seibert JA, et al. (2003) Dose reduction in pediatric CT: a rational approach. *Radiology*; 228: 352-360.
- Brandt MM, Wahl WL., Yeom K, et al. (2004) Computed tomographic scanning reduces cost and time of complete spine evaluation. *J Trauma*, May, 56(5): 1022-6.
- Bruno, Vande Berg, Lecouvet, et al. (2003) Postoperative Meniscus: Assessment at Dual-Detector Row Spiral CT arthrography of the Knee *Radiology*; 228-635-641.

- Buckingham R, Jackson M, Atkins R, et al. Calcaneal fractures in adolescents. CT classification and results of operative treatment. *Injury*, 2003 Jun, 34(6): 454-9.
- Buckwalter KA, Farber JM, et al. (2004) Application of multidetector CT in skeletal trauma. *Semin Musculoskelet Radiol*. Jun, 8(2): 147-56.
- Buckwalter KA, Rydberg J, Kopecky KK, et al. (2001) Musculoskeletal imaging with multi-slice CT, *AJR*, 979-86.
- Calhoun PS, Kuszyk BS, Heath DG et al . (1999) volume rendering of spiral CT data: theory and method. *Radiographics* 19:745–764)
- Ceugnart L, Taieb S. (2005) . Multislice CT: technical principles and new trends in medical imaging and radiotherapy. *Cancer Radiother*. Jun;9(4):223-9.
- Chacon GE, Dawson KH, Myall RW, et al. (2003) A comparative study of 2 imaging techniques for the diagnosis of condylar fractures in children *J Oral Maxillofac Surg*. Jun, 61(6): 668-72.
- Chapman VM, Kalra M, Halpern E et al (2005)16- MDCT of the posttraumatic pediatric elbow: optimum parameters and associated radiation dose *AJR Am J Roentgenol* 185(2):516–521]

- Cho TJ, Choi IH, Chung CY, et al. (2005) The bicompartamental acetabulum in Perthes disease: 3D-CT and MRI study. *J Bone Joint Surg. Br.*, Aug, 87(8): 1127-33.
- Choplin RH, Buckwalter KA, Rydberg J, Farber JM (2004) CT with 3D rendering of the tendons of the foot and ankle: technique, normal anatomy, and disease. *Radiographics* 24(2):343–356
- Cody DD (2002) AAPM/RSNA physics tutorial for residents: topics in CT. *Radiographics* 22:1255–1268.
- Couller B, Mailleux P. (2004) Synovial haemangioma diagnosed during knee arthro-CT JBR-BTR. Jul-Aug; 87(4): 183-5.
- Cusmano F, Bellelli A, Pedrazzini M, et al. (2000) Spiral CT and MR in injuries of the ankle and the foot. *Acta Biomed Atenco Parmense.*; 21(6): 281-9.
- Daffner SD, Daffner RH. (2002) .Computed tomography diagnosis of facet dislocations: the "hamburger bun" and "reverse hamburger bun" signs. *J Emerg Med.* Nov;23(4):3874.
- Daftary A, Haims AH, Baumgaertner MR (2005) Fractures of the calcaneus: a review with emphasis on CT. *Radiographics* 25:1215–1226]
- Dalal T, Kalra MK, Rizzo SM et al (2005) Metallic prosthesis: technique to avoid increase in CT radiation dose with

automatic tube current modulation in a phantom and patients. Radiology 236(2):671–675].

- De Vuyst D, Vanhoenacker F, Gielen J, et al. (2003) Imaging features of musculoskeletal tuberculosis. Eur Radiol;13:1809–1819
- Eliaz DA, White LM. (2004) Imaging of patellofemoral disorders. Clin Radiol. Jul.; 59(7): 453.57.
- Elliot KF, Jeffry RB, Napel S, et al. Spiral CT: principles, techniques and clinical applications: basic principles of spiral CT. 2nd edition Philadelphia: ;ippincot-Raven: pp3-15, 1998.
- Emanuele Neri, Paola Vagli, Francesco Odoguardi. (2005) Multidetector-Row CT Angiography. Medical Radiology ,Diagnostic Imaging.23:29
- Emery KH, Bisset GS 3rd, Johnson ND, et al. (1998) Tarsal coalition: a blinded comparison of MRI and CT Pediatr Radiol; 28: 612-616.
- Farber JM, Buckwalter KA. (2002) Sports-related injuries of the shoulder: instability. Radiol Clin North Am., Mar.; 40(2): 235-49.
- Fishman EK, Kuszyk B.(2001) 3D imaging: Musculoskeletal applications. Crit Rev Diagn Imaging 2001; 42: 59-100.
- Flohr T, Ohnegorge B, Schaller S, et al. (2004) Design, technique and future prespective of multislice CT scanner. Berlin Heidelberg New York (2004) , pp.3-16.

- Frahm R, et al. 2004 (Imaging diagnostics of ulnar wrist pain) Orthopade Jun; 33(6): 645-56. from computed tomograms. Comput Graph Image Proc 9:1–21)
- Frush DP, Donnelly LF, Rosen NS, et al. (2003). Computed tomography and radiation risks: what pediatric health care providers should know, Pediatrics; 112: 951-957.
- Fukuda , Kunihiro ,Nishioka M et al, (2000). Multislice CT vs MRI. Clinical Contribution to and Suitability for Musculoskeletal Imaging. Japanese Journal of Diagnostic Imaging;20(12):1364-1373.
- Funke C, Funke M, Raab B, et al.(2001). Fractures of the cervical vertebrae: diagnosis with multi-slice spiral CT rotenpraxis. 54(2): 49-55.
- G. Glazer , M. F. Reiser , C. R. Becker et al. (2009) Multislice CT 3rd edition1:1-25.
- Garfin SR, Yuan HA, Reiley MA. (2001). New Technologies in spine: kyphoplasty and vertebroplasty for the treatment of painful osteoporotic compression fractures . Spine 26: 1511-1515.
- Giacomuzzi SM, Torbica, P, Rieger M, et al. (2001). Radiation exposure in single slice and multi-slice spiral CT. Rofo. Jul; 173(7): 643-9.
- Goethem JW, Maes M, Ozsarlak O et al., (2005). Imaging in spinal trauma. Eur Radiol. Mar;15(3):582-90.

- Goldfarb CA, Yin Y, Gilula LA et al (2002). Radiologe. Jun; 42(6): 467-73.
- Greess H, Nomayr A, Wolf H, et al. (2002). Dose reduction in CT examination of children by an attenuation-based on-line modulation of tube current. (Eur Radiol.; 12: 1571-1576).
- Greess H, Wolf H, Suess C, et al. (2004). Automatic exposure control to reduce the dose in subsecond multislice spiral CT: phantom measurements and clinical results. Rofo. Jun; 176(6): 862-9.
- Groves AM, Cheow HK, Balan KK, et al.(2005) 16-Detector multislice CT in the detection of stress fractures: a comparison with skeletal scintigraphy. Clin Radiol. Oct.; 60(10): 1100-5.
- Guillaumondegui OD, Pryor JP, Gracias VH et al. (2002) Pelvic radiography in blunt trauma resuscitation: a diminishing role. Trauma;53: 1043–7.
- Gupta A, Ghalambor N, Nihal A et al (2003) The modified Palmer lateral approach for calcaneal fractures: wound healing and postoperative computed tomographic evaluation of fracture reduction. Foot Ankle Int 24:744–753
- Guy RL, Butler-Manuel PA, Holder P et al. (1992) The role of 3D CT in the assessment of acetabular fractures.Br J Radiol;65:384–9.].
- Haapamaki VV, Kiuru MJ, Koskinen SK (2004) Multidetector CT in shoulder fractures. Emerg Radiol 11(2):89–94

- Haider MA, Amitai MM, Rappaport DC et al (2002) Multi-detector row helical CT in preoperative assessment of small (< or = 1.5 cm) liver metastases: is thinner collimation better? *Radiology* 225:137–142
- Hamze B, Bossard PH, Bousson V, et al. (2003) Interventional lumbar spine radiology, *J Radiol.* 84: 253-262.
- Harland U, Krappel FA. (2002) Value of ultrasound, CT, and MRI in the diagnosis of slipped capital femoral epiphysis (SCFE). *Orthopade. Sep.*, 31(9): 851-6.
- Harper MC. (2003) Position of the distal fibular fragment in pronation and supination ankle fractures: a CT evaluation. *Foot Ankle Int.* 24(7): 561-566.
- Hau A, Kim I, Kattampuram S, et al. (2002) Accuracy of CT-guided biopsies in 359 Patients with musculoskeletal lesions. *Skeletal Radiol.* 31: 349-353.
- Herman GT, Liu HK . 3D display of human organs(1979).
- Herold T, Folwaczny EK, Sturmer KM, et al. (2004) Diagnosis and classification of calcaneal fractures in computed tomography. *Rofo Sep.*; 176(9): 1271-7.
- Huang TS, Zucherman JF, Hsu KY, et al. (2002) Gadopentetate dimeglumine as an intradiscal contrast agent. *Spine, Apr.* 15; 27(8): 839-43.
- Irie K, Yamada T. Three-dimensional virtual computed tomography imaging for injured anterior cruciate ligament. *Arch Orthop Trauma Surg* 2002; 122: 93-95.

- J Sunagawa T, Ishida O, Ishiburo M et al (2005) Three-dimensional computed tomography imaging: its applicability in the evaluation of extensor tendons in the hand and wrist. *Comput Assist Tomogr* 29(1):94–98
- Jerrold TB, Boone JM, Edwin ML, et al (2002). The essential physics of medical imaging: computed tomography, 2nd edition, Philadelphia: Lippincot-Williams: pp. 327-372.
- John NW (2002). Volume rendering. In: Caramella D, Bartolozzi C (eds) 3D image processing. Springer, BerlinHeidelberg New York, pp 35–41)
- Joseph KT, Robert J, Stuart S, et al. (1998) Computed today tomography with MRI correlation: conventional and spiral computed tomography, 3rd edition. Philadelphia: lippincot-Raven: pp.1-20.
- Jurik AG, Albrechtsen J (1994) The use of computed tomography with two- and three-dimensional reconstructions in the diagnosis of three- and fourpart fractures of the proximal humerus. *Clin Radiol* 49(11):800–804
- Kalender WA, Polacin A. (1991) Physical performance characteristics of spiral CT scanning, *Med. Phys.*, 18: 910-915.
- Kiuru MJ, Haapamaki VV, Koivikko MP et al (2004). Wrist injuries; diagnosis with multidetector CT. *Radiol* 10(4):182–185].

- Klein HM, Vrsalovic V, Balas R et al (2002). Imaging diagnostics of the wrist: MRI and arthrography/arthro-CT. *Rofo* 174(2):177–182]
- Klingenberg-Regn K, Schaller S, Flohr T et al (1999) Subsecond multi-slice computed tomography: basics and applications. *Eur J Radiol* 31:110-124
- Kohl G. (2005) The evolution and principles of multislice computed tomography. *Proc Am Thorac Soc.*; 2(6): 470-6, 499-500.
- Laura M. Fayad, John A. Carrino, Elliot K. Fishman (2007) Musculoskeletal Infection: Role of CT in the Emergency Department. *RadioGraphics* 2007; 27:1723–1736.)
- Lee W, Kim HS, Kim SJ et al (2004) CT arthrography and virtual arthroscopy in the diagnosis of the anterior cruciate ligament and meniscal abnormalities of the knee joint. *Korean J Radiol* 5(1):47–54
- Lee, Ho Sung Kim, Seok Jung Kim, et al. (2004) CT Arthrography and Virtual Arthroscopy in the Diagnosis of the Anterior Cruciate Ligament and Meniscal Abnormalities of the Knee Joint. *Korean Journal of Radiology*: March May; 12(4): 171-6.
- Levy RA. (1995) Three-dimensional craniocervical helical CT: is isotropic imaging possible *Radiology*; 197: 645-648.

- Linton OW, Mettler FA Jr. (2003) National Council on Radiation Protection and Measurements, National Conference on dose reduction in CT, with an emphasis on pediatric patients. *AJR Am J Roentgenol*; 181: 321-329.
- Mabrey JD, Gillogly SD, Kasser, JR, et al.(2002) Virtual reality simulation of arthroscopy of the knee. *Arthroscopy*; 18: 28E.
- Macarini L, Murrone M, Marini S., et al.(2004). Tibial plateau fractures: evaluation with multidetector-CT. *Radiol Med*. Nov-Dec;108(5-6):503-14.
- Madan S, Fernandes, J, Taylor JF, et al. (2003) Radiological remodeling of the acetabulum in Perthes' disease. *Acta Orthop Belg*. Oct.; 69(5): 412-20.
- Magid D, Fishman EK, Ney DR, et al. (1992) Acetabular and pelvic fractures in the pediatric patient; value of two- and three-dimensional imaging. *J Pediatr Orthop*; 12: 621-625.
- Mahesh M. (2002) Search for isotropic resolution in CT from conventional through multiple-row detector. *Radiographics*; 22: 949-962.
- Mark McKenna. (2009) Plating of a Periarticular Medial Clavicle Fracture, *ORTHOPEDICS*; 32:366
- Marx M, D'Auria S. (1988) Three-dimensional CT reconstruction of an ancient human Egyptian mummy using x-ray computed tomography. *AJR Am J. Roentgenol*; 87: 806-8.

- Mather R. (2005) .Multislice CT: 64 Slices and beyond. Radiol. Manage., May-Jun; 27(3): 46-8, 50-2.
- Mathias P., G. Marchal, T.J.Vogl et al. (2005). Multidetector-Row Computed Tomography .
- Mats Geijer , Georges Y, El-Khoury. (2006) MDCT in the evaluation of skeletal trauma: principles, protocols, and clinical applications. Emerg Radiol 13: 7–18
- Mechlenburg I, Nyengaard JR, Romer L, et al. (2004) Changes in load-bearing area after Ganz periacetabular osteotomy evaluated by multislice CT scanning and stereology. Acta Orthop Scand. Apr; 75(2): 147-53.
- Meduri S, De Petri T, Modesto A, et al. (2002) Multislice CT: Technical principles and clinical applications. Radiol. Med. Mar; 103(3): 143-57.
- Michel De Maeseneer, Frans Van Roy, Leon Lenchik , et al. (2000) CT and MR Arthrography of the Normal and Pathologic Anterosuperior Labrum and Labral- Bicipital Complex. RadioGraphics; 20:S67–S81
- Mirza AH, Alam K, Ali A (2005) Posterior sternoclavicular dislocation in a rugby player as a cause of silent vascular compromise: a case report. Br J Sports Med 39(5):28
- Moore TA, Vaccaro AR, Anderson PA, et al. (2006) Classification of lower cervical spine injuries. Spine, May 15: 31.

- Muthukumar T, Butt SH, Cassar-Pullicino VN, et al. (2005) Stress fractures and related disorders in foot and ankle: plain films, scintigraphy, CT and MR Imaging. *Semin Musculoskelet Radiol.* Sep. 9(3): 210-26.
- Newton, PO, Hahn GW, Fricka KB, et al. (2002) Utility of three-dimensional and multiplanar reformatted computed tomography for evaluation of pediatric congenital spine abnormalities. *Spine*; 27: 844-850
- Nicolaidis SC, Hildreth DH, Lichtman DM (2000) Acute injuries of the distal radioulnar joint. *Hand Clin* 16(3):449–359]
- Nogueira-Barbosa MH, Defino HL. (2005) Multiplanar reconstructions of helical computed tomography in planning of atlanto-axial transarticular fixation. *Eur Spine J.* Jun; 14(5): 493-500.
- Nunez DB. (2002). Helical CT of the cervical spine in trauma patients. *AJR Am J Roentgenol.* Jun; 178(6): 1566-7.
- Ohashi K, El-Khoury GY, Bennett DL (2004) MDCT of tendon abnormalities using volume-rendered images. *AJR Am J Roentgenol* 182:161–168
- Omer Etilik, Osman Temiz Mustafa Kayanl, et al. (2004) Three-dimensional volume rendering imaging in detection of bone fracture. *Eur J. Gen Med*; 1(4): 48-52.

- Oner FC, Ramos LM, Simmermacher RK, et al. (2002) Classification of thoracic and lumbar spine fractures: problems of reproducibility. A study of 53 patients using CT and MRI. *Eur Spine J*. Jun; 11(3): 235-45.
- Park SJ, Han JK, Kim TK, Choi BI (2001) .3D spiral CT.
- Pelc NJ, Stevens GM, Saunders R .(2001) . Alignment of a volumetric tomography system. *Med Phys*. Jul;28(7):1472-81.
- Plumley DA, Grosfeld JL, Kopecky KK, et al. (1995) The role of spiral (helical) computerized tomography with three-dimensional reconstruction in pediatric solid tumors. *J Pediatr Surg*, 30:317-321.
- Pretorius ES, Haller JA, Fishman EK, et al. (1999) Spiral CT with 3D reconstruction in children requiring re-operation for failure of chest wall growth after pectus excavatum surgery: preliminary observations. *Clin Imaging*, 22: 108-116.
- Prokop M (2003) Radiation exposure and image quality. In: Prokop M, Galanski M (eds) *Spiral and multislice computed tomography of the body*. Thieme, Stuttgart, pp 131-160
- Rafii M, Minkoff J. (1998) Advanced arthrography of the shoulder with CT and MR imaging. *Interventional procedures in musculoskeletal*. *Radiology II*: 36(4).
- Recheis W, Weber GW, Schafer K, et al. (1999) Virtual reality and Anthropology, *Eur J Radiol*, 31: 88-96.

- Rethy K. Chhem, Sudhakar K, et al. (2004) Multislice computed tomography of two 2000-year-old skeletons in a soil matrix from Angkor, Cambodia, *Assoc Radiol J*; 55(4): 235-41.
- Ridolfi M, Antinolfi G, Genova V, et al. (2005) Perception and reality I a case of suspected cervical fracture. *Rays*. Jul-Sep., 30(3): 279-86.
- Rieger M, Emanuele N, Davide C et al. (2007) Medical Radiology: Diagnostic Imaging : Image Processing in Radiology Current Applications. Part 3: 345-354
- Rieger M. (2009) Initial clinical experience with a 64-MDCT whole-body scanner in an emergency department: better time management and diagnostic quality. *Mar*; 66(3):648-57.
- Ring D, Jupiter JB, Zilberfarb J (2002) Posterior dislocation of the elbow with fractures of the radial head and coronoid. *J Bone Joint Surg Am* 84-A:547–551
- Roach RT, Cassar-Pullicino V, Summers, BN, et al. (2002) Paediatric post-traumatic cortical defects of the distal radius. *Pediatr Radiol*. May, 32 (5): 333-9.
- Robert H. Choplin, MD, Kenneth A, et al. CT with 3D rendering of the Tendons of the Foot and Ankle: Technique, Normal Anatomy, and Disease, *RadioGraphics* 2004; 24: 343-356.
- Robinson CM, Page RS. (2004) Severely impact Valgus proximal humeral fractures. *J Bone Joint Surg Am*. Sep. 86-A Suppl 1 (Pt 2): 143-55.

- Rock C, Kotsianos D, Linsenmaier U, et al. (2002) Studies on image quality, high contrast resolution and dose for the axial skeleton and limbs with a new, dedicated CT system, *Rofo* Feb; 174(2): 170-6.
- Rubin GD (2000) Data explosion: the challenge of multidetector row CT. *Eur J Radiol* 36:74-80
- Rydberg, M.D., Kenneth, A., Buckwalter, et al. (2000) Multisection CT: Scanning Techniques and Clinical Applications, *RadioGraphics*, 20: 1787-1806.
- Sailer, J. Imhof H. (2004) [Shoulder instability] *Radiology* , Jun; 44(6): 578-90.
- Salamipour H, Jimenez RM, Bre SL, et al. (2005) Multidetector row CT in pediatric musculoskeletal imaging. *Pediatr Radiol.*, Jun; 35(6): 555-64.
- Sanders T, Morrison W, Miller M, et al. (1998) Imaging techniques shoulder with CT and MR imaging. *Interventional procedures in musculoskeletal Radiology II*, 36(4): 609-33.
- Sanjay S, Geoffrey D, Mannudeep K (2006). MDCT:A Practical Approach: Role of MDCT in the Evaluation of Musculoskeletal Trauma. Part 5 : 196-204
- Scherl SA, (2004). Common lower extremity problems in children. *Pediatr Rev*; 25: 52-62.
- Schroder RJ, Weiler A, Hoher J et al (2003) Computed tomography of the patellofemoral alignment after arthroscopic

reconstruction following patella dislocation. *Rofo* 175(4):547–555

- Schulze D, Heiland M, Thurmann H, et al. (2004) Radiation exposure during midfacial imaging using 4- and 16-slice computed toography, cone beam computed tomography systems and conventional radiography, *Dentomaxillofac Radiol. Mar.*; 33(2): 83-6.
- Scott A.L. (2006) . MDCT 3D workstation. Springer publisher New York. Jun 14 ; 35(6): 555-64.
- Senohradski K, Kavoric B, Miric D. (2001) Computer tomography in the diagnosis and therapy of acetabular fractures. *Srp Arh Celok Lek*;129:194–8.
- Sirvanci M, Ulusoy, L, Duran C, et al. (2002) Pedicular stress fracture in lumbar spin. *Clin Imaging*, May-Jun; 26(3): 187-93.
- Struk DW, Munk PL, Lee MJ, et al.(2001) Imaging of soft tissue infections. *Radiol Clin North Am*;39:277–303
- Suess C, Chen X. (2002) Dose optimization of pediatric CT: Current technology and future innovations. *Pediatr Radiol*, 32: 729-734.
- T. H. West , J. Marshall P, W. Bearcroft. (2009) CT of the musculoskeletal system: What is left is the days of MRI. *Eur Radiol*, 19: 152–164.

- Takase K, Yamamoto K. (2005) Intraarticular lesions in traumatic anterior shoulder instability: A study based on the results of diagnostic imaging. *Acta Orthop. Dec.*: 76(6): 854-7.
- Tatsuno S, Shimizu S, Aoyagi Y, et al .(2007). Imaging Diagnosis of Musculoskeletal System with Multislice CT. *Nichidoku Iho Vol.51;NO.4;Page.641-648*
- Taser F, Shafiq Q, Ebraheim NA. (2006). Three-dimensional volume rendering of tibiofibular joint space and quantitative analysis of change in volume due to tibiofibular syndesmosis diastases. *Skeletal Radiol. Dec*;35(12):935-41.
- Thomas Moser, Jean-Claude Dosch, Akli Moussaoui, et al, (2008) Multidetector CT Arthrography of the Wrist Joint: How to Do It *RadioGraphics*; 28:787–800)
- Tynan JR, Marshall GB, Larrigan J ., et al. (2005). Evidence-based radiology problem: subcapsular hematoma secondary to retracted internal-external drain after percutaneous biliary drainage. *Can Assoc Radiol J. Jun*;56(3):123-7.
- Vanhoenacker FM, Bernaerts A, Gielen J, et al. (2002) Trauma of the pediatric ankle and foot. *JBR-BTR, Aug-Sep*; 85(4): 212-8.
- Waldt S, Bruegel M, Ganter K ., et al (2005). Comparison of multislice CT arthrography and MR arthrography for the detection of articular cartilage lesions of the elbow. *Eur Radiol. Apr*;15(4):784-91.

- Wang Y, Dong S, LI Z Clinical study on double contrast CT diagnosis of traumatic anterior shoulder instability Br. J Radiol. Jul, 19(7): 551-3.
- Watura R, Cobby M, Taylor J. (2004) . Multislice CT in imaging of trauma of the spine, pelvis and complex foot injuries. Br J Radiol.;77 Spec No 1:S46-63.
- Wedegartner U, Lorenzen M, Nagel HD, et al. (2004) Diagnostic image polytrauma: comparison of radiation exposure from whole-body MS, and conventional radiography with organ specific CT Rofo , 176(7): 1039-44.
- Weidekamm C, Prokop M, Herold C (2002) Low kVp settings improve contrast enhancement and reduce radiation exposure in spiral CT of pulmonary emboli. Eur Radiol 12 [Suppl]:149
- Wesolowski JR, Lev MH. (2005) CT History, Technology, and clin. Aspects, Semin Ultrasound CT MR, Dec; 26(6): 376-
- Wintermark M, Mouhsine E, Theumann N ., et al. (2003) Thoracolumbar spine fractures in patients who have sustained severe trauma: depiction with multi-detector row CT. Radiology. Jun;227(3):681-9.
- Wofford JL, Mansfield RJ, Watkins RS, et al.(2005) Patient characteristic and clinical management of patients with shoulder pain in U.S. primary care settings, secondary data analysis of the national Ambulance Medical Care Survey, BMC Musculoskelet Disord., Feb 3, 6, 4.

- Woiciechowsky C, Thomale UW, Kroppenstedt SN, et al. (2004) Degenerative spondylolisthesis of the cervical spine-symptoms surgical strategies depending on disease progress, *Eur. Spine J*, 13(8): 680-4.
- Woltmann A, Buhren V. (2004) Shock trauma room management of injuries in the framework of multiple trauma. A systematic review of literature. *Rofo*, , Oct.: 107(10): 911-8.
- Wu CM, Davis F, Fishman EK. (1998) Musculoskeletal complications of the patient with acquired immunodeficiency syndrome (AIDS): CT evaluation. *Semin Ultrasound CT MR*;19:200–208.).
- Xiong CZ, Hao JM. (2004) Spiral CT arthrography of multiplanar reconstruction and virtual arthroscopy technique in diagnosis of with internal derangements. *Chin J Traumatol*, Apr.; 7(2): 108.