

References

1. **O'Rourke RA , Alpert JS and Dalen JE , et al** : *Syndrome of mitral valve prolapse*. In: *Valvular Heart Disease*, 3rd ed. Philadelphia: Lippincott Williams & Wilkins; 2000:157-182.
2. **Alaor Santos Filho , Benedito C and Rocio Martin-Santos , et al** : Does the association between mitral valve prolapse and panic disorder really exist? .*Prim Care Companion J Clin Psychiatry*: 2008 ,10:38-47
3. **Barlow , J.B** : Mitral leaflet billowing and prolapse ;Perspective after nearly three decades .*Supplement 11,Circulation vol. :1988;78,No.4*.
4. **Boudoulas H , Kolibash AJ and Wooley CF, et al** : *Floppy mitral valve, mitral valve prolapse, mitral valvular regurgitation: Natural history*. In: Boudoulas H, Wooley CF, ed. *Mitral Valve: Floppy Mitral Valve, Mitral Valve Prolapse, Mitral Valvular Regurgitation*, 2nd ed.. Armonk, NY: Futura; 2010: 503-540.
5. **Fontana MF**: *Mitral valve prolapse and floppy mitral valve: Physical examination*. In: Boudoulas H, Wooley CF, ed. *Mitral Valve: Floppy Mitral Valve, Mitral Valve Prolapse, Mitral Valvular Regurgitation*, 2nd ed.. Armonk, NY: Futura; 2004:283-304.
6. **Guvén B , Eroglu AG and Babaoglu K , et al** : QT dispersion and diastolic functions in differential diagnosis of primary mitral valve prolapse and rheumatic mitral valve prolapse. *Pediatr Cardiol* 2008 Mar;29(2): p352-8

7. **Criley J.M and Kissel G.L** : Prolapse of mitral valve .The click and late systolic murmur syndrome .In: Prpgress in Cardiology by Goodwin J and Yu ,P.F.-Lee and Febiger Book Company ,Philadelphia ,1975 ,4:23-36.
8. **Hickey A.J and Wilcken D.E.L** : Age and clinical profile of idiopathic MVP .Br.Heart J. ;1984 :55 ,582-586.
9. **Avierinos JF , Detaint D and Messika-Zeitoun D , et al** : Risk, determinants, and outcome implications of progression of mitral regurgitation after diagnosis of mitral valve prolapse in a single community. Am J Cardiol 2008 Mar 1;101(5): p662-7
- 10.**Pinheiro AC , Mancuso FJ and Hemerly DF , et al** : Diagnostic value of color flow mapping and Doppler echocardiography in the quantification of mitral regurgitation in patients with mitral valve prolapse or rheumatic heart disease. J Am Soc Echocardiogr 2007 Oct;20(10): p1141-8
- 11.**Avierinos JF, Inamo J and Grigioni F , et al** : Sex differences in morphology and outcomes of mitral valve prolapse. Ann Intern Med 2008 Dec 2;149(11): p787-95
- 12.**Perloff J.K and Child J.S** : Clinicl and epidemiological issues in mitral valve prolapse : Overview and prospective .Am. Heart J. ;1987 :113-1324.
- 13.**Valchanov K and Wells FC** : You can love it so much. Heart shape. Eur J Echocardiogr 2008 Nov;9(6): p726

References

14. **Hayek E , Gring CN and Griffin BP , et al** : Mitral valve prolapse. *Lancet* 2005; 365:507.
15. **Han Y , Peters DC and Salton CJ , et al** : Cardiovascular magnetic resonance characterization of mitral valve prolapse. *JACC Cardiovasc Imaging* 2008 May;1(3): p294-303
16. **Myers PO, Cikirikcioglu M and Lerch R , et al** : Mitral tendon prolapsing into the left ventricular outflow tract. *J Cardiovasc Surg* (Torino 2007 Dec;48(6): p801-3
17. **Muller S , Muller L and Laufer G , et al** : Comparison of three-dimensional imaging to transesophageal echocardiography for preoperative evaluation in mitral valve prolapse. *Am J Cardiol* 2006 Jul 15;98(2): p243-8
18. **Udoshi M.B , Shah A , Fisher V.J and Dolgin M , et al** : Incidence of mitral valve prolapse in subjects with thoracic skeletal abnormalities: A prospective study . *Am. Heart J.* :1979 ;97,303-11.
19. **Bon-Tempo , Ronan J , Deleon and Twiggs H.L , et al** : Radiographic appearance of the thorax in systolic click-late systolic murmur syndrome . *Am.J. Cardiol* ;1975 :36:27-31.
20. **Hoffman P , Kordybach M and Rozanski J , et al** : Anterior leaflet on the leash: unusual cause of congenital severe mitral regurgitation. *Eur J Echocardiogr* 2009 Jun;10(4): p567-8

References

21. **Obel IW** : Mitral valve billow and prolapse: a brief review at 45 years
- with reference to : mitral valve billowing and prolapse : perspective
at 25 years. *Cardiovasc J Afr* 2009 Jan-Feb;20(1): p24-6
22. **Grau JB , Pirelli L and Yu PJ , et al** : The genetics of mitral valve
prolapse. *Clin Genet* 2007 Oct;72(4): p288-95
23. **Atalay S , Ucar T and Ozcelik N , et al** : Echocardiographic
evaluation of mitral valve in patients with pure rheumatic mitral
regurgitation. *Turk J Pediatr* 2007 Apr-Jun;49(2): p148-53
24. **Whitlock R , Evans R and Lonn E , et al** : Giant left atrial myxoma
and associated mitral valve pathology. *J Cardiothorac Vasc Anesth*
2007 Feb;21(1): p103-5
25. **Pepi M , Tamborini G and Maltagliati A , et al** : Head-to-head
comparison of two- and three-dimensional transthoracic and
transesophageal echocardiography in the localization of mitral valve
prolapse. *J Am Coll Cardiol* 2006 Dec 19;48(12): p2524-30
26. **Nesta F , Leyne M and Yosefy C , et al** : New locus for autosomal
dominant mitral valve prolapse on chromosome 13: clinical insights
from genetic studies. *Circulation* 2005 Sep 27;112(13): p2022-30
27. **Bobkowski W , Nowak A and Durlach J , et al** : The importance of
magnesium status in the pathophysiology of mitral valve prolapse.
Magnes Res 2005 Mar;18(1): p35-52

28. **Grande-Allen KJ , Griffin BP and Calabro A , et al** : Myxomatous mitral valve chordae. II: Selective elevation of glycosaminoglycan content. *J Heart Valve Dis* 2001; 10:325.
29. **Angel J , Soler-Soler J and Garcia-Del-Castillo H , et al** : The role of reduced left ventricular end-diastolic volume in the apparently high prevalence of mitral valve prolapse in atrial septal defect .*Eur .J. Cardiol .*;1980. 11:341-55.
30. **Barlow J.B and Pocock W.A** : Mitral valve prolapse :The specific billowing mitral leaflet syndrome or an insignificant nonejection systolic click .*Am.Heart J.* :1979 ,97;277.
31. **Kahaly G , Mohr-Kahaly S and Beyer J , et al** : Prevalence of myxomatous mitral valve prolapse in patients with lymphatic thyroiditis .*Am.J.Cardiol* ;1995 :76, 1309-10.
32. **Channiook B.J , Adlin E.V and Marks A.D , et al** : Hypothyroidism and mitral valve prolapse .*N. Engl .J. Med .*;1981 ,305:497-500.
33. **Fabricius AM , Walther T , Falk V and Mohr FW , et al** :Three-dimensional echocardiography for planning of mitral valve surgery: current applicability?: *Ann Thorac Surg* 2004 Aug;78(2): p575-8
34. **Gultekin N , Kucukates E , Ersanli M and Kansiz E , et al** : Multiple angiomatous mitral valve cysts leading to floppy mitral valve syndrome. *Turk Kardiyol Dern Ars* 2008 Jun;36(4): p253-5

35. **Seliem MA , Fedec A and Szwast A , et al** : Atrioventricular valve morphology and dynamics in congenital heart disease as imaged with real-time 3-dimensional matrix-array echocardiography: comparison with 2-dimensional imaging and surgical findings. *J Am Soc Echocardiogr* 2007 Jul;20(7): p869-76
36. **Waller B.F , Maron B.J and DelNegro A.A , et al** : Frequency and significance of M-mode echocardiographic evidence of MVP in clinically isolated pure mitral regurgitation . Analysis of 65 patients having mitral valve replacement . *Am. J. Cardiol* :1984 ;53,139-47.
37. **Devereux R.B , Perloff J.K and Reich K.N , et al** : Mitral valve prolapse .*Circulation* ;1976 :54 ,3-14.
38. **Waller B.F , Morrow B.J and Maron B.T , et al** : Aetiology of clinically isolated severe chronic pure mitral regurgitation : Analysis of 97 patients over 30 years of age having mitral valve replacement .*Am. Heart J.* :1982 ;104 ,276-88.
39. **Chepurnenko SA** : Imbalance in the antioxidant defense system as a possible cause of decreased compensatory and adaptive reserves in youths with mitral valve prolapse. *Bull Exp Biol Med* 2007 May;143(5): p585-6
40. **Bitar ZI , Ahmed S and Amin AE , et al** : Prevalence of mitral valve prolapse in primary spontaneous pneumothorax. *Prim Care Respir J* 2006 Dec;15(6): p342-5

41. **Gunduz H , Arinc H and Kayardi M , et al** : Heart rate turbulence and heart rate variability in patients with mitral valve prolapse. *Europace* 2006 Jul;8(7): p515-20
42. **Fenollar F, Thuny F and Xeridat B , et al** : Endocarditis after acute Q fever in patients with previously undiagnosed valvulopathies. *Clin Infect Dis* 2006 Mar 15;42(6): p818-21
43. **Davies A.O , Mares A and Taylor A.A, et al** : Mitral valve prolapse with symptoms of beta-adrenergic hypersensitivity .Beta-adrenergic receptor supercoupling with desensitization of isoproterenol exposure .*Am.J.Med.*; 1987: 82, 193-201.
44. **Fontana M.E , Wooley C.F and Leighton R.E , et al** : Postural change in left ventricular and mitral valve dynamic in the systolic click-late systolic murmur syndrome .*Circulation* ; 1975 :52, 167-73.
45. **Bashore T.M , Grines C and Vitak D , et al** : Postural exercise abnormalities in symptomatic patients with mitral valve prolapse .*J .Am.Cardiol* ;1988 ,11:499-507.
46. **Coghlan H.C , Pharies P and Cowley M , et al** : Dysautonomia in mitral valve prolapse .*Am. Heart J.* ;1979: 67,236-44.
47. **Braunwald E** : Heart disease ,7th ed .A Textbook of Cardiovascular Medicine .Philadelphia ,W.B. Saunders 2007 Co.P.1664.
48. **Taub CC , Stoler JM and Perez-Sanz T , et al** : Mitral valve prolapse in Marfan syndrome: an old topic revisited. *Echocardiography* 2009 Apr;26(4): p357-64

49. **Zartner P , Gamillscheg A and Rigler B , et al** : Disastrous course of recurrent infective endocarditis after tooth extraction in a young patient with bicuspid aortic valve. *Klin Padiatr* 2007 Jan-Feb;219(1): p44-6
50. **Enriquez-Sarano M , Akins CW and Vahanian A , et al** : Mitral regurgitation. *Lancet* 2009 Apr 18;373(9672): p1382-94
51. **Sims JM and Miracle VA** : An overview of mitral valve prolapse. *Dimens Crit Care Nurs* 2007 Jul-Aug;26(4): p145-9
52. **Gentzler R.D , Gault J.H and Leidtke A.J , et al** : Congenital absence of the left circumflex coronary artery in the systolic click syndrome .*Circulation* : 1975, 52-490.
53. **Boudoulas H and Lewis R.P** : Cardiac syncope ,diagnosis ,mechanism and management . In: Hurst ,W.J.(ed.). *The Heart* 6th ed . ,New York , McGraw-Hill Book Co. ;Inc. 1986 :pp.521-529.
54. **Martin-Suarez S , Botta L and Dell'Amore A , et al** : Mitral valve myxoma involving both leaflets. *Cardiovasc Pathol* 2007 May-Jun;16(3): p189-90
55. **Wheatley GH , Opie SR and Maas D , et al** : Detection of unsuspected mitral valve prolapse using 64 multi-slice computed tomography. *Ann Thorac Surg* 2007 Apr;83(4): p1555
56. **Thomas MP and Wang A** :Clinical problem-solving. Taken out of context. *N Engl J Med* 2008 Dec 4;359(23): p2478-82.

- 57.**Layland J , Jellis C and Doyle J , et al** : Abiotrophia endocarditis: the great masquerader. *Aust N Z J Psychiatry* 2008 Nov;42(11): p9913
- 58.**Ma N , Li ZA , Meng X and Yang Y , et al** : Live three-dimensional transesophageal echocardiography in mitral valve surgery. *Chin Med J (Engl)* 2008 Oct 20;121(20): p2037-41
- 59.**Becker AE and Davies MJ**: *Pathomorphology of mitral valve prolapse*. In: Boudoulas H, Wooley CF, ed. *Mitral Valve: Floppy Mitral Valve, Mitral Valve Prolapse, Mitral Valvular Regurgitation*, 2nd ed.. Armonk, NY: Futura; 2000:91-114.
- 60.**Freed LA , Levy D and Levine RA , et al** : Prevalence and clinical outcome of mitral-valve prolapse. *N Engl J Med* 1999; 241:341.
- 61.**Ahmed N , Rishard AJ and Murffett HC , et al**: Prevalence of mitral valve prolapse in stickler syndrome. *Am J Med Genet A* 2003 Jan 30;116A(3): p234-7
- 62.**Barlow J.B , Borsman C.K and Pocock W.A , et al** : Late systolic click. An analysis of 90 patients .*Br.Heart J.*; 1968:30:203.
- 63.**Terzo E , Di Marcello M and McAllister H , et al** : Echocardiographic assessment of 537 dogs with mitral valve prolapse and leaflet involvement [In Process Citation] .*Vet Radiol Ultrasound* 2009 Jul-Aug;50(4): p416-22
- 64.**Uno K , Takenaka K and Ebihara A , et al** : Value of live 3D transoesophageal echocardiography in the diagnosis of mitral valve

References

- lesions [In Process Citation] Eur J Echocardiogr 2009 Mar;10(2): p350-1
- 65.**Muller H and Lerch R** : Submitral left ventricular aneurysm presenting as a "strange" mitral valve prolapse. Arch Cardiovasc Dis 2009 Feb;102(2): p157-8
- 66.**Kelpis TG , Taliotis DM and Weerasena NA , et al** : Rare association of a patient with Alagille syndrome and mitral valve regurgitation. Thorac Cardiovasc Surg 2007 Sep;55(6): p395-6
- 67.**Perloff J.K , Child J.S and Edwards J.E , et al** : New guidelines for the clinical diagnosis of mitral valve prolapse .Am.J. Cardiol. :1986 ,57,1124-1129.
- 68.**Wei J.Y and Fortuin H.J** : Diastolic sounds and murmurs associated with mitral valve prolapse . Circulation ; 1981 :63-103.
- 69.**Jeresaty R.M** : Mitral valve prolapse-click syndrome ,etiology ,clinical findings and therapy .Cardiovasc. Med ;1978 :3-597.
- 70.**Marks A.R , Choong C.Y and Chir M.B.B , et al** : Identification of high risk and low risk subgroups in patients with mitral valve prolapse .New England Med .J. :1989;320,1030-1036.
- 71.**Savage D.D , Carrison R.J and Devereux R.D , et al** : Mitral valve prolapse in the general population .I. epidemiologic features. The Framingham study . Am.Heart J. :1983 ;106,571-579.
- 72.**Kligfield P , Levy D and Devereux R.B , et al**: Arrhythmias and sudden death in MVP .Am.Heart J. ;1987;113,1298-1307.

73. **Schaal SF**: *Mitral valve prolapse: Cardiac arrhythmias and electrophysiological correlates*. In: Boudoulas H, Wooley CF, ed. *Mitral Valve: Floppy Mitral Valve, Mitral Valve Prolapse, Mitral Valvular Regurgitation*, 2nd ed.. Armonk, NY: Futura; 2000:409-430.
74. **Bostan OM , Cil E and Ercan I , et al** :The prospective follow-up of the natural course of interatrial communications diagnosed in 847 newborns. *Eur Heart J* 2007 Aug;28(16): p2001-5
75. **Sharma R , Mann J and Drummond L , et al** : The evaluation of real-time 3-dimensional transthoracic echocardiography for the preoperative functional assessment of patients with mitral valve prolapse: a comparison with 2-dimensional transesophageal echocardiography. *J Am Soc Echocardiogr* 2007 Aug;20(8): p934-40
76. **Maisano F , La Canna G and Grimaldi A , et al** : Annular-to-leaflet mismatch and the need for reductive annuloplasty in patients undergoing mitral repair for chronic mitral regurgitation due to mitral valve prolapse. *Am J Cardiol* 2007 May 15;99(10): p1434-9
77. **Yang YL , Nanda NC and Wang XF , et al** : Echocardiographic diagnosis of anomalous origin of the left coronary artery from the pulmonary artery. *Echocardiography* 2007 Apr;24(4): p405-11
78. **Grande AM , Massetti M and Castiglione N , et al** : Valve-sparing removal of aortic fibroelastoma through ministernotomy. *J Heart Valve Dis* 2007 Mar;16(2): p206-8.

79. **Wong TW , De Larrazabal C and Boey HK , et al** : Flail P2 cusp of posterior mitral valve leaflet demonstrated on multi-slice computed tomography. *Int J Cardiol* 2007 Jan 31;115(1): pe31-2
80. **Scampardonis G , Yang S.S and Maranhae V , et al** : Left ventricular abnormalities in prolapsed mitral leaflet syndrome .*Circulaion* :1972 ;48-287.
81. **Aranda J.M , Befder B and Lazzare R , et al** : Mitral valve prolapse and coronary artery disease .Clinical, hemodynamic and angiographic phenomenon .*Circ.*;1967;52:245.
82. **Malkowski MJ and Pearson AC**: *The echocardiographic assessment of the floppy mitral valve: An integrated approach.*
In: Boudoulas H, Wooley CF, ed. *Mitral Valve: Floppy Mitral Valve, Mitral Valve Prolapse, Mitral Valvular Regurgitation*, 2nd ed.. Armonk, NY: Futura; 2000:231-252.
83. **Haikal M , Alpert M.A and Waiting R.B , et al** : Sensitivity and specificity of M-mode echocardiographic signs of mitral valve prolapse . *Am.J. Cardiol* ;1982 :50-185.
84. **Freed LA , Benjamin EJ and Levy D , et al** : Mitral valve prolapse in the general population : The benign nature of the echocardiographic features in the Framingham Heart Study. *J Am Coll Cardiol* 2002; 40:1298.
85. **Otto CM** : *Mitral valve prolapse.* In: Otto CM, ed. *Valvular Heart Disease*, 2nd ed.. Philadelphia: Saunders; 2004:368-387.

86. **Maglogiannis I , Loukis E and Zafiropoulos E , et al** : Support Vectors Machine-based identification of heart valve diseases using heart sounds. *Comput Methods Programs Biomed* 2009 Jul;95(1): p47-61
87. **Kahn RA , Mittnacht AJ and Anyanwu AC , et al** : Systolic anterior motion as a result of relative "undersizing" of a mitral valve annulus in a patient with Barlow's disease. *Anesth Analg* 2009 Apr;108(4): p1102-4
88. **Amin A , Davis M and Auseon A , et al** : Isolated cleft posterior mitral valve leaflet: an uncommon cause of mitral regurgitation. *Eur J Echocardiogr* 2009 Jan;10(1): p173-4
89. **Lad V , David TE and Vegas A , et al** : Mitral regurgitation due to myxomatous degeneration combined with bicuspid aortic valve disease is often due to prolapse of the anterior leaflet of the mitral valve. *Ann Thorac Surg* 2009 Jan;87(1): p79-82
90. **Cohen I.S and Bethesda M.D** : 2-D echocardiographic MVP .Evidence for arelationship of echocardiographic morphology to clinical finding and to mitral annular size .*Am. H. J.*;1987:113-859.
91. **Gilbert B.W , Schatz R.A and VonRamm O.T , et al** : Mitral valve prolapse .Two-dimensional echocardiographic and angiographic correlation .*Circulation* ;1976 ,54-716.
92. **Levine R.A , Triulzi M.O and Harrigan P , et al**: The relationship of mitral annular shape to the diagnosis of mitral valve prolapse .*Circ.* :1987 ;75,756-767.

References

93. **Handschumacher and Hagege A.A** : Direct demonstration of mitral leaflet annular relationships by three-dimensional echocardiography :Implications for the diagnosis of MVP (Abst.) .J. Am. Coll. Cardiol. ;1988 :11-126A.
94. **Sanfilippo A.J and Abdollah H** : Quantitation and significance of systolic mitral leaflet displacement in MVP .Am.J. Cardiol. ;1989 :64,1349-55.
95. **Weyman A.E** : Cross-sectional echocardiography . Philadelphia .Lea & Febiger ;1982 ,256-261.
96. **Delabays A , Jeanrenaud X and Chassot PG , et al** : Summaries for patients. Differences in mitral valve prolapse between men and women. Ann Intern Med 2008 Dec 2;149(11): pI36
97. **Jungwirth B , Adams DB and Mathew JP , et al** : Mitral valve prolapse and systolic anterior motion illustrated by real time three-dimensional transesophageal echocardiography. Anesth Analg 2008 Dec;107(6): p1822-4
98. **Vieira ML and Mathias W** : Three-dimensional echocardiography in patient with mitral valve prolapse. Arq Bras Cardiol 2008 Aug;91(2): pe28
99. **Romanelli P, Romanelli R and Rongioletti F, et al** : Clinical significance of cutaneous proteoglycan (mucin) infiltration in patients with mitral valve prolapse. J Am Acad Dermatol 2008 Jul;59(1): p168-9

References

100. **Malcolm , A.D** : Mitral valve prolapse :In Difficult Cardiology edited by Graham Jackson Martin .Bunitx. Company :1990 ;pp.254-99.
101. **Sanfilippo A.J. , Harrigan P and Popvic A.D , et al** : Papillary muscle traction in MVP :Quantitation by two-dimensional echocardiography . J.Am.Coll.Cardiol.; 1992 :19(3)-564.
102. **Feigenbaum H** : Echocardiographic 6th ed. ;Philadelphia :Lee Febiger ;1994 ,239-72.
103. **Kamp O.S , Eijkstra J.W and Huitink H.T , et al** : Transoesophageal Color Flow Doppler mapping in the assessment of native mitral valvular regurgitation .J.Am.Soc. Echocardiogr. ;1992,4-598.
104. **Tribouilloy C , Shen W.F and Slama M.A , et al** : Non invasive measurement of the regurgitation fraction by measurement of pulsed Doppler echocardiography in isolated pure mitral regurgitation .Br .Heart J. : 1991 ;66,290-6.
105. **Helmacke F , Nanda N and Hsiung M , et al** : Color Doppler assessment of mitral regurgitation with orthogonal planes .Circ .;1987 ,75 No.1 :175-183.
106. **Levine RA and Durst R** : Mitral valve prolapse: a deeper look. JACC Cardiovasc Imaging 2008 May;1(3): p304-6
107. **Ozlu MF , Ozcan F and Cagli K , et al** : Quadricuspid aortic valve in a patient with mitral valve prolapse. Can J Cardiol 2008 Apr;24(4): pe27

- 108.**Fatini C , Attanasio M and Porciani C , et al** : AGT and ACE genes influence classic mitral valve prolapse predisposition in Marfan patients. *Int J Cardiol* 2008 Jan 24;123(3): p293-7
- 109.**Kuppahally SS , Paloma A and Craig Miller D , et al** : Multiplanar visualization in 3D transthoracic echocardiography for precise delineation of mitral valve pathology. *Echocardiography* 2008 Jan;25(1): p84-7
- 110.**MacMahon S.W , Roberts J.K and Kramer Fox R , et al** : Mitral valve prolapse and infective endocarditis .*Am.Heart J.* :1987;113,1291-8.
- 111.**Gabriel RS , Kerr AJ and Raffel OC , et al** : Mapping of mitral regurgitant defects by cardiovascular magnetic resonance in moderate or severe mitral regurgitation secondary to mitral valve prolapse. *J Cardiovasc Magn Reson* 2008;10(1): p16
- 112.**Stork A , Franzen O and Ruschewski H , et al** : Assessment of functional anatomy of the mitral valve in patients with mitral regurgitation with cine magnetic resonance imaging: comparison with transesophageal echocardiography and surgical results. *Eur Radiol* 2007 Dec;17(12): p3189-98
- 113.**Avierinos JF, Gersh BJ and Melton LJ , et al** : Natural history of asymptomatic mitral valve prolapse in the community. *Circulation* 2002; 106:1355.
- 114.**Gaffney F.A , Karlsson E.S and Campbell W , et al** : Autonomic dysfunction in women with mitral valve prolapse .*Circulation* ; 1979 :59-894.

- 115.**Combs R.E , Shah P.M and Klorman R.S , et al:** Effects of induced psychological stress on click and rhythm in mitral valve prolapse .Am .Heart J.;1980 :99-714.
- 116.**Leichtman D , Nelson R and Gobel F.L , et al :** Bradycardia with mitral valve prolapse .A potential mechanism of sudden death .Ann. Intern.Med.;1986:85-453.
- 117.**Scorsin M , Al-Attar N and Lessana A , et al :** A novel technique of utilizing artificial chordae for repair of mitral valve prolapse. J Thorac Cardiovasc Surg 2007 Oct;134(4): p1072-3
- 118.**Mandegar MH , Yousefnia MA and Roshanali F , et al :** Preoperative determination of artificial chordae length. Ann Thorac Surg 2007 Aug;84(2): p680-2
- 119.**Tanaka H , Kawai H and Tatsumi K , et al :**Accessory mitral valve associated with aortic and mitral regurgitation and left ventricular outflow tract obstruction in an elderly patient: a case report. J Cardiol 2007 Jul;50(1): p65-70
- 120.**Boudoulas H and Wooley CF:** *Floppy mitral valve/Mitral valve prolapse: Sudden death.* In: Boudoulas H, Wooley CF, ed. *Mitral Valve: Floppy Mitral Valve, Mitral Valve Prolapse, Mitral Valvular Regurgitation*, 2nd ed.. Armonk, NY: Futura; 2000:431-448.
- 121.**Oram S :** Chronic valvular disease and lesions simulating them .Clinical heart disease . 2nd edition . William Heimemann Medical Books Ltd. ;London :1981 ;pp. 315.

References

- 122.**Freed LA , Acierno Jr JS and Dai D , et al** : A locus for autosomal dominant mitral valve prolapse on chromosome 11p15.4. *Am J Hum Genet* 2003; 72:1551.
- 123.**Ling LH and Enriquez-Sarano M** : Long-term outcomes of patients with flail mitral valve leaflets .*Coron Artery Dis* 2000;11:3.
- 124.**Jonkaitiene R , Benetis R , Ablonskyte-Dudoniene and Jurkevicius R , et al** : Mitral valve prolapse ;diagnosis,treatment and natural course: *Medicina (Kaunas)* :2005 ;41(4):325-334.
- 125.**Lisa A , Freed M.D. and Daniel Levy , et al** : Prevalence and clinical outcomes of mitral valve prolapse ;*New.Engl .J.Med.* ;1999 ,341:1-7.
- 126.**Chico G , Gomez Z and Rodrigo-Lopez , et al** : Accuracy of real-time 3-dimensional echocardiography in the assessment of mitral prolapse .Is transesophageal echocardiography still mandatory ? ;*Am.Heart J.* ;2008 :155(4),p.694-8.
- 127.**Alan N , Weiss M.D and James W , et al** ; Echocardiographic detection of mitral valve prolapse ;Exclusion of false positive diagnosis and determination of inheritance :*Circulation* 52 ;1975 ,1091-1096.
- 128.**James A , Ronan J.R and Takoma Park , et al** : Echocardiography in mitral valve prolapse .;*Chest.J.*;1982 ;265.
- 129.**ACC/AHA** Guidelines for the management of patients with valvular heart disease .*JACC* 1998;32(5):1486-588.

References

- 130.**Yeo T C , Lim M C L and Cheng K L , et al** : Clinical and echocardiographic features of mitral valve prolapse in a local population , Singapore Med J 1996;Vol 37:143-146.
- 131.**Nesta F , Lyne M and Simpson C , et al** ; New locus for autosomal dominant mitral valve prolapse. Circ 2005; 112;2002-2030.
- 132.**Zouridakis E G , Parthenakis F I and Kochiadakis G I , et al** : Qt dispersion in patients with mitral valve prolapse is related to the echocardiographic degree of the prolapse and mitral leaflet thickness . Europace 2001 ;3:292-298.
- 133.**Petrie A and Sabin** : Medical statistics at a glance. Blackwell science limited oxford 2000
- 134.**Winkle R.A , Lopes M.G and Popp R.L , et al** : Life threatening arrhythmias in the mitral valve prolapse syndrome . Am. J. Med .;1976 :60 ,961.
- 135.**Jeresaty R.M and Liss J.P** : Mid systolic click and coronary artery disease .Chest ;1971, 63-297.
- 136.**Saleh M.A , Hamed R and Gadallah K.M , et al** : Assessment of papillary muscle traction in MVP by 2-D echocardiography and incidence of arrhythmias by Holter. In: XVIIth congress of the European Society of Cardiology Eur. Ht. J. 1995 ;vol 16 (abs.) Suppl. ,pp.237.
- 137.**El-said GM , Ghareb S and El Ramly Z , et al** : Mitral valve prolapse : Incidence and hormonal changes. J Egypt Soc Cardiol [Abst.] 1982.

References

- 138.**Oladapo OO and Falase AO** : Prevalence of mitral valve prolapse in healthy adult Nigerians as diagnosed by echocardiography, Afr J Med Med Sci: 2001 Mar-Jun;30(1-2): p13-6 .
- 139.**Davies M.J , Moore B.P and Braimbridge M.V , et al** : The floppy mitral valve ;Study of incidence ,pathology and complications in surgical ,necropsy and forensic materials . Br Heart J 1978;40:468-81.
- 140.**Panidi L.P , McAllister M and Ross J , et al** : Prevalence and severity of mitral regurgitation in mitral valve prolapse : A Doppler echocardiographic study of 80 patients .JACC;1986, 7:975-81.
- 141.**Stoddard M.F , Prince C.R and Dillon S , et al** : Exercise-induced MR is a predictor of morbid events in subjects with MVP .J.Am.Coll .Cardiol .1995,25:639-9.