

REFERENCES

- Ali, S. 2000.** Palynostratigraphical and Palaeoenvironmental studies on some subsurface Jurassic sediments, Western Desert, Egypt M.Sc. Thesis, Tanta Univ., Tanta, Egypt, 234 pp.
- Alves, E.S. & Angyalossy-Alfonso, V., 2002.** Ecological trends in the wood anatomy of some Brazilian species.2. Axial parenchyma, rays and fibres. IAWA J. 23: 391-418.
- Awasthi, N., 1992.** Indian fossil Legumes. Pp. 225-250. in: Herendeen, P.S. & Dilcher, D.L. (eds.), Advances in Legume Systematics. 4. The fossil record. The Royal Botanic Gardens, Kew.
- Awasthi, N. & R.C. Mehrotra, R.C., 1997.** Some fossil dicotyledonous wood from the Neogene of Arunachal Pradesh, India. Palaeontographica B 245: 109-121.
- Baas, P. 1976.** Some functional and adaptative aspects of vessel member morphology. In: P. Baas, A.J. Bolton & D.H. Catling (eds.), wood structure in biological and technological research Leiden Bot. Series 3: 157-181. Leiden University Press, The Hague.
- Baas, P. 1986.** Ecological patterns in xylem anatomy. In: T. J. Givnish (ed.), on the economy of plant form and function: 327-352. Cambridge University Press, Cambridge, New York.
- Baas, P., P.M. Esser, M.E.T. Vander Westen & M. Zandee 1988.** Wood anatomy of the Oleaceae IAWA Bull. n.s.9:103-182.
- Bancroft, H. 1932.** Some fossil Dicotyledonous woods from the Miocene (?) beds of East of Africa. Ann. Bot., 46: 745-467.
- Barthoux, J.C. and Fritel, P.H., 1925.** Flore Crétacée du grès de Nubie Mém Inst. Eg 7, 65-119. (Reviewed by Lorin, H., 1925, in: Bibliogr. Géogr., Paris, Année 35, p.434).
- Beauchamp, J. & Lemoigne, Y., 1973a.** Age du faciès "grès supérieur" et du début du volcanisme des Trappes dans le Massif du Chercher (Province d' Harar, Ethiopie). C.R. Acad. Sci. Paris D, 276 (10): 1525-1527.
- Beauchamp, J. & Lemoigne, Y., 1973b.** Description d'une Paléoflore du Crétacé terminal-Eocène dans le Massif du Chercher (Province d' Harar, Ethiopie). Doc. Lab. Géol. Fac. Sci. Lyon, 56: 167-179.

- Beauchamp, J., Lemoigne Y. & Petrescu, J., 1973a.** Age des différents niveaux du complexe volcanique des Trappes de Debré-Libanos (Province du Shoa, Ethiopie, d'après L' étude des Paléoflores C.R. Acad. Sci., Paris D, 2/6 (9).1409-1413.
- Beauchamp, J., Lemoigne Y. & Petrescu, J., 1973b.** Les Paléoflores Tertiaires de Debré-Libanos (Ethiopie). Ann. Soc. Géol. Nord. 93(1): 17-32.
- Bice, K.L., Bralower T.J., Duncan R.A., Huber B.T., Leckie R.M. & Sagenan B., 2002.** Cretaceous climate. Ocean dynamics: future directions for iodp. A Joi/ Ussp and nsf Sponsored workshop. The Nature Place, Florissant, Colorado.
- Boureau, E., 1949.** Etude Paléoxylologique du Sahara (V). Sur le *Dombeyoxylon monodii* n.sp., Sterculiacée fossile des environs de Tindouf et de l' Azaouad. Bull. Mus. Natl. Hist. Nat., 2e Sér., 12(5): 639-646.
- Boureau, E., 1950.** Etude Paléoxylologique du Sahara (VIII). Sur un échantillon de *Mesembrioxylon aegyptiacum* (Kräusel) Borel, n. Comb., Podocarpacee découverte au Sud de Toummo (Sahara oriental). Bull. Mus. Natl., 2e ser., 22(3): 411-419.
- Boureau, E., 1953.** Etude Paléoxylologique du Sahara XIX. *Leguminoxylon ersanense* n.sp., bois fossile des collines d' Ersane (Sahara Soudanais). Bull. Mus. Natl. Hist. natur., 2e. Sér., 25(3): 353-359 Taf. 1: Paris.
- Boureau, E., Cheboldaef-Salard, M., Koeniguer, J.C. & Louvet, P., 1983.** Evolution des flores et de la végétation Tertiaires en Afrique, au nord de l' Equateur. Proc. 10th AETFAT Congr., Pretoria, 1982. Bothalia, 14 (3/4): 355-367.
- Carlquist, S., 1988.** Comparative wood anatomy. Systematic, ecological and evolutionary aspects of dicotyledon wood. Springer-Verlag, Berlin, Heidelberg, New York, Tokyo.
- Carruthers, W., 1870.** On the petrified forest near Cairo. Geol. Mag. London, 7, 306-310.
- Chiarugi A., 1933.** Legni fossili della Somalia Italiana. Palaeontogr. Ital. 32, Suppl. 1: 97-167.
- Chowdhury, K.A. & Ghosh, S.S., 1946.** On the anatomy of *Cynometroxylon indicum* gen. et sp. nov., a fossil dicotyledonous wood from Nailalung, Assam. Proc. Nat. Inst. Sci. India, 12: 435-447.

- Delteil-Desneux, F., 1981a.** Sur l'association de trios bois fossiles dans un même gisement Tertiaire du Djebel Nara (Tunisie centrale). *Rev. Palaeobot. Palynol.*, 31: 289-310.
- Delteil-Desneux, F., 1981b.** Sur la datation des niveaux á bois fossils du Sud-Ouest tunisien. *C.R. Acad. Sci. Paris. II*, 292 (19): 1333-1335.
- Delteil-Desneux, F. & Fessler Vrolant, C., 1976.** Sur la présence d'un bois de Légumineuse dans L' Oligocène de la Tunisie septentrionale. *Actes du 101^e congrès national des sociétés savantes, lille, 1976, Sciences, Fasc. 1*, p.185-195.
- Dupéron Laudoueneix, 1975.** *Tetrapleuroxylon aquitanense* n.sp., bois fossile Tertiaire de la Mollasse d' l' agenais, *C.R. 100 e congrès nat. Soc. Sav. Paris, Sect. Sci.*, 2, 63-73.
- Dupéron-Laudoueneix, M. & Lejal-Nicol, A., 1981.** Sur deux bois homoxylés du Sud-Quest de l'Egypte *C.R. 160e Congr. Nat. Soc. Sav., Perpignan, 1981, Sci. I*, PP. 29-40.
- Dupéron-Laudoueneix, M., & Dupéron, J., 1995.** Inventory of Mesozoic and Cenozoic woods from Equatorial and North Equatorial Africa *Review of Palaeobotany and Palynology* 84: 439-480.
- Dupéron, J. Dupéron-Laudoueneix, M. & Durrani, K.H., 1996.** Découverte de *Bombacoxylon owenii* (Carr.) Gott. Dan le Cénozoïque du Pakistan. *Historique et intérêts de L espèce*: 59-75, 1-pl., 3-Fig., 1-tab.
- Edwards, W.N., 1931.** Dicotyledones (ligna). *Fossilium Catalogus, II. Plantae*, 17, pp.1-96.
- El-Faramawi, M.W., 2008.** Studies in the flora of the Cairo Petrified Forest. Ph.D. Thesis, Bot. Dept., Fac. Of Sci., Ain Shams University, Cairo.
- El-Saadawi, W.E., 1979.** A bibliography concerning fossil plants of Egypt. *Phytologia* 43(2): 253-269.
- El-Saadawi, W.E., 2006.** On the fossil flora of Gebel Qatrani area, Fayum, Egypt, *Taeckholmia*, 26: 131-140.
- El-Saadawi, W.E., & Kamal El-Din, M.M., 2004.** *Terminalioxylon* species from Gebel Qatrani Formation at Widan-el-Faras, Fayum, Egypt. *Taeckholmia* 24(1): 63-78.

- El-Saadawi, W.E., Youssef, S.G.M., and Kamal El-Din, M.M., 2002.** Fossil palm woods of Egypt. I-*Palmoxyton aschersoni* Schenk and *P. libycum* (Stenzel) Kräusel. *Taeckholmia*, 22(2): 143-153.
- El-Saadawi, W.E. , Youssef, S.G.M., & Kamal El-Din, M.M., 2004.** Fossil Palm woods of Egypt: II Seven Tertiary *Palmoxyton* species new to the country. *Review of Palaeobotany & Palynology*, 129 (4): 199-211.
- El-Sharkawi, M.A., 1983.** Preservation and destruction of silicified wood in the Tertiary record of Egypt as revealed from petrographic and electron-scan studies. 21st. Annual Meeting, Geol. Soc. Egypt (Abstr.).
- Felix, J., 1882.** Studien über Fossile Hölzer. Inaug. Diss., 84 S., 1 Taf.; Leipzig.
- Felix, J. 1887.** Beiträge zur Kenntnis der fossilen Hölzer Ungarns. *Mitt. Jahrb. Ungar. Geol. Anst.*, 8(5): 145-162.
- Fourtau, R., 1898.** Note sur l'age des forets pétrifiées des déserts d' Égypte. *Bull. Soc. Khéd Géogr.* 8pp.
- Geological Survey of Egypt, 1981.** Geological Map of Egypt Scale 1:2000000.
- Gevin, P., Koeniguer, J.C. and Lemoigne, Y., 1971.** Les bois fossiles Tertiaires du Dalaat et Admia (région de Tindouf, Algérie). *Bull. Soc. Géol. Fr* (7), 13 (3/4): 386-393 (1973).
- Gottwald, H., 1969.** Zweil Kieselhölzer aus dem Oligözan von Tunis, *Bombacoxylon owenii* und *Pseudolachnostyloxylon weyländii*. II, *Palaeontographica*, B., 125 (4-6). 112-118, Stuttgart.
- Greguss, P., 1967.** Fossil gymnosperm woods in Hungary from the Permian to the Pliocene. *Akadémiai Kiadó*, Budapest 536 pp.
- Gros, J.P. 1992.** A synopsis of the fossil record of Mimosoid Legume wood. Pp. 69-83. In: Herendeen, P.S. & Dilcher, D.L. (eds.), *Advances in Legume Systematics*. 4. The fossil record. The Royal Botanic Gardens, Kew.
- Gros, J.P. 1994.** Historique des taxons de bois fossiles de Mimosaceae. *Geobios* 27: 3-21.
- Harborne, J.B., 1994.** Phytochemistry of the Leguminosae. In *Phytochemical Dictionary of the Leguminosae*, eds Bisby. F.A. et al. Londons: Chapman & Hall.
- Hartig, T.H., 1848.** Beiträge zur Geschichte der Pflanzen. *Bot. Ztg.* VI. Berlin.

- Hill, R.S. and Brodribb, 1999.** Southern Conifers in Time and Space. Aust. J. Bot. 47: 639-696.
- Hofmann, E. 1952.** Pflanzenreste aus dem Phosphoritvorkommen von Prambachkirchen in Oberösterreich. Palaeontographica B92: 122-183.
- (<http://courses.ncsu.edu/wps.595w/common>.)** online search of wood anatomy data base available at inside wood home page.
- IAWA Committee 1989.** IAWA list of microscopic features for hardwood identification. (Wheeler, E.A., Baas, P. & Gasson, P. eds.) International Association of Wood Anatomists Bulletin n.s.10:219-332.
- Ibrahim, M.M., 1943.** The Petrified Forest. Inst. Egypte Bull., 25, 159-182.
- Ibrahim, M.M., 1953.** The Petrified Forest. Pt. II Inst. Egypte Bull., 34, 317-328.
- Jacobs, B.F., 2004.** Palaeobotanical studies from tropical Africa: relevance to the evolution of forest, woodland and savannah biomes. Phil. Trans. R. Soc. Lond. B 359, 1573-1583.
- Kamal El-Din, M.M., 1996.** Studies on a petrified wood at Gebel El-Khashab, Western Desert, Egypt. M.Sc. Thesis. Bot. Dept., Fac. Of Sci., Ain Shams University, Cairo.
- Kamal El-Din, M.M., 1999.** Studies on petrified palms from Egypt. Ph.D. Thesis, Bot. Dept., Fac. of Sci., Ain Shams University, Cairo.
- Kamal El-Din, M.M., 2002.** *Bombacoxylon owenii* (Carr.) Gottwald from Gebel Shabraweet, Eastern Desert, Egypt. Taekholmia 22(1): 91-99.
- Kamal El-Din, M.M., 2003.** Petrified wood from the Farafra Oasis, Egypt. IAWA. Journal, Vol. 24(2): 163-172.
- Kamal El-Din, M.M. & Refaat, A.A., 2001.** *Detarioxylon aegyptiacum* (Leguminosae), from Lower Miocene marine sediments in Southern Sinai. Taekholmia, 21(1): 103-114.
- Kamal El-Din, M.M., & El-Saadawi, W.E., 2004.** Two Leguminosae woods from the Miocene of Gebel Ruzza, Egypt. IAWA. Journal Vol. 25(4): 471-483.
- Kamal El-Din, M.M., Wheeler, E.A., and Bartlett, J.A., 2006.** Cretaceous woods from the Farafra Oasis, Egypt. IAWA Journal, Vol. 27(2): 137-143.

- Kaul, K.N. 1960.** The anatomy of the stem of palms and the problem of the artificial genus *Palmoxylon* Schenk. Bull. National Botanic Garden, Lucknow, India, no. 51. Anatomy of plants. Palms 1:1-52.
- Kedves, M., El-Saadawi, W. E. & Youssef, S.G.M., 2004a.** Fossil gymnosperm wood from Aswan area. Plant Cell Biology and Development (Szeged), 16: 23-28.
- Kedves, M., Youssef, S.G.M., El-Saadawi, W. E. & Mostafa, R.M., 2004b.** A new *Agathoxylon* data from the Late Cretaceous of Kharga Oasis, Egypt, investigated with combined methods. *Taeckholmia*. 24(1): 43-49.
- Koeniguer, J.C., 1967a.** Etude Paléoxylologique de La Libye, II. Sur la Présence de *Dombeyoxylon owenii* (Carr.) Kräusel 1939, dans le Tertiaire de la Syrte.-C.R. (91) Congr. Soc. Sav. Paris (Rennes, 1966), Sect. Sci, III Biol. Veg: 164-168, Paris.
- Koeniguer, J., 1967b.** Etude Paléoxylologique du Rio de Oro. Notas Com. Inst. Geol. Min. Esp., 96: 39-66, Madrid.
- Koeniguer, J.C., 1973.** Sur une liano Plio-Quaternaire du Tchad. Bull. Mus. Nat. Hist. Nat. Paris, 3e Sér., 172, Sci. Terr, 26: 81-88.
- Koeniguer, J.C., 1974.** Les bois fossiles de Tamarix, d' Acacia de Retama du Plio-Quaternaire Saharien. C.R. Acad. Sci. S, D, 278(24): 3069-3072.
- Koeniguer, J.C., 1976.** Sur quelques bois fossiles du Tertiaire de l' Algérie. Actes 97e. Congr. Nat. Soc. Sav., Nantes, 1972, Paris, Sci., 4: 45-65.
- Kräusel, R., 1939.** Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens. IV. Die fossilen-Floren Ägyptens. 3. Die Fossilen Pflanzen Ägyptens, E.L. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt. N.F. München 47: 1-140.
- Kräusel, R. & Stromer, E., 1924.** Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens, IV. Die fossilen Floren Ägyptens, 1-3, A-C. Abh. Bayer. Akad. Wiss. Math.-Nat. Abt., München 30 (2): 1-48.
- Lacey, W.S., 1963.** Palaeobotany Technique. View point in Biology. Editors J.D. Carthey and I. Duddington 2:202-243.
- Lakhanpal, R.N., 1970.** Tertiary floras of India and their bearing on the historical geology of the region *Taxon*, Vol. 19, no.5: 675-694.

- Lejal-Nicol, A., 1987.** Flores nouvelles du Paléozoïque et du Mésozoïque de l'Égypte et du Soudan septentrional Bér. Geowiss. Abh. 75 (A): 151-248.
- Lemoigne, Y., 1978.** Flores Tertiaires de la haute Vallée de l'Omo (Éthiopie), Palaeontographica, B., 165 (4/6): 89-157.
- Lemoigne, Y., Beauchamp, J., and Samuel, E., 1974.** Étude Paléobotanique des dépôts volcaniques d'âge Tertiaire des bordures est et ouest du système des rifts éthiopiens Geobios, 7(3): 267-288.
- Louvet, P., 1965.** Sur une Légumineuse fossile nouvelle du Tiniert (Algérie): *Afzelioxylon kiliani* n.g., nsp. C.R. 90e Congr. Nat. Soc. Sav., Nice; Paris, Sci. 2: 317-332.
- Louvet, P., 1970.** Sur une Combretacée fossile nouvelle du Tiniert (Algérie): *Combretoxylon euphorbioides* n. sp.-C.R. (92) Congr. Soc. Sav. Paris (Strasbourg-Colmar, 1967), Sect. Sci., III Biol. Vég.: 115-132, 1 pl., Paris.
- Louvet, P., 1971.** Sur l'évolution des flores Tertiaires de l'Afrique nord-équatoriale. Thèse Doct. Etat, Sci. Nat., Paris, 497 PP. (Inedit).
- Louvet, P., 1973.** Sur les affinités des flores tropicales ligneuses africaines Tertiaire et actuelle. Bull. Soc. Bot. Fr., 120 (9): 385-395.
- Lyons, H.G., 1894.** On the stratigraphy and physiography of the Libyan desert of Egypt. Quart. Journ. Geol. Soc. Vol. 50:531-547.
- Mabberly, D.J., 1987.** The plant-book. A portable dictionary of the higher plants. Cambridge. University Press, Cambridge.
- Mehrotra, R.C., Awasthi, N., & Dutta, S.K., 1999.** Study of fossil wood from the Upper Tertiary sediments (Siwalik) of Arunachal Pradesh, India and its implication in palaeoecological and Phytogeographical interpretations. Review of Palaeobotany and Palynology Vol.107(3-4): 223-247.
- Metcalf, C.R. & Chalk, L., 1950.** Anatomy of the dicotyledons. Oxford.
- Murmanis, L., 1975.** Formation of tyloses in felled *Quercus rubra* L. Wood Science and Technology, 9: 3-14.
- Müller-Stoll, W.R. & Mädler, E., 1967.** Die Fossilien Leguminosen-Hölzer. Eine Revision der mit Leguminosen verglichenen fossilen Hölzer und Beschreibungen älterer und neuer Arten. Palaeontographica B, 119: 95-147.

- Navale, G.K. B., 1958.** Occurrence of fossil *Cynometra* from the Cuddalore series near Pondi-cherry, India. *Palaeobotanist* 7: 6-11.
- Newbold, T.J., 1848.** On the geological position of the silicified wood of the Egyptian and Libyan deserts, with a description of the petrified forest near Cairo. *Quart. Journ. Geol. Soc.*, 4, 349-357.
- Newton, R.B., 1909.** On some fossils from the Nubian sandstone series of Egypt *Geol. Mag.*, London, Dec. V.6., 352-359.
- Osman, R., 1996.** Personal Communication. Geo. Dept., Fac. Sci., Benha University.
- Osman, R.A., Ahmed, S.M. and Khater, T., 2005.** The geological development of Wadi Gabgaba, Eastern Desert, Egypt. First Intern. Confer. On the Geology of the Tethys, Cairo Univ. P.465-476.
- Philippe, M., 1993.** *Xenoxylon* as a Protopinaceae? New Xylolo-gical and Paleoecological evidence Abstract 15^o Int. Bot. Congr. Tokyo, 3 September 1993.
- Philippe, M. & Barbacka, M., 1997.** A reappraisal of the Jurassic woods from Hungary-Annls. Hist.-nat. Mus. Natn.hung.89: 11-22.
- Philippe, M., Cuny, G. Bamford, M., Jaillard, E., Barale, G., Gomez, B., Ouaja, M., Thévenard, F., Thiébaut, M. & Von Sengbusch, P., 2003.** The Palaeoxylological record of *Metapodocarpoxylon libanoticum* (Edwards) Dupéron-Laudoueneix et pons and the Gondwana Late Jurassic-Early Cretaceous continental biogeography. *Journal of Biogeography*, 30: 389-400.
- Polhill, R.M. & Raven, P.H. (eds), 1981.** *Advances in Legume Systematics*. Royal Botanic Gardens. Kew.
- Prakash, U., 1965.** A survey of the fossil dicotyledonous woods from India and the far East. *Journal of Palaeontology*, v. 39, no.5, p.815-827.
- Prakash, U. & Bande, M.B., 1980.** Some more fossil woods from the Tertiary of Burma. *Palaeobotanist* 26(3): 261-278.
- Prakash, U. & Barghoorn, E.S., 1961.** Miocene fossil woods from the Columbia Basalts of Central Washington. II-J. *Arn. Arbor.* 42, S. 165-195, Taf.1-8; Jamaica Plain.

- Privé-Gill, C., 1973.** *Tetrapleuroxylon limagnense* n.sp., bois fossile de L'allier (France), Review of Paleobotany and Palynology (Amsterdam), Vol. 15 (4), 301-313.
- Privé-Gill, C. & Pelletier, H., 1981.** Sur quelques bois silicifiés du Tertiaire de Limagne dans la région d' Aiguesperse (Puy-de-Dôme), France, Review of Palaeobotany and Palynology 34: 369-405.
- Russegger, J., 1843.** Reisen in Europa, Asien und Afrika, Bd.2,1 Teil, S.276, 306u-583. Stuttgart [cf Kräusel & Stromer, 1924].
- Said, R., 1962.** The geology of Egypt. Elsevier Publishing Company, Amsterdam, New York, 377p.
- Said, R., 1990.** The geology of Egypt. Published for the Egyptian General Petroleum Corporation Conoco. Hurghada Inc. and repsol Exploration, S.A. by A.A. Balkema, Rotterdam / Brook field / 1990.
- Salard-Cheboldaeff, M., 1981.** Palynologie Maestrichtienne et Tertiaire du Cameroun. Resultats botaniques. Review of Palaeobotany and Palynology, 32: 401-439.
- Schenk, A., 1883.** Fossil Hölzer und Nachtrag. In Zittel: Beiträge zur Geologie und Paläontologie der libyschen Wüste. Paläontographica, 30(2): 1-19 [cf Kräusel & Stromer, 1924].
- Schuster, J., 1910.** Über Nicolien und Nicolien ähnliche Hölzer-K. Svensk. Vet. Akad. Handl., N.F. 45(6), 5.1-18, Abb.1-3, Taf. 1-3, up psala u. Stockholm [cf Dupéron-Laudoueneix & Dupéron, 1995]
- Selmeier, A., 1985.** Jungtertiäre kieselhölzer (Fam. Bombacaceae, Tiliaceae, Meliaceae) aus dem Ortenburger Schotter Von Rauscherod, Niederbayern. Munchner Geowiss. Abh. A6: 89-140.
- Seward, A.C., 1931.** Plant life through the ages. A geological and botanical retrospect Cambridge.
- Stenzel, K.G. 1904.** Fossile Palmenholzer. Beit.z.Pal.u. Geol. Osterr. Ung. u.d. Orients Bd.16: 107-287. Wien.
- Stockey, R.A., 1982.** The Araucariaceae: An evolutionary perspective. Review of Palaeobotany and Palynology, 37: 133-154.

- Süss, H., 1987.** Zwei neue kieselhölzer, *Cordioxylon barthelii* gen nov., sp.nov., und *Euebenoxylon saharicum* gen. nov., sp. nov, aus der Südwest Sahara, Ägypten. Feddes Repert 98: 521-536.
- Unger, F., J.A.N. 1858-1859.** Der versteinerte Wald bei Kairo und einige andere Lager verkieselten Hölzes in Ägypten. Sitz-Ber. K. Akad. Wiss. Math.-Nat-Kl.33 (25): 209-233.
- Vazenin-Serra, C. and Privé-Gill, G., 1989.** Bois Pliopléistocènes du gisement de saropée, Plateau de Khorat, Est de la Thaïlande. Review of Palaeobotany and Palynology, 60, (3-4): 225-254.
- Vozenin-Serra, C. and Privé-Gill, C., 1991.** Les Terrasses alluviales Pléistocènes du Mekong (Cambodge). II-Bois silicifiés hétéroxylés récoltés entre Stung-Treng et Snoul. Review of Palaeobotany and Palynology, 68, (1-2) 87-117.
- Vozenin-Serra, C., Privé-Gill, C. and Ginsburg, L., 1989.** Bois Miocènes du gisement de Pong, Nord-Ouest de la Thaïlande. Review of Palaeobotany and Palynology 58, (2-4): 333-355.
- Wheeler, E.A., 1991.** Paleocene dicotyledonous trees from Big Bend National Park, Texas: Variability in wood types common in the Late Cretaceous and Early Tertiary, and ecological inferences. Journal of Botany, 78(5): 658-671.
- Wheeler, E.A., 2001.** Fossil dicotyledonous woods from the Florissant fossil Beds National Monument, Colorado. Denver, Museum of Natural & Science, 4: 187-203.
- Wheeler, E.A. & Baas, P., 1991.** A survey of the fossil record for dicotyledonous wood and its significance for evolutionary and ecological wood anatomy. IAWA Bull. n.s. 12(3): 271-332.
- Wheeler, E.A. & Baas, P., 1992.** Fossil wood of the Leguminosae: a case study in xylem evolution and ecological anatomy. In: Herendeen, P.S. & Dilcher, D.L. (eds.), Advances in Legume systematics. 4. The Fossil Record: 281-302. The Royal Botanic Gardens, Kew.
- Wheeler, E.A. & Baas 1993.** The potentials and limitations of dicotyledonous wood anatomy for climatic reconstructions. Paleobiology 19: 486-497.
- Wheeler, E. A. & Lehman, T.M., 2000.** Late Cretaceous woody dicots from the Aguja and Javelina Formation, Big Bend National Park. Texas. USA. IAWAJ. 21 (1): 83-120.

- Willis, J.C., 1973.** A dictionary of the Flowering Plants and Ferns (8th Edition) Cambridge University Press.
- Woodcock, D.W. and Ignas, C.M., 1994.** Prevalence of wood characters in Eastern North America: What characters are most promising for interpreting climates from fossil wood?. American Journal of Botany 81(10): 1243-1251.
- Youssef, S.G., 1993.** Studies on some Egyptian fossil woods. Ph.D. Thesis, Bot. Dept., Fac. of Sci., Zagazig Univ., Benha.
- Youssef, S.G., 2002.** *Xenoxylon* wood from Late Jurassic-Early Cretaceous of Gebel Kamil, Egypt. IAWA Journal 23(1): 69-76.
- Youssef, S.G.M., EL-Saadawi, W.E., Kedves, M. and Mostafa, R.M., 2000.** Wood anatomy of a silicified trunk from the Kharga Oasis, Egypt, Plant cell Biology and Development (Szeged) 12: 30-39.
- Youssef, S.G.M., & El-Saadawi, W.E., 2004.** Fossil wood from the Nubian Sandstone of Kharga Oasis, Egypt. Taekholmia 24(1): 51-61.
- Zimmermann, M.H., 1983.** Xylem Structure and the ascent of sap. Springer-Verlag, Berlin.