

CONTENT

	<i>Page</i>
INTRODUCTION	1
REVIEW OF LITERATURE	6
1) Medicinal plants extraction	6
2) Addition medicinal plants to fresh water fishes diets	9
2.1 Growth performance	10
2.2 Survival rate	13
2.3 Feed efficiency and protein utilization	14
2.4 Body composition	17
2.5 Economic evaluation	19
3) Bacteriological Studies	21
4) Prevenation and treatment fishes from pathogenic bacteria	31
MATERIAL AND METHODS	45
3.1. Midicinal plant will be used	45
3.2. Extraction of <i>Origanum vulgare</i> and <i>Zingiber officinale</i>	45
3.3. Experimental design	48
3.4. Diets preparation and feeding regime	48
3.5. Fish and culture technique	51
3.6. The parameters of growth and feed utilization	52
3.7. Chemical analysis of diets and fish	53
3.8. Analysis of the Physico-chemical parameters of water	54
3.9. Economical evaluation	55

3.10. Challenge Test	56
3.11. Preparation of blood samples	57
3.12. Efficiency of <i>Origanum vulgar</i> extract on infected <i>O.niloticus</i> with <i>Pseudomonas aurgonsia</i> and <i>Pseudomonas flourscence</i>	64
3.13. Efficiency of <i>Zingiber officinale</i> extract for treatment of infected <i>O.niloticus</i> with <i>Pseudomonas aurgonsia</i> and <i>Pseudomonas flourscence</i>	65
3.14. Imge processing and hestographic analysis	65
3.15. Statistical analyses	66
RESULTS	67
4.1. Effect of <i>Origanum vulgare</i> and <i>Zingebare officinale</i> extract supplementation on physico-chemical water quality parameters	68
4.2. Effect of <i>Origanum vulgare</i> and <i>Zingebare officinale</i> extract supplementation on growth performance and survivor rate	67
4.3. Effect of <i>Origanum vulgare</i> and <i>Zingebare officinale</i> extract supplementation on feed efficiency and protein utilization	73
4.4. Effect of <i>Origanum vulgare</i> and <i>Zingebare officinale</i> extract supplementation on body composition	79
4.5 Economic evaluation	83
4.6. Challenging test	85
4.7 Immunological and Physiological measurement	91
4.7.3 Efficiency of <i>Origanum vulgare</i> ethanolic extract against the pathogenic <i>Ps. aurgonsia</i> among <i>Oreochromis niloticus</i>	99
4.7.4. Efficiency of <i>Origanum vulgare</i> ethanolic extract against the pathogenic <i>Ps flourscence</i> among <i>Oreochromis niloticus</i>	101

4.7.5. Efficiency of <i>Zingebare officinale</i> ethanolic extract against the pathogenic <i>Ps. aurgonsia</i> among <i>Oreochromis niloticus</i>	103
4.7.6. Efficiency of <i>Zingebare officinale</i> ethanolic extract against the pathogenic <i>Ps flourscence</i> among <i>Oreochromis niloticus</i>	104
Imge processing and hestographic analysis	106
DISCUSSION	108
SUMMARY	120
REFERENCES	125
ARABIC SUMMARY	