

## REFERENCES

- Abdelhafez, M.A. and Borai, N.A. :** Deficiency of the opposite cortex, an important cause for implant failure, the Journal of the Egyptian Medical Association, Vol. 66, 415-440, 1983.
- Abdel-Wahab, H.M.:** Osteosynthesis of trochanteric fractures by the dynamic hip screw, M.D. thesis, Benha Faculty of Medicine, 1992.
- Abu-El-Soud, H.; Mazied, M.A. and El-Khatib, H.M.:** Failed A.O. plating in femoral shaft fractures, proceedings of 10th Ann. Ain Shams Med. Cong. 1987.
- Albright, J.A.; Johnson, T.R. and Saha, S.:** Principles of internal fixation. In: Orthopaedic mechanics. Procedures and devices. Edited by Ghista, C.N. and Roaf, R. Academic Press, London, New York, San Francisco, 1987.
- Allgower, M.; Ehresmann, R.; Ganz, R.; Matter, P. and Perren, S.M.:** Clinical experience with a new compression plate DC . In : Cortical bone healing. Acta Orthop. Scand., Suppl. 125, P. 45-61, 1969.

**Allgower, M.; Matter, P.; Perren, S.M. and Ruedi, T.:** The dynamic compression plate, P. 7, Springer-Verlag, Berlin, 1973.

**Anderson, L.D.:** Compression plate fixation and the effect of different types of internal fixation on fracture healing, *Journal of Bone and Joint Surg.*, 47-A, 191-208, 1965.

**Baeyer, H.:** *Munchen Med. Wchnschr*, 56:2416, 1909. Quoted from, Mears, D.C., *Materials and Orthopaedic Surgery*. The Williams and Wilkins Company, Baltimore, 1979.

**Bagby, G.W.:** The effect of compression on the rate of fracture healing using a special plate. *Am. J. of Surg.* 98: 1958.

**Baumgart, F.:** Mixing of implants, a serious problem, *Helv. Chir. Acta* 57, 495-513, 1990.

**Black, J.:** Clinical incidences of mechanical failures of hip fixation devices. *J. Ortho. Clin. N. Am.* 5: 3, 833, 1974.

**Blatter, G. and Weber, G.B.:** Reosteosynthesis in delayed fracture healing of the femoral shaft using a waved-plate, *Dialogue*, Vol. 1, Issue 2, March 1986.

**Bradly, G.W.; McKenna, G.B.; Dunn, H.K.; Aniels, A.U. and Statton, W. O.:** Effects of flexural rigidity of plates on bone healing. *J. Bone and Joint Surg.* 61-A 866-872, 1979.

**Charnely, J. and Guindy, A.:** Delayed operation in the open reduction of fractures of long bones, *Journal of Bone and Joint Surg.* 43-B, No. 4, 664-671, 1961.

**Cohen, J. and Wulff, J.:** Clinical failures caused by corrosion of a Vitalium Plate. *J. Bone and Joint Surg.* 45-A, 617-628, 1972.

**Coleman, R.F.:** Concentration of implant corrosion produced in the body. *J. Bone and Joint Surg.* 55-B, 4.22, 1973.

**Cordey, J.R. : and Perren, S.M. :** Limits of plate on bone friction in internal fixation of fractures, 5th. meeting of the European Society of Biomechanics, Berlin, 1986.

**Cottrell, A.H.:** An introduction to metallurgy, P.150, Edward Arnold, London, 1968.

**Cruess, R.L. and Pumont, J.:** Healing of bone, tendon and ligament. In. *Fractures*. Edited by Rockwood, C.A. and Green, D.P. J.B. Lippincott Company. Philadelphia, Toronto, 1975.

**De Vita, V.T., Serpick, A.A., and Crbone, P.P.:** Ann. Int. Med., 73: 8881, 1970.

**Digioia, A.M.; Cheal, E.J.-Hayes, W.C. and Perren, S.M.:** Biomechnics of bone resoprtn, callus formation and medullary pressurization in healing of plated fratures, 33rd. annual meeting, Orthopaedic Resetrch Society, Jan. 19-22, 1987, San Francisco, California.

**Eisner, H.P.; Barraad, G.E.; Johner, R.T.; cordey, J.:** Optimal insertion of lag screws for internal fixation of spiral fractures of the tibia. Biomechnics 1: 543, 1985.

**El-Saied, M.R.A.:** Treatment of fracture shaft femur by plate fixation, Thesis Dr. Chi. Orthop. Ain Shams University, Faculty of Medicine, 1986.

**Emneurs, H. and Stenram, U.:** Metal implants in the human body, Acta Orthop. Scand, 36, 115-126, 1965.

**Evans, U.R.:** The corrosion and oxidation of metals, Edward Arnold, London, 1961.

**Ganz, R.; Perren, S.M.; Ruter, A.:** Mechanical induction of bone resorption. fortschr kiefer Gesichtschir 10: 45-48, 1975, Quoted from Muller et al. Manual of Internal Fixaaation 3rd Ed. Springer Verlag 1991.

**Gogolewski, S.:** Resorbable polymers for internal fixation, Dialogue, Vol. 3, Issue 2, December 1990.

**Goodship, A.E. and Kenwright, J.:** The influence of induced microvement upon the healing of experimental tibial fractures, J. of Bone and Joint Surg., 67-B, No. 4, 650-655, 1985.

**Ham, A.W. and Cormack, D.H.:** Histology. J.B. Lippincott Company, Philadelphia, Toronto, 1979.

**Hansen, T. B.:** Fractures in the femoral shaft in children treated with an AO-compression plate, Acta Orthop. Scand.Vol. 63, No.1, 1992.

**Hayes, W.C. and Perren, S.M.:** Flexural rigidity of compression plate fixation of fractures, proceedigns, second nordic conference on medical and biological engineering, pp 242-244, 1971.

**Hayes, W.C. and Perren, S.M.:** Plate-bone frictioi in the compression fixation of fractures. Clin. Orethop. 89: 236, 1972.

**Harkess, J.W.:** Principles of fractures and dislocations. In: Fractures. Edited by Rockwood, C.A. and Green, d.P. Lippincott company. Philadelphia, Toronto, 1975.

**Heim, U. and Texhammar, R.:** Why change the threaded hole to 2.5 for all 3.5 and 4.0 mm screws ?, AO/ASIF bulletin-1989.

**Hoar, T.P., and Mears, D.C.:** Proc. Roy. Soc., 294-A : 486, 1966.

**Hulth, A.:** Fracture healing-more biology than mechanics, Clin. Orthop. and Rel. Research, NO. 158, 259-261, 1981.

**Jacobs, R.; Rahn, B.A and Perren, S.M.:** Effect of plates on cortical bone perfusion. The journal of Trauma, Vol. 21, No.2, 91-95, 1981.

**Jergesen, F.:** Metalic surgical implants A.AO.S. instructinal Course Lecture. J. Bone J. Surg. Vol. 46-A, No. 2, March, 1964.

**Karlstrom, G. and Olerud, S.:** Fractures of the tibial shaft, a critical evaluation of treatment alternatives. Clin. Orthop., 105: 82, 1974.

**Key, J.A.:** Dual plates for internal fixaton in non-union of fractures, J. Bone and Joint Surg. 27 : 632-636, 1945.

**Laftman, P.; Sigurdsson, F. and Stromberg, L.:** Recovery of diaphyseal bone strength after rigid internal plate fixation, Acta Orthop. Scand 51, 215-222, 1980.

**Laing, P.G.:** Compatibility of Biomaterials, Orthop. Clin N. Amer., 4, 249, 1973.

**Lambotte, A.:** Presse Med. Blge, 17: 321, 1909. Quoted from Mears, D.C. Materials and Orthopaedic Surgery, The Williams and Wilkins company, Baltimore, 1979.

**Lanyon, L.E.; Goodship, A.E. and Baggot, D.C.:** The significance of bone strain in vivo, Acta Ortop. Belg., 42, 109-122, 1976.

**Larid, C. and Duquette, D.J.:** Mechanisms of fatigue crack nucleation in corrosion fatigue, Chemistry Mechanics and Microstructure, NACE, Houston, 1972.

**Laros, G.S. and Moore, J.F.:** Complications of fixation in intertrochanteric fractures. Clin. Ortho. 101: 110, 119, 1974.

**Levert, H.S. :** Am. J. Med. Sci., 4: 17, 1820. Quoted from Mears, D.C., Materials and Orthopaedic Surgery. The Williams and Wilkins Company, Baltimore, 1979.

**Magerl, I.; Wyss, A.; Brunner, C.H.:** Plate osteosynthesis of femoral shaft fractures in adults, Clin. Orthop. Rel. Res., 138, 62-73, 1979.

**Matter, P. and Ruedi, T.:** Postoperative treatment of operatively treated fractures, A.O. Bulletin, 1985.

**McCall, J.L.; Bardes, B.P.; Mogul, J.:** Fatigue Failures, A.S.M. Handbook Committee (American Society for Metals), Metal Park-OHIO, 8th Edition, volume 10, 95-125, 1984.

**McKibbin, B.:** The biology of fracture healing in long bones, J. Bone and Joint Surg. 60 B: 150-162, 1978.

**Mears, D.C.:** J. Biomed. Mat. Res., 6 : 133, 1975.

**Mears, D.C.:** Materials and Orthopaedic Surgery. The Williams and Wilkins Company, Baltimore (1979).

**Menzies, I.A.:** Introductory corrosion in Microbial Aspects of Metallurgy, edited by J.D.A. Miller, Aylesbury, Medical and Technical Publishing Co. 1970.

**Molster, A.O.; Gjerdet, N.R.; Alo, A. and Bang, G.:** Fracture healing after rigid intramedullary nailing in rats, Acta Orthop. Scand., 54, 366-373, 1983.

**Molstr, A.O. and Gjerdet, N.R.:** Effect of instability on fracture healing in the rat, Acta Orthop. Scand. 55, 342-346, 1984.



**Mooney, V.; Nickel, V.L.; Harvey, P. and Snelson, R.:** Cast-brace treatment for fractures of the distal part of the femur, J. Bone and Joint Surg. 52-A, 1563, 1970.

**Muller, M. E.; Allgower, M. and Willenegger, H.:** Manual of internal fixation, Springer-Verlag, Berlin-Heidelberg-New York, 1970.

**Muller, M.E.; Allgower, M.; Schneider, R. and Willenegger, h.:** Manual of Internal Fixation (second edition), Springer-Verlag, 1979.

**Muller, E.M.; Allgower, M.; Schneider, R. and Willenegger, H.:** Manual of Internal fixation (Third edition), Springer-Verlag, 1991.

**Nordin, M. and Frankel, V.H.:** Basic biomechanics of the skeletal system, Lea and Febiger, Philadelphia, 1980.

**Olerud, S. and Danckwardt-Lilliestrom, G.:** Fracture healing in compression osteosynthesis in the dog, Journal of Bone and Joint surg., 50-B, 844-851, 1968.

**Paavolainen, P.; Slati, P.; Karaharju, E. and Holmstrom, T.:** The healing of experimental fractures by compression osteosynthesis 1. Torsional Strength, Acta Orthop. Scand. 50, 369-374, 1979.

**Perren, S.:** News from the laboratory, AO/ASIF DIALOGUE, Vol. 1, Issue 2, 1986.

**Perren, S.I.:** Basic aspects and scientific background of internal fixation, scientific bulletins of the AO Group, DAVOS, 1989.

**Perren, S.II:** The biomechanics and biology of internal fixation using plates and nails, Orthopaedics, 12 (1): 21-34, 1989.

**Perren, S.M.; allgower, M. and Brunne, H.:** The concept of biological plating using the limited contact dynamic compression plate (LEDCP), Injury, vol. 22, Supp. 1, 1992.

**Perren, S.M. Cordey, J.; Rhan, B.A.; Gautier, E. and Schneider, E.:** Early temporary porosis of bone induced by internal fixation implants, Clin. Orthop. 232 : 139-151, 1988.

**Perren, S.M.; Huggler, A.; Russenburger, M.; Allgower, M.; Mathys, R., Schenk, R.; Willenger, H. and Muller, M.D.:** The reaction of cortical bone to compression, Acta Orthop. Scand. Suppl. 125, 19-27, 1969.

**Perren, S.M.; Russenberger, M.; Steinmann, S.; Muller, M.E. and Allgower, M.:** A dynamic compression plate. In: Cortical bone healing, Acta Orthop. Scand. 125, 31-41, 1969.

**Peterson, R.E.:** Stress concentration Design Factors, Wiley, New York, 1974.

**Peterson, L.T. and Reeder, C.O.:** Dual slotted plates in fixation of fractures of the femoral shaft, J. Bone and Joint Surg. Vol. 32-A, 1950.

**Piekarski, K.; Wiley, A.M.; Bartels, J.E.:** The effects of delayed internal fixation on fracture healing, Acta Orthop. Scand, 40, 543-551, 1969.

**Pohler, O. and Struaman, F.:** Fatigue and corrosion fatigue studies on stainless-steel implant material, John Wiley & sons Ltd. New York 1980.

**Rahn, B.A.; Gallinaro, P.; Baltensperger, A. and Perren, S.M.:** Primary bone healing; an experimental study in rabbit, J. Bone and Joint Surg., 53-A, 783, 1971.

**Rahn, B. and Perren, S.M.:** Primary bone healing, Journal of Bone and Joint Surg., 53-A, 783-786, 1971.

**Ronningen, H.,; Solheim, L.F. and Langeland, N.:** Bone formation enhanced by induction, Acta Orthop. Scnd. 56, 67, 71, 1985.

**Rosen,H.:** Personal communication 1992.

**Ruedi, t.H.; Luescher, J.:** Results after internal fixation of comminuted fractures of the femoral shaft with dyanmic compression plates, Clin. Orthop. Rel. Res., 138, 74-76, 1979.

**Russel, T. A.:** General principles of fracture treatment, in Crenshaw, A.H. ed. Campbell's operative orthopaedics, 8<sup>th</sup> edition. Mosby Year Book, 1992.

**Sarmiento, A.:** Valgus Osteotomy Technique for Unstable Intertrochanteric Fractures, The Hip Society. The Hip Proceedings of the third open scientific meeting of the hip society. St. Lois, The C.V. Mosby: 182-195, 1975.

**Sarmiento, A.; Schaeffer, J.F.; Bckerman, L.; Latta, I.L. and Enis, J.F.:** Fracture healing in rat femora as affected by functional weight-bearing, J. Bone and Joint Surg., 59-A, 369-375, 1977.

**Scales, J.T.:** Implant Materials, Scientific foudnations of Orthopaedics and Traumatology, edited by Robert Owen, John goodfellow and Peter Bullough, London, 1980.

**Schatzker,J.; Horne, J.G. and Summer-Smith, G.:** Clin. Orthop. Rel.Res.111: 257, 1975.

**Schenk, R.:** Fracture repair-overview, Ninth-European Symposium on calcified tissues, Facta-Publications, 1973.

**Schenk, R.:** Histology of fracture repair and non-union, AO. Bulletin, 1978.

**Seinsheimer, F.:** Concerning the proper length of the femoral side plate, J. Trauma, 21: 42-45, 1981.

**Sevitt, S.:** Avascular necrosis and revascularization of the femoral head after intercapsular fracture. J. Bone and Joint Surg. 46 B, 270-296, 1964.

**Sevitt, S.:** Healing of fractures in man, In: Scientific foundations of orthopaedics and traumatology: Edited by Robert Owen, John Goodfellow and Peter Bullough, London, 1980.

**Sisk, T.D.:** Fractures In: Edmonson, AS, Crenshaw, A.H., eds. Campbell's operative orthopaedics. 6th ed. St. Louis, Toronto, London: The C.V. Mosby Company, 1980.

**Solheim, K. and Vaag, S.:** Operative treatment of femoral fractures with the AO method. Injury 4 54, 1972.

**Steinemann, S.G.:** Corrosion of Implants-In vivo and In vitro tests.

Societe Europeenne pour les biomateriaux, 1977.

**Terjesn, T.:** Plate fixation of tibial fractures in the rabbit, Acta Ortohp.

Scand 55, 452-456, 1984.

**Terjesen, T. and Benum, P.:** Mechancial effects of metal plate

fixation, Acta Orthop. Scnad, 54, 256-262, 1983.

**Terjesen, T.; Nordby, A. and Arnulf, V.:** Bone atrophy after plate

fixation, Acta Orthop. Scand. 56, 416-418, 1983.

**Thoams, W.; Lutten, C. and Lorenz H.:** Osteochondritis dissecans

fixation with Ethipins, Ethicon Op. Forum, Vol. 132, 4th  
Quarter, 1987.

**Tonino, A. J.; Davidson, C.L.; Klopper, P.J. and Linclau, L.A.:**

Protection from stress in bone and its effects, J. Bone Joint  
Surg. 58-B, 107, 113, 1983.

**Uhthoff, H.K.; Bardos, d.I. and Liskova-Kiar, M.:** The advantages of

titanium alloy over stainless steel pltes for the internal  
fixation of fractures, the Journal of bone and Joint Surg. vol.  
63-B, No. 3, 1981.

**Uhthoff, H.K. and Dubuc, F.L.:** Bone structure changes in the dog under rigid intramedullary fixation, Clin. Orthop., 81: 165-170, 1971.

**Uhthoff, H.K. and Finnegan, M.:** The effects of metal plates on post traumatic remodelling and bone mass, Journal of Bone and Joint Surg. 65-B, 66-71, 1983.

**Urist, M.R., De Lange, R.J. and Finerman, G.A.M.:** Bone cell differentiation and growth factors, Science, 220, 680-686, 1983.

**Weber, B.G. and Cech, O.:** Pseudarthrosen-Pathophysiologie-biomechanik-Therapie-Ergebnisse. Huber, Bern, 1973. Quoted from Muller et al. Manual of Internal Fixation 3rd Ed. Springer Verlag 1991.

**Weller, S.:** Biomechanical principles of osteosynthesis in fracture care, scientific bulletins of the A.O. Group, 1992.

**Wentzensen, A.:** Personal communication, 1993.

**White, A.A.:** Fracture treatment, the still unsolved problem, Clin. Orthop. and Rel. Res., Number 106, 279-284, 1975.

**Wool, S.; Akeson, W.; Coutts, R.; Rutherford, L.; Doty, D.; Jemmott, G. and Amiel, D.:** A comparison of cortical bone atrophy

secondary to fixation with plates with large differences in bending stiffness, Jor. Bone and Joint Surg. Vol. 58-A, No.2, 190-195, 1976.

**Yung, L. :** Anodic Oxide Films. Academic Press, London, 1961.