

REFERENCES

- Aubier M, Murciano D, Touaty E, Daghfous J, Parinte R , Derenne JP. (1980):** Effects of the administration of O₂ on ventilation and blood gases in patients with chronic obstructive pulmonary disease during acute respiratory failure. *Am Rev Respir Dis* . 122(5):747–54.
- Aldrich TK, Hendler JM, Vizioli LD, Park M, Multz AS, Shapiro SM.(1993):** Intrinsic positive end-expiratory pressure in ambulatory patients with airways obstruction. *Am Rev Respir Dis*. 147:845–849.
- Ambrosino N, Foglio K, Rubini F. (1995):** Noninvasive mechanical ventilation in acute respiratory failure due to chronic obstructive pulmonary disease: correlates for success. *Thorax*. 50:755–757.
- Antonelli M, Pennisi MA, Pelosi P, Gregoretti C, Squadrone V, Rocco M. (2004):** Noninvasive positive pressure ventilation using a helmet in patients with acute exacerbation of chronic obstructive pulmonary disease. *Anesthesiology* 100: 16-24.
- Abraham E and Yoshihara G. (1989):** Cardiorespiratory effects of pressure controlled inverse ratio ventilation in severe respiratory failure. *Chest*. 96:1356–1359.
- Amato MBP, Barbos CV, Bonassa J. (1992):** Volume assisted pressure support ventilation (VAPSV): a new approach for reducing muscle workload during acute respiratory failure. *Chest*. 102:1225–1234.
- Arnal JM, Wysocki M, Nafati C. (2008):** Automatic selection of breathing pattern using adaptive support ventilation. *Intensive Care Medicine*. 34 (1): 75-81.

- Alvisi R, Volta CA, Righini ER. (2000):** Predictors of weaning outcome in COPD patients. *Eur Respir J.* 15:656-62.
- Alia I and Esteban A. (2000):** Weaning from mechanical ventilation. *Crit Care.* 4: 72-80.
- Abalos A, Leibowitz AB, Distefano D, Halpern N, Iberti T. (1992):** Myocardial ischemia during the weaning period. *Am J Crit Care.* 1:32–36.
- Bergofsky EH, Brower R, Wise R, Connors AS. (1979):** Acute control of the normal pulmonary circulation: Pulmonary vascular diseases. New York. 223-78.
- British Thoracic Society. (1997):** Guidelines for the management of chronic obstructive pulmonary disease. *Thorax* 52:1-28.
- Barnes P, Shapiro S, Pauwels R. (2003):** chronic obstructive pulmonary disease: molecular and cellular mechanisms. *Euro Respir J* 22: 672-88.
- Buist AS, Lauraine B, Volmer WM. (1994):** Smoking and other risk factors. In:JF Murray, JA Nadel. *Textbook of respiratory medicine.* Philadelphia: WB Saunders. 1259-1287.
- Bellemare F, Wight D, Lavigne C, Grassino A. (1983):** Effect of tension and timing of contraction on the blood flow of the diaphragm. *J Appl Physiol Respir Environ Exerc Physiol.* 54(6):1596–1606.
- Bark H, Supinski G, Lamanna J, Kelsen S. (1987):** Relationship of changes in diaphragmatic muscle blood flow to muscle contractile activity. *J Appl Physiol.* 62(1): 291–299.
- Banawan L, Fargally M Abo Rayan M. (1998):** Autonomic dysfunction in association with tuberculosis, emphysema and bronchogenic carcinoma. *Alex Med J.* 16 (1): 1239-48.

- Bolton CF, Gilbert JJ, Hahn AF, Sibbald WJ. (1984):** Polyneuropathy in critically ill patients. *J Neurol Neurosurg Psychiatry.* 47:1223–1231.
- Barr RG, Rowe BH, Camargo CA. (2003):** Methylxanthines for exacerbations of chronic obstructive pulmonary disease. *Cochrane Database Syst Rev.* 2:2168-2168.
- Bach JR, Davis DR, Alba AS. (1990):** Management of chronic alveolar hypoventilation by nasal ventilation. *Chest.* 97:52-72.
- Brochard L, Mancebo J, Wysocki M, Lofaso F, Conti G, Rauss A, Simonneau G, Benito S, Gasparetto A, Lemaire F, Isabey D, Harf A. (1995):** Noninvasive ventilation for acute exacerbations of chronic obstructive pulmonary disease. *N Engl J Med.* 333:818–822.
- Bradley TD, Holloway RM, McLaughlin PR. (1992):** Cardiac output response to continuous positive airway pressure in congestive heart failure. *Am Rev Respir Dis* 145:377–382.
- Braun NMT, Faulkner J, Hughes RL. (1983):** When should respiratory muscles be exercised? *Chest.* 84: 76.
- Branson RD, Campbell R, Davis K. (1990):** Comparison of the effects of pressure support ventilation delivered by two ventilators. *Respir Care* 35:1049– 1055.
- Branson RD, Campbell RS, Davis K. (1994):** Flow triggering systems. *Respir Care.* 39:892–896.
- Blanch PB, Hoidal G, Banner MJ. (1997):** Is tracheal pressure ventilator control comparable to an equivalent level of pressure support ventilation. *Respir Care.* 42:1022–1033.

- Bickler PE, Feiner JR, Severinghaus JW. (2005):** Effects of skin pigmentation on pulse oximeter accuracy at low saturation. *Anesthesiology*. 102: 715-9.
- Branson RD and MacIntyre NR. (1996):** Dual-control modes of mechanical ventilation. *Respir Care*. 41:294–305.
- Bosma K, Ferreyra G, Ambrogio C. (2007):** Patient-ventilator interaction and sleep in mechanically ventilated patients: pressure support versus proportional assist ventilation. *Critical Care Medicine*. 134: 689-705.
- Brochard L, Mostert R, Wouters E, Ely F. (2002):** Intrinsic (or auto) positive end-expiratory pressure during assisted or spontaneous ventilation. *Intensive Care Medicine* 28 (11): 1552-1554.
- Bouachour G, Guiraud MP, Gouello M, Roy P. (1996):** Gastric intramucosal pH: an indicator of weaning outcome from mechanical ventilation in COPD patients. *Eur Respir J*. 9: 1868-1873.
- Brochard L, Rua F, Lorino H, Lemaire F, Harf A. (1991):** Inspiratory pressure support compensates for the additional work of breathing caused by the endotracheal tube. *Anesthesiology*. 75: 739-45.
- Boorstein JM, Boorstein SM, Jhonson CC. (1989):** Using helium-oxygen mixtures in the emergency management of upper airway obstruction. *Ann Emerg Med* 18: 688.
- Bach J and Saporto L. (1996):** Criteria for extubation and tracheostomy tube removal for patients with ventilatory failure. *Chest* 110:1566–1571.

- Brenner M, Mukai DS, Russell JE, Spiritus EM, Wilson A. (1990):** A new method for measurement of airway occlusion pressure. Chest. 98:421–427.
- Cunningham DJC, Robbins PA, Wolff CB. (1986):** Integration of respiratory responses to changes in alveolar partial pressure of CO₂ and O₂ and in arterial pH. Handbook of physiology, section 3: The respiratory system, Vol2. Bethesda MD, American Physiology Society, 475-528.
- Celli B, MacNee W, Agusti A. (2004):** Standards for the diagnosis and treatment of patients with COPD: a summary of the ATS/ ERS position paper. Eur Respir J. 23: 932-46.
- Coltrel JJ, Kuhlen R, Rossaint R. (1988):** Altitude exposure during aircraft flight: flying higher. Chest. 92: 81-4.
- Claverley PM, Augusta SR, Paul Walker. (2003):** Chronic obstructive pulmonary disease. Lancet 362: 1053-61.
- Curtis JR, Hurber M, Hudson LD. (1994):** Emergent assessment and management of acute respiratory failure in COPD, Clin Chest Med 15(3): 481-500.
- Cazzola M, D'Amato M, Califano C. (2004):** Formoterol as dry powder oral inhalation compared with salbutamol metered-dose inhaler in acute exacerbations of chronic obstructive pulmonary disease. Clin Therapeutics 24:595-560.
- Carson JL, Kelley MA, Duff A. (1992):** The clinical course of pulmonary embolism. N Engl J Med. 326: 1240-5.
- Celikel T, Sungur M, Ceyhan B, Karakurt S. (1998):** Comparison of noninvasive positive pressure ventilation with standard medical therapy in hypercapnic acute respiratory failure. Chest. 114(6):1636–1642.

- Carmen K, Jordi M, Andres E, Lauren G. (2001):** Predicting success in weaning from mechanical ventilation. *Chest* 120: 400-424.
- Chatila W, Jacob B, Manthous CA. (1996):** The unassisted respiratory rate: tidal volume accurately predicts weaning outcome. *Am J Med.* 101: 61-7.
- Chiumello D, Pelosi P, Croci M. (2001):** The effects of pressurization rate on breathing pattern, work of breathing, gas exchange and patient comfort in pressure support ventilation. *Eur Respir J.* 18(1):107.
- Coussa ML, Guerin C, Eissa NT, Corbeil C, Chasse M, Braidly J, Matar N. (1993):** Partitioning of work of breathing in mechanically ventilated COPD patients. *J Appl Physiol* 75: 1711-9.
- Conti G, Montini N, Pennisi MA, Cavaliere F, Arcangeli A, Bocci MG. (2004):** A prospective, blinded evaluation of indexes proposed to predict weaning from mechanical ventilation. *Intern Care Med* 30: 830-6.
- Constantine A, Manthous M, Gregory A, Jesse B. (1998):** Liberation from mechanical ventilation: a decade of progress. *Chest* 114: 886-901.
- Capdevila XJ, Perrigault PE, Perey JP. (1995):** Occlusion pressures and its ratio to maximum inspiratory pressures are useful predictor for successful extubation following T-piece weaning trial. *Chest.* 108: 482-489.
- Cook D, Meade M, Guyatt G, Butler R, Aldawood A, Epstein S. (2001):** Trials of miscellaneous interventions to wean from mechanical ventilation. *Chest* 120: 438S-44S.

- Coplin WM, Pierson DJ, Cooley KD. (2000):** Implications of extubation delay in brain- injured patients meeting standard weaning criteria. *Am J Respir Crit Care Med* 161: 1530.
- Conti G, Cinnella G, Barboni E, Lemaire F, Harf A, Brochard L. (1996):** Estimation of occlusion pressure during assisted ventilation in patients with intrinsic PEEP. *Am J Respir Crit Care Med*. 154:907–912.
- Dantzker DR, Lynch P, Weg JG. (1980):** Depression of cardiac output is a mechanism of shunt redistribution in the therapy of acute respiratory failure. *Chest* 77: 636-42.
- Distefano A, Turato G, Maestrelli P, Mapp CE, Ruggieri MP, Roggeri A. (1996):** Airflow limitation in chronic bronchitis is associated with T-lymphocyte and macrophage infiltration of the bronchial mucosa. *Am J Respir Crit Care Med*. 153: 629-32.
- Denis E O, Donnell, Shawn Aaron, Jean Bourdeau. (2004):** Canadian Thoracic Society recommendations for the management of chronic obstructive pulmonary disease. *Can Respir J*. 11 (Suppl B): 7B-59B.
- Dojat M, Brochard L, Lemaire F, Harf A. (1992):** A knowledge-based system for assisted ventilation of patients in ICU. *Intern J Clin Monitoring and Computing*. 9(4): 239-250.
- Dojat M, Harf A, Touchard D. (2000):** Clinical evaluation of computer-controlled pressure support mode. *Am J Respir and Crit Care Med* 161(4Pt1): 1161-66.
- De Larminat V, Montravers P, Dureuil B, Desmots JM. (1995):** Alteration in swallowing reflex after extubation in intensive care unit patients. *Crit Care Med*. 23:486–490.

- Eriksson S, Peter JV, Nubier N. (1965):** Studies in alpha1- antitrypsin deficiency. Acta Med Scand Suppl. 432:1-85.
- Esmat M, Banwan L, Megahd G. (1971):** Radiographic study of the cardiac output, pulmonary circulation time, and pulmonary blood volume in obstructive lung diseases. Egypt J Chest Dis& Tub. 14(2): 259-76.
- Esteban A, Anzueto A, Frutos F. (2002):** Characteristics and outcomes in adult patients receiving mechanical ventilation: a 28- day international study. JAMA 287: 345-55.
- Ely EW, Bennett PA, Bowton DL, Murphy SM, Haponik EF. (1999):** Large scale implementation of respiratory therapist- driven protocol for ventilatory weaning. Am J Respir Care Med. 159: 439-46.
- Esteban A, Alia I, Tobin MJ. (1999):** Effects of spontaneous breathing trial duration on outcome of attempts to discontinue mechanical ventilation. Spanich Lung Failure Collaborative Group. Am J Respir Crit Care Med. 159: 512-8.
- Elsasser S, Gutmann J, Stocker R, Molas G, Haberthür C. (2003):** Accuracy of automatic tube compensation in new generation mechanical ventilators. Crit Care Med 31: 2619-26.
- Fishman AP, Morin HR, Morris JF. (1980):** Vasomotor regulation of the pulmonary circulation. Am Rev Physiol. 42: 211-29.
- Ferrer A, Roca J, Wagner PD, Lopez F, Rodriquez- Roisin R. (1993):** Airway obstruction and ventilation-perfusion relationship in acute severe asthma. Am Rev Respir Dis. 147: 579-84.
- Ford Gt, Grant DA, Rideout KS. (1983):** Diaphragmatic function after upper abdominal surgery in human. Am Rev Respir Dis. 127: 431-6.

- Ferrer M, Alonso J, Morera J. (1997):** Chronic obstructive pulmonary disease and health related quality of life. *Ann Int Med.* 127: 1072-9.
- Frankel H, Jeng J, Tilly E, St. Andre A, Champion H. (1996):** The impact of implementation of neuromuscular blockade monitoring standards in a surgical intensive care unit. *Am Surg.* 62:503–506.
- Fabry B, Haberthür C, Fiebelkorn D. (1995):** Realisation of automatic tube compensation with proportional assist ventilation in an experimental and a commercial ventilator. *Intensive Care Medicine.* 2: 597-602.
- Frawley M and Habashi N (2001):** Airway pressure release ventilation: Theory and practice. *AACN Clinical Issues* 2: 224-234.
- Fiastro JF, Habib MP, Shon BY, Campbell SC. (1988):** Comparison of standard weaning parameters and the mechanical work of breathing in mechanically ventilated patients. *Chest.* 94:232–238.
- Garcia-Aymerich J, Monso E, Marrades RM, Felez MA. (2001):** Risk factors for hospitalization for a chronic obstructive pulmonary disease exacerbation. *Am J Respir Crit Care Med.* 164:1002-7.
- Grootendorst DC, Bai T, Wiggs B, Rabe KF. (2004):** Mechanisms of bronchial hyper-reactivity in asthma and chronic obstructive pulmonary disease. *Proc Am Thorac Soc.* 1:77-79.
- Greenstone M and Lasserson TJ (2003):** Doxapram for ventilatory failure due to exacerbations of chronic obstructive pulmonary disease. *Cochrane Database Syst Rev.* 1: 223-223.
- Gross NJ, Petty TL, Friedman M. (1989):** Dose response to ipratropium as a nebulized solution in patients with chronic obstructive

pulmonary disease. A three-center study. *Am Rev Respir Dis.* 139:1188-1189.

Goldstone J, Maureen M. (2002): Difficult weaning. *Thorax.* 57:986-991.

Girault C, Daudenthun I, Chevron V, Tamion F, Leory J, Bonmarchand G. (1999): Noninvasive ventilation as a systematic extubation and weaning technique in acute on chronic respiratory failure: a prospective, randomized controlled study. *Am J Respir Crit Care Med.* 160: 86-92.

Gibney RT, Wilson RS, Pontoppidan H. (1982): Comparison of work of breathing on high gas flow and demand valve continuous positive airway pressure systems. *Chest.* 82: 692-5.

Gutmann J, Kessler V, Molas G, Hentschel R, Haberthür C, Geiger K. (2000): Calculation of intratracheal pressure in the presence of pediatric endotracheal tubes. *Crit Care Med.* 28:1018-26.

Gutmann J, Molas G, Haberthür C. (2001): Automatic tube compensation. *Respir Care Clin N Am.* 7: 475-501.

Hust Y, Lemaire F, Brun- Buisson C. (1985): Hypoxemia in acute pulmonary embolism. *Chest.* 88: 829- 36.

Halbert RJ, Sharon Isonaka, Dorothy George, Ahmar Iqbal. (2003): Interpreting COPD prevalence estimates. What Is the True Burden of Disease? *Chest.* 123: 1684-1692.

Haworth CS, Dodd ME, Woodcock AA. (2000): Pneumothorax in adults with cystic fibrosis dependent on nasal intermittent positive pressure ventilation: A management dilemma. *Thorax.* 55: 620-2.

Hemant H, Chacko J, Singh M. (2006): Weaning from mechanical ventilation. Current evidence. *Indian J Anaesth.* 50 (6): 435-438.

- Haberthür C, Elsasser S, Eberhard L, Stocker R, Gutmann J. (2000):** Total versus tube-related additional work of breathing in ventilator dependent patients. *Acta Anaesthesiol Scand.* 44: 749-57.
- Ho LI, Harn HJ, Lien TC, Hu PY, Wang JH. (1996):** Postextubation laryngeal edema in adults. Risk factor evaluation and prevention by hydrocortisone. *Intensive Care Med.* 22:933–936.
- Hubmayer RD, Loosbrock LM, Gillespie DJ, Rodarte JR. (1988):** Oxygen uptake during weaning from mechanical ventilation. *Chest.* 94: 1148-55.
- Imsand C, Feihl F, Perret C. (1994):** Regulation of inspiratory neuromuscular output during synchronized intermittent mandatory ventilation. *Anesthesiolog.* 1994;80:13.
- Iotti GA, Braschi A, Brunner JX. (1995):** Respiratory mechanics by least squares fitting in mechanically ventilated patients: applications during paralysis and during pressure support ventilation. *Intensive Care Med.* 21:406–413.
- Jubran A, Van de Graff WB, Tobin MJ. (1995):** Variability of patient-ventilator interaction with pressure support ventilation in patients with COPD. *Am J Respir Crit Care Med* 152: 129-36.
- Jabour ER, Rabil DM, Truwit JD, Rochester DF. (1991):** Evaluation of a new weaning index based on ventilatory endurance and the efficiency of gas exchange. *Am Rev Respir Dis* 144: 531-537.
- Kelly E, Greene I, Jay I. (1994):** Pathophysiology of acute respiratory failure. *Clin Chest Med* 15: 1-12.
- Künzli N, Kaiser R, Medina S, Studnicka M, Chanel O, Filliger P. (2000):** Public health impact of outdoor and traffic –

related air pollution: a European assessment. *Lancet* 356: 795-801.

Kuwano K, Bosken C, Pare PD, Bai T, Wiggs B, Hogg JC. (1993): Small airways dimension in asthma and chronic obstructive pulmonary disease. *Am Rev Respir Dis.* 148: 1220-5.

Kalil Y, Atta ME, Hassan ES, Marzouk S. (1991): ECG changes in acute exacerbations of COPD. *Bull Alex Fac Med.* 27 (1): 59-64.

Kerby GR, Mayer LS, Pingleton SK. (1987): Nocturnal positive pressure ventilation via nasal mask. *Am Rev Respir Dis.* 135: 738-40.

Kramer N, Meyer TJ, Meharg J. (1995): Randomized, prospective trial of noninvasive positive pressure ventilation in acute respiratory failure. *Am J Respir Crit Care Med.* 151:1799–1806.

Konyukov Y, Takahashi T, Kuwayama N. (1994): Estimation of triggering work of breathing. *Chest.* 105:1836–1841.

Krieger BP, Isber J, Breitenbucher A, Throop G, Ershowsky P. (1997): Serial measurements of the rapid-shallow-breathing index as a predictor of weaning outcome in elderly medical patients. *Chest* 112: 1029-1034.

Kenebel AR, Janson-Bjerklie SL, Malley JD, Wilson AG. (1994): Comparison of breathing comfort during weaning with two ventilatory modes. *Am J Respir Crit Care Med* 149: 14-8.

King M, Chang HK, Weber ME. (1982): Resistance of mucus-lined tubes to steady and oscillatory airflow. *J Appl Physiol* 52: 1163-72.

Lanken PN, Wiber H, Conn M, Grippi MA . (1995): Pathophysiology of respiratory failure. 267-80.

Lundbäck B, Lindberg A, Lindström M, Rönmark E, Jönsson AC, Jönsson E, Larsson LG, Larsson LG, Andresson S,

- Sandström T and Larsson K. (2003):** Not 15 but 50% of smokers develop COPD? Report from the Obstructive Lung Disease in Northern Sweden Studies. *Resp Med* 97: 115-22.
- Loh K and Irish J. (2002):** Traumatic complications of intubation and other airway management. *Anesthesiology Clin N Am.* 20: 503-12.
- Lightowler JV, Wedzicha JA, Elliot MW, Ram FS. (2003):** Noninvasive positive pressure ventilation to treat respiratory failure resulting from exacerbations of chronic obstructive pulmonary disease: Cochrane systematic review and meta-analysis: *BMJ* 326:185.
- Laghi F, Segal J, Choe WK. (2001):** Effects of imposed inflation time on respiratory frequency and hyperinflation in patients with chronic obstructive pulmonary disease. *AM J Respir Crit Care Med* 163: 1365-70.
- Laubscher TP, Frutiger A; Fanconi S; Brunner JX. (1996):** The automatic selection of ventilation parameters during the initial phase of mechanical ventilation. *Intensive Care Med.* 22:199–207.
- Lemaire F, Teboul J-L, Cinotti L, Giotto G, Abrouk F, Macquin-Mavier I, Zapol WM. (1988):** Acute left ventricular dysfunction during unsuccessful weaning from mechanical ventilation. *Anesthesiology* 69:171–179.
- Lopata M and Lourenco RV. (1980):** Evaluation of respiratory control. *Clin Chest Med.* 1:33–45.
- Lind FG, Truue AB, Lindborg BP. (1984):** Microcomputer-assisted on-line measurement of breathing pattern and occlusion pressure. *J Appl Physiol* 56:235–239.
- Manthous CA, Hall JB, Schmidt GA, Kushner R, Wood LDH. (1993):** The effect of assist-control ventilation and muscle relaxation on

oxygen consumption in critically ill patients. *Am Rev Respir Dis* 147: A881.

Mannino DM, Runnels T, Morgan J, Scott WE . (2002): COPD: Epidemiology, prevalence, Morbidity and Mortality, and Disease Heterogeneity. *Chest*. 121: 121S-126S.

Maltais F, Reissmann H, Navalesi P, Hernandez P, Gursahaney A, Ranieri VM, Sovilj M, Gottfried SB. (1994): Comparison of static and dynamic measurements of intrinsic PEEP in mechanically ventilated patients. *Am J Respir Crit Care Med*. 150:1318–1324.

Miro Am, Grenvik A, Ayers SM, Holbrook PR, Shoemaker WC. (2000): Acute respiratory failure in patients with chronic obstructive pulmonary disease. *Thorax* 87:1450-60.

Maltais F, Ostinelli J, Bourbeau J. (2002): Comparison of nebulized budesonide and oral prednisolone with placebo in the treatment of acute exacerbations of chronic obstructive pulmonary disease: a randomized controlled trial. *Am J Respir Crit Care Med* 165:698.

Masip J, Roque M, Sanchez B, Subirana M. (2005): Noninvasive ventilation in acute cardiogenic pulmonary edema: Systematic review and meta-analysis. *JAMA* 294: 3124-30.

Meduri GU, Abou-Shala N, Fox RC. (1991): Noninvasive face mask mechanical ventilation in patients with acute hypercapnic respiratory failure. *Chest* 100:445– 454.

Martin RL and Laurent JB. (1996): Weaning from ventilatory support. *Clinics in Chest Medicine* 17: 475-87.

- Mancebo J, Amaro P, Mollo JL. (1995):** Comparison of the effects of pressure support ventilation delivered by three different ventilators during weaning from mechanical ventilation. *Intensive Care Med* 21:913–919.
- Manning HL, Molinary EJ, Leiter JC. (1995):** Effect of inspiratory flow rate on respiratory sensation and pattern of breathing. *Am J Respir Crit Care Med* 151:751–757.
- Moxham J and Goldstone JC. (1994):** Assessment of respiratory muscle strength in the intensive care unit. *Euro Respir J* 7: 2057-61.
- MacIntyre NR and Estebain A. (2005):** Respiratory mechanics in patients who is weaning from mechanical ventilation. *Respir Care* 50: 275-86.
- Marini JJ, Smith TC, Lamb VJ. (1988):** External work output and force generation during synchronized intermittent mechanical ventilation: effect of machine assistance on breathing effort. *Am Rev Respir Dis.* 138: 1169-79.
- Molas G, Rohr E, Benzing A, Gutmann J, Haberthür C, Geiger K. (2000):** Breathing pattern associated with respiratory comfort during automatic tube compensation and pressure support ventilation. *Acta Anaesthesiol Scand.* 44: 223-30.
- Make BJ, Hill NS, Goldberg AI, Bach JR, Criner G, Dunne PE, Heffner JE, Keens TG, O'Donohue WJ. (1998):** Mechanical ventilation beyond the intensive care unit: report of a consensus conference of the American College of Chest Physicians. *Chest.* 113:289S–344S.
- Miller RL, Oppenheimer EA, Robert D Cole RP. (1996):** Association between reduced cuff leak volume and postextubation stridor. *Chest* 110: 1035.

- Mier A, Laroche C, Agnew JE, Vora H, Clarke SW, Green M, Pavia D. (1990):** Tracheobronchial clearance in patients with bilateral diaphragmatic weakness. *Am Rev Respir Dis* 142:545–548.
- Murciano D, Boczkowski J, Lecocguic Y, Milic-Emili J, Patiente R, Aubier M. (1988):** Tracheal occlusion pressure: a simple index to monitor respiratory muscle fatigue during acute respiratory failure in patients with chronic obstructive pulmonary disease. *Ann Intern Med.* 108:800–805.
- Niewoehner DE, GL Baum, JD Crapo, BR Celli, JB Kalinsky. (1998):** Anatomic and pathophysiological correlation in COPD. *Thorax.* 823-842.
- Niewoehner D, Rice K, Cote C. (2004):** Reduced COPD exacerbations and associated health care utilization with once-daily tiotropium (TIO) in the VA medical system. Presented at the 100th International Conference of the American Thoracic Society. *Am J Respir Crit Care Med.* A84.
- Nishimura K, Koyama H, Ikeda A. (1995):** The additive effect of theophylline on a high-dose combination of inhaled salbutamol and ipratropium bromide in stable COPD. *Chest* 107: 718.
- Naughton MT, Rahman MA, Hara R. (1995):** Effects of continuous positive airway pressure on intrathoracic and left transmural pressures in patients with congestive heart failure. *Circulation.* 91:1725.
- Nouridine K, Combes P, Carton MJ, Beuret P, Cannamela, DucreuxJC. (1999):** Does noninvasive ventilation reduce the ICU nosocomial infection risk? A prospective clinical survey. *Intensive Care Med.* 25:567–573.

- Nishimura M, Hess D, Kacmarek RM. (1995):** The response of flow-triggered infant ventilators. *Am J Respir Crit Care Med.* 152:1901–1909.
- Nathan SD, Ishaaya AM, Koerner SK, Belman MJ. (1993):** Prediction of minimal pressure support during weaning from mechanical ventilation. *Chest.* 103: 1215-9.
- Nava S, Ambrosino N, Clini E. (1998):** Noninvasive mechanical ventilation in the weaning of patients with respiratory failure due to chronic obstructive pulmonary disease. A randomized, controlled trial. *Ann Intern Med.* 128: 721-8.
- O’Croinin D, Cranghaile MN, Higgins B, Loffey JG (2005).** Bench- to- bedside review: Permissive Hypercapnia. *Critical Care* 9: 51-59.
- Otis AB, Fenn WO, Rahn H. (1990):** Mechanics of breathing in man. *J Appl Physiol.* 2:592–607.
- Pontoppidan H, Abuier F, Murray M, Lowenstien E. (1972):** Acute respiratory failure in the adult. *N Engl J Med.* 287: 744.
- Pauwels RA, Buist AS, Calverley PMA, Jenkins CR, Hurd SS, Romain P, Dirkje S, Nicholas A. (2005):** National Heart, Lung and Blood Institute (NHLBI)/ WHO. Global Initiative for chronic obstructive pulmonary disease (GOLD) workshop summary: global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease (Based on an April 1998 NHLBI/ WHO workshop). Executive summary updated.
- Prescott E, Lange P, Vestbo J. (1999):** Socioeconomic status, lung function and admission to hospital for COPD. *Eur Respir J* 13: 1109-14.

- Pearson MG, Alderslade R, Allen SC. (1997):** BTS guidelines for the management of COPD. *Thorax*. 52 (Suppl 5): S1-S28.
- Petrof BJ, Legare M, Goldberg P, Milic-Emili J, Gottfried SB. (1990):** Continuous positive airway pressure reduces work of breathing and dyspnea during weaning from mechanical ventilation in severe chronic obstructive pulmonary disease. *Am Rev Respir Dis*. 141(2):281–289.
- Pierre-Francois O, Yvan H, Samir Jaber. (1999):** Changes in occlusion pressure (0.1) and breathing pattern during pressure support ventilation. *Thorax*. 54: 119-123.
- Pedro C, Celena Friedrich, Soria A, Daniel D. (1999):** The unidirectional valve is the best method to determine maximal inspiratory pressure during weaning. *Chest*. 115: 1096-1101.
- Pavlin EG, Holle RH, Schoene RB. (1989):** Recovery of airway protection compared with ventilation in humans after paralysis with curare. *Anesthesiology* 70:381– 385.
- Rahn H, Fenn WO. (1995):** A graphical analysis of the respiratory gas exchange, Washington DC, American Physiological Society, 345-50.
- Romain A, Pauwels, Klaus F Rabe.(2004):** Burden and clinical features of chronic obstructive pulmonary disease (COPD). *Lancet*. 364: 613-20.
- Ranieri VM, Grasso S, Fiore T, Guiliani R. (1996):** Auto-positive end-expiratory pressure and dynamic hyperinflation. *Clin Chest Med*. 17 (3):379- 94.
- Roussos C, Macklem P, Richards GN, Cistulli P . (1985):** Function and fatigue of respiratory muscles. *Chest*. 88:124S–132S.
- Rochester DF, Braun NMT, Arora NS. (1979):** Respiratory muscle strength in chronic obstructive pulmonary disease. *Am Rev Respir Dis*. 119:151–154.

- Raju P and Manthous CA. (2000):** The pathogenesis of respiratory failure: an overview. *Respir Care Clin North Am.* 6: 195.
- Road JD, Leevers AM, Goldman E, Grassino A. (1999):** Respiratory muscle coordination and diaphragm length during expiratory threshold loading. *J Appl Physiol.* 70(4):1554–1562.
- Ranieri VM, Giuliani R, Cinnella G, Pesce C, Brienza N, Ippolito E. (1993):** Physiologic effects of positive end-expiratory pressure in patients with chronic obstructive pulmonary disease during acute ventilatory failure and controlled mechanical ventilation. *Am Rev Respir Dis* 147: 5–13.
- Rubini F, Rampulla C, Nava S.(1994):** Acute effect of corticosteroids on respiratory mechanics in mechanically ventilated patients with chronic airflow obstruction and acute respiratory failure. *Am J Respir Crit Care Med.* 149(2 Pt 1):306-306.
- Ranieri VM, Grasso S, Mascia L .(1997):** Effects of proportional assist ventilation on inspiratory muscle effort in patients with chronic obstructive pulmonary disease and acute respiratory failure. *Anesthesiology.* 86:79–91.
- Rao CC, Krishna G, Trueblood S. (1980):** Stenting of the endotracheal tube to manage airway obstruction in the prone position. *Anesth Analog.* 59:700-1.
- Richard SI and Rolf DH.(2003):** Discontinuation of mechanical ventilation. *Intensive Care Medicine* Vol (2): 661-8.
- Siafakas NM, Vermeire P, Pride NB. (1995):** Optimal assessment and management of chronic obstructive pulmonary disease (COPD): the European Respiratory Society Task Force. *Eur Respir J* 8: 1398-420.

- Sullivan SD, Ramsey SD, Lee TA. (2000):** The economic burden of COPD. *Chest*. 117:5S-9S.
- Sandford AJ, Roger S, Stoller J, Silverman EK. (2002):** Chronic obstructive pulmonary disease. Susceptibility factors for COPD the genotype- environment interaction. *Thorax*. 57: 736-41.
- Saetta M, Distefano A, Maestrelli P, Mapp CE, Ciaccia A, Fabbri LM. (1994):** Structural aspects of airway inflammation in COPD. *Monaldi Arch for chest Dis*. 49: 43-5.
- Seemungal TA, Donaldson GC, Paul EA, Bestall JC, Jeffries DJ, Wwdzicha JA. (1998):** Effect of exacerbation on quality of life in patients with chronic obstructive pulmonary disease. *Ann J Respir Crit Care Med*. 157: 1418-22.
- Sassoon CS, Hassell KT, Mahutte CK. (1987):** Hyperoxic-induced hypercapnia in stable chronic obstructive pulmonary disease. *Am Rev Respir Dis*. 135: 907-11.
- Salerno DM, Anderson B, Sharkey PJ, Iber C. (1987):** Intravenous verapamil for treatment of multifocal atrial tachycardia with and without calcium pretreatment. *Ann Intern Med*. 107:623.
- Sassoon CSH, Lodia R, Rheeman CH.(1992):** Inspiratory muscle work of breathing during flow-by, demand- flow and continuous-flow systems in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis*. 141: 1219.
- Soo Hoo GW, Santiago S, Williams J. (1994):** Nasal mechanical ventilation for hypercapnic respiratory failure in chronic obstructive pulmonary disease: determinants of success and failure. *Crit Care Med*. 27:417–434.
- Stroetz RW, Hubmayr M, Amoateng-Adjepong Y, Manthous CA. (1995):** Tidal volume maintenance during

- weaning with pressure support. *Am J Respir Crit Care Med.* 152: 1034-40.
- Sassoon CSH, Gruer SE. (1995):** Characteristics of the ventilator pressure and flow trigger variables. *Intensive Care Med.* 21:159–168.
- Sinderby C, Nandesji P, Beck J. (1999):** Neural control of mechanical ventilation in respiratory failure. *Nature Med.* 5:1433–1436.
- Staudinger T, Kordova H, Roggla M. (1998):** Comparison of oxygen cost of breathing with pressure-support ventilation and biphasic intermittent positive airway pressure ventilation. *Crit Care Med.* 26:1518–1522.
- Smina M, Salam A, Khamiees M, Gada P. (2003):** Cough peak flows and extubation outcomes. *Chest.* 124: 262-8.
- Scott K and Epstein M. (2001):** Controversies in weaning from mechanical ventilation. *Journal of Intensive Care Medicine.* 16 (6): 270- 286.
- Sassoon CS, Te TT, Mahute CK, Light RW. (1987):** Airway occlusion pressure. An important indicator for successful weaning in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 135 (1): 107-13.
- Sassoon CS and Mahute CK. (1993):** Airway occlusion pressure and breathing pattern as predictors of weaning outcome. *Am Rev Respir Dis.* 148: 860-6.
- Salam A, Smina M, Gada P, Tilluckdharry L, Upadya A, Manthous CA. (2003):** The effect of arterial blood gas values on extubation decisions. *Respir Care.* 48: 1033-7.
- Straus C, Louis B, Isabey D, Lemaire F, Harf A, Brochard L. (1998):** Contribution of the endotracheal tube and the upper airway to breathing workload. *Am J Respir Crit Care Med.* 157: 23-30.

- Torres A, Reyes A, Roca J, Wagner PD, Rodriquez- Roisin R. (1989):** Ventilation- perfusion mismatching in chronic obstructive pulmonary disease during ventilator weaning. *Am Rev Respir Dis.* 140: 1246-50.
- Tager IB, Segal MR, Speizer FE, Weiss ST. (1988):** The natural history of forced expiratory volumes: effect of cigarette smoking and respiratory symptoms. *Am Rev Respir Dis* 138: 837-49.
- Takahashi T, Takezawa J, Kimura T. (1990):** Comparison of inspiratory work of breathing in T-piece breathing, PSV and pleural pressure support ventilation. *Chest.* 100:1030–1034.
- Tassaux D, Dalmas E, Gratadour P, Jolliet P. (2002):** Patient-Ventilator interactions during partial ventilatory support: a preliminary study comparing the effects of adaptive support ventilation with synchronized intermittent mandatory ventilation plus inspiratory pressure support. *Critical Care Medicine.* 30 (4): 801-807.
- Tobin MJ. (2001):** Advances in mechanical ventilation. *N Eng J Med.* 344: 1986-96.
- Topeli A, Laghi F, Tobin MJ. (2001):** The voluntary drive to breath is not decreased in hypercapnic patients with severe COPD. *Eur Respir J.* 18:53-60.
- Tolep K, Getch CL, Criner GJ. (1996):** Swallowing dysfunction in patients receiving prolonged mechanical ventilation. *Chest.* 109: 167.
- Troche G, Moine P.(1997):** Is the duration of mechanical ventilation predictable? *Chest* 112:745–751.

- Udwadi ZF, Santis GK, Steven MH, Simonds AK (1992):** Nasal ventilation to facilitate weaning in patients with chronic respiratory insufficiency. *Thorax*. 47: 715.
- Uusaro A, Chittock DR, Russel JA, Walley KR.(2000):** Stress test and gastric-arterial PCO₂ measurement improve prediction of successful extubation. *Crit Care Med*. 28: 2313-9.
- Volta CA, Alvisi R, Marangoni E, Righini ER, Verri M, Ragazzi R. (2001):** Responsiveness to intravenous administration of salbutamol in chronic obstructive pulmonary disease patients with acute respiratory failure. *Intens Care Med*. 27: 1949-53.
- Vassilakopoulos T, Roussos C, Zanthinos S. (1999):** Weaning from mechanical ventilation. *Journal of Critical Care*. 14 (1): 39-62.
- Vallverdu I, Calaf N, Subirana M, Net A, Benito S, Mancebo J. (1998):** Clinical characteristics, respiratory functional parameters and outcome of two-hour T-piece trial in patents weaning from mechanical ventilation. *Am J Respir Crit Care Med*. 158: 1855-1862.
- Vilafane MC, Isabey D, Lemaire F, Harf A, Brochard L. (1996):** Gradual reduction of endotracheal tube diameter during mechanical ventilation via different humidification devices. *Anesthesiology* 85: 1341-9.
- West JB, Epstien M, Aubier M.(1969):** Ventilation-perfusion inequality and overall group exchange in computer models of the lung. *Respr Physiol*. 7: 88-110.
- Wagner DP,Aubier M, West JB. (1980):** Ventilation-perfusion relationships. Pulmonary gas exchange. Ventilation, blood flow and diffusion. New York, Academic press, 219-62.

- Wanaki SE, Zaki OA, Nagdy SA. (1973):** Serum cholinesterase, glutamic transaminases and alkaline phosphatase in chronic airway obstruction. *Egypt J Chest Dis&Tub* 16(1):1-6.
- Wagner DP, Laravuso RB, Uhl RR.(1974):** Continuous distribution of ventilation- perfusion ratios in normal subjects breathing air and 100% O₂. *J Clin Invest.* 54:54-68.
- Weiner P, Azgad Y, Weiner M. (1993):** The effect of corticosteroids on inspiratory muscle performance in humans. *Chest.* 104:1788–1791.
- Waston AC, Hughes PD, Louise HM, Hart N, Ware RJ, Wemdon J, Green M, Moxham J. (2001):** Measurement of twitch transdiaphragmatic, esophageal and endotracheal tube pressure with bilateral anterolateral magnetic phrenic nerve stimulation in patients in the intensive care unit. *Crit Care Med.* 29: 1476-8.
- Whitelaw WA and Derenne JP. (1993):** Airway occlusion pressure. *J Applied Physiol.* 74: 1475-83.
- Weber K and Milligan S. (1994):** Therapist-driven protocols: the state of the art. *Respir Care* 39:746–755.
- Willms D, Sure D. (1988):** Pulmonary edema due to upper airway obstruction in adults. *Chest.* 94: 1090.
- Younes M, Puddy A, Roberts D. (1992):** Proportional assist ventilation. Results of an initial clinical trial. *American Review of Respiratory Disease.* 145: 121-129.
- Yamada Y, Ho Li H, Du H. (1998):** Effects of different pressure support termination on patient ventilator synchrony. *Respir Care.* 43:1048–1057.

Yang K and Tobin MJ. (1991): A prospective study of indexes predicting outcome of trials of weaning from mechanical ventilation. N Engl J Med 324: 1445-50.

Zakynthinos SG, Vassilakopoulus T, Roussos C. (1995): The load of inspiratory muscles in patients needing mechanical ventilation. Am J Respir Crit Care Med. 152: 1248-52.