

- Abbott KC, Oliver JD, Hypolite I, et al. Hospitalization for bacterial septicemia after renal transplantation in the United States. *Am J Nephrol* 2001; 21: 120–7.
- Abbud-Filho M, Adams PL, Alberu J, Cardella C, Chapman J, Cochat P, Cosio F, Danovitch G, Davis C, Gaston RS, Humar A, Hunsicker LG, Josephson MA, Kasiske B, Kirste G, Leichtman A, Munn S, Obrador GT, Tibell A, Wadström J, Zeier M, Delmonico FL. A report of the Lisbon Conference on the care of the kidney transplant recipient. *Transplantation* 2007; 83: S1–22.
- Adams J, Güdemann C, Tönshoff B, Mehls O, Wiesel M. Renal Transplantation in Small Children - A Comparison between Surgical Procedures. *Eur Urol* 2001; 40:552-556.
- Adcock IM, Ito K. Molecular mechanisms of corticosteroid actions, Monaldi *Arch Chest Dis* 2000; 55(3): 256-266.
- Aikawa A, Arai K, Kawamura T, Sugiyama K, Muramatsu M, Itabashi Y, Ohara T, Motoyama O, and Hasegawa A. First Living Related Kidney Transplantation Results in Excellent Outcomes for Small Children. *Transplant Proc.* 2005 Sep; 37(7):2947-50.
- Allison AC, Eugui EM. Purine metabolism and immunosuppressive effects of mycopenolate mofetil (MMF). *Clin Transplant* 10(1996): 77-84.

- Al-Uzri A, Sullivan EK, Fine RN, Harmon WE. Living unrelated renal transplantation in children: a report of the North American Pediatric Renal Transplant Cooperative Study (NAPRTCS). *Pediatr Transplant* 1998; 2: 139–144.
- Al-Uzri A, Stablein DM, A Cohn R. Posttransplant diabetes mellitus in pediatric renal transplant recipients: a report of the North American Pediatric Renal Transplant Cooperative Study (NAPRTCS). *Transplantation* 2001; 72: 1020.
- André JL, Bourquard R, Guillemin F, Krier MJ, Briançon S. Final height in children with chronic renal failure who have not received growth hormone. *Pediatr Nephrol* 2003; 18: 685– 691.
- Andresdottir MB, Assmann KJ, Koene RA and Wetzels JF. Immunohistological and ultrastructural differences between recurrent type. I membranoproliferative GN and chronic transplant glomerulopathy. *Am J Kidney Dis*. 1998 Oct; 32(4): 582-8.
- Ardissino G, Dacco V, Testa S, Bonaudo R, Claris-Appiani A, Taioli E, Marra G, Edefonti A, Sereni F. Epidemiology of chronic renal failure in children: data from the ItalKid project. *Pediatrics*. 2003; 111: e382–e387.
- Atasever A, Bacakoglu F, Toz H, et al. Tuberculosis in renal transplant recipients on various immunosuppressive regimens. *Nephrol Dial Transplant* 2005; 20: 797–802.

- Aydin C, Berber I, Altaca G, Yigit B, and Titiz I. The outcome of kidney transplants with multiple renal arteries. *BMC Surg.* 2004; 4: 4.
- Bach JF. Mode of action of thiopurines: Azathioprine and 6 mercaptopurine. In: *Immunopharmacology in Autoimmune Diseases and Transplantation*, Rugstad, HE, Endressen, L, Forre, O (Eds), Plenum Press, New York, 1992, p. 123
- Bailey TC, Powderly WG, Storch GA, et al. Symptomatic cytomegalovirus infection in renal transplant recipients given either Minnesota antilymphoblast globulin (MALG) or OKT3 for rejection prophylaxis. *Am J Kidney Dis.* 1993 Feb; 21(2): 196-201.
- Baluarte HJ, Gruskin AB, Ingelfinger JR, et al. Analysis of hypertension in children post renal transplantation: A report of the North American Pediatric Renal Transplant Cooperative Study (NAPRTCS). *Pediatr Nephrol* 1994; 8:570-3.
- Baqi N, Tejani A. Maintenance immunosuppression regimens. In : Tejani AH, Fine RN, eds. *Pediatric Renal Transplantation*. New York: Wiley-Liss, 1994: 221-38.
- Baum MA, Stablein DM, Panzarino VM, et al. Loss of living donor renal allograft advantage in children with focal segmental glomerulosclerosis. *Kidney Int* 2001; 59: 328–33.

- Beck DE, Fennel RS, Yost RL, et al. Evaluation of an educational program on compliance with medication regimens in pediatric patients with renal transplants. *J Pediatr* 1980 Jun; 96(6): 1094-7.
- Belitsky P, Dunn S, Johnston A, Levy G. impact of absorption profiling on efficacy and safety of cyclosporin therapy in transplant recipients. *Clin Pharmacokinetic* 2000; 39: 117-25.
- Bellos JK, Perrea DN, Vlachalos D, Kostakis AI Chronic allograft nephropathy: the major problem in long-term survival: review of etiology and interpretation. *Transplant Rev* 2005: 138–44.
- Benfield MR, Herrin J, Feld L, et al. Safety of kidney biopsy in pediatric transplantation. *Transplantation* 1999; 67: 544-7.
- Benfield MR, McDonald RA, Bartosh S, Ho PL, Harmon W. Changing trends in pediatric transplantation:2001. Annual Report of the North American Pediatric Renal Transplant Cooperative Study. *Pediatr Transplant* 2003; 7: 321-35.
- Benfield MR, Munoz R, Warshaw BL, et al. A randomized controlled double blind trial of steroid withdrawal in pediatric renal transplantation. A study of the Cooperative Clinical Trials in Pediatric Transplantation (Abstract). *Am J Transplant* 2005; 5(Suppl 11): 402.
- Bleyer AJ, Burkart JM, Russel GB, Adams PL Dialysis modality and delayed graft function after cadaveric renal transplantation. *J Am Soc Nephrol* 1999; 10: 154–9.

- Blodgett FM, Burgin L, Iezzoni D, Gribetz D, Talbot NB. Effects of prolonged cortisone therapy on the statural growth, skeletal maturation and metabolic status of children. *N Engl J Med* 1956; 254: 636–641.
- Bosch T, Wendler T. Extracorporeal plasma treatment in primary and recurrent focal segmental glomerular sclerosis: a review. *Ther Apher*. 2001 Jun;5(3): 155-60.
- Brennan DC: Cytomegalovirus in renal transplantation. *J Am Soc Nephrol*. 2001 Apr; 12(4): 848-55.
- Brier ME, Ray PC, Klein JB. Prediction of delayed renal allograft function using an artificial neural network. *Nephrol Dial Transplant* 2003; 18: 2655–9.
- Briganti EM, Russ GR, McNeil JJ, et al. Risk of renal allograft loss from recurrent glomerulonephritis. *N Engl J Med* 2002; 347: 103–9.
- Broyer M, Guest G, Gagnadoux MF, et al. Hypertension following renal transplantation in children. *Pediatr Nephrol* 1987; 1: 16-21.
- Broyer M, Gagnadoux MF, Sierro A, et al. Preventive treatment of vascular thrombosis after kidney transplantation in children with low molecular weight heparin. *Transplant Proc* 1991; 23: 1384-5.
- Broyer M, Tete MJ, Guest G, et al. Varicella and Zoster after kidney transplantation: Long-term results of vaccination. *Pediatrics*. 1997 Jan; 99(1): 35-9.

- Broyer M, Le Bihan C, Charbit M, Guest G, Tête MJ, Gagnadoux MF, Niaudet P. Long-term social outcome of children after kidney transplantation. *Transplantation* 2004; 77: 1033–1037.
- Buell JF, Gross TG, Woodle ES. Malignancy after transplantation. *Transplantation* 2005; 80(Suppl): S254.
- Bunnapradist S, Danovitch GM. Evaluation of adult kidney transplant candidates. *Am J Kidney Dis* 2007; 50: 890.
- Buresley S, Samhan M, Moniri S, Codaj J, Al-Mousawi M. Postrenal transplantation urologic complications. *Transplant Proc.* 2008 Sep; 40(7): 2345-6.
- Cao W, Mohacsi P, Shorthouse R, Pratt R, Morris RE. Effects of rapamycin on growth factor-stimulated vascular smooth muscle cell DNA synthesis. Inhibition of basic fibroblast growth factor and platelet-derived growth factor action and antagonism of rapamycin by FK506. *Transplantation* 1995; 59: 390-5.
- Carbajo E, Lopez JM, Santos F, Ordonez FA, Nino P, Rodriguez J. Histologic and dynamic changes induced by chronic metabolic acidosis in the rat growth plate. *J Am Soc Nephrol* 2001; 12: 1228–1234.
- Carey WA, Talley LI, Sehring SA. Outcomes of dialysis initiated during the neonatal period for treatment of end-stage renal disease: a North American Pediatric Renal Trials and Collaborative Studies special analysis. *Pediatrics* 2007; 119: e468.

- Cecka JM and Terasaki PI. Early rejection episodes. In: clinical transplant, Terasaki PI (ed), UCLA Tissue Typing Laboratory, Los Angeles 1989; 425-438.
- Cecka JM, Gjertson DW, Terasaki PI. Pediatric renal transplantation: a review of the UNOS data. *Pediatr Transplant* 1997; 1: 55–64.
- Cecka M. The UNOS Scientific Renal Transplant Registry. In Cecka JM, Terasaki PI, eds. *Clinical Transplants* 1999. Los Angeles, CA: UCLA Tissue Typing Laboratory, 2000: 1–18.
- Chan KW, Chan GS, Tang S. Glomerular pathology of allograft kidneys in Hong Kong. *Transplant Proc* 2005; 37: 4293–6.
- Chapman JR, O'Connell PJ, Nankivell BJ. Chronic renal allograft dysfunction. *J Am Soc Nephrol* 2005; 16: 3015.
- Chavers BM, Doherty L, Nevins TE, Cook M, Sane K. Effects of growth hormone on kidney function in pediatric transplant recipients. *Pediatr Nephrol* 1995; 9: 176–18.
- Chrysis D, Ritzen EM, Savendahl L. Growth retardation induced by dexamethasone is associated with increased apoptosis of the growth plate chondrocytes. *J Endocrinol* 2003; 176: 331–337.
- Churchill BM, Jayanthi RV, Mc Lorie GA and Khoury AE. Pediatric renal transplantation into the abnormal urinary tract. *Pediatr Nephrol* 1996; 10: 113-120.

- Cianco G, Burke GW, Suzart K, et al. Daclizumab induction, tacrolimus, mycophenolate mofetil and steroids as an immunosuppression regimen for primary kidney transplant recipients. *Transplantation* 2002; 73: 1100-6.
- Clark RG. Recombinant insulin-like growth factor-1 as a therapy for IGF-1 deficiency in renal failure. *Pediatr Nephrol* 2005; 20: 290–294.
- Cole J, Wortley A, Stoves J, Clark B. Laboratory investigations following an unexpectedly positive crossmatch result in a patient awaiting renal transplantation. *J Clin Pathol* 2002; 55: 627–8.
- Cosio FG, Falkenhain ME, Pesavento TE, Henry ML, Elkhammas EA and Ferguson RM. Relationships between arterial hypertension and renal allograft survival in African American patients. *Am J kidney Dis* 1997; 29 (3): 419-427.
- Coupel S, Giral-Classe M, Karam G, et al. Ten-year survival of second kidney transplants: Impact of immunologic factors and renal function at 12 months. *Kidney Int* 2003; 64: 674.
- Cransberg K, Smits JM, Offner G, et al. Kidney transplantation without prior dialysis in children: The Eurotransplant experience. *Am J Transplant* 2006; 6: 1858.
- Crown AL, Woolfson RG, Griffiths MH, et al. Recurrent systemic Henoch–Schönlein purpura in an adult following renal transplantation. *Nephrol Dial Transplant* 1994; 9: 423–5.

- Daniels SR, Loggie JM, Khoury P, Kimball TR. Left ventricular geometry and severe left ventricular hypertrophy in children and adolescents with essential hypertension. *Circulation* 1998; 97: 1907.
- Danovitch GM: Evaluation of potential renal transplantation. In: *Handbook of Kidney Transplantation*, 4th edition, Danovitch, GM (Ed), Lippincott Williams and Wilkins, Philadelphia 2005, pp170-192.
- Danton MD and Singh AK. Recurrent and de novo glomerulonephritis in the renal allograft. *Semin Nephrol* 2000; 20: 164-169.
- Daughaday WH. Growth hormone axis overview— somatomedin hypothesis. *Pediatr Nephrol* 2000; 14: 537–540.
- Davis CL. Evaluation of the living kidney donor: current perspectives. *Am J Kidney Dis* 2004; 43: 508.
- De Mattos A, Olyaei A, Bennet W. Nephrotoxicity of immunosuppressive drugs: long-term consequences and challenges for the future. *Am J Kidney Dis* 2002; 2: 333-346.
- Delmonico F. A Report of the Amsterdam Forum on the Care of the Live Kidney Donor: Data and Medical Guidelines. *Transplantation* 2005; 79: S53.
- Dharnidharka VR, Harmon WE. Management of pediatric postrenal transplantation infections. *Semin Nephrol*. 2001 Sep; 21(5): 521-31.

- Dharnidharka VR, Sullivan EK, Stablein DM, et al. Risk factors for posttransplant lymphoproliferative disorder (PTLD) in pediatric kidney transplantation: A report of the North American Pediatric Renal Transplant Cooperative Study (NAPRTCS). *Transplantation* 2001 Apr 27; 71(8): 1065-8.
- Dharnidharka VR, Ho PL, Stablein DM, Harmon WE, Tejani AH. Mycophenolate, tacrolimus and post-transplant lymphoproliferative disorder: a report of the North American Pediatric Renal Transplant Cooperative Study. *Pediatr Transplant* 2002; 6: 396-9.
- Dharnidharka VR, Tejani AH, Ho PL, Harmon WE. Post-transplant lymphoproliferative disorder in the United States: young Caucasian males are at high risk. *Am J Transplant* 2002; 2: 993-8.
- Dharnidharka VR, Stablein DM, Harmon WE. Post-transplant infections now exceed acute rejection as cause for hospitalization: a report of the NAPRTCS. *Am J Transplant*. 2004 Mar;4(3): 384-9.
- Dharnidharka V, Talley L, Stablein D, Fine RN. Recombinant human growth hormone (rhGH) use pretransplant and risk of lymphoproliferative disease (LPD) post transplant (abstract no. 35). *Pediatr Transplant* 2007; 11[Suppl1]: 43.
- Dunn SP. Neoral monitoring 2 hours post-dose and the pediatric transplant patient. *Pediatr Transplant* 2003; 7: 72.

- Eidelman BH, Abu-Elmagd K, Wilson J et al. Neurologic complications of FK 506. *Transplant Proc* 1991; 23: 3175-3178.
- Einollahi B, Lessan-Pezeshki M, Pourfarziani V, Nemati E, Nafar M, Pour-Reza-Gholi F, Hassan Ghadyani M, Samadian F, Ahmadpoor P, Aslani J. Invasive fungal infections following renal transplantation: a review of 2410 recipients. *Ann Transplant*. 2008; 13(4): 55-8.
- El-Husseini AA, Foda MA, Shokeir AA, Shehab El-Din AB, Sobh MA, Ghoneim MA. Determinants of graft survival in pediatric and adolescent live donor kidney transplant recipients: A single center experience. *Pediatr Transplantation* 2005; 9: 763–769.
- Ellis EN, Martz K, Talley L, et al. Factors related to long-term renal transplant function in children. *Pediatr Nephrol* 2008; 23: 1149.
- El-Sabrouit R, Weiss R, Butt F, et al. Rejection-free protocol using sirolimus-tacrolimus combination for pediatric renal transplant recipients. *Transplant Proc* 2002; 34: 1942-3.
- Englund M, Berg U, Tyden G. A longitudinal study of children who received renal transplants 10-20 years ago. *Transplantation* 2003; 76: 311.
- Englund MS, Tydén G, Wikstad I, Berg UB. Growth impairment at renal transplantation: a determinant of growth and final height. *Pediatr Transplant* 2003; 7: 192–199.

- Ettenger R, Cohen A, Nast C, Moulton L, Marik J, Gales B. Mycophenolate mofetil as maintenance immunosuppression in pediatric renal transplantation. *Transplant Proc* 1997; 29: 340-1.
- Fabrizi F, Martin P, Dixit V, et al. Hepatitis C virus antibody status and survival after renal transplantation: Meta-analysis of observational studies. *Am J Transplant* 2005; 5: 1452.
- Feinstein S, Keich R, Becker-Cohen R, et al. Is noncompliance among adolescent renal transplant recipients inevitable? *Pediatrics* 2005 Apr; 115(4): 969-73.
- Feld LG, Stablein D, Fivush B, Harmon WE, Tejani A. Renal transplantation in children from 1987-1996: The 1996 Annual Report of the North American Pediatric Renal Transplant Cooperative Study. *Pediatr Transplant* 1997; 1: 146-62.
- Fennell RS, Moles M, Irvani A, Walker RD, Pfaff W, Howard RJ, Capen RC, Carter RL, and Richard GA. Growth in children following kidney transplantation. *Pediatr Nephrol* 1990; 4: 335–339.
- Ferraris JR, Pasqualini T, Legal S, Sorroche P, Galich AM, Pennisi P, Domene H, Jasper H. Effect of deflazacort versus methylprednisone on growth, body composition, lipid profile, and bone mass after renal transplantation. The deflazacort study group. *Pediatr Nephrol* 2000; 14: 682–688.

- Ferraris JR, Ramirez JA, Ruiz S, et al. Shiga-toxin-associated hemolytic uremic syndrome: absence of recurrence after renal transplantation. *Pediatr Nephrol* 2002; 17: 809–14.
- Filler G, Amendt P, Kohnert KD, Devaux S, Ehrich JH. Glucose tolerance and insulin secretion in children before and during recombinant growth hormone treatment. *Horm Res* 1998; 50: 32–37.
- Filler F, Feber J, Lepage N, Weiler G, Mai I. Universal approach to pharmacokinetic monitoring of immunosuppressive agents in children. *Pediatr Transplant* 2002; 6: 41-8.
- Filler G, Webb NJ, Milford DV, et al. Four-year data after pediatric renal transplantation: a randomized trial of tacrolimus vs. cyclosporin microemulsion. *Pediatr Transplant* 2005; 9: 498.
- Fine RN, Kohaut EC, Brown D and Perlman AJ. Growth after recombinant human growth hormone treatment in children with chronic renal failure: report of a multicenter randomized double-blind placebo controlled study. Genentech Cooperative Study Group. *J Pediatric*. 1994; 124 (3): 374-382.
- Fine RN, Ho M, Tejani A, North American Pediatric Renal Transplant Cooperative Study (NAPRTCS). The contribution of renal transplantation to final adult height: a report of the North American Pediatric Renal Transplant Cooperative Study (NAPRTCS). *Pediatr Nephrol* 2001; 16: 951- 956.

- Fine RN, Stablein D, Cohen AH, Tejani A, Kohaut E. Recombinant human growth hormone post-renal transplantation in children: a randomized controlled study of the NAPRTCS. *Kidney Int* 2002; 62: 688–696.
- Fine RN, Stablein D. Long-term use of recombinant human growth hormone in pediatric allograft recipients: a report of the NAPRTCS Transplant Registry. *Pediatr Nephrol* 2005; 20:404–408.
- Flechner SM, Modlin CS, Serrano DP, et al. Determinants of chronic renal allograft rejection in cyclosporine-treated recipients. *Transplantation* 1996; 62: 1235–41.
- Fletcher JT, Nankivell BJ, Alexander SI. Chronic allograft nephropathy. *Pediatr Nephrol*. 2009 Aug; 24(8): 1465-71.
- Fox BC, Sollinger HW, Belzer FO, et al. A prospective, randomized, double blind study of trimethoprim-sulfamethoxazole for the prophylaxis of infection in renal transplantation: Clinical efficacy, absorption of trimethoprim-sulfamethoxazole, effects on the microflora and the cost-benefit of prophylaxis. *Am J Med* 1990; 89: 255-74 .
- Funch DP, Walker AM, Schneider G, et al. Ganciclovir and acyclovir reduce the risk of post-transplant lymphoproliferative disorder in renal transplant recipients. *Am J Transplant* 2005; 5: 2894–900.
- Furth SL, Hwang W, Yang C, Neu AM, Fivush BA, Powe NR. Growth failure, risk of hospitalization and death for children with end-stage renal disease. *Pediatr Nephrol* 2002; 17: 450–455.

- Gaston RS. Maintenance immunosuppression in the renal transplant recipient: An overview. *Am J Kidney Dis* 2001; 38: S25.
- Gheith O, Sabry A, El-Baset SA, Hassan N, Sheashaa H, Bahgat S, El-Shahawy el-M. Study of the effect of donor source on graft and patient survival in pediatric renal transplant recipients. *Pediatr Nephrol*. 2008 Nov; 23(11): 2075-9.
- Ghio L, Damiani B, Garavaglia R, Oppizzi G, Taioli E, Edefonti A. Lipid profile during rhGH therapy in pediatric renal transplant patients. *Pediatr Transplant* 2002; 6:127–131.
- Ghoneim MA, Bakr MA, Hassan NA, et al. Live-donor renal transplantation at the Urology & Nephrology Center of Mansoura: 1976–1998. *Clin Transpl* 2001; 15: 167–178.
- Gill JS, Tonelli M, Johnson N, Pereira BJ. Why do preemptive kidney transplant recipients have an allograft survival advantage?. *Transplantation* 2004; 78: 873.
- Gillen DL, Stehman-Breen CO, Smith JM, et al. Survival advantage of pediatric recipients of a first kidney transplant among children awaiting kidney transplantation. *Am J Transplant* 2008; 8:2600.
- Gipson DS, Ferris ME, Dooley MA, et al. Renal transplantation in children with lupus nephritis. *Am J Kidney Dis* 2003; 41: 455–63.

- Gjertson DW, Cecka JM. Determinants of long-term survival of pediatric kidney grafts reported to the United Network for Organ Sharing kidney transplant registry. *Pediatr Transplant*. 2001 Feb; 5(1): 5-15.
- Glassock RJ. Crescentic glomerulonephritis. In Ponticelli C, Glassock RJ, eds. *Treatment of Primary Glomerulonephritis*. Oxford: Oxford University Press, 1997: 234–54.
- Glicklich D , Matas AJ , Sablay LB ,Senitzer D, Tellis VA, Soberman R and Veith FJ. Recurrent membranoproliferative type 1 in successive renal transplants. *Am J Nephrol* 1987; 7(2): 143-9.
- Green J, Maor G. Effect of metabolic acidosis on the growth hormone/IGF-I endocrine axis in skeletal growth centers. *Kidney Int* 2000; 57: 2258–2267.
- Green M, Avery R, Preiksaitis J. Guidelines for the prevention and management of infectious complications of solid organ transplantation. *Am J Transplant* 2004 [Suppl 10] :10 –17, 57–109, 160–163.
- Greenspan LC, Gitelman SE, Leung MA, Glidden DV, Mathias RS. Increased incidence in post-transplant diabetes mellitus in children: a case-control analysis. *Pediatr Nephrol* 2002; 17: 1-5.
- Grenda R, Watson A, Trompeter R, Tönshoff B, TWIST Study Group. Early steroid withdrawal in paediatric kidney recipients after two-doses of daclizumab induction, tacrolimus and MMF versus tacrolimus, MMF and

steroids—TWIST Study (IPTA abstract 453). *Pediatr Transplant* 2009; 13(S1): 154–155.

Grimbert P, Frappier J, Bedrossian J, et al. Long-term outcome of kidney transplantation in patients with systemic lupus erythematosus: a multicenter study. Groupe Cooperatif de Transplantation d'Ile de France. *Transplantation* 1998; 66: 1000–3.

Guest G, Broyer M. Growth after renal transplantation: correlation with immunosuppressive therapy. *Pediatr Nephrol* 1991; 5: 143–146.

Guest G, Bérard E, Crosnier H, Chevallier T, Rappaport R, Broyer M. Effects of growth hormone in short children after renal transplantation. French society of pediatric nephrology. *Pediatr Nephrol* 1998; 12: 437–446.

Habib R, Antignac C and Hinglais N, Glomerular lesions in the transplanted kidney in children. *Am J Kidney Dis*. 1987 Sep; 10(3): 198-207.

Haffner D, Schaefer F, Girard J, Ritz E, Mehls O. Metabolic clearance of recombinant human growth hormone in health and chronic renal failure. *J Clin Invest* 1994; 93: 1163–1171.

Haffner D, Schaefer F, Nissel R, Wühl E, Tönshoff B, Mehls O. Effect of growth hormone treatment on the adult height of children with chronic renal failure. German study group for growth hormone treatment in chronic renal failure. *N Engl J Med* 2000; 343: 923–930.

- Hamdy AF, Bakr MA and Ghoneim MA. Long-term Efficacy and Safety of a Calcineurin Inhibitor-free Regimen in Live-Donor Renal Transplant Recipients. *J Am Soc Nephrol*. 2008 Jun; 19(6): 1225-32.
- Harambat J, Cochat P. Growth after renal transplantation. *Pediatr Nephrol*. 2009 Jul; 24(7): 1297-306.
- Hari P, Singla IK, Mantan M, Kanitkar M, Batra B, Bagga A. Chronic renal failure in children. *Indian Pediatr*. 2003; 40: 1035–1042.
- Hariharan S, Adams MB, Brennan DC, et al. Recurrent and de novo glomerular disease after renal transplantation. A report from the Renal Allograft Disease Registry (RADR). *Transplantation* 1999; 68: 635–41.
- Hariharan S, Savin V. Recurrent and de novo glomerular diseases after renal transplantation. *Graft* 1999; 2 (Suppl 2): S113–18.
- Hariharan S, Johnson CP, Bresnahan BA, et al. Improved graft survival after renal transplantation in the United States. *N Engl J Med* 2000; 342: 605–12.
- Harmon WE , Stablein DM , Alexander SR and Tejani A. Graft thrombosis in pediatric renal transplant recipients. A report of the North American Pediatric Renal Transplant Cooperative Study. *Transplantation* 1991; 51, 406-412.
- Harmon WE, Jabs K. Factors affecting growth after renal transplantation. *J Am Soc Nephrol* 1992; 2: S295–303.

- Harmon WE, Sullivan EK. Cyclosporine dosing and its relationship to outcome in pediatric renal transplantation. *Kidney Int Suppl* 1993; 43: S50-5.
- Harmon WE, McDonald RA, Reyes JD, et al. Pediatric transplantation, 1994-2003. *Am J Transplant* 2005; 5: 887.
- Harmon W, Myers K, Ingelfinger J, et al. Safety and efficacy of a calcineurin-inhibitor avoidance regimen in pediatric renal transplantation. *J Am Soc Nephrol* 2006; 17: 1735-45.
- Haydar AA, Denton M, West A, Rees J, Goldsmith DJ. Sirolimus-induced pneumonitis: three cases and a review of the literature. *Am J Transplant* 2004; 4: 137-139.
- Helderman JH, Goral S. Gastrointestinal complications in renal transplantation. *J Am Soc Nephrol* 2002; 13: 277-87.
- Hocker B, John U, Plank C, Wuhl E, Weber LT, Misselwitz J, Rascher W, Mehls O, Tönshoff B. Successful withdrawal of steroids in pediatric renal transplant recipients receiving cyclosporine A and mycophenolate mofetil treatment: results after four years. *Transplantation* 2004; 78: 228-234.
- Hodson EM, Jones CA, Webster AC, et al. Antiviral medications to prevent cytomegalovirus disease and early death in recipients of solid-organ transplants: a systematic review of randomised controlled trials. *Lancet* 2005; 365: 2105.

- Hokken-Koelega AC, van Zaal MA, van Bergen W, de Ridder MA, Stijnen T, Wolff ED, de Jong RC, Donckerwolcke RA, de Muinck Keizer-Schrama SM, Drop SL. Final height and its predictive factors after renal transplantation in childhood. *Pediatr Res* 1994; 36: 323–328.
- Hokken-Koelega AC, Stijnen T, de Jong RC, Donckerwolcke RA, Groothoff JW, Wolff ED, Blum WF, de Muinck Keizer-Schrama SM, Drop SL. A placebo-controlled, double-blind trial of growth hormone treatment in prepubertal children after renal transplant. *Kidney Int* 1996; 53: S128–134.
- Humar A, Arrazola L, Mauer M, et al. Kidney transplantation in young children: should there be a minimum age? *Pediatr Nephrol* 2001; 16: 941–5.
- Hwang, AH, Cho, YW, Cicciarella, J, et al. Risk factors for short- and long-term survival of primary cadaveric renal allografts in pediatric recipients: a UNOS analysis. *Transplantation* 2005; 80: 466.
- Hymes LC, Warshaw BL. Tacrolimus rescue therapy for children with acute renal transplant rejection. *Pediatr Nephrol* 2001;16: 990-2.
- Ingulli E, Tejani A. Steroid withdrawn after renal transplantation. In: Tejani AH, Fine RN, eds. *Pediatric Renal Transplantation*. New York: Wiley-Liss, 1994: 221-38.
- Jabs K, Sullivan EK, Avner ED, Harmon WE. Alternateday steroid dosing improves growth without adversely affecting graft survival or long-term

- graft function. A report of the North American Pediatric Renal Transplant Cooperative Study. *Transplantation* 1996; 61: 31–36.
- Jamieson NV. The European Primary Hyperoxaluria type 1 Transplant Registry report on the results of combined liver/kidney transplantation for primary hyperoxaluria 1984-1994. European PH1 Transplantation Study Group. *Nephrol Dial Transplant*. 1995;10 Suppl 8: 33-7.
- John GT, Shankar V, Abraham AM, et al. Risk factors for post-transplant tuberculosis. *Kidney Int* 2001; 60: 1148–53.
- Johnson RJ, Armstrong S, Belger MA, et al. The outcome of pediatric renal transplantation in the UK and Eire. *Pediatr Transplant* 2002; 6: 367–77.
- Jones JW, Matas AJ and Najarian JS. Surgical technique. In: Tejani AH, Fine RN, eds. *Pediatric Renal Transplantation*. New York: Wiley-Liss, 1994; 187-200.
- Joosten SA, Sijpkens YW, van Kooten C, Paul LC. Chronic renal allograft rejection: Pathophysiologic considerations. *Kidney Int* 2005; 68: 1.
- Jux C, Leiber K, Hugel U, Blum W, Ohlsson C, Klaus G, Mehls O. Dexamethasone impairs growth hormone (GH)-stimulated growth by suppression of local insulin-like growth factor (IGF)-I production and expression of GH- and IGF-I-receptor in cultured rat chondrocytes. *Endocrinology* 1998; 139: 3296–3305.

- Kahan BD, Stepkowski SM, Napoli KL, Katz SM, Knight RJ and Van Buren C. The development of sirolimus: The University of Texas-Houston experience. Clin Transpl 2000: 145-158.
- Kasiske BL, Ravenscraft M, Ramos EL, et al. The evaluation of living renal transplant donors: clinical practice guidelines. Ad Hoc Clinical Practice Guidelines Subcommittee of the Patient Care and Education Committee of the American Society of Transplant Physicians. J Am Soc Nephrol 1996; 7: 2288.
- Kasiske BL, Snyder JJ, Matas AJ, et al. Preemptive kidney transplantation: The advantage and the advantaged. J Am Soc Nephrol 2002; 13: 1358.
- Kasiske BL, Anjum S, Shah R, et al. Hypertension after kidney transplantation. Am J Kidney Dis 2004; 43: 1071.
- Knoll G, Cockfield S, Blydt-Hansen T, et al. Canadian Society of Transplantation consensus guidelines on eligibility for kidney transplantation. CMAJ 2005; 173: 1181
- Koch-Nogueira PC, David L, Cochat P. Evolution of secondary hyperparathyroidism after renal transplantation. Pediatr Nephrol 2000; 14: 342–346.
- Koedam JA, Hoogerbrugge CM, Van Buul-Offers SC. Differential regulation of IGF-binding proteins in rabbit costal chondrocytes by IGF-I and dexamethasone. J Endocrinol 2000; 165: 557–567.

- Kotanko P, Pusey CD and Levy JB. Recurrent glomerulonephritis following renal transplantation. *Transplantation*. 1998 Apr 15; 65(7): 1009-10.
- Kreiger JN, Stubenhord WT and Vaughan ED. Transplantation in children with end stage renal disease of urologic origin. *J Urol* 1980; 124: 508.
- Kuizon BD, Salusky IB. Growth retardation in children with chronic renal failure. *J Bone Miner Res* 1999; 14: 1680–1690.
- Kuypers DR, Evenepoel P, Maes B, Coosemans W, Pirenne J, Vanrenterghem . The use of an anti-CD25 monoclonal antibody and mycophenolate mofetil enables the use of low-dose tacrolimus and early withdrawal of steroids in renal transplant recipients. *Clin Transplant* 2003; 17(3): 234-241.
- Lee HM. Surgical techniques of renal transplantation. In: Morris PJ ed. *Kidney transplantation: Principles and practice*. 4th ed Philadelphia: WB Saunders, 1994; 127-137.
- Lindholm A, Ohlman S, Albrechtsen D, et al. The impact of acute rejection episodes on long-term graft function and outcome in 1347 primary renal transplants treated by 3 cyclosporine regimens. *Transplantation* 1993; 56:307.
- Loverre A, Ditonno P, Crovace A. Ischemia–reperfusion induces glomerular and tubular activation of proinflammatory and antiapoptotic pathways: differential modulation by rapamycin. *J Am Soc Nephrol* 2004; 15: 2675–86.

- Luke RG. Mechanism of cyclosporine-induced hypertension, *AM J Hypertens* 1991; 5: 468-471.
- Luke RG. Pathophysiology and treatment of post-transplant hypertension. *J Am Soc Nephrol* 1991; 2: S37-44 .
- Lynfield R, Herrin JT, Rubin RH. Varicella in pediatric renal transplant recipients. *Pediatrics*. 1992 Aug; 90(2 Pt 1): 216-20.
- Mandelbrot DA, Pavlakis M, Danovitch GM, et al. The medical evaluation of living kidney donors: a survey of US transplant centers. *Am J Transplant* 2007; 7: 2333.
- Mange KC, Cizman B, Joffe M, Feldman HI. Arterial hypertension and renal allograft survival. *JAMA* 2000; 283: 633.
- Maniar S, Kleinknecht C, Zhou X, Motel V, Yvert JP, Dechaux M. Growth hormone action is blunted by acidosis in experimental uremia or acid load. *Clin Nephrol* 1996; 46: 72–76.
- Matas AJ, Gillingham KJ and Humar A. Immunologic and non immunologic factors: different risks for cadaver and living donor transplantation. *Transplantation* 69: 54-58, 2000.
- Maxwell H, Haffner D, Rees L. Catch-up growth occurs after renal transplantation in children of pubertal age. *J Pediatr* 1998; 133: 435–440.

- Maxwell H, Rees L. Randomised controlled trial of recombinant human growth hormone in prepubertal and pubertal renal transplant recipients. British association for pediatric nephrology. Arch Dis Child 1998; 79: 481–487.
- Maxwell H, Amlot P, Rees L. Growth hormone and markers of immune function in children with renal transplants. Pediatr Nephrol 2000; 14: 473–475.
- Mayer AD, Dmitrewski J, Squifflet JP, et al. Multicenter randomized trial comparing tacrolimus (FK506) and cyclosporine in the prevention of renal allograft rejection: a report of the European Tacrolimus Multicenter Renal Study Group. Transplantation 1997; 64: 436-443.
- McDonald RA, Smith JM, Stablein D, Harmon WE. Pretransplant peritoneal dialysis and graft thrombosis following pediatric kidney transplantation: a NAPRTCS report. Pediatr Transplant 2003; 7: 204-8.
- McDonald RA, McIntosh M, Stablein D, et al. Increased incidence of PTLT in pediatric renal transplant recipients enrolled in a randomized controlled trial of steroid withdrawal: a study of the CCTPT [Abstract]. Am J Transplant 2005; 5(Suppl 11): 418.
- McDonald SP, Craig JC, for the Australian and New Zealand Paediatric Nephrology Association. Long-term survival of children with end-stage renal disease. N Engl J Med 2004; 350: 2654.

- McEnery PT, Gonzalez LL, Martin LW, West CD. Growth and development of children with renal transplants. Use of alternate-day steroid therapy. *J Pediatr* 1973; 83: 806–814.
- McEnery PT, Stablein DM, Arbus GS and Tejani A . A report of the North American pediatric Renal transplant cooperative study. *N Engl J Med* 1992; 326: 1727.
- McKay DB, Milford EL, Sayegh MH. Clinical aspects of renal transplantation. In: *The Kidney*, 5th ed, Brenner, BM, Rector, FC (Eds), Saunders, Philadelphia, 1995.
- McKee M, Segev D, Wise B, et al. Initial experience with FK506 (tacrolimus) in pediatric renal transplant recipients. *J Pediatr Surg* 1997; 32: 688-90.
- Mehls O, Wilton P, Lilien M, Berg U, Broyer M, Rizzoni G, Waldherr R, Opelz G. Does growth hormone treatment affect the risk of post-transplant renal cancer? *Pediatr Nephrol* 2002; 17: 984–989.
- Meier-Kriesche HU, Steffen BJ, Hochberg AM, et al. Mycophenolate mofetil versus azathioprine therapy is associated with a significant protection against long-term renal allograft function deterioration, *Transplantation* 75(2003) (8): 1341-1346.
- Meyers KE, Thomson PD, Weiland H.. Noncompliance in children and adolescents after renal transplantation. *Transplantation*. 1996 Jul 27; 62(2): 186-9..

- Midtvedt K, Fauchald P, Lien B, et al. Individualised T cell monitored administration of ATG versus OKT3 in steroid-resistant kidney graft rejection. *Clin Transplant* 2003; 17 (1): 69-74.
- Mital D, Podlasek W, Jensik SC. Sirolimus-based steroid free maintenance immunosuppression, *Transplant Proc* 2002; 34: 1709-10.
- Mitsenef MM, Subat-Dezulovic M, Khoury PR, et al. Increasing incidence of post-kidney transplant anemia in children. *Am J Transplant* 2005; 7: 1713–18.
- Monaco AP, Burke JF, Ferguson, RM et al. Current thinking on chronic renal allograft rejection: Issues, concerns, and recommendations from a 1997 roundtable discussion. *Am J Kidney Dis* 1999; 33:150.
- Montagnino G, Tarantino A, Banfi G, et al. Double recurrence of FSGS after two renal transplants with complete regression after plasmapheresis and ACE inhibitors. *Transpl Int* 2000; 13: 166–8.
- Montalbano M, Neff GW, Yamashiki N, et al. A retrospective review of liver transplant patients treated with sirolimus from a single center: an analysis of sirolimus-related complications. *Transplantation* 2004; 78: 264-268.
- Montgomery SP, Mog SR, Xu H, et al. Efficacy and toxicity of a protocol using sirolimus, tacrolimus and daclizumab in a non-human primate renal allotransplant model. *Am J Transplant* 2002; 2: 381-5.

- Nankivell BJ, Chapman JR, Bonovas G, Gruenewald SM. Oral cyclosporine but not tacrolimus reduces renal transplant blood flow. *Transplantation* 2004; 77: 1457-1459.
- National Kidney Foundation. K/DOQI clinical practice guidelines for chronic kidney disease: evaluation, classification, and stratification. *Am J Kidney Dis.* 2002 Feb; 39 (2 Suppl 1): S1-266.
- Neipp M, Offner G, Luck R, et al. Kidney transplant in children weighing less than 15 kg: donor selection and technical considerations. *Transplantation* 2002; 73: 409.
- Neu A, Stablein D, Zachary A, Furth S and Fivush B. Effect of parental donor sex on rejection in pediatric renal transplantation: A report of the North American Pediatric Renal Transplant Cooperative Study. *Pediatr transplant* 1998; 2: 309-313.
- Neu AM, Ho PL, Fine RN, Furth SL, Fivush BA. Tacrolimus vs. cyclosporine A as a primary immunosuppression in pediatric renal transplantation: a NAPRTCS study. *Pediatr Transplant* 2003; 7: 217-22.
- Neu AM. Special issues in pediatric kidney transplantation. *Adv Chronic Kidney Dis* 2006; 13: 62.
- Nishida S, Levi D, Kato T, et al. Ninety-five cases of intestinal transplantation at the University of Miami. *J Gastrointest Surg* 2002; 6: 233-9.

- Nissel R, Brazda I, Feneberg R, Wigger M, Greiner C, Querfeld U, Haffner D. Effect of renal transplantation in childhood on longitudinal growth and adult height. *Kidney Int* 2004; 66: 792– 800.
- Norman DJ, Chatenoud L, Cohen D, Goldman M, Shield CD. Consensus statement regarding OKT3-induced cytokine-release syndrome and human antimouse antibodies. *Transplant Proc* 1993; 25 (Suppl 1): 89-92.
- North American Pediatric Renal Transplant Cooperative Study (NAPRTCS) 2005 annual report. The EMMES Corporation, Rockville, MD, 2005.
- Oberkircher OR, Enoma M, West JC Regression of recurrent membrano proliferative glomerulonephritis type II in transplanted kidney after plasmapheresis therapy. *Transplant Proc.* 1988 Feb; 20 (1 Suppl 1): 418-23.
- Offner G, Broyer M, Niaudet P, et al. A multicenter, open-label, pharmacokinetic/pharmacodynamic safety, and tolerability study of basiliximab (Simulect) in pediatric de novo renal transplant recipients. *Transplantation* 2002; 74: 961-6.
- Ohta T, Kawaguchi H, Hattori M, et al. Effect of pre-and postoperative plasmapheresis on posttransplant recurrence of focal segmental glomerulosclerosis in children. *Transplantation* 2001; 71: 628.
- Omoloja A, Mitsnefes M, Talley L, et al. Racial differences in graft survival: A report from the North American Pediatric Renal Trials and Collaborative Studies (NAPRTCS). *Clin J Am Soc Nephrol* 2007; 2: 524.

- Opelz G, Wujciak T, Ritz E, for the Collaborative Transplant Study. Association of chronic kidney graft failure with recipient blood pressure. *Kidney Int* 1998; 53: 217.
- Pallet N, Thervet E, Le Corre D, et al. Rapamycin inhibits human renal epithelial cell proliferation: effect on cyclin D3 mRNA expression and stability. *Kidney Int* 2005; 67: 2422–33.
- Pape L, Ehrich JH, Zivicnjak M, Offner G. Growth in children after kidney transplantation with living related donor graft or cadaveric graft. *Lancet* 2005; 366: 151–153.
- Park JH, Yang CW, Kim YS, et al. Comparison of clinicopathological correlations between immediate and slow graft function in renal transplant recipients. *Clin Transplant* 2002; 16: 18–23.
- Parrott NR, Hammad AQ, Watson CJ, Lodge JP, Andrews CD. Multicenter, randomized study of the effectiveness of basiliximab in avoiding addition of steroids to cyclosporine a monotherapy in renal transplant recipients . *Transplantation*. 2005 Feb 15; 79 (3): 344-8.
- Pascual M, Theruvath T, Kawai T, et al. Strategies to improve long-term outcomes after renal transplantation. *N Engl J Med* 2002; 346: 580.
- Pediatric guidelines, procedure of measuring growth parameters. *AJKD* 2000; 35 (6) Suppl 2: S124-S135.

- Penn I. Malignancies in children. In: Pediatric Renal Transplantation, Tejani, A, Fine, RN (Eds), Wiley-Liss, New York 1994. p.462.
- Penn I. Post-transplant malignancy: the role of immunosuppression. *Drug Saf* 2000; 23: 101–13.
- Pennisi AJ, Costin G, Phillips LS, Uittenbogaart C, Ettenger RB, Malekzadeh MH, Fine RN. Linear growth in long-term renal allograft recipients. *Clin Nephrol* 1997; 8: 415–421.
- Ponticelli C, Moroni G. Renal transplantation in lupus nephritis. *Lupus* 2005; 14: 95–8.
- Ponticelli C, Villa M, Cesana B, et al. Risk factors for late kidney allograft failure. *Kidney Int* 2002; 62: 1848–54.
- Ponticelli C, Passerini P. Gastrointestinal complications in renal transplantation. *Transpl Int* 2005; 18: 643–50.
- Port FK, Merino RM, Goodrich NP, Wolfe RA. Recent trends and results for organ donation and transplantation in the United States, 2005. *Am J Transplant* 2006; 6: 1095–100.
- Potter D, Belzer FO, Rames L, Holliday MA, Kountz SL, Najarian JS. The treatment of chronic uremia in childhood. I. Transplantation. *Pediatrics* 1970; 45: 432–43.

- Puliyanda DP, Stablein DM, Dharnidharka VR. Younger age and antibody induction increase the risk for infection in pediatric renal transplantation: a NAPRTCS report. *Am J Transplant* 2007; 7: 662-6.
- Qiu J, Terasaki PI, Waki K, et al. HIV-positive renal recipients can achieve survival rates similar to those of HIV-negative patients. *Transplantation* 2006; 81: 1658.
- Quan A, Sullivan EK, Alexander SR. Recurrence of hemolytic uremic syndrome after renal transplantation in children: a report of the North American Pediatric Renal Transplant Cooperative Study. *Transplantation* 2001; 72: 742-5.
- Qvist E, Jalanko H, Holmberg C. Psychosocial adaptation after solid organ transplantation in children. *Pediatr Clin North Am* 2003; 50: 1505-1519.
- Raafat RH, Kalia A, Travis LB, Diven SC. High-dose cyclosporine therapy for recurrent focal segmental glomerulosclerosis in children. *Am J Kidney Dis* 2004; 44: 50-6.
- Rabkin R, Sun DF, Chen Y, Tan J, Schaefer F. Growth hormone resistance in uremia, a role for impaired JAK/STAT signaling. *Pediatr Nephrol* 2005; 20: 313-318.
- Racusen LC, Solez K, Colvin RB. The Banff 97 working classification of renal allograft pathology. *Kidney Int* 1999; 55: 713-23.

- Ramos E, Drachenberg CB, Papadimitriou JC, et al. Clinical course of polyoma virus nephropathy in 67 renal transplant patients. *J Am Soc Nephrol* 2002; 13: 2145–51.
- Reisaeter AV, Leivestad T, Vartdal F, et al. A strong impact of matching for a limited number of HLA-DR antigens on graft survival and rejection episodes. *Transplantation* 1998; 66: 523.
- Reznik VM, Jones KL, Durham BL, Mendoza SA. Changes in facial appearance during cyclosporine treatment. *Lancet* 1987; 1: 1405-1407.
- Robert JJ, Tete MJ, Crosnier H, Broyer M. [Sugar diabetes after renal transplantation in children]. *Ann Pediatr (Paris)* 1993; 40: 112.
- Rodriguez-Soriano J, Vallo A, Quintela MJ, Malaga S, Loris C. Predictors of final adult height after renal transplantation during childhood: a single-center study. *Nephron* 2000; 86: 266– 273.
- Rubin RH. Infectious disease complications of renal transplantation. *Kidney Int.* 1993 Jul; 44(1): 221-36.
- Sadowski RH, Harmon WE, Jabs K. Acute hemodialysis of infants weighing less than five kilograms. *Kidney Int* 1994; 45: 903.
- Sageda S, Nordal KP, Hartmann A, Sund S, Scott H, Degré M, Foss A, Leivestad T, Osnes K, Fauchald P, Rollag H: The impact of cytomegalovirus infection and disease on rejection episodes in renal allograft recipients. *Am J Transplant.* 2002 Oct; 2(9): 850-6.

- Salmela KT, von Willebrand EO, Kyllonen LE, et al. Acute vascular rejection in kidney transplantation — Diagnosis and outcome. *Transplantation* 1992; 54: 858-62.
- Salvatierra O, Alfrey E, Tanney DC, Mak R, Hammer GB, Krane EJ, So SK, Lemley K, Orlandi PD, Conley SB.. Superior outcomes in pediatric renal transplantation..*Arch Surg* 1997; 132: 842.
- Salvatierra O, Tanney D, Mak R. Pediatric renal transplantation and its challenges. *Transplant Rev* 1997; 11: 51-69.
- Sanchez CP, He YZ. Daily or intermittent calcitriol administration during growth hormone therapy in rats with renal failure and advanced secondary hyperparathyroidism. *J Am Soc Nephrol* 2005; 16: 929–938.
- Sarkio S, Halme L, Kyllonen L, Salmela K. Severe gastrointestinal complications after 1515 adult kidney transplantations. *Transpl Int* 2004; 17: 505–10.
- Sarwal MM, Vidhun JR, Alexander SR, Satterwhite T, Millan M, Salvatierra O Jr. Continued superior outcomes with modification and lengthened follow-up of a steroid-avoidance pilot with extended daclizumab induction in pediatric renal transplantation. *Transplantation* 2003; 76: 1331–1339.
- Sarwal MM, Yorgin PD, Alexander S, et al. Promising early outcomes with novel, complete steroid avoidance immunosuppression protocol in pediatric renal transplantation. *Transplantation* 2001; 72: 13-21.

References

- Schachter AD, Meyers KE, Spaneas LD, et al. Short sirolimus half-life in pediatric renal transplant recipients on a calcineurin inhibitor-free protocol. *Pediatr Transplant* 2004; 8: 171-7.
- Schaefer F, Seidel C, Binding A, Gasser T, Largo RH, Prader A, Schärer K. Pubertal growth in chronic renal failure. *Pediatr Res* 1990; 28: 5–10.
- Schaefer F, Wingen AM, Hennicke M, Rigden S, Mehls O. Growth charts for prepubertal children with chronic renal failure due to congenital renal disorders. European study group for nutritional treatment of chronic renal failure in childhood. *Pediatr Nephrol* 1996; 10: 288–293.
- Schwartz GJ, Brion LP and Spitzer A. The use of plasma creatinine concentration for estimating glomerular filtration rate in infants, children and adolescents. *Pediatr. Clin North Am.* 1987; 34: 571-576.
- Schwenger V, Zeier M, Ritz E. Hypertension after renal transplantation. *Ann Transplant* 2001; 6: 25–30.
- Scott JP, Higenbottam TW. Adverse reactions and interactions of cyclosporine. *Med Toxicol Adverse Drug Exp* 1988; 3: 107-127.
- Seikaly M, Ho PL, Emmett L, Tejani A. The 12th Annual Report of the North American Pediatric Renal Transplant Cooperative Study: renal transplantation from 1987 through 1998. *Pediatr Transplant* 2001; 5: 215-31.

- Seikku P, Raivio T, Janne OA, Neuvonen PJ, Holmberg C. Methylprednisolone exposure in pediatric renal transplant patients. *Am J Transplant* 2006; 6: 1451–1458.
- Senggutuvan P, Cameron JS, Hartley RB, et al. Recurrence of focal segmental glomerulosclerosis in transplanted kidneys: Analysis of incidence and risk factors in 59 allografts. *Pediatr Nephrol* 1990 Jan; 4(1): 21-8.
- Shapiro R, Jordan M, Fung J, et al. Kidney transplantation under FK506 immunosuppression. *Transplant Proc* 1991; 23: 920-3.
- Shibasaki F, Hallin U, Uchino H. Calcineurin as a multifunctional regulator. *J Biochem (Tokyo)* 131 (2002) (1): 1-15.
- Shihab FS, Barry JM, Norman DJ. The hemodynamic effects of intraoperative injection of muromonab CD3. *Transplantation* 1993; 56: 356-8.
- Shishido S, Hasegawa A. Current status of ABO-incompatible kidney transplantation in children. *Pediatr Transplant* 2005; 9: 148.
- Shoskes DA, Shahed AR, Kim S. Delayed graft function. Influence on outcome and strategies for prevention. *Urol Clin North Am* 2001; 28: 721–32.
- Simmons RL and Najarian JS. Kidney transplantation. In: Egda RH ed. *Comprehensive manuals of surgical specialties*. New York: Springer-Verlog, 1984.

- Sindhi R, Webber S, Goyal R, Reyes J, Venkataramanan R, Shaw L. Pharmacodynamics of sirolimus in transplanted children receiving tacrolimus. *Transplant Proc* 2002; 34: 1960.
- Smink JJ, Buchholz IM, Hamers N, van Tilburg CM, Christis C, Sakkers RJ, de Meer K, van Buul-Offers SC, Koedam JA. Short-term glucocorticoid treatment of piglets causes changes in growth plate morphology and angiogenesis. *Osteoarthritis Cartilage* 2003; 11: 864–871.
- Smith JM, Ho PL, Mc Donald RA. Renal transplant outcomes in adolescents: a report of the North American Pediatric Renal Transplant Cooperative Study. *Pediatr Transplant* 2002; 6: 493–9.
- Smith JM, McDonald RA, Finn LS, et al. Polyomavirus nephropathy in pediatric kidney transplant recipients. *Am J Transplant*. 2004 Dec; 4(12): 2109-17.
- Smith JM, Stablein DM, Munoz R, Hebert D, McDonald RA. Contributions of the Transplant Registry: The 2006 Annual Report of the North American Pediatric Renal Trials and Collaborative Studies (NAPRTCS). *Pediatr Transplant*. 2007 Jun; 11(4): 366-73.
- Snow EC, Felldbush TL, Oaks JA. The effect of growth hormone and insulin upon MLC responses and the generation of cytotoxic lymphocytes. *J Immunol* 1981; 126: 161–164.
- Solez K, Axelsen RA, Benediktsson H, et al. International standardization of criteria for the histologic diagnosis of renal allograft rejection: The Banff

working classification on renal transplant pathology. *Kidney Int* 1993; 44: 411.

Sollinger HW, Mycophenolates in transplantation. *Clin transplant* 18 (2004) (5): 485-492.

Sorof JM, Poffenbarger T, Portman R. Abnormal 24-hour blood pressure patterns in children after renal transplantation. *Am J Kidney Dis* 2000; 35: 681.

Spital A. Should all human immunodeficiency virus-infected patients with end-stage renal disease be excluded from transplantation? The views of U.S. transplant centers. *Transplantation* 1998; 65:1187.

Stone JH. End-stage renal disease in lupus: disease activity, dialysis, and the outcome of transplantation. *Lupus* 1998; 7: 654–9.

Strid H, Simren M, Johansson AC, et al. The prevalence of gastrointestinal disorders with impaired psychological general well-being. *Nephrol Dial Transplant* 2002; 8: 1434–9.

Takada M, Nadeau KC, Shaw DG, Tilney LN. Prevention of late renal changes after initial ischemia/reperfusion injury by blocking early selectin binding. *Transplantation* 1997; 64: 1520–5.

Takahara S, Moriyama T, Kokado Y, et al. Randomized prospective study of effects of benazepril in renal transplantation: an analysis of safety and efficacy. *Clin Exp Nephrol* 2002; 6: 242–7.

- Tan HP, Kaczorowski D, Basu A, et al. Steroid-free tacrolimus monotherapy after pretransplantation Thymoglobulin or Campath and laparoscopy in living donor renal transplantation. *Transplant Proc* 2005; 37: 4235.
- Tejani A, Stablein DH. Recurrence of focal segmental glomerulosclerosis posttransplantation: A special report of the North American Pediatric Renal Transplant Cooperative Study. *J Am Soc Nephrol* 1992; 2: S258.
- Tejani A, Sullivan EK and Alexander S. Post transplant deaths and factors that influence the mortality rate in North American children. *Transplantation* 1994; 57 (4): 547-553.
- Tejani A, Cortes L, Sullivan EK. A longitudinal study of the natural history of growth post-transplantation. *Kidney Int* 1996; 53: S103–108.
- Tejani AH, Sullivan EK, Harmon WE et al. Pediatric renal transplantation – the NAPRTCS experience. *Clin Transplant* 1997; 11(1): 87.
- Tejani A, Stablein DM, Donaldson L, Harmon WE, Alexander SR, Kohaut E, Emmett E, Fine RN. Steady improvement in short-term graft survival of pediatric renal transplants: the NAPRTCS experience. In: Cecka JM, Terasaki PI (eds) *Clinical transplants*. ULCA Immunogenetics Center, Los Angeles, 1999; pp 95–105.
- Tejani A, Sullivan EK. The impact of acute rejection on chronic rejection: a report of the North American Pediatric Renal Transplant Cooperative Study (NAPRTCS). *Pediatr Transplant* 1999; 4: 107–111.

- Tejani A and Williams EH. Clinical transplantation. In Barratt TM, Avner ED and Harmon WE (eds). *Pediatric Nephrology*. Lippincott Williams and Wilkins, 1999; 1309-1337.
- Terasaki P, Cecka J and Cho Y. Overview. In *Clinical Transplants*, Terasaki PI (ed), ULCA Tissue Typing Laboratory, Los Angeles 1990; P269.
- The evaluation of renal transplant candidates. Clinical Practice Guidelines. *Am J Transplant* 2001; 2(Suppl 1):5.
- The fourth report on the diagnosis, evaluation, and treatment of high blood pressure in children and adolescents. *Pediatrics* 2004; 114: 555.
- Thissen JP, Ketelslegers JM, Underwood LE. Nutritional regulation of the insulin-like growth factors. *Endocr Rev* 1994; 15: 80– 101.
- Tomlanovich S, Vincenti F, Amend W, Biava C, Melzer J, Feduska N and Salvatierra O. Is cyclosporine effective in preventing recurrence of immuno-mediated glomerular disease after renal transplantation. *Transplant Proc.* 1988 Jun; 20 (3 Suppl 4): 285-8.
- Tönshoff B, Mehls O. Factors affecting growth and strategies for treatment in children after renal transplantation. *Pediatr Transplant* 1997; 1: 176–182.
- Tönshoff B, Kiepe D, Ciarmatori S. Growth hormone/ insulin-like growth factor system in children with chronic renal failure. *Pediatr Nephrol* 2005; 20:279–289.

- Trompeter R, Filler G, Webb NJ, et al. Randomized trial of tacrolimus versus cyclosporin microemulsion in renal transplantation. *Pediatr Nephrol* 2002; 17: 141-149.
- Tsai D, Hardy C, Tomaszewski J, Kotloff R, Oltoff K, Somer B, Schuster S, Porter D, Montone K, Stadtmauer E: Reduction in immunosuppression as initial therapy for posttransplant lymphoproliferative disorder: Follow-up of 42 adult patients. *Transplantation*. 2001 Apr 27; 71(8): 1076-88.
- Tydén G, Berg U, Reinholt F. Acute renal graft rejection after treatment with human growth hormone. *Lancet* 1990; 336:1455–1456.
- Tydén G, Wernersson A, Sandberg J, Berg U. Development of renal cell carcinoma in living donor kidney grafts. *Transplantation* 2000; 70: 1650–1656.
- U.S. renal data system, USRDS 2001. Annual data report: Atlas of end-stage renal disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2001.
- U.S. renal data system, USRDS 2005. Annual data report: Atlas of end-stage renal disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2005.

- Van Biesen W, Vanholder R, Veys N, et al. Efficacy of erythropoietin administration in the treatment of anemia immediately after renal transplantation. *Transplantation* 2005; 79: 367–8.
- Van der Heijden BJ, van Dijk PC, Verrier-Jones K, Jager KJ, Briggs JD. Renal replacement therapy in children: data from 12 registries in Europe. *Pediatr Nephrol.* 2004; 19: 213–221.
- Vester U, Schaefer A, Kranz B, et al. Development of growth and body mass index after pediatric renal transplantation. *Pediatr Transplant* 2005; 9: 445.
- Vincenti F for the Bi-Continental Triple Therapy HAT study group. A phase III multicenter study of humanized anti-tac for the prevention of rejection in primary cadaveric renal allograft recipients. 16th Annual Meeting of the American Society of Transplant Physicians. Chicago: ABS.1997; 702.
- Vilchez RA, Fung J, Kusne S. Cryptococcosis in organ transplant recipients. *Am J Transplant* 2002; 2: 575–80.
- Warady BA, Hébert D, Sullivan EK, Alexander SR, Tejani A. Renal transplantation, chronic dialysis, and chronic renal insufficiency in children and adolescents. The 1995 Annual Report of the North American Pediatric Renal Transplant Cooperative Study. *Pediatr Nephrol.* 1997 Feb; 11(1): 49-64.
- Warady BA, Chadha V. Chronic kidney disease in children: the global perspective . *Pediatr Nephrol.* 2007; 22: 1999–2009.

- Webb NJ, Johnson R, Postlethwaite RJ. Renal transplantation. Arch Dis Child 2003; 88: 844.
- Wolfe RA, Ashby VB, Milford EL, et al. Comparison of mortality in all patients on dialysis, patients on dialysis awaiting transplantation, and recipients of a first cadaveric transplant. N Engl J Med 1999; 341: 1725.
- Wood MA, Bierer BE. Rapamycin: Biological and therapeutic effects, binding by immunophilins and molecular targets of action. Perspect Drug Disc Design 1994; 2: 163-84.
- Yang CW, Ahn HJ, Han HJ, et al. Pharmacological preconditioning with low-dose cyclosporine or FK506 reduces subsequent ischemia/reperfusion injury in rat kidney. Transplantation 2001; 72: 1726–7.
- Yorgin PD, Belson A, Sanchez J, et al. Unexpectedly high prevalence of posttransplant anemia in pediatric and young adult renal transplant recipients Am J Kidney Dis 2002; 40: 1306–18.
- Zimmerhackl LB, Scheiring J, Profer F, et al. Renal transplantation in HUS patients with disorders of complement regulation. Pediatr Nephrol 2007; 22: 10–60.